



DAFTAR PUSTAKA

- Alansari, S., Sangsuwon, C., Vongthongleur, T., Kwal, R., Teo, M.C., Lee, Y. B., Nervina, J., Teixeira, C., Alikhani, M., 2015, Biological principles behind accelerated tooth movement, *Semin Orthod*, 21:151–61.
- Alfaqeeh, S.A., Anil S., 2014, Gingival crevicular fluid flow rate and alkaline phosphatase level as potential marker of active tooth movement. *Oral Health Dent Manag*, 13: 458-63.
- Alhadlaq, A.M., 2015, Biomarkers of Orthodontic Tooth Movement in Gingival Crevicular Fluid: A Systematic Review. *J Contemp Dent Pract*, 16(7): 578-87.
- Anonim, 2015, *Guinea pig Age Calculator*, <http://www.age-converter.com/guinea-pig-age-calculator.html> Diunduh pada tanggal 17 Desember 2017.
- Ariffin, S.H.Z., Yamamoto, Abidin, I.Z.Z., Wahab, R.M.A., Ariffin, Z.Z., 2001, Cellular and Molecular Changes in Orthodontic Tooth Movement, Review Article, *Sci World J*, 11:1788-803.
- Asma, A., Rohaya, M., Hisham, Z., 2008, Crevicular Alkaline Phosphatase Activity during Tooth Movement: Canine Retraction Stage, *J Med Sci*, 8:228-33.
- Astuti, N.M.A.G.R., 2018, *Pengantar Ilmu Peternakan*, cetakan pertama, Universitas Warmadewa, Denpasar.
- Bajoub, A., Pacchiarotta, T., Hurtado-Fernandez, E., Olmo-García, L., García-Villalba, R., Fernandez-Gutierrez, A., dkk., 2016, Comparing Two Metabolic Profiling Approaches (Liquid Chromatography and Gas Chromatography Coupled To Mass Spectrometry) for Extra-Virgin Olive oil Phenolic Compounds Analysis: A Botanical Classification Perspective, *J of Chromato*, 1428: 267-79.
- Bell, N.H., 2003, RANK Ligand and The Regulation of Skeletal Remodeling, *J Clin Invest*, 111:1120-2.
- Bernardi, D., Zaninotto, M., Plebani, M., 2004, Requirements For Improving Quality In The Measurement of Bone Markers, *Clin Chim Acta*, 346(1):79–86.
- Berr, C., Portet, F., Carriere, I., Akbaraly, T.N., Feart, C., Gourlet, V., Combe, N., Barberger-Gateau, P., Ritchie, K., 2009, Olive oil and Cognition: Results From The Three-City Study, *Dementia Geriatr. Cogn. Disord*, 28:357-364.



Bezerra, M.C., Carvalho, J.F., Prokopowitsch, A.S., Pereira, R.M.R., 2005, RANK, RANKL and Osteoprotegerin in Arthritic Bone Loss, *Braz J Med Biol Res*, 38(2):161-70.

Boskou G, Salta FN, Chrysostomou S, Mylona A, Chiou A, et al., 2006, Antioxidant Capacity and Phenolic Profile of Table Olives from The Greek Market, *Food Chem*, 94: 558-64.

Boskou, D., 2017, Table Olives: A Vehicle for The Delivery of Bioactive Compounds, *J Exp Food Chem*, 3(1):123-30.

Brauchli, L.M., Senn, C., Ball, J., Wichelhaus, A., 2011, A Force Levels of 23 Nickel-Titanium *Open coil springs* in Compression Testing, *Am J Orthod Dentofac. Orthop*, 139(5): 601-5.

Cardaropoli, D, Gaveglia, L., 2007, The Influence of Orthodontic Movement on Periodontal Tissues Level, *Semin Orthod*, 13(4): 234-45.

Carranza, F.A., Newman, M.G., Takei, H.H., 2002, Carranzza's Clinical Periodontology, 9th ed, WB Saunders, Philadelphia.

Cauley, J. A, 2015, Estrogen and Bone Health in Men and Women, *Steroids*, 99:11–5.

Cimasoni,G., 1983, Crevicular Fluid Updated, *Monogr Oral Sci*, 12:III-VII.

d'Apuzzo, F., Cappabianca, S, Ciavarella, D., Monsurro, A., Silvestrini-Biavati,A., Perillo, L, 2013, Biomarkers of Periodontal Tissue Remodeling during Orthodontic Tooth Movement in Mice and Men: Overview and Clinical Relevance, *The Sci World J*, 1-8.

Dai, Z., Li, Y., Quarles, L.D., Song, T., Pan,W., Zhou, H., 2007, Resveratrol Enhances Proliferation and Osteoblastic Differentiation in Human Mesenchymal Stem Cells Via ER-Dependent ERK1/2 Activation, *Phytomedicine*, 14:806–14.

Dalai, C, Dalai, C., Bodog, F., Iurcov, R., Romanul, I. I., Romanul, A. C., Micle, O., Mureşan, M, 2012, Salivary and Serum Modifications of The Biochemical Parameters in Pregnant Women with Tooth Disorders, *Acta Medica Transilvanica*, 2(4): 302-5.

Dilsiz, A., Kilic, N., Aydin, T., Ates, F. N, Zihni, M., Bulut, C., 2010, Leptin Levels in Gingival Crevicular Fluid During Orthodontic Tooth Movement, *Angle Orthod*, 80:504–8.



Dolce, C., Malone, J.S., Wheeler, T.T., 2002, Current Concepts in The Biology of Orthodontic Tooth Movement, *Semin Orthod*, 8(1):6-12.

Đudarić, L., Fužinac-Smojver, A., Muhvić, D., Giacometti, J., 2015, The Role of Polyphenols on Bone Metabolism in Osteoporosis, *Food Res Int*, 77: 290-8.

Ehrman, J.K., Gordan, P.M, Visich, P.S, Keteyian, S.J, 2013, *Clinical Exercise Physiolog*, Human Kinetics, Inc, USA, hal 448.

Elgea, 2011, First Pressed *Olive oil* , <http://epochproducts.com/blog/first-pressed-olive-oil/> Diunduh pada tanggal 22 Januari 2018.

Esteban, B.M., Solis, D.A., Lezcano, 2015, *Olive oil* , A Cornerstone of The Mediterranean Diet, *Olivae*, 121: 19-26.

Ferguson, D.B., Shuttleworth, A., Whittaker, D.K., 1999, *Oral Bioscience*. Edinburgh, New York.

Flores, M.I.A., Romero-González, R., Frenich, A.G., Vidal, J.L.M, 2012, Analysis Of Phenolic Compounds in *Olive oil* by Solid-Phase Extraction and Ultra High Performance Liquid Chromatographytandem Mass Spectrometry, *Food Chem*, 134: 2465-72.

Foster, T.D, 2016, *Buku Ajar Ortodontia*, Edisi 3, Penerbit Buku Kedokteran EGC, Jakarta, hal 163-83.

Funaro, M., Bolyakov, A., Gimenez, E., Herman, M., Paduch, D. ,2013, Low Testosterone- An Important Predictor of Low Mineral Bone Density in Young Men-Our Own Experience and A Review of Literature, *Advan in Sex Med*, 3(3A), 19–33.

Garcia-Martinez, De Luna-Bertos, Elvira, Ramos-Torrecillas, Javier, Ruiz, Concepcion, Milia, Egle, Lorenzo, Maria Lusia, Jimenez, Brigida, Sanchez-Ortiz, Araceli, Rivas, Ana, 2016, Phenolic Compounds in Extra Virgin *Olive oil* Stimulate human Osteoblastic Cell Proliferation, *Plos One*, 11(3): 1-15.

Ghanbari, R., Anwar, F., Alkharfy, K.M., Gilani, A.H., Saari, N., 2012, Valuable Nutrient and Functional Bioactives in Different Parts of Olive (*Olea europaea* L.)-A Review, *Int. J. Mol. Sci.*, 13: 3291-340.

Gruber, C.J., Tschugguei, W., Schneeberger, C., Huber, J.C., 2002, Production and Action of Estrogens, *N Engl J Med*, 346:340-50.



- Guerfel, M., Ben Mansour, M., Ouni, Y., Guido, F., Boujnah, D., Zarrouk, M., 2012, Triacylglycerols Composition and Volatile Compounds of Virgin Olive Oil from Chemlali Cultivar: Comparison Among Different Planting Densities, *Sci. World J.*, 2012(354019):1-6.
- Gutierrez, F., Arnaud, T., Garrido, A., 2001, Contribution of Polyphenols to The Oxidative Stability of Virgin *Olive oil*, *J Sci Food Agric*, 81: 1463-70.
- Hagiwara, K., Goto, T., Araki, M., Miyazaki, H., Hagiwara, H, 2011, Olive Polyphenol Hydroxytyrosol Prevents Bone Loss, *Eur J Pharmacol*, 662:78–84.
- Hamdany, A.K., Al-Khatib, A.R., Al-Sadi, H., 2017, *IJERSTE*, 6(5): 68-78.
- Hartono, P., 2013, Pengaruh Pemberian Minyak Ikan Lemuru (Sardinella longiceps) Pada Proses Remodeling Alveolaris Gigi Kelinci New Zealand White yang Digerakkan Secara Ortodontik: Kajian Pada Interleukin-1, Tumor Nekrosis Faktor- α , Ekspresi Osteopontin dan Alkaline phosphatase, *Disertasi Tesis*, Dr., Universitas Gadjah Mada, Yogyakarta.
- Hosoya, S., Suzuki, H., Yamamoto, M., Kobayashi, K., Abiko, Y., 1998, Alkaline Phosphatase and Type I Collagen Gene Expressions were Reduced by Hydroxyl Radical-Treated Fibronectin Substratum, *Mol Genet Metab*, 65:31–4.
- Huang, H., William, R.C., Kyrkanides, S., 2014, Accelerated Orthodontic Tooth Movement: Molecular Mechanisms., *AJODO*, 146(5):620-632.
- Jacoeb, T.Z., 2005, Aromatase Dalam Ginekologi, *Ethical Digest*, (13): 32-47.
- Jiang, S.Y., Shu, R., Xie, Y.F., Zhang, S.Y., 2010, Age Related Changes in Biological Characteristics of Human Alveolar Osteoblasts, *Cell Prolif*, 43:464-70.
- Juhasz-Böss, Fehm T, Ney JT, Solomayer EF., 2012. Pathophysiology of Bone Remodelling and Current Therapeutic Approach, *GebFra Science*; 72: 502–6.
- Kahn, A., Gibbons, R., Perkins, S., Gazit, D., 1995, Age-related Bone Loss. A Hypothesis and Initial Assessment in Mice, *Relat. Res*, 313: 69-75.
- Karacay, S., Saygum, I., Bengi, A.O, Serdar, M., 2007, Tumor Necrosis Factor-Alpha Levels During Two Different Caninen Distalization Techniques, *Angle Orthod*, 77(1): 142-47.



Keeling, S.D., King, G.J., McCoy, E.A., Valdez, M, 1993, Serum and Alveolar Bone Phosphatase Changes Reflect Bone Turnover During Orthodontic Tooth Movement, *Am J Orthod Dentofacial Orthop*, 103(4):320-326.

Keiler, A.M., Zierau, O., Bernhardt, R., Scharnweber, D., Lemonakis, N., Ternetzi, A. dkk., 2014, Impact of A Functionalized *Olive oil* Extract on The Uterus and The Bone in A Model of Postmenopausal Osteoporosis, *Eur J Nutr*, 53: 1073-81.

Khrisan, V., Davidovitch, Z., 2006, Cellular, Molecular, and Tissue Level Reactions to Orthodontic Force. *Am J Orthod Dentofacial Orthop*, 129(4): 460-9.

Klingsberg, J., Butcher, E., 1960, Comparative Histology of Age Change in Oral Tissues of Rat, Hamster, and Monkey, *J Dent Res*, 39:158-69.

Kountouri, A.M., Mylona, A., Kaliora, A.C., Andrikopoulos, N.K., 2007, Bioavailability of The Phenolic Compounds of The Fruits (Drupes) of Olea Europaea (Olives): Impact on Plasma Antioxidant Status in Humans, *Phytomedicine*, 14: 659–67.

Krishnan, V., Davidovitch, Z., 2009, On a Path To Unfolding The Biological Mechanism of Orthodontic Tooth Movement, *J Dent Res*, 88:597-608.

Kunjappu, J.J., Mathew, V.B., Hedge, S., Kashyap, R., Hosadurga, R., 2012, Assessment of The Alkaline Phosphatase Level in Gingival Crevicular Fluid, as A Biomarker to Evaluate The Effect of Scaling and Root Planing on Chronic Periodontitis: An in Vivo Study, *J. Oral Maxillofac Pathol*, 16(1):54–7.

Laswati, Hening, 2016, *Ancaman Osteoporosis Pada Kaum Laki – laki*, Edisi 1, Zifatama Publisher, Surabaya, hal 23-34.

Lee, N.K, Choi, Y.G., Baik, J.Y., Han, S.Y., Jeong, D.W, Bae, Y.S, Lee, S.Y., 2005, A Crucial Role For Reactive Oxygen Species in RANKL-induced Osteoclast Differentiation, *Blood*, 106(3):852-59.

Leethanakul C., Kittichaikarn C., Charoemratrote C., Jitpukdeebodintra S., 2008, Effects of Continuous and Interrupted Orthodontic Force on Interleukin-1 β and Interleukin-8 Secretion in Human Gingival Crevicular Fluid, *J. Oral Biosci*, 50(4):230-8.

Liu, H., Huang, H., Li, B., Wu, D., Wang, F., Zheng, X. H. dkk., 2014, *Olive oil* in The Prevention and Treatment of Osteoporosis After Artificial Menopause, *Clin Interv Aging*, 9: 2087-95.



Lopez-Lazaro, M., 2009, Distribution and Biological Activities of The Flavonoid Luteolin, *Mini-Reviews Med Chem*, 9(1): 31-59.

Marrugat, J., Covas, M.I., Fitó, M., Schröder, H., Miró-Casas, E., Gimeno, E., López-Sabater, M., Torre, R., Farré, M., 2004, Effects of Differing Phenolic Content in Dietary Olive Oils on Lipids and LDL Oxidation Randomized Controlled Trial, *Eur. J. Nutr*, 43:140–7.

Masi, L., Becherini, L., Gennari, L., Amedel, A., Colli, E., Falchetti, A. dkk., 2001, Polymorphism of The Aromatase Gene in Postmenopausal Italian Women: Distribution and Correlation With Bone Mass and Fracture Risk, *J Clin Endocrinol Metab.*, 86: 2263-69.

Mense, S.M., Hei, T.K., Ganju, R.K., Bhat, H.K., 2008, Phytoestrogens and Breast Cancer Prevention: Possible Mechanisms of Action., *Environ. Health Perspect.*, 116: 426–33.

Monroe, D.G., Secreto, F.J., Spelsberg, T.C., 2003, Overview of Estrogen Action in Osteoblast: Role of The Ligand, The Receptor, and The Co-Regulator, *J Musculoskel Neuron Interact*, 3(4): 357-62.

Mundy, G.R., 2006, Nutritional Modulators of Bone Remodelling During Aging, *Am J Clin Nutr* ,83: 427S-30S.

Nakashima, K., Roehrich, N., Cimasoni, G., 1994, Osteocalcin, Prostaglandin E2 and Alkaline Phosphatase in Gingival Crevicular Fluid: Their Relations to Periodontal Status. *J. Clin. Periodontol.*, 21: 327-33.

Noor, .Z, Kania, N., Setiawan, B., 2014, Tibia Bone Properties at Different Time Course of Ovariectomized Rats, *J Diabetes Metab Disord*, 13(1):91.

Omar, S.H., 2010, Oleuropein in Olive and Its Pharmacological Effects, *Sci Pharm*, 78: 133-54.

Oursler, M.J., 2003, Direct and Indirect Effects of Estrogen on Osteoclast. *J Musculoskel Neuron Interact*, 3(4):363-6.

Parfitt, A.M., 1988, *Bone Remodeling. Relationship To The Amount and Structure of Bone and Pathogenesis and Prevention of Fractures*. In: Riggs BL, Melton LJ, editors. *Osteoporosis etiology, Diagnosis, and Management*, Raven Press, New York.

Perinetti, G., Paolantonio, M., Serra, E., D'Archivio, D., D'Ercole, S., Festa, F., Spoto, G., 2004, Longitudinal Monitoring of Subgingival Colonization by *Actinobacillus Actinomycetemcomitans* and Crevicular Alkaline



Phosphatase and Aspartate Aminotransferase Activities Around Orthodontically Treated Teeth, *J Clin Periodontol*, (1): 60-7.

Proffit, W.R., Fields, Jr., H. W., Sarver, D. M., 2007, *Contemporary Orthodontics*, Mosby Elsevier, St. Louis, hal 296-304, 331-59.

Pudyani, P.S., Sutantyo, D., Suparwitri, S., 2008, Morphological Changes of Alveolar Bone Due to Orthodontic Movement of Maxillary and Mandibular Incisors, *Dent. J.(Maj. Ked. Gigi)*, 41(1): 21-4.

-----, Amara, W., Utari, T.R., 2014, Alkaline Phosphatase Expression during Relapse After Orthodontic Tooth Movement, *Dent. J. (Maj. Ked. Gigi)*, 47(1): 25-30.

Puel, C., Mardon, J., Kati-Coulibaly, S., Davicco, M.J., Lebecque, P., Obled, C., Rock E, dkk., 2007, Black Olives Prevented Bone Loss Caused by Ovariectomy and Talcgranulomatosis in Rats, *J Brit Nutri*, 97: 1012-20.

Puron, M.E.C, de Bernabe, B.V., 2015, *Virgin Olive oil in The Fight Against Ageing*. Olivae, Principe de Vergara, Spain, hal 33-4.

Ramirez-Tortosa, M.C., Urbano, G., Lopez-Jurado, M., et al, 1999, Extra-Virgin Olive Oil Increases The Resistance of LDL to Oxidation More than Refined Olive Oil in Free-Living Men With Peripheral Vascular Disease, *J Nutr*, 129(12): 2177-83.

Ren, Y., 2003, Age Effect on Orthodontic Tooth Movement, *Disertasi Tesis*, Dr., University of Nijmegen, Netherland.

-----, Maltha, J.C., Van 't Hof, M.A., Kuijpers-Jagtman, A.M, 2003, Age Effect on Orthodontic Tooth Movement in Rats, *J Dent Res*, 82(1): 38-42.

-----, Maltha, J.C., Van't Hof, M.A., Von Den Hoff, J.W., Kuijpers-Jagtman, A.M., Zhang, D., 2002, Cytokine Levels in Crevicular Fluid are Less Responsive to Orthodontic Force in Adults than in Juveniles. *J Clin Periodontol*, 29: 757-62.

Rendina, E., Hembree, K.D., Davis, M.R., Marlow, D., Clarke, S.L., Halloran, B.P., et al., 2013, Dried Plum's Unique Capacity to Reverse Bone Loss and Alter Bone Metabolism in Postmenopausal Osteoporosis Model, *J PLoS One*, 8:e60569.

Rohaya, M.A.W., Maryati, M.D., Sahidan, S, 2011, Crevicular Tartrate Resistant Acid Phosphatase Activity and Rate of Tooth Movement Under Different Continous Force Applications, *Afr J Pharm Pharmacol*, 5(20): 2213-9.



- Romero-Segura, C., García-Rodríguez, R., Sanchez-Ortiz, A., Sanz, C., & Perez, A. G., 2012, The Role of Olive b-glucosidase in Shaping The Phenolic Profile of Virgin *Olive oil.*, *Food Research International*, 45:191-6.
- Seeman, E., 2009, Bone Modeling and Remodeling, *Crit. Rev. Eukaryot. Gene Expr.*, 19:219-33.
- Shimpo, S., Horiguchi, Y., Nakamura, Y., Lee, M., Oikawa, T., Noda, K., Kuwahara, Y., Kawasaki, K., 2003, Compensatory Bone Formation in Young and Old Rats During Tooth Movement, *Eur J Orthod*, 25:1-7.
- Sihombing, I., Wangko, S., Kalangi, S.J.R., 2012, Peran Estrogen Pada Remodeling Tulang, *J Biomedik*, 4(3):S18-28.
- Singh, G., 2004, *Textbook of Orthodontics*, Jaypee Brothers Medical Publisher, New Delhi, hal 198-204.
- Stenderup, K., Justesen, J., Clausen, C., Kassem, M., 2003, Aging is Associated With Decreased Maximal Life Span and Accelerated Senescence of Bone Marrow Stromal Cells, *Bone*, 33: 919–26.
- Stucki, U., Schmid, J., Häggerle, C.F., Lang, N.P., 2001, Temporal and Local Appearance of Alkaline Phosphatase Activity in Early Stage of Guided Bone Regeneration, *Clin Oral Implants Res*, 12(2):121-7.
- Suhardjono, D., 1995, *Percobaan Hewan Laboratorium*, Gajah Mada University Press Yogyakarta, hal. 207.
- Sukmadinata, N.S., 2016, *Metode Penelitian Pendidikan*, PT. Remaja Rosdakarya Offset Bandung, hal. 58.
- Suparwitri, S., Pudiyani, P.S., Haryana, S.M., Agustina, D., 2016, Effects of Soy Isoflavone Genistein on Orthodontic Tooth Movement in *Guinea pigs*, *Majalah Kedokteran Gigi*, 49(3):168-74.
- Taba, M., Kinney, J., Kim, A. S., Giannobile, W.V., 2005, Diagnostic Biomarkers For Oral and Periodontal Diseases, *Dent. Clin. North Am.*, 49(3):551–71.
- Taddei, S.R.D, Mouraa, A.P., Andrade, I., Garlet, G.P., Garlet, T.P, Teixeira, M.M., da Silva, T.A., 2012, Experimental Model of Tooth Movement in Mice: A Standardized Protocol for Studying Bone *Remodeling* Under Compression and Tensile Strains, *J Biomech*, 45: 2729-35.
- Teitelbaum, S.L., Ross, F.P., Teitelbaum, L.S., Ross, P.F., 2003, Genetic Regulation of Osteoclast Development and Function, *Nat Rev Gen*, 9(4): 638-49.



- Theoleyre, S., Wittrant, Y., Tat, S.K., Fortun, Y., Redini, F., Heymann, D., 2004, The molecular triad OPG/RANK/RANKL: involvement in the orchestration of pathophysiological bone remodeling, *Cytokine Growth Factor Rev.*, 15:457–75.
- Tolar, J., Teitelbaum, S.L., Orchard, P.J., 2004, Osteopetrosis, *N Engl J Med*, 351(27): 2839-49.
- Tura, D., Gigliotti, C., Pedo, S., Failla, O., Bassi, D., Serraiocco, A., 2007, Influence of Cultivar and Site of Cultivation on Levels of Lipophilic and Hydrophilic Antioxidants in Virgin Olive oils (*Olea Europea L.*) and Correlations with Oxidative Stability, *Sci Hort*, 112: 108-19.
- Turner, J.V., Agatonovic-Kustrin, S., Glass, B.D., 2007, Molecular Aspects of Phytoestrogen Selective Binding at Estrogen Receptors, *J Pharm Sci*, 96:1879–85.
- Van'T Hof, R.J., Ralston, S.H., 2001, Nitric Oxide and Bone, *Immunol*, 103(3): 255-61.
- Vanderlip, S. L., 2003, *The Guinea Pig Handbook*, Barron's Educational Series, New York, hal 1-14.
- Vanderschueren, D., Vandenput, L., Boonen, S., Van Herk, E., Swinen, J.V., Bouillon, R., 2000, An Aged Rat Model of Partial Androgen Deficiency: Prevention of Both Loss of Bone and Lean Body Mass by Low-Dose Androgen Placement, *Endocrinology*, 141:1642-7.
- Visioli, F., Bernardini, E., 2011, Extra Virgin Olive oil 's Polyphenols: Biological activities, *Curr Pharm*, 2011, 17:786–804.
- , Galli, C., Bornet, F., Mattei, A., Patelli, R., Galli, G., Caruso, D., 2000, Olive oil Phenolics are Dose-Dependently Absorbed in Humans, *FEBS Lett*, 486: 159–60.
- Vissers, M.N., Zock, P.L., Roodenburg, A.J.C, Leenen, R., and Katan, M.B., 2002, Olive oil Phenols are Absorbed in Humans, *J Nutr.*, 132:409–17.
- Wellington, J., Rody, Jr., Wijegunasinghe, M., Wiltshire, W.A., Dufault, B., 2014, Differences in the gingival crevicular fluid composition between adults and adolescents undergoing orthodontic treatment, *Angle Orthod*, 84(1):120-26.
- Wilson, D. R., 2018, What are phytoestrogens? Benefit and foods, Medical News Today, <https://www.medicalnewstoday.com/articles/320630.php> diunduh



UNIVERSITAS
GADJAH MADA

Perbandingan Aktivitas Alkaline Phosphatase Cairan Sulkus Gingiva Pada Konsumsi Olive Oil Antara Pergerakan Gigi Secara Ortodonti Usia Tua dan Muda
CINDY PUSPITA SARI, Dr. drg. Sri Suparwitri, SU, Sp.Ort (K); drg. Prihandini Iman, MS, Sp.Ort (K)

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

tanggal 22 Agustus 2018.

Yamaguchi, M., 2009, RANK/RANKL/OPG During Orthodontic Tooth Movement, *Orthod Craniofac Res*, 12(2):113-9.

Yudhistira, M.I., 2017, Memelihara Marmut Intensif (Cara Beternak Marmut),
<http://yudhis13.blogspot.com/2016/02/memelihara-marmut-cara-beternak-marmut.html> diunduh tanggal 21 Agustus 2018.

Zheng, X., Huang, H., Zheng, X., Li, B., 2016, Olive oil Exhibits Osteoprotection in Ovariectomized Rats Without Estrogenic Effects, *Exp Ther Med*, 11:1881-8.

Zhou, S., Greenberger, J.S., Epperly, M.W., Goff, J.P., Adler, C., Leboff, M.S., 2008, Age-Related Intrinsic Changes in Human Bone Marrow Derived Mesenchymal Stem Cells and Their Differentiation to Osteoblasts, *Aging Cell*, 7:335–43.