

## DAFTAR PUSTAKA

- Abdullah, A.A.A., Wahab, R.M.A., Hisham, Z.A.S., 2011, Pattern of Crevicular Alkaline Phosphatase During Orthodontic Tooth Movement: Leveling and Alignment Stage, *Sains Malaysiana*, 40(10): 1147-1151.
- Aghili, H.A., Hoseini, S.M., Yassaei, S., Meybodi, S.A.F., Zaeim, M.H.T., dan Moghadam, M.G., 2014, Effect of Carbonated Soft Drink Consumption on Orthodontic Tooth Movement in Rats, *JDT*, 11(2): 123-130.
- Alavi, Sh., Yaghchie, M., 2006, Force Characteristics of Nickel Titanium Closed Coil Spring, *DRJ*, 3(2): 77-85.
- Alfaqeeh, S.A., Anil, S., 2014, Gingival Crevicular Fluid Flow Rate and Alkaline Phosphatase Level as Potential marker of Active Tooth Movement, *OHDM*, 13(2): 458-463.
- Alhadlaq, A.M., 2015, Biomarkers of Orthodontic Tooth Movement in Gingival Crevicular Fluid: A Systematic Review, *JCDP*, 16(7): 578-587.
- Alrasyid, H., 2007, Peranan Isoflavon Tempe Kedelai, Fokus pada Obesitas dan Kormobid, *Majalah Kedokteran Nusantara*, 40(3): 203-210.
- Angolkar, P.V., Arnold, J.V., Nanda, R.S., Duncanson, M.G., 1992, Force degradation of closed coil spring: An in vitro evaluation, *Am. J. Orthod. Dentofac. Orthop*, 102(2): 127-133.
- Ariffin, S.H.Z., Abidin, I.Z.Z., Yazid, M.D., Wahab, R.M.A., 2010, Differentiation analyses of suspension mononucleated peripheral blood cells of *Mus musculus*, *Cell Communication and Signaling*, 8:29.
- Ariffin, S.H.Z., Yamamoto, Z., Abidin, I.Z.Z., Wahab, R.M.A., Ariffin, Z.Z., 2011, Cellular and Molecular Changes in Orthodontic Tooth Movement, *The Scientific World Journal*, 11, 1789-1803.
- Asma, A.A.A., Rohaya, M.A.W., Hisham, Z.A.S., 2008, Crevicular Alkaline Phosphatase Activity During Orthodontic Tooth Movement: Canine Retraction Stage, *J. Med Sci*, 8(3): 228-233.
- Astawan, M., 2009, *Sehat dengan Hidangan Kacang dan Biji-bijian*, Penebar Swadaya, Jakarta, hal. 44.
- Barnes, S., Prasain, J., D'Alessandro., dkk., 2011, The metabolism and analysis of isoflavones and other dietary polyphenols foods and biological systems, *Food Function*, 2(5): 235-44.
- Barnes, S., 2010, The Biochemistry, Chemistry and Physiology of the Isoflavones in Soybeans and their Food Products, *Lymphet Res Biol.*, 8(1): 89-98.
- Bhat, Z.I., Naik, C.R., Rahalkar, J.S., 2013, Comparison of canine retraction using single and Siamese edgewise brackets: An *in vivo* study, *APOS*, 3(4): 91-98.

- Batra, P., Kharbanda, O.P., Duggal, R., Singh, N., Parkash, H., 2006, Alkaline phosphatase activity in gingival crevicular fluid during canine retraction, *Orthod Craniofacial Res*, 9: 44-51.
- Bhalajhi, S.I., 2006, *Orthodontic The Art and Science*, Arya (MEDI) Publishing House, New Delhi, hal 1-3.
- Bonafe-Oliveira, L., Faltin, R.M., Arana-Chavez, V.E., 2003, Ultrastructural and histochemical examination of alveolar bone at the pressure areas of rat molars submitted to continuous orthodontic force, *Eur J Orac Sci*, 111: 410-416.
- Burr, D.B., 2002, Bone material properties and mineral matrix contributions to fracture risk or age in women and men, *J. Musculoskel Neuron Interact*, 2(3): 201-204.
- Casa, M.A., Faltin, R.M., Faltin, K., Arana-Chavez, V.E., 2006, Root Resorption on Torque Human Premolars Shown by Tartrate-Resistant Acid Phosphatase Histochemistry and Transmission Electron Microscopy, *Angle Orthodontist*, 76(6): 1015-1021.
- Da Silva, J.B., Panizzi, M.C.C., Prudencio, S.H., 2009, Chemical and physical composition of grain-type and food-type soybean for fod processing, Brasilia, *Pesquisa Agropecuária Brasileira*, 44(7): 777-784.
- De Aguiar, M.C., Perinetti, G., Capelli Jr., J., 2017, The Gingival Crevicular Fluid as a Source of Biomarkers to Enhance Efficiency of Orthodontic and Functional Treatment of Growing Patients, *Biomed Research International*, <https://doi.org/10.1155/2017/3257235>
- De Albuquerque Taddei, S.R., Moura, A.P., Andrade, I., Garlet, G.P., Thiago, P., Garle, T.P., Teixeira, M.M., Aparecida da Silva, T.I., 2012, Experimental model of tooth movement in mice: A standardized protocol for studying bone remodeling under compression and tensile strains, *Journal of Biomechanics*, 45: 2729-273.
- Dewi, O., 2008, *Analisis Hubungan Maloklusi dengan Kualitas Hidup pada Remaja SMU Kota Medan Tahun 2007*, Tesis. Universitas Sumatera Utara. Hal. 1.
- Diel, P., Smolnikar, K., Schulz, T., dkk., 2001, Phytoestrogens and carcinogenesis-differential effects of genistein in experimental models of normal and malignant rat endometrium, 16: 997-1006.
- Dudic, A., Giannopoulou C., Kiliaridis, S., 2013, Factors related to the rate of orthodontically induced tooth movement, *Am J Orthod Dentofacial Orthop*, 143: 616-21.

- Fadhilah, R.N., Suhartini, Rahardyan, P., 2013, Perbandingan Pemberian Ikan Teri (*Stolephorus Sp.*) Dan Susu Kedelai Terhadap Densitas Mandibula Tikus Wistar Jantan, *IDJ*, 2(1): 19-26.
- Faltin, R.M., Faltin, K., Sander, F.G., Arana-Chavez, V.E., 2001, Ultrastructure of cementum and periodontal ligament after continous intrusion in human: a transmission electron microscopy study, *European Journal of Orthodontics*, 23: 35-49.
- Fawcett, D.W., 2002, *Buku Ajar Histologi*, Edisi 12, EGC, Jakarta.
- Irawati, A., 2018, Pengaruh Pemberian Genistein Isoflavon Susu Kedelai Terhadap Rasio Jumlah Sel Osteoklas dan Osteoblas pada Pergerakan Gigi secara Ortodonti, *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta, hal. 48.
- Iskandar, P., Ismaniati, N.A., 2010, Peran porstaglandin pada pergerakan gigi ortodontik, *Dentofasial*, 9(2): 91-100.
- Kawiyana, I.K.S., 2009, Osteoporosis Patogenesis Doagnosis dan Penanganan Terkini, *J. Peny. Dalam*, 10(2): 157-170.
- Kini, U., Nandeesh, B.N., 2012, Physiology of bone formation, *remodeling*, and metabolism in Fogelman, I., Gnanasegaran, G., & Van der Wall, H. (eds.). *Radionuclide and Hybrid Bone Imaging*. Springer-Verlag Berlin Heidelberg.
- Kohno, T., Matsumoto, Y., Kanno, Z., Warita, H., dan Soma, K., 2002, Experimental tooth movement under light orthodontic forces: rates of tooth movement and changes of the periodontium, *JO*, 29: 129-135.
- Krishnan, V., Davidovitch, Z., 2006, Cellular, molecular, and tissue level reaction to orthodontic force, *AJODO*, 129(4): 458-68.
- Krishnan, V., Davidivitch, Z., 2009, Biological Mechanism of Tooth Movement, Edisi 1, Wiley-Blackwell, Singapore, hal. 125.
- Kulshrestha, R.S., Tandon, R., Chandra, P., 2015, Canine retraction: A systematic review of different methods used, *J Orthod Sci*, 4(1):1-8.
- Lee, S.H., Kim, J.K., Jang, H.D., 2014, Genistein Inhibits Osteoclastic Differentiation of RAW 264.7 Cells via Regulation of ROS Production and Scavenging, *Int. J. Mol. Sci*, 15: 10605-10621.
- Leethanakul, C., Kittichaikarn, C., Charoemratrote, C., Jitpukdeebodintra, S., 2008, Effect of Continous and Interrupted Orthodontic Force on Interleukin -1 $\beta$  and Interleukin-8 Secretion in Human Gingival Crevicular Fluid, *J. Oral Biosci*, 50(4): 230-238.

- Lewko, W.M., Anderson, A., 1986, Estrogen Receptors and Growth Response in Culture Human Periodontal Ligament Cells, *Life Sci.*, 39(13): 1201-6.
- Liu, P., Liu, Y., Wang, J., Guo, Y., Zhang, Y., Xiao, S., 2014, Detection of fusobacterium nucleatum and fadA adhesin gene in patients with orthodontic gingivitis and non-orthodontic periodontal inflammation, *Public Library of Science*, 9, e85280.
- Maganzini, A.L., Wong, A.M., Ahmed, M.K., 2010, Forces of Various Nickel Titanium Closed Coil Springs, *Angle Orthodontist*, 80(1): 182-187.
- Marzselina, A.P., 2010, Pengaruh Pemberian Susu Kedelai Madu Varietas Lokal Baluran dan Edamame Terhadap Densitas Tulang Tibia Tikus, *Skripsi*, Fakultas Kedokteran Gigi Universitas Jember, Jember.
- Masilamani, M., Wei, J., Sampson, H.A., 2012, Regulation of the immune response by soybean isoflavones, *Immunol Res*, 54: 95-110.
- Mao, J.J., Kau, C.H., 2009, *Advances in orthodontic Treatment*, PennWell Publication, California, hal. 73.
- Matsuo, K., Irie, N., 2008, Osteoclast-osteoblast communication, *Archives of Biochemistry and Biophysics*, 473: 201-209.
- Meisyanti, Z.Z., 2017, Pengaruh Pemberian Genistein Isoflavon Susu Kedelai terhadap Jumlah Sel Osteoklas pada Pergerakan Gigi secara Ortodonti, *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta, hal. 45.
- Miao, D., Scutt, A., 2002, Histochemical Localization of Alkaline Phosphatase Activity in Decalcified Bone and Cartilage, *JHC*, 50(3): 333-340.
- Ming, L.G., Chen, K.M., Xian, C.J., 2013, Function and Action Mechanism of Flavonoids Genistein and Icarin in Regulating Bone Remodeling, *J. Cell. Physiol*, 228: 513-521.
- Molina, H.H., Reznick, A.Z., Kaufman, H., Aizenbud, D., 2013, Assesment of IL-1 $\beta$  dan VEGF concentration in a rat model during orthodontic tooth movement and extracorporeal shock wave therapy, *Archive of Oral Biology*, 58: 142-150.
- Morris, D.C., Randall, J.C., Anderson, H.C., 1988, Light Microscopic Localization of Alkaline Phosphatase in Fetal Bovine Bone Using Immunoperoxidase and Immunogold- Silver Staining Procedure, *JHC*, 36(3): 323-327.
- Murphy, P.A., Barua, K., Hauck, C.C., 2002, Solvent extraction selection in the determination of isoflavones in soy foods, *J Chromatogr B Analyt Technol Biomed Life Sci.*, 777(1-2): 129-38.
- Nagata, T., 1960, Studies on the differentiation of soybeans in Japan and the world, *Mem. Hyogo Univ. Agric*, 3: 63-102.

- Parfitt, A.M., 1988, Bone remodeling. Relationship to the amount and structure of bone and pathogenesis and prevention of fractures in Riggs, BL dan Melton, LJ (eds.). *Osteoporosis Etiology, Diagnosis and Management*. New York: Raven Press.
- Perinetti, G., Paolantonio, M., D'Attilio., D'Archivio., Tripodi, D., Femminella., Festa, F., Spoto, G., 2002, Alkaline phosphatase activity in gingival crevicular fluid during human orthodontic tooth movement, *AJODO*, 122(5): 548-556.
- Pilsakova, I., Rieicansky, I., Jagla F., 2010, The Physiological Actions of Isoflavone Phytoestrogens, *Physiological Research*, 59: 651-664.
- Price, K.R., Fenwick, G.R., 1985, Naturally occurring oestrogens on foods- A review, *Food Additives and Contaminants*, 2(2): 73-106.
- Profitt, W.R., 2007, *Contemporary Orthodontics*, 4<sup>th</sup> edition, Mosby Elsevier, Missouri.
- Ren, Y., Maltha, J.C., Van 't Hof, M.A., Kujipers-Jagtman, A.M., 2003, Age Effect on Orthodontic Tooth Movement in Rats, *J Dent Res*, 82(1): 38-42.
- Ribeiro, G.L.U., Jacob, H.B., 2016, Understanding the basis of space closure in Orthodontics for a more efficient orthodontic treatment, *Dental Press J. Orthod.*, 21(2): 115-25.
- Setchell, K.D.R., Brown, N.M., Desai, P., dkk., 2001, Bioavailability of Nutrients and Other Bioactive Components from Dietary Supplements, *J.Nutr.* 131: 1362S-1375S.
- Setiyohadi, B., 2006, *Perkembangan Terbaru dalam Penatalaksanaan Osteoporosis*, Edisi 1, CV Infomedika, Jakarta: Perhimpunan Osteoporosis Indonesia, hal. 61-73.
- Shankar, S., Ranvijay, Chandra, S., Shahi, A.K., 2017, A Comparison between space closure by canine retraction with active tiebacks and closed coil springs: a clinical study with the MBT system, *Int J Med Res Prof*, 3(3): 365-70.
- Sihombing, I., Wangko, S., Kalangi, S.J.R., 2012, Peran estrogen dalam remodeling tulang, *Jurnal Biomedik*, Vol 4(3): 18-28.
- Soedjono-Aswin, 2001, *Metodologi Penelitian Kedokteran*, Fakultas Kedokteran Universitas Gadjah Mada, Hal. 6.
- Suparwitri, S., 2016, Pengaruh Isoflavon Genistein Kedelai terhadap Osteoklas, Osteoblas, Osteokalsin, Estrogen dan Reseptor Estrogen pada Pergerakan Gigi secara Ortodonti, *Disertasi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta, hal. 91.
- Tarvade, S.M., Daokar, S.G., 2014, Osteoporosis and Orthodontic: A review, *Scientific Journal of Dentistry*, 1, 26-29.

- Tepavčević, V., Cvejić, J., Poša, M., Popović, J., 2011, Isoflavone content and composition in soybean in Tzi Bun Ng (ed), *Soybean- Biochemistry, Chemistry, and Physiology*. Croatia: InTech.
- Valles, S.L., Gaiton, P.D., Gambini, J., dkk., 2010, Estradiol or genistein prevent Alzheimer's disease-associated inflammation correlating with increase PPAR $\alpha$  expression in culture astrocytes, *Brain research*, 1312: 148-144.
- Wang, H.J., Murphy, P.A., 1994, Isoflavone Content in Commercial Soybean Foods, *J. Agric, Food Chem*, 42(8): 1666-73.
- Wu, Y.B., Zheng, C.J., Qin, L.P., Sun, L.N., Han, T., Jiao, L., Zhang, Q.Y., dan Wu, J.Z., 2009, Antiosteoporotic Activity of Anthraquinones from *Morinda officinalis* on Osteoblasts and Osteoclasts, *Molecules*, 14: 573-583.
- Xu, X., Zhao, Q., Yang, S., Fu, G., Chen, Y., 2010, A new approach to accelerate orthodontic tooth movement in women: orthodontic force application after ovulation, *Mehy*, 75:405-407.
- Yamaguchi, M., 2002, Isofavone and Bone Metabolism: Its Cellular Mechanism and Preventive Role in Bone Loss, *Journal of Health Science*, 48(3): 209-222.
- Yamaguchi, M., 2009, RANK/RANKL/OPG during orthodontic tooth movement, *Orthod Craniofac Res*, 12: 113-119.
- Yazid, M.D., Ariffin, S.H.Z., Senafi, S., Razak, M.A., Wahab, R.M.A., 2010, Determination of the differentiation capacities of murines' primary mononucleated cell and MC3T3-E1 cells, *Cancer Cell International*, 10:42.
- Yovela dan Krisnawati, 2009, Penatalaksanaan Kasus Protrusif Gigi Anterior Atas dengan Kelainan Periodontal pada Pasien Dewasa, *JDI*, 16 (1): 25-31.
- Yustina, A.R., Suardita, K., Dian, A.W., 2012, Peningkatan Jumlah Osteoklas pada Keradangan Periapikal Akibat Induksi Lipoporisakarida *Porphyromonas Gingivalis* (Suatu Penelitian Laboratories menggunakan Tikus), *JBP*, 14(3): 140-144.
- Zarina, Z.A.I., Hisham, Z.A.S., Rohaya, M.A.W., Sahidan, S., Zaidah, Z.A., 2008, Osteoclast and Osteoblast Development of Mus musculus Haemopoietic Mononucleated Cells, *J. Biol. Sci*, 8(3): 506-516.