

DAFTAR PUSTAKA

- Agrawal, D.K., Mishra, P.K., 2009. Curcumin and its analogues: Potential anticancer agents. *Med. Res.* <https://doi.org/10.1002/med.20188>
- Agrawal, D.K., Saikia, D., Tiwari, R., Ojha, S., Shanker, K., Kumar, J.K., Gupta, A.K., Tandon, S., Negi, A.S., Khanuja, S.P., 2008. Demethoxycurcumin and its semisynthetic analogues as antitubercular agents. *Planta Med.* 74, 1828–1831. <https://doi.org/10.1055/s-0028-1088335>
- Alderwick, L.J., Birch, H.L., Mishra, A.K., Eggeling, L., Besra, G.S., 2007. Structure, function and biosynthesis of the Mycobacterium tuberculosis cell wall: arabinogalactan and lipoarabinomannan assembly with a view to discovering new drug targets. *Biochem. Soc. Trans.* 35, 1325–1328. <https://doi.org/10.1042/BST0351325>
- Alibaud, L., Rombouts, Y., Trivelli, X., Burguière, A., Cirillo, S.L.G., Cirillo, J.D., Dubremetz, J.-F., Guérardel, Y., Lutfalla, G., Kremer, L., 2011. A Mycobacterium marinum TesA mutant defective for major cell wall-associated lipids is highly attenuated in Dictyostelium discoideum and zebrafish embryos. *Mol. Microbiol.* 80, 919–934. <https://doi.org/10.1111/j.1365-2958.2011.07618.x>
- Arbues, A., Lugo-Villarino, G., Neyrolles, O., Guilhot, C., Astarie-Dequeker, C., 2014. Playing hide-and-seek with host macrophages through the use of mycobacterial cell envelope phthiocerol dimycocerosates and phenolic glycolipids. *Front. Cell. Infect. Microbiol.* 4, 173. <https://doi.org/10.3389/fcimb.2014.00173>
- Asano, Y., Komeda, T., Yamada, H., 1993. Microbial Production of Theobromine from Caffeine. *Biosci. Biotechnol. Biochem.* 57, 1286–1289. <https://doi.org/10.1271/bbb.57.1286>
- Astuti, P., Boer, L. de, Sunstrom, N.-A., Gray, P.P., 2005. Green Fluorescent Protein (Gfp), Suatu Signal Penanda Kuantitatif Untuk Memonitor Proliferasi Sel. *Indones. J. Pharm.* 0, 169–173. <https://doi.org/10.14499/indonesianjpharm0iss0pp169-173>
- Bai, X., Oberley-Deegan, R.E., Bai, A., Ovrutsky, A.R., Kinney, W.H., Weaver, M., Zhang, G., Honda, J.R., Chan, E.D., 2016. Curcumin enhances human macrophage control of Mycobacterium tuberculosis infection: Curcumin and tuberculosis in macrophages. *Respirology* 21, 951–957. <https://doi.org/10.1111/resp.12762>



- Baldwin, P.R., Reeves, A.Z., Powell, K.R., Napier, R.J., Swimm, A.I., Sun, A., Giesler, K., Bommarius, B., Shinnick, T.M., Snyder, J.P., Liotta, D.C., Kalman, D., 2015. Monocarbonyl analogs of curcumin inhibit growth of antibiotic sensitive and resistant strains of *Mycobacterium tuberculosis*. *Eur. J. Med. Chem.* 92, 693–699. <https://doi.org/10.1016/j.ejmech.2015.01.020>
- Balganesh, M., Dinesh, N., Sharma, S., Kuruppath, S., Nair, A.V., Sharma, U., 2012. Efflux pumps of *Mycobacterium tuberculosis* play a significant role in antituberculosis activity of potential drug candidates. *Antimicrob. Agents Chemother.* 56, 2643–2651. <https://doi.org/10.1128/AAC.06003-11>
- Barry, J., Fritz, M., Brender, J.R., Smith, P.E.S., Lee, D.-K., Ramamoorthy, A., 2009. Determining the Effects of Lipophilic Drugs on Membrane Structure by Solid-State NMR Spectroscopy: The Case of the Antioxidant Curcumin. *J. Am. Chem. Soc.* 131, 4490–4498. <https://doi.org/10.1021/ja809217u>
- Barthelemy, S., Vergnes, L., Moynier, M., Guyot, D., Labidalle, S., Bahraoui, E., 1998. Curcumin and curcumin derivatives inhibit Tat-mediated transactivation of type 1 human immunodeficiency virus long terminal repeat. *Res. Virol.* 149, 43–52. [https://doi.org/10.1016/S0923-2516\(97\)86899-9](https://doi.org/10.1016/S0923-2516(97)86899-9)
- Benard, E.L., Roobol, S.J., Spaink, H.P., Meijer, A.H., 2014. Phagocytosis of mycobacteria by zebrafish macrophages is dependent on the scavenger receptor Marco, a key control factor of pro-inflammatory signalling. *Dev. Comp. Immunol.* 47, 223–233. <https://doi.org/10.1016/j.dci.2014.07.022>
- Benjamin, D.R., van de Water, A.T.M., Peiris, C.L., 2014. Effects of exercise on diastasis of the rectus abdominis muscle in the antenatal and postnatal periods: a systematic review. *Physiotherapy* 100, 1–8. <https://doi.org/10.1016/j.physio.2013.08.005>
- Berry, M.P.R., Graham, C.M., McNab, F.W., Xu, Z., Bloch, S.A.A., Oni, T., Wilkinson, K.A., Banchereau, R., Skinner, J., Wilkinson, R.J., Quinn, C., Blankenship, D., Dhawan, R., Cush, J.J., Mejias, A., Ramilo, O., Kon, O.M., Pascual, V., Banchereau, J., Chaussabel, D., O'Garra, A., 2010. An interleukin-17-inducible neutrophil-driven blood transcriptional signature in human tuberculosis. *Nature* 466, 973–977. <https://doi.org/10.1038/nature09247>
- Bhawana, Basniwal, R.K., Buttar, H.S., Jain, V.K., Jain, N., 2011. Curcumin Nanoparticles: Preparation, Characterization, and Antimicrobial Study. *J. Agric. Food Chem.* 59, 2056–2061. <https://doi.org/10.1021/jf104402t>

- Bisht, S., Maitra, A., 2009. Systemic Delivery of Curcumin: 21st Century Solutions for an Ancient Conundrum. *Curr. Drug Discov. Technol.* 6, 192–199. <https://doi.org/10.2174/157016309789054933>
- Bosserman, R.E., Nguyen, T.T., Sanchez, K.G., Chirakos, A.E., Ferrell, M.J., Thompson, C.R., Champion, M.M., Abramovitch, R.B., Champion, P.A., 2017. WhiB6 regulation of ESX-1 gene expression is controlled by a negative feedback loop in *Mycobacterium marinum*. *Proc. Natl. Acad. Sci.* 114, E10772–E10781. <https://doi.org/10.1073/pnas.1710167114>
- Bourne, K.Z., Bourne, N., Reising, S.F., Stanberry, L.R., 1999. Plant products as topical microbicide candidates: assessment of in vitro and in vivo activity against herpes simplex virus type 2. *Antiviral Res.* 42, 219–226.
- Brennan, P.J., 2003. Structure, function, and biogenesis of the cell wall of *Mycobacterium tuberculosis*. *Tuberculosis, Proceedings from the 4th World Congress on Tuberculosis* 83, 91–97. [https://doi.org/10.1016/S1472-9792\(02\)00089-6](https://doi.org/10.1016/S1472-9792(02)00089-6)
- Brennan, P.J., Crick, D.C., 2007. The cell-wall core of *Mycobacterium tuberculosis* in the context of drug discovery. *Curr. Top. Med. Chem.* 7, 475–488.
- Brigden, G., Hewison, C., Varaine, F., 2015. New developments in the treatment of drug-resistant tuberculosis: clinical utility of bedaquiline and delamanid. *Infect. Drug Resist.* 367. <https://doi.org/10.2147/IDR.S68351>
- Butler R, Jarice C. 2012. First line treatment of tuberculosis (TB) for drug-sensitive TB. National Institute of Allergy and Infectious Disease (NIAID).
- Cambier, C.J., Takaki, K.K., Larson, R.P., Hernandez, R.E., Tobin, D.M., Urdahl, K.B., Cosma, C.L., Ramakrishnan, L., 2014. *Mycobacteria* manipulate macrophage recruitment through coordinated use of membrane lipids. *Nature* 505, 218–222. <https://doi.org/10.1038/nature12799>
- Caminero JA. *Justification for the guidelines*. Dalam: Guidelines for Clinical and Operational Management of Drug-Resistant Tuberculosis. International Union Against Tuberculosis and Lung Disease. 2013:1-6.
- Carey, F.A., & Sundberg, R.J., 2007, *Advanced Organic Chemistry Part A: Structure and Mechanisms, 5th Edition*, Springer Science & Business Media, New York, 629-645.
- Carroll, P., Schreuder, L.J., Muwanguzi-Karugaba, J., Wiles, S., Robertson, B.D., Ripoll, J., Ward, T.H., Bancroft, G.J., Schaible, U.E., Parish, T., 2010. Sensitive Detection of Gene Expression in *Mycobacteria* under Replicating



- and Non-Replicating Conditions Using Optimized Far-Red Reporters. *PLoS ONE* 5. <https://doi.org/10.1371/journal.pone.0009823>
- Carvalho, R., de Sonneville, J., Stockhammer, O.W., Savage, N.D.L., Veneman, W.J., Ottenhoff, T.H.M., Dirks, R.P., Meijer, A.H., Spaink, H.P., 2011. A high-throughput screen for tuberculosis progression. *PloS One* 6, e16779. <https://doi.org/10.1371/journal.pone.0016779>
- Cavallazzi, R., Maurici, R., Ramirez, J.A., 2016. Tuberculosis is always a possibility (even in the intensive care unit). *Rev. Bras. Ter. Intensiva* 28. <https://doi.org/10.5935/0103-507X.20160021>
- Caviedes, L., Lee, T.S., Gilman, R.H., Sheen, P., Spellman, E., Lee, E.H., Berg, D.E., Montenegro-James, S., 2000. Rapid, efficient detection and drug susceptibility testing of Mycobacterium tuberculosis in sputum by microscopic observation of broth cultures. The Tuberculosis Working Group in Peru. *J. Clin. Microbiol.* 38, 1203–1208.
- Cha, JS., and Chun, JH., 2000. Reductive oxidation of acid chlorides to aldehydes with lithium aluminum hydride and pyridinium chlorochromate or pyridinium dichromate. *Bulletin- Korean Chemical Society* 21(4):375,0-376 • April 2000
- Chakravarty, S.D., Xu, J., Lu, B., Gerard, C., Flynn, J., Chan, J., 2007. The chemokine receptor CXCR3 attenuates the control of chronic Mycobacterium tuberculosis infection in BALB/c mice. *J. Immunol. Baltim. Md* 1950 178, 1723–1735.
- Changtam, C., Hongmanee, P., Suksamrarn, A., 2010. Isoxazole analogs of curcuminoids with highly potent multidrug-resistant antimycobacterial activity. *Eur. J. Med. Chem.* 45, 4446–4457. <https://doi.org/10.1016/j.ejmech.2010.07.003>
- Char, C.D., Guerrero, S.N. & Alzamora, S.M., 2010, Mild thermal process combined with vanillin plus citral to help shorten the inactivation time for *Listeria innocua* in orange juice, *Food Bioprocess Technol.*, 3, 752-761 cit.
- Wu, Y., Bai, J., Zhong, K., Huang, Y., Qi, H., Jiang, G., & Gao, H., 2016, Antibacterial activity and membran-disruptive mechanism of 3-p-trans-coumaroyl-2-hydroxyquinic acid, a novel phenolic compound from pine needles of *Cedrus deodara*, against *Staphylococcus aureus*, *Molecules*, 21, 1084-1092.
- Chew, F.T., Goh, D.Y.T., Teo, J., Quak, S.H., Lee, B.W., 1998. Month of birth and childhood atopic diseases in the tropics. *Allergy* 53, 962–967. <https://doi.org/10.1111/j.1398-9995.1998.tb03797.x>



- Clay, H., Davis, J.M., Beery, D., Huttenlocher, A., Lyons, S.E., Ramakrishnan, L., 2007. Dichotomous role of the macrophage in early Mycobacterium marinum infection of the zebrafish. *Cell Host Microbe* 2, 29–39. <https://doi.org/10.1016/j.chom.2007.06.004>
- Coban, A.Y., Birinci, A., Ekinci, B., Durupinar, B., 2004. Drug susceptibility testing of Mycobacterium tuberculosis by the broth microdilution method with 7H9 broth. *Mem. Inst. Oswaldo Cruz* 99, 111–113.
- Cosma, C.L., Humbert, O., Ramakrishnan, L., 2004. Superinfecting mycobacteria home to established tuberculous granulomas. *Nat. Immunol.* 5, 828–835. <https://doi.org/10.1038/ni1091>
- Da Silva PEA, Palomino JC. Molecular basis and mechanisms of drug resistance in Mycobacterium tuberculosis: classical and new drugs. *Antimicrob Chemother.* 2011;66:1417–1430
- Das, S., Das, U., Bandy, B., Gorecki, D.K.J., Dimmock, J.R., 2010. 2-[4-(4-Methoxyphenylcarbonyloxy)benzylidene]-6-dimethylaminomethyl cyclohexanone hydrochloride: A Mannich base which inhibits the growth of some drug-resistant strains of Mycobacterium tuberculosis. *Pharm.* 65, 849–850.
- Davis, J.M., Clay, H., Lewis, J.L., Ghori, N., Herbomel, P., Ramakrishnan, L., 2002. Real-time visualization of mycobacterium-macrophage interactions leading to initiation of granuloma formation in zebrafish embryos. *Immunity* 17, 693–702.
- Davis, J.M., Ramakrishnan, L., 2009. The role of the granuloma in expansion and dissemination of early tuberculous infection. *Cell* 136, 37–49. <https://doi.org/10.1016/j.cell.2008.11.014>
- Deng, Q., Sarris, M., Bennin, D.A., Green, J.M., Herbomel, P., Huttenlocher, A., 2013. Localized bacterial infection induces systemic activation of neutrophils through Cxcr2 signaling in zebrafish. *J. Leukoc. Biol.* 93, 761–769. <https://doi.org/10.1189/jlb.10125,034>
- Departemen Kesehatan RI. 2006. *Pedoman Nasional Penanggulangan Tuberkulosis*. Jakarta
- Departemen Kesehatan RI. 2007. *Pedoman Nasional Penanggulangan Tuberkulosis*. Jakarta.
- Departemen Kesehatan RI. 2012. *Petunjuk Teknis Pemeriksaan Biakan, Identifikasi, dan Uji Kepekaan Mycobacterium tuberculosis pada media padat*. Jakarta.



- Deretic, V., Saitoh, T., Akira, S., 2013. Autofagi in infection, inflammation and immunity. *Nat. Rev. Immunol.* 13, 722–737. <https://doi.org/10.1038/nri3532>
- El Bohy, M., Raafat, Hesham., Aly, Faten. & El-Aziz, M. A.2009. ‘Comparison between Mycobacteria Groth Indicator Tube (MGIT), BACTEC 460 TB system and Lowenstein-Jensen medium for detection of Mycobacterium tuberculosis’. *Egyptian Journal of Bronchology*. Vol. 3, no. 2, 2009.
- El-Etr, S.H., Subbian, S., Cirillo, S.L.G., Cirillo, J.D., 2004. Identification of Two Mycobacterium marinum Loci That Affect Interactions with Macrophages. *Infect. Immun.* 72, 6902–6913. <https://doi.org/10.1128/IAI.72.12.6902-6913.2004>
- Elks, P.M., Brizee, S., van der Vaart, M., Walmsley, S.R., van Eeden, F.J., Renshaw, S.A., Meijer, A.H., 2013. Hypoxia inducible factor signaling modulates susceptibility to mycobacterial infection via a nitric oxide dependent mechanism. *PLoS Pathog.* 9, e1003789. <https://doi.org/10.1371/journal.ppat.1003789>
- Essawy, S.S., Abdel-Sater, K.A., Elbaz, A.A., 2014. Experimental research Comparing the effects of inorganic nitrate and allopurinol in renovascular complications of metabolic syndrome in rats: role of nitric oxide and uric acid. *Arch. Med. Sci.* 3, 537–545. <https://doi.org/10.5114/aoms.2013.33222>
- Fabricius, K.E., De’ath, G., Puotinen, M.L., Done, T., Cooper, T.F., Burgess, S.C., 2008. Disturbance gradients on inshore and offshore coral reefs caused by a severe tropical cyclone. *Limnol. Oceanogr.* 53, 690–704. <https://doi.org/10.4319/lo.2008.53.2.0690>
- Falorni, M., Giacomelli, G., Porcheddu, A., Taddei, M., 1999. A Simple Method for the Reduction of Carboxylic Acids to Aldehydes or Alcohols Using H₂ and Pd/C. *J. Org. Chem.* 64, 8962–8964.
- Fenaroli, F., Westmoreland, D., Benjaminsen, J., Kolstad, T., Skjeldal, F.M., Meijer, A.H., van der Vaart, M., Ulanova, L., Roos, N., Nyström, B., Hildahl, J., Griffiths, G., 2014. Nanoparticles as Drug Delivery System against Tuberculosis in Zebrafish Embryos: Direct Visualization and Treatment. *ACS Nano* 8, 7014–7026. <https://doi.org/10.1021/nn5019126>
- Fessenden, R.J. & Fessenden, J.S., 1986, *Organic Chemistry*, 3rd Ed., 854-868, John Wiley & Sons, Inc., New York.
- Flores-Villanueva, P.O., Ruiz-Morales, J.A., Song, C.-H., Flores, L.M., Jo, E.-K., Montaña, M., Barnes, P.F., Selman, M., Granados, J., 2005. A functional

- promoter polymorphism in monocyte chemoattractant protein-1 is associated with increased susceptibility to pulmonary tuberculosis. *J. Exp. Med.* 202, 1649–1658. <https://doi.org/10.1084/jem.20050126>
- Fulmer, G.R., Miller, A.J.M., Sherden, N.H., Gottlieb, H.E., Nudelman, A., Stoltz, B.M., Bercaw, J.E., Goldberg, K.I., 2010. NMR Chemical Shifts of Trace Impurities: Common Laboratory Solvents, Organics, and Gases in Deuterated Solvents Relevant to the Organometallic Chemist. *Organometallics* 29, 2176–2179. <https://doi.org/10.1021/om100106e>
- Furniss, B.S., Hannaford, A.J., Smith, P.W. & Tatchell, A.R., 1989, *Vogel's Textbook of Practical Organic Chemistry, 5th Ed.*, 1032, John Wiley & Sons, Inc., New York.
- Gafner, S., Lee, S.-K., Cuendet, M., Barthélémy, S., Vergnes, L., Labidalle, S., Mehta, R.G., Boone, C.W., Pezzuto, J.M., 2004. Biologic evaluation of curcumin and structural derivatives in cancer chemoprevention model systems. *Phytochemistry* 65, 2849–2859. <https://doi.org/10.1016/j.phytochem.2004.08.008>
- George, K.M., Yuan, Y., Sherman, D.R., Barry, C.E., 1995. The biosynthesis of cyclopropanated mycolic acids in *Mycobacterium tuberculosis*. Identification and functional analysis of CMAS-2. *J. Biol. Chem.* 270, 27292–27298.
- Gey van Pittius, N.C., Sampson, S.L., Lee, H., Kim, Y., van Helden, P.D., Warren, R.M., 2006. Evolution and expansion of the *Mycobacterium tuberculosis* PE and PPE multigene families and their association with the duplication of the ESAT-6 (esx) gene cluster regions. *BMC Evol. Biol.* 6, 95. <https://doi.org/10.1186/1471-2148-6-95>
- Gupta, S., *et al.*, 2011, Multitargeting by curcumin as revealed by molecular interaction studies, *Nat. Prod. Rep.*, 28, 1937–1955.
- Gupta PK, Kulkarni S, Rajan R. Inhibition of intracellular survival of multi drug resistant clinical isolates of *Mycobacterium Tuberculosis* in macrophages by curcumin. *Open Antimicrobial Agents J.* 2013; 4:1–5.
- Gutierrez, M.G., Master, S.S., Singh, S.B., Taylor, G.A., Colombo, M.I., Deretic, V., 2004. Autophagy is a defense mechanism inhibiting BCG and *Mycobacterium tuberculosis* survival in infected macrophages. *Cell* 119, 753–766. <https://doi.org/10.1016/j.cell.2004.11.038>
- Haskel, A.; Keinan, E. in: E. Negishi, Ed. *Handbook of OrganoPd/C Chemistry in Organic Synthesis*, John Wiley & Sons: New York, 2002; Vol. 2, Chap VII 2.3, pp 2767-2782



- Hudlicky, T., 1996. Design Constraints in Practical Syntheses of Complex Molecules: Current Status, Case Studies with Carbohydrates and Alkaloids, and Future Perspectives. *Chem. Rev.* 96, 3–30. <https://doi.org/10.1021/cr9500,012g>
- Ingolfsson, H.I., Koeppe, R.E., Andersen, O.S., 2007. Curcumin is a Modulator of Bilayer Material Properties †. *Biochemistry (Mosc.)* 46, 10384–10391. <https://doi.org/10.1021/bi701013n>
- Jawetz, E., Melnick, J. L., Adelberg, E. A., 2001, *Mikrobiologi Kedokteran*, Edisi XXII, diterjemahkan oleh Bagian Mikrobiologi Fakultas Kedokteran Universitas Airlangga, 205-209, Penerbit Salemba Medika, Jakarta
- Jureen, P., Werngren, J., Toro, J.-C., Hoffner, S., 2008. Pyrazinamide Resistance and pncA Gene Mutations in Mycobacterium tuberculosis. *Antimicrob. Agents Chemother.* 52, 1852–1854. <https://doi.org/10.1128/AAC.00110-08>
- Kemenkes RI, 2014. *Tuberkulosis di Indonesia*. Kementerian Kesehatan Republik Indonesia. Jakarta
- Kemenkes RI, 2015. *Tuberkulosis di Indonesia*. Kementerian Kesehatan Republik Indonesia. Jakarta
- Kenna, S.M. & Davies, K.J., 1988, The inhibition of bacterial growth by hypochlorous acid. Possible role in bactericidal activity of phagocytes, *Biochem. J.*, 254 (3), 685-692.
- Khalilzadeh, M.A., Hosseini, A., Tajbakhsh, M., Mohannazadeh, F., 2008. LiAlH₄/silica chloride as a new chemoselective system for reduction of carbonyl compounds and phosphine oxides. *J. Iran. Chem. Soc.* 5, 699–705. <https://doi.org/10.1007/BF03246152>
- Kumar, D., Nath, L., Kamal, M.A., Varshney, A., Jain, A., Singh, S., Rao, K.V.S., 2010. Genome-wide analysis of the host intracellular network that regulates survival of Mycobacterium tuberculosis. *Cell* 140, 731–743. <https://doi.org/10.1016/j.cell.2010.02.012>
- Kundu, M., Thompson, C.B., 2008. Autofagi: basic principles and relevance to disease. *Annu. Rev. Pathol.* 3, 427–455. <https://doi.org/10.1146/annurev.pathmechdis.2.010506.091842>
- Lawson, L., Emenyonu, N., Abdurrahman, S.T., Lawson, J.O., Uzoewulu, G.N., Sogaolu, O.M., Ebisike, J.N., Parry, C.M., Yassin, M.A., Cuevas, L.E., 2013. Comparison of Mycobacterium tuberculosis drug susceptibility using solid and liquid culture in Nigeria. *BMC Res. Notes* 6, 215. <https://doi.org/10.1186/1756-0500,0-6-215>

- Lee, K., Chung, W., Jung, Y., Kim, Y., Park, J., Sheen, S., Park, K., 2015. CXCR3 ligands as clinical markers for pulmonary tuberculosis. *Int. J. Tuberc. Lung Dis. Off. J. Int. Union Tuberc. Lung Dis.* 19, 191–199. <https://doi.org/10.5588/ijtld.14.0525>
- Leonard, J., Lygo, B., & Procter, G., 1994, *Advanced Practical Organic Chemistry, 2nd Edition*, Chapman & Hall, United Kingdom, 184-187 & 240-244.
- Leung, E.T.Y., Ho, P.L., Yuen, K.Y., Woo, W.L., Lam, T.H., Kao, R.Y., Seto, W.H., Yam, W.C., 2006. Molecular characterization of isoniazid resistance in Mycobacterium tuberculosis: identification of a novel mutation in inhA. *Antimicrob. Agents Chemother.* 50, 1075–1078. <https://doi.org/10.1128/AAC.50.3.1075-1078.2006>
- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., Li, X., Yang, S., 2009. Exploration and synthesis of curcumin analogues with improved structural stability both in vitro and in vivo as cytotoxic agents. *Bioorg. Med. Chem.* 17, 2623–2631. <https://doi.org/10.1016/j.bmc.2008.10.044>
- Loddenkemper, R., Hauer, B., 2010. Drug-resistant tuberculosis: a worldwide epidemic poses a new challenge. *Dtsch. Arzteblatt Int.* 107, 10–19. <https://doi.org/10.3238/arztebl.2010.0010>
- MacGregor, R.R., 1995. Cutaneous tuberculosis. *Clin. Dermatol.* 13, 245–255.
- Marathe, S.A., Dasgupta, I., Gnanadhas, D.P., Chakravorty, D., 2011. Multifaceted roles of curcumin: two sides of a coin! *Expert Opin. Biol. Ther.* 11, 1485–1499. <https://doi.org/10.1517/147125,098.2011.623124>
- Marrakchi, H., Lanéelle, M.-A., Daffé, M., 2014. Mycolic Acids: Structures, Biosynthesis, and Beyond. *Chem. Biol.* 21, 67–85. <https://doi.org/10.1016/j.chembiol.2013.11.011>
- Masuda, T., Jitoe, A., Isobe, J., Nakatani, N., Yonemori, S. (Laboratory of F.C., 1993. Anti-oxidative and anti-inflammatory curcumin-related phenolics from rhizomes of *Curcuma domestica*. *Phytochem. U. K.*
- Mazumder, A., Neamati, N., Sunder, S., Schulz, J., Pertz, H., Eich, E., Pommier, Y., 1997. Curcumin analogs with altered potencies against HIV-1 integrase as probes for biochemical mechanisms of drug action. *J. Med. Chem.* 40, 3057–3063. <https://doi.org/10.1021/jm970190x>
- McDonnell, G., Russell, A.D., 1999. Antiseptics and disinfectants: activity, action, and resistance. *Clin. Microbiol. Rev.* 12, 147–179.
- McMurry, J., 2004, *Organic Chemistry, 6th Ed.*, Brooks/Cole, USA.



- McMurry, J., 2004, *Organic Chemistry, 7th Ed.*, Brooks/Cole, USA.
- Meijer, A.H., 2016. Protection and pathology in TB: learning from the zebrafish model. *Semin. Immunopathol.* 38, 261–273. <https://doi.org/10.1007/s00281-015-0522-4>
- Nafisi, S., Adelzadeh, M., Norouzi, Z., Sarbolouki, M.N., 2009. Curcumin binding to DNA and RNA. *DNA Cell Biol.* 28, 201–208. <https://doi.org/10.1089/dna.2008.0840>
- Negishi, T., Nakanishi, H., Yazaki, J., Kishimoto, N., Fujii, F., Shimbo, K., Yamamoto, K., Sakata, K., Sasaki, T., Kikuchi, S., Mori, S., Nishizawa, N.K., 2002. cDNA microarray analysis of gene expression during Fe-deficiency stress in barley suggests that polar transport of vesicles is implicated in phytosiderophore secretion in Fe-deficient barley roots. *Plant J. Cell Mol. Biol.* 30, 83–94.
- Nishimura, T., Kakiuchi, N., Inoue, M., Uemura, S., 2000. Pd/C(II)-supported hydrotalcite as acatalyst for selective oxidation of alcohols using molecular oxygen. *Chem. Commun.* 0, 1245–1246. <https://doi.org/10.1039/B002447N>
- Nurrochmad, A., Sari, I.P., Murwanti, R., Sardjiman, Candraningrum, T., Afritasari, D., Martina, D., Siahaan, I.W., 2012. Hepatoprotective Effect Of Gamavuton-0 Against D-galactosamine/Lipopolysaccharide-Induced Fulminant Hepatic Failure. *Indones. J. Pharm.* 0, 18–26. <https://doi.org/10.14499/indonesianjpharm0iss0pp18-26>
- Okamoto, S., Tamaru, A., Nakajima, C., Nishimura, K., Tanaka, Y., Tokuyama, S., Suzuki, Y., Ochi, K., 2007. Loss of a conserved 7-methylguanosine modification in 16S rRNA confers low-level streptomycin resistance in bacteria. *Mol. Microbiol.* 63, 1096–1106. <https://doi.org/10.1111/j.1365-2958.2006.05585.x>
- Ordas, A., Raterink, R.-J., Cunningham, F., Jansen, H.J., Wiweger, M.I., Jong-Raadsen, S., Bos, S., Bates, R.H., Barros, D., Meijer, A.H., Vreeken, R.J., Ballell-Pages, L., Dirks, R.P., Hankemeier, T., Spaink, H.P., 2015. Testing Tuberculosis Drug Efficacy in a Zebrafish High-Throughput Translational Medicine Screen. *Antimicrob. Agents Chemother.* 59, 753–762. <https://doi.org/10.1128/AAC.03588-14>
- Pasca, M.R., Guglielame, P., Arcesi, F., Bellinzoni, M., De Rossi, E., Riccardi, G., 2004. Rv2686c-Rv2687c-Rv2688c, an ABC fluoroquinolone efflux pump in Mycobacterium tuberculosis. *Antimicrob. Agents Chemother.* 48, 3175–3178. <https://doi.org/10.1128/AAC.48.8.3175-3178.2004>



- Patole, J., Shingnapurkar, D., Padhye, S., Ratledge, C., 2006. Schiff base conjugates of p-aminosalicylic acid as antimycobacterial agents. *Bioorg. Med. Chem. Lett.* 16, 1514–1517. <https://doi.org/10.1016/j.bmcl.2005.12.035>
- Pavia, D.L., Lampman, G.M. & Jr. George, S.K., 1979, Introduction to Spectroscopy: A Guide for Students of Organic Chemistry, 26-53, W. B. Saunders Company, Philadelphia.
- Pudjono, Sismindari, & Widada, H., 2008, Sintesis 2,5-bis-(4'-hidroksibenzilidin)-siklopentanon dan 2,5-bis-(4'-klorobenzilidin)-siklohexanon serta uji antiproliferasinya terhadap sel HeLa, *Majalah Farmasi Indonesia*, 19 (1), 48-55.
- Rajni, Meena, L.S., Rajni, Meena, L.S., 2011. Unique Characteristic Features of Mycobacterium Tuberculosis in Relation to Immune System. *Am. J. Immunol.* 7, 1–8. <https://doi.org/10.3844/ajisp.2011.1.8>
- Rao, M.N.A, 1997, Antioxidant Properties of Curcumin, in Suwidjo Pramono et.al., Recent Development in Curcumin Pharmacology, *Proceedings of International Symposium on Curcumin Pharmacology*, Aditya Media, Yogyakarta, hal. 39-47.
- Retma P.A., Sutanti E., Wulandari E., Kusumaramdani G. dan Wijayanti E., 2011, Sintesis 3,5-dikloro-4-hidroksibenzaldehyd sebagai Starting Material PGV-6, HGV-6, dan GVT-6 untuk Agen Anti Tuberkulosis, *Jurnal sanitifika*, III(2), 63-68
- Robinson, T.P., Ehlers, T., Hubbard IV, R.B., Bai, X., Arbiser, J.L., Goldsmith, D.J., Bowen, J.P., 2003. Design, synthesis, and biological evaluation of angiogenesis inhibitors: aromatic enone and dienone analogues of curcumin. *Bioorg. Med. Chem. Lett.* 13, 115–117.
- Rachmawati, Farida Juliantina ., 2014. Aktivitas Antimikobakterium Ekstrak Etanol Dan Minyak Atsiri Daun Sirih Merah (*Piper Crocatum*) Terhadap *Mycobacterium Tuberculosis* Secara In Vitro Dan In Vivo. *Dissertasi* Fakultas Kedokteran. Universitas Gadjah Mada., Yogyakarta.
- Rukminiati, Y., 2012. Uji Kepekaan Obat Anti Tuberkulosis Lini Kedua Menggunakan BACTEC Mycobacterium Growth Indicator Tubes (MGIT) 960. *Jurnal Kefarmasian Indonesia* Vol 2.2.2012: 43 - 47
- Sajithlal, G.B., Chithra, P., Chandrakasan, G., 1998. Effect of curcumin on the advanced glycation and cross-linking of collagen in diabetic rats. *Biochem. Pharmacol.* 56, 1607–1614.



- Sardjiman, 2000, Synthesis of Some New Series of Curcumin Analogues, Anti – oxidative, Anti-inflammatory, Anti-bacterial Activities and Qualitative Structure-Activity-relationship, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., van der Goot, H., Timmerman, H., 1997. 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and structure-activity relationship. *Eur. J. Med. Chem.* 32, 625–630. [https://doi.org/10.1016/S0223-5234\(97\)83288-6](https://doi.org/10.1016/S0223-5234(97)83288-6)
- Sardjiman, Yuliarti, N.N., Sasmito, Nugroho, A.E., 2013. Synthesis And Evaluation Of Antioxidant And Antiinflammatory Activities Of 2-(4'-Dimethylamino Benzylidene)-6-Benzylidene Cyclohexanone. *Indones. J. Pharm.* 0, 198–205. <https://doi.org/10.14499/indonesianjpharm0iss0pp198-205>
- Sari, N.R., Wardana, P.W. & Indrayani, A.W., 2015, Uji zona hambat ekstrak daun putri malu (*Mimosa pudica*) terhadap bakteri *Staphylococcus aureus* dan Methicillin-resistant *Staphylococcus aureus* (MRSA) secara in vitro, *Jurnal Medika Udayana*, 4 (4).
- Satoh-Nagasawa, N., Nagasawa, N., Malcomber, S., Sakai, H., Jackson, D., 2006. A trehalose metabolic enzyme controls inflorescence architecture in maize. *Nature* 441, 227–230. <https://doi.org/10.1038/nature04725>
- Schiebler, M., Brown, K., Hegyi, K., Newton, S.M., Renna, M., Hepburn, L., Klapholz, C., Coulter, S., Obregón-Henao, A., Henao Tamayo, M., Basaraba, R., Kampmann, B., Henry, K.M., Burgon, J., Renshaw, S.A., Fleming, A., Kay, R.R., Anderson, K.E., Hawkins, P.T., Ordway, D.J., Rubinsztein, D.C., Floto, R.A., 2015. Functional drug screening reveals anticonvulsants as enhancers of mTOR-independent autophagic killing of *Mycobacterium tuberculosis* through inositol depletion. *EMBO Mol. Med.* 7, 127–139. <https://doi.org/10.15252/emmm.201404137>
- Serbina, N.V., Pamer, E.G., 2006. Monocyte emigration from bone marrow during bacterial infection requires signals mediated by chemokine receptor CCR2. *Nat. Immunol.* 7, 311–317. <https://doi.org/10.1038/ni1309>
- Shetty, D., Kim, Y.J., Shim, H., Snyder, J.P., 2014. Eliminating the Heart from the Curcumin Molecule: Monocarbonyl Curcumin Mimics (MACs). *Molecules* 20, 249–292. <https://doi.org/10.3390/molecules20010249>
- Sierra-Filardi, E., Nieto, C., Domínguez-Soto, A., Barroso, R., Sánchez-Mateos, P., Puig-Kroger, A., López-Bravo, M., Joven, J., Ardavín, C., Rodríguez-Fernández, J.L., Sánchez-Torres, C., Mellado, M., Corbí, A.L., 2014.

- CCL2 shapes macrophage polarization by GM-CSF and M-CSF: identification of CCL2/CCR2-dependent gene expression profile. *J. Immunol. Baltim. Md* 1950 192, 3858–3867. <https://doi.org/10.4049/jimmunol.1302821>
- Silverstein, R. M., Webster, F.X. & Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds, 7th Ed.*, 14-15, 142, John Wiley & Sons, Inc., New York.
- Simeone, R., Sayes, F., Song, O., Gröschel, M.I., Brodin, P., Brosch, R., Majlessi, L., 2015. Cytosolic access of Mycobacterium tuberculosis: critical impact of phagosomal acidification control and demonstration of occurrence in vivo. *PLoS Pathog.* 11, e1004650. <https://doi.org/10.1371/journal.ppat.1004650>
- Singh, A.K., Yadav, P., Karaulia, P., Singh, V.K., Gupta, P., Puttrevu, S.K., Chauhan, S., Bhatta, R.S., Tadigoppula, N., Gupta, U.D., Chopra, S., Dasgupta, A., 2017. Biological evaluation of novel curcumin–pyrazole–mannich derivative active against drug-resistant Mycobacterium tuberculosis. *Future Microbiol.* 12, 1349–1362. <https://doi.org/10.2217/fmb-2017-0054>
- Singletary, K., MacDonald, C., Iovinelli, M., Fisher, C., Wallig, M., 1998. Effect of the beta-diketones diferuloylmethane (curcumin) and dibenzoylmethane on rat mammary DNA adducts and tumors induced by 7,12-dimethylbenz[a]anthracene. *Carcinogenesis* 19, 1039–1043.
- Sloan, D.J., Davies, G.R., Khoo, S.H., 2013. Recent advances in tuberculosis: New drugs and treatment regimens. *Curr. Respir. Med. Rev.* 9, 200–210.
- Soini, H., Musser, J.M., 2001. Molecular diagnosis of mycobacteria. *Clin. Chem.* 47, 809–814.
- Solomons, T.W.G., 1990, *Fundamentals of Organic Chemistry, 3rd Edition*, John Wiley & Sons, , New York, 243- 246 cit Ritmaleni & Simbara, A., 2010, Sintesis Tetrahidro Pentagamavunon-0, *Majalah Farmasi Indonesia*, 21, 3547-3549.
- Stanley, S.A., Barczak, A.K., Silvis, M.R., Luo, S.S., Sogi, K., Vokes, M., Bray, M.-A., Carpenter, A.E., Moore, C.B., Siddiqi, N., Rubin, E.J., Hung, D.T., 2014. Identification of host-targeted small molecules that restrict intracellular Mycobacterium tuberculosis growth. *PLoS Pathog.* 10, e1003946. <https://doi.org/10.1371/journal.ppat.1003946>
- Subramaniam, D., May, R., Sureban, S.M., Lee, K.B., George, R., Kuppusamy, P., Ramanujam, R.P., Hideg, K., Dieckgraefe, B.K., Houchen, C.W.,

- Anant, S., 2008. Diphenyl difluoroketone: a curcumin derivative with potent in vivo anticancer activity. *Cancer Res.* 68, 1962–1969. <https://doi.org/10.1158/0008-5472.CAN-07-6011>
- Sundaramurthy, V., Barsacchi, R., Samusik, N., Marsico, G., Gilleron, J., Kalaidzidis, I., Meyenhofer, F., Bickle, M., Kalaidzidis, Y., Zerial, M., 2013. Integration of chemical and RNAi multiparametric profiles identifies triggers of intracellular mycobacterial killing. *Cell Host Microbe* 13, 129–142. <https://doi.org/10.1016/j.chom.2013.01.008>
- Takayama, K., Wang, C., Besra, G.S., 2005. Pathway to synthesis and processing of mycolic acids in *Mycobacterium tuberculosis*. *Clin. Microbiol. Rev.* 18, 81–101. <https://doi.org/10.1128/CMR.18.1.81-101.2005>
- Tobin, D.M., Ramakrishnan, L., 2008. Comparative pathogenesis of *Mycobacterium marinum* and *Mycobacterium tuberculosis*. *Cell. Microbiol.* 10, 1027–1039. <https://doi.org/10.1111/j.1462-5822.2008.01133.x>
- Todar K. Tuberculosis. University of Wisconsin-Madison. www.textbookofbacteriology.net. 2017
- Tønjum, T., Welty, D.B., Jantzen, E., Small, P.L., 1998. Differentiation of *Mycobacterium ulcerans*, *M. marinum*, and *M. haemophilum*: mapping of their relationships to *Mycobacterium tuberculosis* by fatty acid profile analysis, DNA-DNA hybridization, and 16S rRNA gene sequence analysis. *J. Clin. Microbiol.* 36, 918–925.
- Tostmann, A., Boeree, M.J., Harries, A.D., Sauvageot, D., Banda, H.T., Zijlstra, E.E., 2007. Short communication: Antituberculosis drug-induced hepatotoxicity is unexpectedly low in HIV-infected pulmonary tuberculosis patients in Malawi: TB drug induced hepatotoxicity. *Trop. Med. Int. Health* 12, 852–855. <https://doi.org/10.1111/j.1365-3156.2007.01871.x>
- Travis, W.D., Travis, L.B., Roberts, G.D., Su, D.W., Weiland, L.W., 1985. The histopathologic spectrum in *Mycobacterium marinum* infection. *Arch. Pathol. Lab. Med.* 109, 1109–1113.
- van Crevel, R., Ottenhoff, T.H.M., van der Meer, J.W.M., 2002. Innate immunity to *Mycobacterium tuberculosis*. *Clin. Microbiol. Rev.* 15, 294–309.
- Van der Goot, H., 1997, The Chemistry and Quantitative Structure Activity Relationships of Curcumin, in Recent Development in Curcumin Pharmacology, *Proceedings of the International Symposium on Curcumin Pharmacology* (15cp), Yogyakarta



- van der Vaart, M., Korbee, C.J., Lamers, G.E.M., Tengeler, A.C., Hosseini, R., Haks, M.C., Ottenhoff, T.H.M., Spaink, H.P., Meijer, A.H., 2014. The DNA damage-regulated autophagy modulator DRAM1 links mycobacterial recognition via TLR-MYD88 to autophagic defense [corrected]. *Cell Host Microbe* 15, 753–767. <https://doi.org/10.1016/j.chom.2014.05.005>
- van der Woude, A.D., Stoop, E.J.M., Stuess, M., Wang, S., Ummels, R., van Stempvoort, G., Piersma, S.R., Cascioferro, A., Jiménez, C.R., Houben, E.N.G., Luirink, J., Pieters, J., van der Sar, A.M., Bitter, W., 2014. Analysis of SecA2-dependent substrates in *Mycobacterium marinum* identifies protein kinase G (PknG) as a virulence effector. *Cell. Microbiol.* 16, 280–295. <https://doi.org/10.1111/cmi.12221>
- Verrall, A.J., Netea, M.G., Alisjahbana, B., Hill, P.C., van Crevel, R., 2014. Early clearance of *Mycobacterium tuberculosis*: a new frontier in prevention. *Immunology* 141, 506–513. <https://doi.org/10.1111/imm.12223>
- Vilchèze, C., Wang, F., Arai, M., Hazbón, M.H., Colangeli, R., Kremer, L., Weisbrod, T.R., Alland, D., Sacchettini, J.C., Jacobs, W.R., 2006. Transfer of a point mutation in *Mycobacterium tuberculosis inhA* resolves the target of isoniazid. *Nat. Med.* 12, 1027–1029. <https://doi.org/10.1038/nm1466>
- Volkman, H.E., Pozos, T.C., Zheng, J., Davis, J.M., Rawls, J.F., Ramakrishnan, L., 2010. Tuberculous granuloma induction via interaction of a bacterial secreted protein with host epithelium. *Science* 327, 466–469. <https://doi.org/10.1126/science.1179663>
- Warsi, W., 2015. Sintesis 4-Hidroksi-3-Klorobenzaldehid Dari P-Hidroksibenzaldehid Dan Gas Cl₂. *Pharmaciana* 5. <https://doi.org/10.12928/pharmaciana.v5i1.2967>
- Watson, R.O., Manzanillo, P.S., Cox, J.S., 2012. Extracellular *Mycobacterium tuberculosis* DNA targets bacteria for autophagy by activating the host DNA-sensing pathway. *Cell* 150, 803–815. <https://doi.org/10.1016/j.cell.2012.06.040>
- Wehrli, W., Knüsel, F., Schmid, K., Staehelin, M., 1968. Interaction of rifamycin with bacterial RNA polymerase. *Proc. Natl. Acad. Sci. U. S. A.* 61, 667–673.
- Wibawa, T., 2017. Mekanisme molekular resistensi terhadap obat anti tuberkulosis lini pertama. *Proceeding Annual Scientific Meeting ASM 2017*. Departemen Mikrobiologi. Fakultas Kedokteran UGM, Yogyakarta.
- Wyatt, P., & Warren, S., 2007, *Organic synthesis: Strategy and Control*, JohnWiley & Sons, New York, 10-25



- Xu, S., Pei, L., Li, D., Yao, H., Cai, H., Yao, H., Wu, X., Xu, J., 2014. Synthesis and antimycobacterial evaluation of natural oridonin and its enmein-type derivatives. *Fitoterapia* 99, 300–306. <https://doi.org/10.1016/j.fitote.2014.10.005>
- Youssef, K.M., El-Sherbeny, M.A., El-Shafie, F.S., Farag, H.A., Al-Deeb, O.A., Awadalla, S.A.A., 2004. Synthesis of Curcumin Analogues as Potential Antioxidant, *Cancer Chemopreventive Agents. Arch. Pharm. (Weinheim)* 337, 42–54. <https://doi.org/10.1002/ardp.200300763>
- Yuan, Y., Lee, R.E., Besra, G.S., Belisle, J.T., Barry, C.E., 1995. Identification of a gene involved in the biosynthesis of cyclopropanated mycolic acids in *Mycobacterium tuberculosis*. *Proc. Natl. Acad. Sci. U. S. A.* 92, 6630–6634.
- Zhang, Y., Shi, W., Zhang, W., Mitchison, D., 2013. Mechanisms of Pyrazinamide Action and Resistance. *Microbiol. Spectr.* 2, 1–12. <https://doi.org/10.1128/microbiolspec.MGM2-0023-2013>
- Zhang, Y., Yew, W.-W., 2015. Mechanisms of drug resistance in *Mycobacterium tuberculosis*: update 2015. *Int. J. Tuberc. Lung Dis. Off. J. Int. Union Tuberc. Lung Dis.* 19, 1276–1289. <https://doi.org/10.5588/ijtld.15.0389>