UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agrawal, D.K., Mishra, P.K., 2009. Curcumin and its analogues: Potential anticancer agents. *Med. Res*.. https://doi.org/10.1002/med.20188

Agrawal, D.K., Saikia, D., Tiwari, R., Ojha, S., Shanker, K., Kumar, J.K., Gupta, A.K., Tandon, S., Negi, A.S., Khanuja, S.P., 2008. Demethoxycurcumin and its semisynthetic analogues as antitubercular agents. *Planta Med.* 74, 1828–1831. https://doi.org/10.1055/s-0028-1088335

Alderwick, L.J., Birch, H.L., Mishra, A.K., Eggeling, L., Besra, G.S., 2007. Structure, function and biosynthesis of the Mycobacterium tuberculosis cell wall: arabinogalactan and lipoarabinomannan assembly with a view to discovering new drug targets. *Biochem. Soc. Trans.* 35, 1325–1328. https://doi.org/10.1042/BST0351325

Alibaud, L., Rombouts, Y., Trivelli, X., Burguière, A., Cirillo, S.L.G., Cirillo, J.D., Dubremetz, J.-F., Guérardel, Y., Lutfalla, G., Kremer, L., 2011. A Mycobacterium marinum TesA mutant defective for major cell wall-associated lipids is highly attenuated in Dictyostelium discoideum and zebrafish embryos. *Mol. Microbiol.* 80, 919–934. https://doi.org/10.1111/j.1365-2958.2011.07618.x

Arbues, A., Lugo-Villarino, G., Neyrolles, O., Guilhot, C., Astarie-Dequeker, C., 2014. Playing hide-and-seek with host macrophages through the use of mycobacterial cell envelope phthiocerol dimycocerosates and phenolic glycolipids. Front. *Cell. Infect. Microbiol*. 4, 173. https://doi.org/10.3389/fcimb.2014.00173

Asano, Y., Komeda, T., Yamada, H., 1993. Microbial Production of Theobromine from Caffeine. Biosci. *Biotechnol. Biochem*. 57, 1286–1289. https://doi.org/10.1271/bbb.57.1286

Astuti, P., Boer, L. de, Sunstrom, N.-A., Gray, P.P., 2005. Green Fluorescent Protein (Gfp), Suatu Signal Penanda Quantitatif Untuk Memonitor Proliferasi Sel. *Indones. J. Pharm.* 0, 169–173. https://doi.org/10.14499/indonesianjpharm0iss0pp169-173

Bai, X., Oberley-Deegan, R.E., Bai, A., Ovrutsky, A.R., Kinney, W.H., Weaver, M., Zhang, G., Honda, J.R., Chan, E.D., 2016. Curcumin enhances human macrophage control of Mycobacterium tuberculosis infection: Curcumin and tuberculosis in macrophages. *Respirology* 21, 951–957. https://doi.org/10.1111/resp.12762

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Baldwin, P.R., Reeves, A.Z., Powell, K.R., Napier, R.J., Swimm, A.I., Sun, A., Giesler, K., Bommarius, B., Shinnick, T.M., Snyder, J.P., Liotta, D.C., Kalman, D., 2015. Monocarbonyl analogs of curcumin inhibit growth of antibiotic sensitive and resistant strains of Mycobacterium tuberculosis. *Eur. J. Med. Chem*. 92, 693–699. https://doi.org/10.1016/j.ejmech.2015.01.020

Balganesh, M., Dinesh, N., Sharma, S., Kuruppath, S., Nair, A.V., Sharma, U., 2012. Efflux pumps of Mycobacterium tuberculosis play a significant role in antituberculosis activity of potential drug candidates. *Antimicrob. Agents Chemother*. 56, 2643–2651. https://doi.org/10.1128/AAC.06003-11

Barry, J., Fritz, M., Brender, J.R., Smith, P.E.S., Lee, D.-K., Ramamoorthy, A., 2009. Determining the Effects of Lipophilic Drugs on Membrane Structure by Solid-State NMR Spectroscopy: The Case of the Antioxidant Curcumin. *J. Am. Chem. Soc*. 131, 4490–4498. https://doi.org/10.1021/ja809217u

Barthelemy, S., Vergnes, L., Moynier, M., Guyot, D., Labidalle, S., Bahraoui, E., 1998. Curcumin and curcumin derivatives inhibit Tat-mediated transactivation of type 1 human immunodeficiency virus long terminal repeat. *Res. Virol.* 149, 43–52. https://doi.org/10.1016/S0923-2516(97)86899-9

Benard, E.L., Roobol, S.J., Spaink, H.P., Meijer, A.H., 2014. Phagocytosis of mycobacteria by zebrafish macrophages is dependent on the scavenger receptor Marco, a key control factor of pro-inflammatory signalling. *Dev. Comp. Immunol.* 47, 223–233. https://doi.org/10.1016/j.dci.2014.07.022

Benjamin, D.R., van de Water, A.T.M., Peiris, C.L., 2014. Effects of exercise on diastasis of the rectus abdominis muscle in the antenatal and postnatal periods: a systematic review. *Physiotherapy* 100, 1–8. https://doi.org/10.1016/j.physio.2013.08.005

Berry, M.P.R., Graham, C.M., McNab, F.W., Xu, Z., Bloch, S.A.A., Oni, T., Wilkinson, K.A., Banchereau, R., Skinner, J., Wilkinson, R.J., Quinn, C., Blankenship, D., Dhawan, R., Cush, J.J., Mejias, A., Ramilo, O., Kon, O.M., Pascual, V., Banchereau, J., Chaussabel, D., O'Garra, A., 2010. An inte*Rf*eron-inducible neutrophil-driven blood transcriptional signature in human tuberculosis. *Nature* 466, 973–977. https://doi.org/10.1038/nature09247

Bhawana, Basniwal, R.K., Buttar, H.S., Jain, V.K., Jain, N., 2011. Curcumin Nanoparticles: Preparation, Characterization, and Antimicrobial Study. *J. Agric. Food Chem.* 59, 2056–2061. https://doi.org/10.1021/jf104402t

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Bisht, S., Maitra, A., 2009. Systemic Delivery of Curcumin: 21st Century Solutions for an Ancient Conundrum. *Curr. Drug Discov. Technol*. 6, 192–199. https://doi.org/10.2174/157016309789054933

Bosserman, R.E., Nguyen, T.T., Sanchez, K.G., Chirakos, A.E., Ferrell, M.J., Thompson, C.R., Champion, M.M., Abramovitch, R.B., Champion, P.A., 2017. WhiB6 regulation of ESX-1 gene expression is controlled by a negative feedback loop in Mycobacterium marinum. *Proc. Natl. Acad. Sci.* 114, E10772–E10781. https://doi.org/10.1073/pnas.1710167114

Bourne, K.Z., Bourne, N., Reising, S.F., Stanberry, L.R., 1999. Plant products as topical microbicide candidates: assessment of in vitro and in vivo activity against herpes simplex virus type 2. *Antiviral Res*. 42, 219–226.

Brennan, P.J., 2003. Structure, function, and biogenesis of the cell wall of Mycobacterium tuberculosis. Tuberculosis, *Proceedings from the 4th World Congress on Tuberculosis* 83, 91–97. https://doi.org/10.1016/S1472-9792(02)00089-6

Brennan, P.J., Crick, D.C., 2007. The cell-wall core of Mycobacterium tuberculosis in the context of drug discovery. *Curr. Top. Med. Chem*. 7, 475–488.

Brigden, G., Hewison, C., Varaine, F., 2015. New developments in the treatment of drug-resistant tuberculosis: clinical utility of bedaquiline and delamanid. *Infect. Drug Resist*. 367. https://doi.org/10.2147/IDR.S68351

Butler R, Jarice C. 2012. First line treatment of tuberculosis (TB) for drug-sensitive TB. National Institute of Allergy and Infectious Disease (NIAID).

Cambier, C.J., Takaki, K.K., Larson, R.P., Hernandez, R.E., Tobin, D.M., Urdahl, K.B., Cosma, C.L., Ramakrishnan, L., 2014. Mycobacteria manipulate macrophage recruitment through coordinated use of membrane lipids. *Nature* 505, 218–222. https://doi.org/10.1038/nature12799

Caminero JA. *Justification for the guidelines*. Dalam: Guidelines for Clinical and Operational Management of Drug-Resistant Tuberculosis. International Union Against Tuberculosis and Lung Disease. 2013:1-6.

Carey, F.A., & Sundberg, R.J., 2007, *Advanced Organic Chemistry Part A: Structure and Mechanisms, 5th Edition*, Springer Science & Business Media, New York, 629-645.

Carroll, P., Schreuder, L.J., Muwanguzi-Karugaba, J., Wiles, S., Robertson, B.D., Ripoll, J., Ward, T.H., Bancroft, G.J., Schaible, U.E., Parish, T., 2010. Sensitive Detection of Gene Expression in Mycobacteria under Replicating

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

and Non-Replicating Conditions Using Optimized Far-Red Reporters. *PLoS ONE 5*. https://doi.org/10.1371/journal.pone.0009823

Carvalho, R., de Sonneville, J., Stockhammer, O.W., Savage, N.D.L., Veneman, W.J., Ottenhoff, T.H.M., Dirks, R.P., Meijer, A.H., Spaink, H.P., 2011. A high-throughput screen for tuberculosis progression. *PloS One* 6, e16779. https://doi.org/10.1371/journal.pone.0016779

Cavallazzi, R., Maurici, R., Ramirez, J.A., 2016. Tuberculosis is always a possibility (even in the intensive care unit). *Rev. Bras. Ter. Intensiva* 28. https://doi.org/10.5935/0103-507X.20160021

Caviedes, L., Lee, T.S., Gilman, R.H., Sheen, P., Spellman, E., Lee, E.H., Berg, D.E., Montenegro-James, S., 2000. Rapid, efficient detection and drug susceptibility testing of Mycobacterium tuberculosis in sputum by microscopic observation of broth cultures. The Tuberculosis Working Group in Peru. *J. Clin. Microbiol*. 38, 1203–1208.

Cha, JS,. and Chun, JH., 2000. Reductive oxidation of acid chlorides to aldehydes with lithium aluminum hydride and pyridinium chlorochromate or pyridinium dichromate. *Bulletin- Korean Chemical Society* 21(4):375,0-376 • April 2000

Chakravarty, S.D., Xu, J., Lu, B., Gerard, C., Flynn, J., Chan, J., 2007. The chemokine receptor CXCR3 attenuates the control of chronic Mycobacterium tuberculosis infection in BALB/c mice. *J. Immunol. Baltim. Md* 1950 178, 1723–1735.

Changtam, C., Hongmanee, P., Suksamrarn, A., 2010. Isoxazole analogs of curcuminoids with highly potent multidrug-resistant antimycobacterial activity. *Eur. J. Med. Chem.* 45, 4446–4457. https://doi.org/10.1016/j.ejmech.2010.07.003

Char, C.D., Guerrero, S.N. & Alzamora, S.M., 2010, Mild thermal process combined with vanillin plus citral to help shorten the inactivation time for Listeria innocua in orange juice, Food Bioprocess Technol., 3, 752-761 cit. Wu, Y., Bai, J., Zhong, K., Huang, Y., Qi, H., Jiang, G., & Gao, H., 2016, Antibacterial activity and membran-disruptive mechanism of 3-p-trans-coumaroyl-2-hydroxyquinic acid, a novel phenolic compound from pine needles of Cedrus deodara, against Staphylococcus aureus, *Molecules*, 21, 1084-1092.

Chew, F.T., Goh, D.Y.T., Teo, J., Quak, S.H., Lee, B.W., 1998. Month of birth and childhood atopic diseases in the tropics. *Allergy* 53, 962–967. https://doi.org/10.1111/j.1398-9995.1998.tb03797.x

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Clay, H., Davis, J.M., Beery, D., Huttenlocher, A., Lyons, S.E., Ramakrishnan, L., 2007. Dichotomous role of the macrophage in early Mycobacterium marinum infection of the zebrafish. *Cell Host Microbe* 2, 29–39. https://doi.org/10.1016/j.chom.2007.06.004

Coban, A.Y., Birinci, A., Ekinci, B., Durupinar, B., 2004. Drug susceptibility testing of Mycobacterium tuberculosis by the broth microdilution method with 7H9 broth. *Mem. Inst. Oswaldo Cruz* 99, 111–113.

Cosma, C.L., Humbert, O., Ramakrishnan, L., 2004. Superinfecting mycobacteria home to established tuberculous granulomas. *Nat. Immunol*. 5, 828–835. https://doi.org/10.1038/ni1091

Da Silva PEA, Palomino JC. Molecular basis and mechanisms of drug resistance in Mycobacterium tuberculosis: classical and new drugs. *Antimicrob Chemother*. 2011;66:1417–1430

Das, S., Das, U., Bandy, B., Gorecki, D.K.J., Dimmock, J.R., 2010. 2-[4-(4-Methoxyphenylcarbonyloxy)benzylidene]-6-dimethylaminomethyl cyclohexanone hydrochloride: A Mannich base which inhibits the growth of some drug-resistant strains of Mycobacterium tuberculosis. *Pharm.* 65, 849–850.

Davis, J.M., Clay, H., Lewis, J.L., Ghori, N., Herbomel, P., Ramakrishnan, L., 2002. Real-time visualization of mycobacterium-macrophage interactions leading to initiation of granuloma formation in zebrafish embryos. *Immunity* 17, 693–702.

Davis, J.M., Ramakrishnan, L., 2009. The role of the granuloma in expansion and dissemination of early tuberculous infection. *Cell* 136, 37–49. https://doi.org/10.1016/j.cell.2008.11.014

Deng, Q., Sarris, M., Bennin, D.A., Green, J.M., Herbomel, P., Huttenlocher, A., 2013. Localized bacterial infection induces systemic activation of neutrophils through Cxcr2 signaling in zebrafish. *J. Leukoc. Biol*. 93, 761–769. https://doi.org/10.1189/jlb.10125,034

Departemen Kesehatan RI. 2006. *Pedoman Nasional Penanggulangan Tuberkulosis*. Jakarta

Departemen Kesehatan RI. 2007. *Pedoman Nasional Penanggulangan Tuberkulosis*. Jakarta.

Departemen Kesehatan RI. 2012. *Petunjuk Teknis Pemeriksaan Biakan, Identifikasi, dan Uji Kepekaan Mycobacterium tuberculosis pada media padat*. Jakarta.

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Deretic, V., Saitoh, T., Akira, S., 2013. Autofagi in infection, inflammation and immunity. *Nat. Rev. Immunol*. 13, 722–737. https://doi.org/10.1038/nri3532

El Bohy, M., Raafat, Hesham., Aly, Faten. & El-Aziz, M. A.2009. 'Comparison between Mycobacteria Groth Indicator Tube (MGIT), BACTEC 460 TB system and Lowenstein-Jensen medium for detection of Mycobacterium tuberculosis'. *Egyptian Journal of Bronchology*. Vol. 3, no. 2, 2009.

El-Etr, S.H., Subbian, S., Cirillo, S.L.G., Cirillo, J.D., 2004. Identification of Two Mycobacterium marinum Loci That Affect Interactions with Macrophages. *Infect. Immun.* 72, 6902–6913. https://doi.org/10.1128/IAI.72.12.6902-6913.2004

Elks, P.M., Brizee, S., van der Vaart, M., Walmsley, S.R., van Eeden, F.J., Renshaw, S.A., Meijer, A.H., 2013. Hypoxia inducible factor signaling modulates susceptibility to mycobacterial infection via a nitric oxide dependent mechanism. *PLoS Pathog*. 9, e1003789. https://doi.org/10.1371/journal.ppat.1003789

Essawy, S.S., Abdel-Sater, K.A., Elbaz, A.A., 2014. Experimental research Comparing the effects of inorganic nitrate and allopurinol in renovascular complications of metabolic syndrome in rats: role of nitric oxide and uric acid. *Arch. Med. Sci.* 3, 537–545. https://doi.org/10.5114/aoms.2013.33222

Fabricius, K.E., De'ath, G., Puotinen, M.L., Done, T., Cooper, T.F., Burgess, S.C., 2008. Disturbance gradients on inshore and offshore coral reefs caused by a severe tropical cyclone. Limnol. *Oceanogr*. 53, 690–704. https://doi.org/10.4319/lo.2008.53.2.0690

Falorni, M., Giacomelli, G., Porcheddu, A., Taddei, M., 1999. A Simple Method for the Reduction of Carboxylic Acids to Aldehydes or Alcohols Using H(2) and Pd/C. *J. Org. Chem*. 64, 8962–8964.

Fenaroli, F., Westmoreland, D., Benjaminsen, J., Kolstad, T., Skjeldal, F.M., Meijer, A.H., van der Vaart, M., Ulanova, L., Roos, N., Nyström, B., Hildahl, J., Griffiths, G., 2014. Nanoparticles as Drug Delivery System against Tuberculosis in Zebrafish Embryos: Direct Visualization and Treatment. *ACS Nano* 8, 7014–7026. https://doi.org/10.1021/nn5019126

Fessenden, R.J. & Fessenden, J.S., 1986, *Organic Chemistry*, 3rd Ed., 854-868, John Wiley & Sons, Inc., New York.

Flores-Villanueva, P.O., Ruiz-Morales, J.A., Song, C.-H., Flores, L.M., Jo, E.-K., Montaño, M., Barnes, P.F., Selman, M., Granados, J., 2005. A functional

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

promoter polymorphism in monocyte chemoattractant protein-1 is associated with increased susceptibility to pulmonary tuberculosis. *J. Exp. Med.* 202, 1649–1658. https://doi.org/10.1084/jem.20050126

Fulmer, G.R., Miller, A.J.M., Sherden, N.H., Gottlieb, H.E., Nudelman, A., Stoltz, B.M., Bercaw, J.E., Goldberg, K.I., 2010. NMR Chemical Shifts of Trace Impurities: Common Laboratory Solvents, Organics, and Gases in Deuterated Solvents Relevant to the Organometallic Chemist. *Organometallics* 29, 2176–2179. https://doi.org/10.1021/om100106e

Furniss, B.S., Hannaford, A.J., Smith, P.W. & Tatchell, A.R., 1989, *Vogel's Textbook of Practical Organic Chemistry, 5th Ed*., 1032, John Wiley & Sons, Inc., New York.

Gafner, S., Lee, S.-K., Cuendet, M., Barthélémy, S., Vergnes, L., Labidalle, S., Mehta, R.G., Boone, C.W., Pezzuto, J.M., 2004. Biologic evaluation of curcumin and structural derivatives in cancer chemoprevention model systems. *Phytochemistry* 65, 2849–2859. https://doi.org/10.1016/j.phytochem.2004.08.008

George, K.M., Yuan, Y., Sherman, D.R., Barry, C.E., 1995. The biosynthesis of cyclopropanated mycolic acids in Mycobacterium tuberculosis. Identification and functional analysis of CMAS-2. *J. Biol. Chem.* 270, 27292–27298.

Gey van Pittius, N.C., Sampson, S.L., Lee, H., Kim, Y., van Helden, P.D., Warren, R.M., 2006. Evolution and expansion of the Mycobacterium tuberculosis PE and PPE multigene families and their association with the duplication of the ESAT-6 (esx) gene cluster regions. *BMC Evol. Biol*. 6, 95. https://doi.org/10.1186/1471-2148-6-95

Grupta, S., *et al*., 2011, Multitargeting by curcumin as revealed by molecular interaction studies, *Nat. Prod. Rep*., 28, 1937–1955.

Gupta PK, Kulkarni S, Rajan R. Inhibition of intracellular survival of multi drug resistant clinical isolates of Mycobacterium Tuberculosis in macrophages by curcumin. *Open Antimicrobial Agents* J.2013; 4:1–5.

Gutierrez, M.G., Master, S.S., Singh, S.B., Taylor, G.A., Colombo, M.I., Deretic, V., 2004. Autofagi is a defense mechanism inhibiting BCG and Mycobacterium tuberculosis survival in infected macrophages. *Cell* 119, 753–766. https://doi.org/10.1016/j.cell.2004.11.038

Haskel, A.; Keinan, E. in: E. Negishi, Ed. *Handbook of OrganoPd/C Chemistry in Organic Synthesis* , John Wiley & Sons: New York, 2002; Vol. 2, Chap VII 2.3, pp 2767-2782

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hudlicky, T., 1996. Design Constraints in Practical Syntheses of Complex Molecules: Current Status, Case Studies with Carbohydrates and Alkaloids, and Future Perspectives. *Chem. Rev*. 96, 3–30. https://doi.org/10.1021/cr9500,012g

Ingolfsson, H.I., Koeppe, R.E., Andersen, O.S., 2007. Curcumin is a Modulator of Bilayer Material Properties †. *Biochemistry (Mosc.)* 46, 10384–10391. https://doi.org/10.1021/bi701013n

Jawetz, E., Melnick, J. L., Adelberg, E. A., 2001, *Mikrobiologi Kedokteran*, Edisi XXII, diterjemahkan oleh Bagian Mikrobiologi Fakultas Kedokteran Universitas Airlangga, 205-209, Penerbit Salemba Medika, Jakarta

Jureen, P., Werngren, J., Toro, J.-C., Hoffner, S., 2008. Pyrazinamide Resistance and pncA Gene Mutations in Mycobacterium tuberculosis. *Antimicrob. Agents Chemother*. 52, 1852–1854. https://doi.org/10.1128/AAC.00110-08

Kemenkes RI, 2014. *Tuberkulosis di Indonesia.* Kementerian Kesehatan Republik Indonesia. Jakarta

Kemenkes RI, 2015. *Tuberkulosis di Indonesia*. Kementerian Kesehatan Republik Indonesia. Jakarta

Kenna, S.M. & Davies, K.J., 1988, The inhibition of bacterial growth by hypochlorous acid. Possible role in bactericidal activity of phagocytes, *Biochem. J*., 254 (3), 685-692.

Khalilzadeh, M.A., Hosseini, A., Tajbakhsh, M., Mohannazadeh, F., 2008. LiAlH<Subscript>4</Subscript>/silica chloride as a new chemoselective system for reduction of carbonyl compounds and phosphine oxides. *J. Iran. Chem. Soc*. 5, 699–705. https://doi.org/10.1007/BF03246152

Kumar, D., Nath, L., Kamal, M.A., Varshney, A., Jain, A., Singh, S., Rao, K.V.S., 2010. Genome-wide analysis of the host intracellular network that regulates survival of Mycobacterium tuberculosis. *Cell* 140, 731–743. https://doi.org/10.1016/j.cell.2010.02.012

Kundu, M., Thompson, C.B., 2008. Autofagi: basic principles and relevance to disease. *Annu. Rev. Pathol*. 3, 427–455. https://doi.org/10.1146/annurev.pathmechdis.2.010506.091842

Lawson, L., Emenyonu, N., Abdurrahman, S.T., Lawson, J.O., Uzoewulu, G.N., Sogaolu, O.M., Ebisike, J.N., Parry, C.M., Yassin, M.A., Cuevas, L.E., 2013. Comparison of Mycobacterium tuberculosis drug susceptibility using solid and liquid culture in Nigeria. *BMC Res. Notes* 6, 215. https://doi.org/10.1186/1756-0500,0-6-215

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee, K., Chung, W., Jung, Y., Kim, Y., Park, J., Sheen, S., Park, K., 2015. CXCR3 ligands as clinical markers for pulmonary tuberculosis. Int. J. Tuberc. Lung Dis. Off. *J. Int. Union Tuberc. Lung Dis*. 19, 191–199. https://doi.org/10.5588/ijtld.14.0525

Leonard, J., Lygo, B., & Procter, G., 1994, *Advanded Practical Organic Chemistry, 2nd Edition*, Chapman & Hall, United Kingdom, 184-187 & 240-244.

Leung, E.T.Y., Ho, P.L., Yuen, K.Y., Woo, W.L., Lam, T.H., Kao, R.Y., Seto, W.H., Yam, W.C., 2006. Molecular characterization of isoniazid resistance in Mycobacterium tuberculosis: identification of a novel mutation in inhA. *Antimicrob. Agents Chemother*. 50, 1075–1078. https://doi.org/10.1128/AAC.50.3.1075-1078.2006

Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., Li, X., Yang, S., 2009. Exploration and synthesis of curcumin analogues with improved structural stability both in vitro and in vivo as cytotoxic agents. *Bioorg. Med. Chem*. 17, 2623–2631. https://doi.org/10.1016/j.bmc.2008.10.044

Loddenkemper, R., Hauer, B., 2010. Drug-resistant tuberculosis: a worldwide epidemic poses a new challenge. *Dtsch. Arzteblatt Int.* 107, 10–19. https://doi.org/10.3238/arztebl.2010.0010

MacGregor, R.R., 1995. Cutaneous tuberculosis. Clin. *Dermatol*. 13, 245–255.

Marathe, S.A., Dasgupta, I., Gnanadhas, D.P., Chakravortty, D., 2011. Multifaceted roles of curcumin: two sides of a coin! Expert Opin. *Biol. Ther*. 11, 1485–1499. https://doi.org/10.1517/147125,098.2011.623124

Marrakchi, H., Lanéelle, M.-A., Daffé, M., 2014. Mycolic Acids: Structures, Biosynthesis, and Beyond. *Chem. Biol.* 21, 67–85. https://doi.org/10.1016/j.chembiol.2013.11.011

Masuda, T., Jitoe, A., Isobe, J., Nakatani, N., Yonemori, S. (Laboratory of F.C., 1993. Anti-oxidative and anti-inflammatory curcumin-related phenolics from rhizomes of Curcuma domestica. *Phytochem. U. K.*

Mazumder, A., Neamati, N., Sunder, S., Schulz, J., Pertz, H., Eich, E., Pommier, Y., 1997. Curcumin analogs with altered potencies against HIV-1 integrase as probes for biochemical mechanisms of drug action. *J. Med. Chem*. 40, 3057–3063. https://doi.org/10.1021/jm970190x

McDonnell, G., Russell, A.D., 1999. Antiseptics and disinfectants: activity, action, and resistance. *Clin. Microbiol. Rev*. 12, 147–179.

McMurry, J., 2004, *Organic Chemistry, 6th Ed*., Brooks/Cole, USA.

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

McMurry, J., 2004, *Organic Chemistry, 7th Ed*., Brooks/Cole, USA.

Meijer, A.H., 2016. Protection and pathology in TB: learning from the zebrafish model. Semin. *Immunopathol.* 38, 261–273. https://doi.org/10.1007/s00281-015-0522-4

Nafisi, S., Adelzadeh, M., Norouzi, Z., Sarbolouki, M.N., 2009. Curcumin binding to DNA and RNA. *DNA Cell Biol*. 28, 201–208. https://doi.org/10.1089/dna.2008.0840

Negishi, T., Nakanishi, H., Yazaki, J., Kishimoto, N., Fujii, F., Shimbo, K., Yamamoto, K., Sakata, K., Sasaki, T., Kikuchi, S., Mori, S., Nishizawa, N.K., 2002. cDNA microarray analysis of gene expression during Fe-deficiency stress in barley suggests that polar transport of vesicles is implicated in phytosiderophore secretion in Fe-deficient barley roots. *Plant J. Cell Mol. Biol*. 30, 83–94.

Nishimura, T., Kakiuchi, N., Inoue, M., Uemura, S., 2000. Pd/C(II)-supported hydrotalcite as acatalyst for selective oxidation of alcohols using molecular oxygen. *Chem. Commun*. 0, 1245–1246. https://doi.org/10.1039/B002447N

Nurrochmad, A., Sari, I.P., Murwanti, R., Sardjiman, Candraningrum, T., Afritasari, D., Martina, D., Siahaan, I.W., 2012. Hepatoprotective Effect Of Gamavuton-0 Against D-galactosamine/Lipopolysaccharide-Induced Fulminant Hepatic Failure. *Indones. J. Pharm*. 0, 18–26. https://doi.org/10.14499/indonesianjpharm0iss0pp18-26

Okamoto, S., Tamaru, A., Nakajima, C., Nishimura, K., Tanaka, Y., Tokuyama, S., Suzuki, Y., Ochi, K., 2007. Loss of a conserved 7-methylguanosine modification in 16S rRNA confers low-level streptomycin resistance in bacteria. *Mol. Microbiol*. 63, 1096–1106. https://doi.org/10.1111/j.1365-2958.2006.05585.x

Ordas, A., Raterink, R.-J., Cunningham, F., Jansen, H.J., Wiweger, M.I., Jong-Raadsen, S., Bos, S., Bates, R.H., Barros, D., Meijer, A.H., Vreeken, R.J., Ballell-Pages, L., Dirks, R.P., Hankemeier, T., Spaink, H.P., 2015. Testing Tuberculosis Drug Efficacy in a Zebrafish High-Throughput Translational Medicine Screen. *Antimicrob. Agents Chemother*. 59, 753–762. https://doi.org/10.1128/AAC.03588-14

Pasca, M.R., Guglierame, P., Arcesi, F., Bellinzoni, M., De Rossi, E., Riccardi, G., 2004. Rv2686c-Rv2687c-Rv2688c, an ABC fluoroquinolone efflux pump in Mycobacterium tuberculosis. *Antimicrob. Agents Chemother*. 48, 3175–3178. https://doi.org/10.1128/AAC.48.8.3175-3178.2004

UNIVERSITAS
GADJAH MADA
POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Patole, J., Shingnapurkar, D., Padhye, S., Ratledge, C., 2006. Schiff base conjugates of p-aminosalicylic acid as antimycobacterial agents. Bioorg. Med. *Chem. Lett.* 16, 1514–1517. https://doi.org/10.1016/j.bmcl.2005.12.035

Pavia, D.L., Lampman, G.M. & Jr. George, S.K., 1979, Introduction to Spectroscopy*: A Guide for Students of Organic Chemistry,* 26-53, W. B. Saunders Company, Philadelphia.

Pudjono, Sismindari, & Widada, H., 2008, Sintesis 2,5-bis-(4'-hidroksibenzilidin)-siklopentanon dan 2,5-bis-(4'-klorobenzilidin)-siklopenetanon serta uji antiproliferatifnya terhadap sel HeLa, *Majalah Farmasi Indonesia*, 19 (1), 48-55.

Rajni, Meena, L.S., Rajni, Meena, L.S., 2011. Unique Characteristic Features of Mycobacterium Tuberculosis in Relation to Immune System. *Am. J. Immunol*. 7, 1–8. https://doi.org/10.3844/ajisp.2011.1.8

Rao, M.N.A, 1997, Antioxidant Properties of Curcumin, in Suwidjo Pramono et.al., Recent Development in Curcumin Pharmacochemistry , *Proceedings of International Symposium on Curcumin Pharmacochemistry*, Aditya Media, Yogyakarta, hal. 39-47.

Retma P.A., Sutanti E., Wulandari E., Kusumaramdani G. dan Wijayanti E., 2011, Sintesis 3,5-dikloro-4-hidroksibenzaldehid sebagai Starting Material PGV-6, HGV-6, dan GVT-6 untuk Agen Anti Tuberkulosis, *Jurnal santifika*, III(2), 63-68

Robinson, T.P., Ehlers, T., Hubbard IV, R.B., Bai, X., Arbiser, J.L., Goldsmith, D.J., Bowen, J.P., 2003. Design, synthesis, and biological evaluation of angiogenesis inhibitors: aromatic enone and dienone analogues of curcumin. *Bioorg. Med. Chem. Lett*. 13, 115–117.

Rachmawati, Farida Juliantina ., 2014. Aktivitas Antimikobakterium Ekstrak Etanol Dan Minyak Atsiri Daun Sirih Merah (*Piper Crocatum*) Terhadap *Mycobacterium Tuberculosis* Secara In Vitro Dan In Vivo. *Dissertasi*Fakultas Kedokteran. Universitas Gadjah Mada., Yogyakarta.

Rukminiati, Y., 2012. Uji Kepekaan Obat Anti Tuberkulosis Lini Kedua Menggunakan BACTEC Mycobacterium Growth Indicator Tubes (MGIT) 960. *Jurnal Kefarmasian Indonesia* Vol 2.2.2012: 43 - 47

Sajithlal, G.B., Chithra, P., Chandrakasan, G., 1998. Effect of curcumin on the advanced glycation and cross-linking of collagen in diabetic rats. *Biochem. Pharmacol*. 56, 1607–1614.

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Sardjiman, 2000, Synthesis of Some New Series of Curcumin Analogues, Anti – oxidative, Anti-inflammatory, Anti-bacterial Activities and Qualitative Structure-Activity-relationship, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.

Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., van der Goot, H., Timmerman, H., 1997. 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and structure-activity relationship. *Eur. J. Med. Chem*. 32, 625–630. https://doi.org/10.1016/S0223-5234(97)83288-6

Sardjiman, Yuliarti, N.N., Sasmito, Nugroho, A.E., 2013. Synthesis And Evaluation Of Antioxidant And Antiinflammatory Activities Of 2-(4'-Dimethylamino Benzylidene)-6-Benzylidene Cyclohexanone. *Indones. J. Pharm.* 0, 198–205.https://doi.org/10.14499/indonesianjpharm0iss0pp198-205

Sari, N.R., Wardana, P.W. & Indrayani, A.W., 2015, Uji zona hambat ekstrak daun putri malu (Mimosa pudica) terhadap bakteri Staphylococcus aureus dan Methicillin-resistant Staphylococcus aures (MRSA) secara in vitro, *Jurnal Medika Udayana*, 4 (4).

Satoh-Nagasawa, N., Nagasawa, N., Malcomber, S., Sakai, H., Jackson, D., 2006. A trehalose metabolic enzyme controls inflorescence architecture in maize. *Nature* 441, 227–230. https://doi.org/10.1038/nature04725

Schiebler, M., Brown, K., Hegyi, K., Newton, S.M., Renna, M., Hepburn, L., Klapholz, C., Coulter, S., Obregón-Henao, A., Henao Tamayo, M., Basaraba, R., Kampmann, B., Henry, K.M., Burgon, J., Renshaw, S.A., Fleming, A., Kay, R.R., Anderson, K.E., Hawkins, P.T., Ordway, D.J., Rubinsztein, D.C., Floto, R.A., 2015. Functional drug screening reveals anticonvulsants as enhancers of mTOR-independent autophagic killing of Mycobacterium tuberculosis through inositol depletion. *EMBO Mol. Med*. 7, 127–139. https://doi.org/10.15252/emmm.201404137

Serbina, N.V., Pamer, E.G., 2006. Monocyte emigration from bone marrow during bacterial infection requires signals mediated by chemokine receptor CCR2. *Nat. Immunol*. 7, 311–317. https://doi.org/10.1038/ni1309

Shetty, D., Kim, Y.J., Shim, H., Snyder, J.P., 2014. Eliminating the Heart from the Curcumin Molecule: Monocarbonyl Curcumin Mimics (MACs). *Molecules* 20, 249–292. https://doi.org/10.3390/molecules20010249

Sierra-Filardi, E., Nieto, C., Domínguez-Soto, A., Barroso, R., Sánchez-Mateos, P., Puig-Kroger, A., López-Bravo, M., Joven, J., Ardavín, C., Rodríguez-Fernández, J.L., Sánchez-Torres, C., Mellado, M., Corbí, A.L., 2014.

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

CCL2 shapes macrophage polarization by GM-CSF and M-CSF: identification of CCL2/CCR2-dependent gene expression profile. *J. Immunol. Baltim. Md* 1950 192, 3858–3867. https://doi.org/10.4049/jimmunol.1302821

Silverstein, R. M., Webster, F.X. & Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds, 7th Ed.,* 14-15, 142, John Wiley & Sons, Inc., New York.

Simeone, R., Sayes, F., Song, O., Gröschel, M.I., Brodin, P., Brosch, R., Majlessi, L., 2015. Cytosolic access of Mycobacterium tuberculosis: critical impact of phagosomal acidification control and demonstration of occurrence in vivo. *PLoS Pathog*. 11, e1004650. https://doi.org/10.1371/journal.ppat.1004650

Singh, A.K., Yadav, P., Karaulia, P., Singh, V.K., Gupta, P., Puttrevu, S.K., Chauhan, S., Bhatta, R.S., Tadigoppula, N., Gupta, U.D., Chopra, S., Dasgupta, A., 2017. Biological evaluation of novel curcumin–pyrazole–mannich derivative active against drug-resistant Mycobacterium tuberculosis. *Future Microbiol*. 12, 1349–1362. https://doi.org/10.2217/fmb-2017-0054

Singletary, K., MacDonald, C., Iovinelli, M., Fisher, C., Wallig, M., 1998. Effect of the beta-diketones diferuloylmethane (curcumin) and dibenzoylmethane on rat mammary DNA adducts and tumors induced by 7,12-dimethylbenz[a]anthracene. *Carcinogenesis* 19, 1039–1043.

Sloan, D.J., Davies, G.R., Khoo, S.H., 2013. Recent advances in tuberculosis: New drugs and treatment regimens. *Curr. Respir. Med. Rev*. 9, 200–210.

Soini, H., Musser, J.M., 2001. Molecular diagnosis of mycobacteria. *Clin. Chem.* 47, 809–814.

Solomons, T.W.G., 1990, *Fundamentals of Organic Chemistry, 3rd Edition*, John Wiley & Sons, , New York, 243- 246 cit Ritmaleni & Simbara, A., 2010, Sintesis Tetrahidro Pentagamavunon-0, Majalah Farmasi Indonesia, 21, 3547-3549.

Stanley, S.A., Barczak, A.K., Silvis, M.R., Luo, S.S., Sogi, K., Vokes, M., Bray, M.-A., Carpenter, A.E., Moore, C.B., Siddiqi, N., Rubin, E.J., Hung, D.T., 2014. Identification of host-targeted small molecules that restrict intracellular Mycobacterium tuberculosis growth. *PLoS Pathog.* 10, e1003946. https://doi.org/10.1371/journal.ppat.1003946

Subramaniam, D., May, R., Sureban, S.M., Lee, K.B., George, R., Kuppusamy, P., Ramanujam, R.P., Hideg, K., Dieckgraefe, B.K., Houchen, C.W.,

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Anant, S., 2008. Diphenyl difluoroketone: a curcumin derivative with potent in vivo anticancer activity. *Cancer Res.* 68, 1962–1969. https://doi.org/10.1158/0008-5472.CAN-07-6011

Sundaramurthy, V., Barsacchi, R., Samusik, N., Marsico, G., Gilleron, J., Kalaidzidis, I., Meyenhofer, F., Bickle, M., Kalaidzidis, Y., Zerial, M., 2013. Integration of chemical and RNAi multiparametric profiles identifies triggers of intracellular mycobacterial killing. *Cell Host Microbe* 13, 129–142. https://doi.org/10.1016/j.chom.2013.01.008

Takayama, K., Wang, C., Besra, G.S., 2005. Pathway to synthesis and processing of mycolic acids in Mycobacterium tuberculosis. *Clin. Microbiol. Rev*. 18, 81–101. https://doi.org/10.1128/CMR.18.1.81-101.2005

Tobin, D.M., Ramakrishnan, L., 2008. Comparative pathogenesis of Mycobacterium marinum and Mycobacterium tuberculosis. *Cell. Microbiol.* 10, 1027–1039. https://doi.org/10.1111/j.1462-5822.2008.01133.x

Todar K. Tuberculosis. University of Wisconsin-Madison. www.textbookofbacteriology.net. 2017

Tønjum, T., Welty, D.B., Jantzen, E., Small, P.L., 1998. Differentiation of Mycobacterium ulcerans, M. marinum, and M. haemophilum: mapping of their relationships to *Mycobacterium tuberculosis* by fatty acid profile analysis, DNA-DNA hybridization, and 16S rRNA gene sequence analysis. *J. Clin. Microbiol*. 36, 918–925.

Tostmann, A., Boeree, M.J., Harries, A.D., Sauvageot, D., Banda, H.T., Zijlstra, E.E., 2007. Short communication: Antituberculosis drug-induced hepatotoxicity is unexpectedly low in HIV-infected pulmonary tuberculosis patients in Malawi: TB drug induced hepatotoxicity. *Trop. Med. Int. Health* 12, 852–855. https://doi.org/10.1111/j.1365-3156.2007.01871.x

Travis, W.D., Travis, L.B., Roberts, G.D., Su, D.W., Weiland, L.W., 1985. The histopathologic spectrum in Mycobacterium marinum infection. *Arch. Pathol. Lab. Med.* 109, 1109–1113.

van Crevel, R., Ottenhoff, T.H.M., van der Meer, J.W.M., 2002. Innate immunity to Mycobacterium tuberculosis. *Clin. Microbiol. Rev*. 15, 294–309.

Van der Goot, H., 1997, The Chemistry and Quantitative Structure Activity Relationships of Curcumin, in Recent Development in Curcumin Pharmacochemistry, *Procedings of the International Symposium on Curcumin Pharmacochemistry* (15cp), Yogyakarta

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

van der Vaart, M., Korbee, C.J., Lamers, G.E.M., Tengeler, A.C., Hosseini, R., Haks, M.C., Ottenhoff, T.H.M., Spaink, H.P., Meijer, A.H., 2014. The DNA damage-regulated autofagi modulator DRAM1 links mycobacterial recognition via TLR-MYD88 to autophagic defense [corrected]. *Cell Host Microbe* 15, 753–767. https://doi.org/10.1016/j.chom.2014.05.005

van der Woude, A.D., Stoop, E.J.M., Stiess, M., Wang, S., Ummels, R., van Stempvoort, G., Piersma, S.R., Cascioferro, A., Jiménez, C.R., Houben, E.N.G., Luirink, J., Pieters, J., van der Sar, A.M., Bitter, W., 2014. Analysis of SecA2-dependent substrates in Mycobacterium marinum identifies protein kinase G (PknG) as a virulence effector. *Cell. Microbiol.* 16, 280–295. https://doi.org/10.1111/cmi.12221

Verrall, A.J., Netea, M.G., Alisjahbana, B., Hill, P.C., van Crevel, R., 2014. Early clearance of Mycobacterium tuberculosis: a new frontier in prevention. *Immunology* 141, 506–513. https://doi.org/10.1111/imm.12223

Vilchèze, C., Wang, F., Arai, M., Hazbón, M.H., Colangeli, R., Kremer, L., Weisbrod, T.R., Alland, D., Sacchettini, J.C., Jacobs, W.R., 2006. Transfer of a point mutation in Mycobacterium tuberculosis inhA resolves the target of isoniazid. *Nat. Med.* 12, 1027–1029. https://doi.org/10.1038/nm1466

Volkman, H.E., Pozos, T.C., Zheng, J., Davis, J.M., Rawls, J.F., Ramakrishnan, L., 2010. Tuberculous granuloma induction via interaction of a bacterial secreted protein with host epithelium. *Science* 327, 466–469. https://doi.org/10.1126/science.1179663

Warsi, W., 2015. Sintesis 4–Hidroksi–3–Klorobenzaldehid Dari P–Hidroksibenzaldehid Dan Gas Cl2. *Pharmaciana* 5. https://doi.org/10.12928/pharmaciana.v5i1.2967

Watson, R.O., Manzanillo, P.S., Cox, J.S., 2012. Extracellular *Mycobacterium tuberculosis* DNA targets bacteria for autofagi by activating the host DNA-sensing pathway. *Cell* 150, 803–815. https://doi.org/10.1016/j.cell.2012.06.040

Wehrli, W., Knüsel, F., Schmid, K., Staehelin, M., 1968. Interaction of rifamycin with bacterial RNA polymerase. *Proc. Natl. Acad. Sci. U. S. A.* 61, 667–673.

Wibawa, T., 2017. Mekanisme molekular resistensi terhadap obat anti tuberkulosis lini pertama. *Proceeding Annual Scientific Meeting ASM* 2017. Departemen Mikrobiologi. Fakutas Kedokteran UGM, Yogyakarta.

Wyatt, P., & Warren, S., 2007, *Organic synthesis: Strategy and Control*, JohnWiley & Sons, New York, 10-25

UNIVERSITAS
GADJAH MADA

POTENSI SENYAWA HGV-6, PGV-6 DAN GVT-6 SEBAGAI ANTI MIKOBAKTERIUM
CIKRA IKHDA NUR H.S, Dr. Ritmaleni, S. Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, S., Pei, L., Li, D., Yao, H., Cai, H., Yao, H., Wu, X., Xu, J., 2014. Synthesis and antimycobacterial evaluation of natural oridonin and its enmein-type derivatives. *Fitoterapia* 99, 300–306. https://doi.org/10.1016/j.fitote.2014.10.005

Youssef, K.M., El-Sherbeny, M.A., El-Shafie, F.S., Farag, H.A., Al-Deeb, O.A., Awadalla, S.A.A., 2004. Synthesis of Curcumin Analogues as Potential Antioxidant, *Cancer Chemopreventive Agents. Arch. Pharm. (Weinheim)* 337, 42–54. https://doi.org/10.1002/ardp.200300763

Yuan, Y., Lee, R.E., Besra, G.S., Belisle, J.T., Barry, C.E., 1995. Identification of a gene involved in the biosynthesis of cyclopropanated mycolic acids in Mycobacterium tuberculosis. *Proc. Natl. Acad. Sci. U. S. A.* 92, 6630–6634.

Zhang, Y., Shi, W., Zhang, W., Mitchison, D., 2013. Mechanisms of Pyrazinamide Action and Resistance. *Microbiol. Spectr*. 2, 1–12. https://doi.org/10.1128/microbiolspec.MGM2-0023-2013

Zhang, Y., Yew, W.-W., 2015. Mechanisms of drug resistance in Mycobacterium tuberculosis: update 2015. *Int. J. Tuberc. Lung Dis. Off. J. Int. Union Tuberc. Lung Dis.* 19, 1276–1289. https://doi.org/10.5588/ijtld.15.0389