

DAFTAR PUSTAKA

- Aryasatiani E. 2013. *Penatalaksanaan Ruptur Perineum Derajat 3 & 4*. POGI JAYA
- Barber MD, Chen Z, Lukacz E, *et al.* 2011. *Further Validation of the Short Form Versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ)*. *Neurourology and urodynamics*; 30(4):541-546.
- Borders N. 2006. *After the afterbirth: a critical review of postpartum health relative to method of delivery*. *J Midwifery Womens Health*; 51(4):242-8
- Byrd LM, Hobbist J, Tasker M. 2005. *It is possible to predict or prevent third degree tears?*. *Colorectal Disease*. Department of Obstetrics and Gynaecology and Colorectal Surgery. Blackwell Publishing Ltd; 7:311-8.
- Cahyaning S. 2009. *Hubungan Antara Paritas dengan Kejadian Ruptur Perineum Spontan di RSUD Kota Surakarta*. Karya Tulis Ilmiah. Surakarta.
- Chapman V. 2006. *Asuhan Kebidanan Persalinan & Kelahiran*. The Midwife's Labour and Birth Handbook. Jakarta: EGC.
- Dahlan S. 2010. *Besar Sampel dan Cara Pengambilan Sampel Ketiga*. Akliia Suslia, 3th ed., Jakarta: Salemba Medika
- Depkes RI. 2001. *Modul safe motherhood*. Jakarta : FKMUI.
- Dorland. 1998. *Kamus Saku Kedokteran Dorland Ed. 25*. Jakarta : EGC.
- Fitzpatrick M, O'Herlihy C. 2007. *Postpartum care of the perineum*. *The Obstetrician & Gynaecologist*; 9:3:164-70.
- Fonti Y, Giordano R, Cacciatore A, Romano M, La Rosa B. 2009. *Post partum pelvic floor changes*. *Journal of Prenatal Medicine*; 3(4), 57-59.
- Goldberg J, Hyslop T, Tolosa JE, Sultana C. 2003. *Racial differences in severe perineal lacerations after vaginal delivery*. *Am J Obstet Gynecol*; 188: 1063-7.
- Hallock JL, Handa VL. 2016. *The epidemiology of pelvic disorders and childbirth: an update*. *Obstetrics and gynecology clinics of North America*; 43(1):1-13.
- Handa VL, Blomquist JL, McDermott KC, Friedman S, Munoz A. 2012. *Pelvic Floor Disorders After Childbirth: Effect of Episiotomy, Perineal Laceration, and Operative Birth*. *Obstet Gynecol*; 119:2:Pt1:233-9.
- Hilde G. 2014. *Pelvic floor muscle function in pregnancy and after childbirth and the effect of postpartum pelvic floor muscle training on urinary incontinence in women with and without major defects of the levator ani muscle*. Dissertation from the Norwegian School of Sport Sciences. Akershus University Hospital. Department of Obstetrics and Gynecology. Lorenskog, Norway; 1-162.
- Hiramaya F. 2012. *Prevalence and Risk Factors for Third and fourth degree perineal lacerations during vaginal delivery: a multi-country study*. The Authors BJOG An International of Obstetrics and Gynecology; 340 - 347.
- JNPK-KR. 2008. *Asuhan Persalinan Normal*. Jakarta : Depkes RI.

- Juul L, Theron GB. 2011. *Risk factors for third- and fourth-degree perineal tears during vaginal delivery*. *Urogynaecologia international journal*; 25:e2
- Kean L. 2010. *Perineal trauma*. In: luesly DM, Baker PN, eds. *Obstetrics and Gynaecology: An evidence based text for MRCOG 2nd ed*. London: Hodder Arnold; 447-56.
- Kemenkes RI, JICA. 1997. *Buku Kesehatan Ibu dan anak*. Katalog Dalam Terbitan. Kementerian Kesehatan Republik Indonesia; 14-33.
- Kemenkes RI, WHO, POGI, IBI. 2013. *Buku Saku Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan, Pedoman bagi Tenaga Kesehatan*. Kementerian Kesehatan Republik Indonesia; 36-49.
- Keriakos R, Gopinath D. 2015. *Obstetric anal sphincter injuries*. Hainan Medical College. *Journal of Acute Disease* Volume 4, Issue 4, Pages 259–265
- Lawrence L, Rebecca R, Clifford Q. 2016. *The effect of perineal lacerations on pelvic floor function and anatomy at six months postpartum in a prospective cohort of nulliparous women*. *Birth*. Berkeley, Calif; 43(4):293-302.
- Letouzey V, et al. 2013. *Original article: Can PFDI or PFIQ be used to predict outcome in pelvic reconstructive surgery*. Gynecology and Obstetrics Department, Caremeau University Hospital, France. *Progres en urologie* 23; 940-945.
- Lindhom ES, Altman D. 2013. *Risk of obstetric sphincter anal lacerations among obese women*. Division of Obstetrics and Gynecology. Department of Clinical Science. Karolinska Institutet. Danderyd Hospital. *British Journal of Obstetrics and Gynaecology*. Aug;120(9):1110-5.
- Memon UH, Handa LV. 2013. *Vaginal childbirth and pelvic floor disorders*. *Women's health*. London, England; 9(3):10.2217/whe.13.17.
- Mochtar R. 1998. *Sinopsis obstetri jilid I*. Jakarta : Penerbit Buku Kedokteran. EGC.
- Mohamed A. 2016. *Risk Factors for Birth Related Perineal Trauma among Low Risk Parturient Women and Nursing Implication*. *IOSR Journal of Nursing and Health Science (IOSR-JNHS)* e-ISSN: 2320–1959.p-ISSN: 2320–1940 Volume 5, Issue 1 Ver. I PP 40-48.
- Monard B, Sagon MJ, Chehab M, Riethmuller D, Ramanah R. 2016. *Post-partum quality of life after second degree perineal tears*. *European Journal of Obstetrics and Gynecology and Reproductive Biology*. Volume 206, Pages e78–e79.
- Pangastuti N. 2011. *Buku Praktis Reparasi Robekan Perineum Akut*. Edisi Pertama. Yogyakarta: Bagian Obstetri Ginekologi Fakultas Kedokteran Universitas Gadjah Mada RSUP Dr. Sardjito.
- Paterson LQ, Davis SN, Khalife S, Amsel R, Binik YM. 2009. *Persistent genital and pelvic pain after childbirth*. *J Sex Med*; 6(1):215–21
- Pollack J, Nordenstam J, Brismar S, Lopez A, Altman D, Zetterstrom J. 2004. *Anal Incontinence After Vaginal Delivery: A Five-Year Prospective Cohort Study*. *American College of Obstetricians and Gynecologists*. Volume 104 - Issue 6 - p 1397-1402
- Power D, Fitzpatrick M, O’Herlihy C. 2006. *Obstetric anal sphincter injury: How to avoid, how to repair: A literature review*. *The Journal of Family Practice*; Vol.55, No.3.
- Prawirohardjo S. 2002. *Ilmu Kebidanan*. Jakarta: Yayasan Bina Pustaka.

- Rezaei N, Azadi A, Sayehmiri K, Valideh R. 2017. *Postpartum Sexual Functioning and Its Predicting Factors among Iranian Women*. Malays J Med Sc, 24, pp.99-103
- Riskin-Mashiash S, O'Brian SE, Wilkins IA. 2002. *Risk factors for severe perineal tear: can we do better?* Am J Perinatol; 19: 225-34.
- Rizvi RM, Chaudhury N. 2008. *Practices Regarding Diagnosis and Management of Third and Fourth Degree Perineal Tears*. Department of Obstetrics & Gynaecology, Aga Khan University Hospital, Karachi. J Pak Med Assoc; 58(5).
- Rostaminia G, Javadiann P, O'Boyle A. 2017. *Parity and pelvic floor dysfunction symptoms during pregnancy and early postpartum*. Department of Obstetrics and Gynecology, Virginia Commonwealth University Inova Fairfax Campus. *Pelviperineology*; 36: 48-52. <http://www.pelviperineology.or>
- Royal College of Obstetricians and Gynaecologists. 2015. *The Management of Third- and Fourth-Degree Perineal Tears*. Green-top Guideline No. 29. London: RCOG.
- Samarasekera DN, Bekhit MT, Wright Y, Lowndes RH, Stanley KP, Preston JP, et al. 2008. *Long-term anal continence and quality of life following postpartum anal sphincter injury*. The Norfolk and Norwich University Hospital, UK. Volume10, Issue 8 Pages 793-799
- Sanders J, Peters TJ, Campbell R. 2005. *Techniques to reduce perineal pain during spontaneous vaginal delivery and perineal suturing: a UK survey of midwifery practice*. *Midwifery*. 5;21(2):154-60.
- Schytt E, Waldenstrom U. 2007. *Risk factors for poor self-rated health in women at 2 months and 1 year after childbirth*. *J Womens Health*; 16(3):390-405.
- Siswosudarmo R, Emilia O. 2010. *Obstetri Fisiologi*. Edisi Kedua. Yogyakarta: Pustaka Cendekia.
- Smith LA, Price N, Simonite V, Burns EE. 2013. *Incidence of and risk factors for perineal trauma: a prospective observational study*. Department Social Work and Public Health, Faculty of Health and Life Sciences, Oxford Brookes University. *BMC Pregnancy Childbirth*. 7;13:59.
- Sugono D. 2008. *Kamus Bahasa Indonesia*. M. Taqdir Qodratillah et al., eds., Jakarta: Pusat Bahasa Departemen Pendidikan Nasional
- Sultan AH, Kettle C. 2007. *Diagnosis of Perineal Trauma*. Dalam: *Perineal and Anal Sphincter Trauma*. Springer-Verlag London Limited; p.13-8.
- Thomas DC, Carolynne VJ, Michael KA. 2008. *Obstetric Anal Sphincter Injury: Incidence, Risk Factors, and Management*. Lippincott Williams & Wilkins. *Annals of Surgery*; 247(2)p.224-37.
- Varney H. 2008. *Buku Ajar Asuhan Kebidanan*. Edisi 4. Jakarta: EGC.
- Waldenstrom U, Ekeus C. 2017. *Risk of obstetric anal sphincter injury increases with maternal age irrespective of parity: a population-based register study*. *BMC Pregnancy Childbirth*; 17(1):306
- Wardlaw T, Blanc A, Zupan J, Anman E. 2004. *Low Birthweight Country, Regional and Global Estimates*. New York: UNICEF WHO

- Wiknjosastro H. *Ilmu Bedah Kebidanan*. A. B. Saifuddin & T. Rachimhadhi, eds. Keenam. Yayasan Bina Pustaka Warwono Prawirohardjo. Jakarta.
- Williams A. 2003. *Third-degree perineal tears: risk factors and outcome after primary repair*. Department of Obstetrics and Gynaecology, Royal Bolton Hospital, Bolton, UK; 23(6)p.611-4
- Woodman PJ, Graney DO. 2002. *Anatomy and physiology of female perineal body with relevance to obstetrical injury and repair*. Clin Anat; 15: 321-34
- Yohay D, Weintraub AY, Mauer-Perry N, Peri C, Kafri R, Yohay Z, Bashiri A. 2016. *Prevalence and trends of pelvic floor disorders in late pregnancy and after delivery in a cohort of Israeli women using the PFDI-20*. Eur J Obstet Gynecol Reprod Biol. 200:35-9.