

Daftar Pustaka

- Abdullah, N.M. dan Ahmad, I., 2013, "Potential of Using Polyester Reinforced Coconut Fiber Composites Derived from Recycling Polyethylene Terephthalate (PET) Waste", *Fibers and Polymers* 2013, Vol.14, No.4, 584-590, gading@ukm.my
- Abraham, E., Deepa, B., Pothan, L.A., Jacob, M., Thomas, S., Cvelbar, U., Anandjiwala, R., 2011, "Extraction of nanocellulose fibrils from lignocellulosic fibres: A novel approach", *Carbohydr. Polym.* 86, 1468–1475.
- Abraham, E., Deepa, B., Pothan, L.A., Cintil, J., Thomas, S., John, M.J., Anandjiwala, R., Narine, S.S., 2013, "Environmental friendly method for the extraction of coir fibre and isolation of nanofibre", *Carbohydr. Polym.* 92, 1477–1483.
- Arrakhiz, F.Z., Achaby, M.E., Kakou, A.C., Vaudreuil, S., Benmoussa, K., Bouhfid, R., Fehri, O.F., Qaiss, A., 2012, "Mechanical properties of high density polyethylene reinforced with chemically modified coir fibers: Impact of chemical treatments", *Material and Desain* 37, 379 – 383, <http://www.elsevier.com/locate/matdes>, E-mail address: a.qaiss@mascir.com (A. Qaiss).
- Ansori, M., 2004, "Karakteristik Degradasi Buah Salak Pasca Pengawetan Dengan Perlakuan Radiasi Gamma", Jurusan TJP, Fakultas Teknik, Universitas Negeri Semarang, Indonesia, muhammad_ansori@staff.unnes.ac.id.
- Aziz, I., Nurbayti, S., dan Suwandari, J., 2013, "Pembuatan Gliserol Dengan Reaksi Hidrolisis Minyak Goreng Bekas", *Chem. Prog.* Vol. 6, , No.1.
- Aziz, I., 2007, "Kinetika Reaksi Transesterifikasi Minyak Goreng Bekas", *Jurnal Valensi* (1)1, Jakarta Universitas Islam Negeri Syarif Hidayatullah.
- Bhattacharya, D., Germinario, L.T., Winter, W.T., 2008, "Isolation , preparation and characterization of cellulose microfibers obtained from bagasse 73, 371–377.
- Bahrudin, Z., 2008, "Akselerasi Ekspor Salak melalui Pola Kemitraan", Dirjen Pengolahan dan Pemasaran Hasil Pertanian, mengutip Harian Sinar Harapan, Olahan Pangan, Tabloid SINAR TANI. SMS ke: 0815 8441 4991.
- Berglund, 2006, "NewattConcepts in Natural Fiber Composites", *Proceeding of the 27th Riso International Symposium on Material science*.
- Budianta, E., 2006, "Galeri Pohon Industri ", *Trubus*, 10 April 2006, [Http://www.Trubus-online.com/mail.php](http://www.Trubus-online.com/mail.php)
- Blau, P.J., 2001, "Composition, Function and Testing of Friction Brake Material and Additives", *Metal and Ceramic Division, US Department of Energy*.
- Chen, W., Yu, H., Liu, Y., Hai, Y., Zhang, M., dan Chen, P., 2011, "Isolation and characterization of cellulose nanofibers from four plant cellulose fibers using a chemical-ultrasonic process", *Cellulose* Vol. 18, hal. 433–442
- Chinga-carrasco, G, 2011, "Cellulose fibres , nanofibrils and microfibrils : The morphological sequence of MFC components from a plant physiology and

- fibre technology point of view*”, *Nanoscale Research Letters*, 6(1), 417.
doi:10.1186/1556-276X-6-417
- Cherian, B.M., Leão, A.L., de Souza, S.F., Thomas, S., Pothan, L. a., Kottaisamy, M., 2010, ” *Isolation of nanocellulose from pineapple leaf fibres by steam explosion*”, *Carbohydr. Polym.* 81, 720–725.
- Chirayil, C.J., Mathew, L., Thomas, S., 2014. *Review of Recent Research In Nano Cellulose Preparation From Different Lignocellulosic Fibers* 37, 20–28.
- Dai, D., Fan, M dan Collins, P., 2012, ” *Fabrication of nanocelluloses from hemp fibers and their application for the reinforcement of hemp fibers*”, *Industrial Crops and Products*, Vol. 44, hal. 192– 199
- Dufresne, A., 2013 ’ *Nanocellulose : a new wasteless bionanomaterial*”, *Materials Today*, 16(6), 220–227. doi:10.1016/j.mattod.2013.06.004
- Darmanto, S., Rochardjo, H.S.B., Jamasri, and Widyorini, R., 2017, *International Journal of Engineering and Technology (IJET)*, vol. 9, no. 1, pp. 150–157
- Deepa, B., Abraham, E., Cherian, B.M., Bismarck, A., Blaker, J.J., Pothan, L.A., Leao, A.L., de Souza, S.F., Kottaisamy, M., 2011, ” *Structure, morphology and thermal characteristics of banana nano fibers obtained by steam explosion*”, *Bioresour. Technol.* 102, 1988–97
- Diarjo, K, 2006, ” *Pengaruh Perlakuan Alkali terhadap Sifat Tarik Bahan Komposit Serat Rami-Polyester*”, Abstrak, Jurusan Teknik Mesin Fakultas Teknik Universitas Negeri Sebelas Maret E-mail: kuncorodiharjo @uns.ac.id
- Ewan Y. W. Ha, Twin Falls, Id.; Carol D. Landi, Hamilton, N., 1998, ” *Method For Producing Microcrystalline Cellulose*”, United States.
- Epure, V., Griffon, M., Pollet, E., dan Luc Averous, 2011, ” *Structure And Properties of Glycerol-Plasticized Chitosan Obtained by Mechanical Kneading*”, *Carbohydrate Polymers*, 83 947–952.
- Gräve, L., Putniņa, A., Kukle, S., Stramkale, V., 2013, ” *Steam Explosion Impact to Technical Hemp Fiber Diameter*”, 1, 112–115
- Giannakas, A., Vlach, M., Salmas, C., Leontiou, A., Katapodis, P., Stamatis, H., Barkoula, N.-M., dan Ladavos, 2015, ” *Preparation, Characterization, Mechanical, Barrier And Antimicrobial Properties of chitosan/PVOH/clay Nanocomposites*”, *Carbohydrate Polymers*, <http://dx.doi.org/10.016/j.carbpol.2015.12.072>.
- Guiñez, D., Jasso, C, F. Fuentes, F. Navarro, F. Dávalos, dan J. Ramos, 2005, ” *Chemical Treatments on Sisal Fibers to Produce Composite Materials with Polyethylene and Polystyrene*”, *Proceeding of the 8th Polymers for Advanced Technologies International Symposium Budapest, Hungary, 13-16 September 2005*
- Gomes, A, Goda, K. dan Ohgi J, 2004, ” *Effect of Alkali Treatment to Reinforcement on Tensile Properties of Curaua Fiber Green Composites* ”, *JSME International Journal, Series A*, Vol 47, No. 4. Hal 541 -546.
- George, J., Weyenberg, I.V.D. Ivens, J dan Verpoest, I, 1999, ” *Mechanical Properties of Flax Fibre Reinforced Epoxy Composites*”, Department MTM, Katholieke Universiteit Leuven Belgium

- Groover, M.P., 1996, *''Fundamentals of Modern Manufacturing: Material, Process and Systems''*, Prentice-Hall, Inc, Asimon & Schultze Company.
- Gibson, R.F., 1994, *''Principles of Composite Material Mechanics''*, McGraw-Hill, Inc
- Hestiawan, H., Jamasri & Kusmono, 2018, "Effect of chemical treatments on tensile properties and interfacial shear strength of unsaturated polyester/fan palm fibers", *Journal of Natural Fibers*, 15:5, 762-775, DOI: 10.1080/15440478.2017.1364203
- Hendaryati, D. D., dan Arianto, Y., 2016, *''Statistik Perkebunan Indonesia''*, Sekretariat Direktorat Jenderal Perkebunan, Direktorat Jenderal Perkebunan Kementerian Pertanian
- Hemsri, S., Grieco, K., Asandei, A.D., dan Parnas, R.S., 2012, *''Wheat gluten composites reinforced with coconut fiber''*, *Composites: Part A*, journal homepage: www.elsevier.com/locate/compositesa, E-mail address: rparnas@ims.uconn.edu (R.S. Parnas)
- Hermiati, E., Heri, D., & Yanto, Y., 2009, *''Proses Pembuatan Serat Selulosa Berukuran Nano Dari Sisal (Agave Sisalana) Dan Bambu Betung (Dendrocalamus Asper) Process Development To Produce Cellulose Nanofibers, 57–65.*
- Hou, X., Sun, F., Yan, D., Xu, H., Dong, Z., Li, Q., and Yang, Y., 2014, *Journal of Cleaner Production*, vol. 83, pp. 454–462.
- Ibrahim, M.M., Dufresne, A., El-zawawy, W.K., Agblevor, F.A., 2010, *''Banana fibers and microfibrils as lignocellulosic reinforcements in polymer composites''*, *Carbohydr. Polym.* 81, 811–819.
- Ibrahima, C., Diop, K., Lavoie, J., Huneault, M.A., 2015, *''Structural changes of Salix miyabeana cellulose fibres during dilute-acid steam explosion: Impact of reaction temperature and retention time''*, *Carbohydr. Polym.* 119, 8–17.
- Intani, U.N., 2007, *''Pemanfaatan Batang Salak Tua Dari Kecamatan Cineam, Kabupaten Tasikmalaya Jawa Barat Sebagai Salah Satu Bahan Baku Tekstil''*, Abstrak Tugas Akhir
- Jacquet, N., Quiévy, N., Vanderghem, C., Janas, S., Blecker, C., Wathélet, B., Devaux, J., Paquot, M., 2011, *''Influence of steam explosion on the thermal stability of cellulose fibres''*, 96, 1582–1588
- Jayabal, S., Velumani, S., Navaneethakrishnan, P. dan Palanikumar, K., 2013, *''Mechanical and Machinability Behaviors of Woven Coir Fiber-Reinforced Polyester Composite''*, *Fibers and Polymers*, Vol.14, No.9, 1505-1514, jayabalsubbaian@rediffmail.com.
- Jayabal, S., Sathiyamurthy, S., Loganathan, K.T. dan Kalyanasundaram, S., 2012, *''Effect of soaking time and concentration of NaOH solution on mechanical properties of coir-polyester composites''*, *Bull. Mater. Sci.*, Vol. 35, No. 4, pp. 567–574, jayabalsubbaian@rediffmail.com.
- Joseph, K., Filho, R.D.T., James, B., Thomas, S., dan Carvalho, L.H., 1999, *'' A Review on Sisal Fiber Reinforced Polymer Composites ''*, *R. Bras. Eng. Agric. Ambiental, Campina Grande*, v.3, n.3, p. 367-379
- John, M.J., dan Rajesh D. Anandjiwala, 2008, *''Recent Developments in Chemical Modification and Characterization of Natural Fiber-Reinforced*

- Composites*”, CSIR Materials Science and Manufacturing, Fibers and Textiles Competence Area, Port Elizabeth 6000, 2 Published online in Wiley InterScience (www.interscience.wiley.com).
- Juvinall, R.C, 1967, ”Stress, Strain and Strength”, McGraw-Will Book Company NewattYork
- Khawas, P. dan Deka, S.C., 2015, ”*Isolation and characterization of cellulose nanofibers from culinary banana peel using high-intensity ultrasonication combined with chemical treatment*”, Carbohydrate Polymers vol. 137, hal. 608–616
- Kukle, Jānis Grāvītis, Anna Putniņa, A.S., 2011, ”*The Effect Of Steam Explosion Treatment On Technical Hemp Fibres*”, Environ. Technol. Resour. Proc. 8th Int. Sci. Pract. Conf. Vol. 1 1, 230–237.
- Kamel, S. , 2007, ”*Nanotechnology and its applications in lignocellulosic composites*”, a mini review, 1(9), 546–575. doi:10.3144
- Khoathane, M.C., 2005, ” *The Processing Properties of Natural Fibre Reinforced Higher α -Olefin Based Thermoplastic*”, Faculty of Engineering, Tshwane University of Technology
- Khan, M.A., Mina F. dan Drzal, L.T., ”*Influence of Silane Coupling Agent of Different Functionalities on the Performance of Jute-Polycarbonate Composite*”, Radiation and Polymer Chemistry Laboratory, Institu of Nuclear Science and Technology, Bangladesh.
- Kalia, L.L.S., & Kaur, B. S. K. I., 2011, ”*Cellulose Fibers: Bio- and Nano-Polymer Composites*”, (L. L. S. Kalia, & B. S. K. I. Kaur, Eds.). Verlag Berlin Heidelberg: Springer-Verlag Berlin Heidelberg 2011
- Krassig, Gordon, Breach,.1995, ”*Cellulose : Structur, Accessibility, and Reactivity*” Polymer Internasional, 36 : 1 101-108.
- Kaushik, A., and M. Singh, M., 2011, *Carbohydrate Research*, vol. 346, no. 1, pp. 76–85.
- Le Troedec, M., D. Sedan, C. Peyratout, J. P. Bonnet, A. Smith, R. Guinebretiere, V. Gloaguen, and P. Krausz. 2008, ”Influence of various chemical treatments on the composition and structure of hemp fibers. *Composites Part A:Applied Science and Manufacturing* 39:514–22
- Long, C.G., He, L.P., Zhong, Z.H. dan Chen, S.G, 2007, ”Studies on the Polypropylene Composite Reinforced by Ramier *Fiber and K2Ti6O13 Whisker*”, Research Letter, Institute of Material of Science and Engineering, Changsha University of science and Technology China
- Lawrence T.D., Mohanty, A.K.Misra, M., dam Isa, J.P.L.D., 2003, ” *Structural Bio-Composite from Engineered Corn StrawattFiber and Novel Soy-based resin* ”, Prpject Number GR01-037
- Maharani, D.K. dan Hidayah, R., 2015, ” *Preparasi dan Karakterisasi Komposit Kitosan-ZnO/ Al2O3*”, Molekul, Vol. 10. No. 1. Hal. 9 – 18
- Miettinen, A., Chinga-Carrasco, G., & Kataja, M., 2014, ”*Three-dimensional microstructural properties of nanofibrillated cellulose films*”, International Journal of Molecular Sciences, 15(4), 6423–40. doi:10.3390/ijms15046423
- Munawar, S.S, · Kenji Umemura · Fumio Tanaka dan Shuichi Kawai, 2007, ” *Effects of alkali, mild steam, and chitosan treatments on the properties of*

- pineapple, ramie, and sansevieria fi ber bundles*”, J Wood Sci, Research Institute for Sustainable Humanosphere, Kyoto University, Gokasho, Uji, Kyoto 611-0011, Japan.
- Mohanty, A.K., Manjusri Misra dan Lawrence T. Drzal., 2005, ”*Natural Fibers , Biopolymers , And Biocomposites*”, Edited by. CRC Press Taylor & Francis Group.
- Mezey, Z., Danyadi, L., Tibor C. Dan Pukanszky, 2002, ” *Investigation of the Mechanical properties of Sisal Fiber Reinforced Polypropylene Composites* ”, Budafest University of Technology and Economics, Hungary, E-mail Poltex@eik.bme.hu
- Manik, P., Eko Sasmita Hadi dan Dedi Cristianto, 2004, “*Kajian Teknik Penggunaan Serat Bambu Sebagai Bahan Komposit Pembuatan Kulit Kapal*”, Laporan Penelitian Dosen Muda, Dikti.
- Niu, F., Mengya Lia, Qi Huang, Xiuzhen Zhanga, Weichun Pana,*, Jiansheng, Yanga dan Jianrong L, 2017, ”*The characteristic and dispersion stability of nanocellulose producedby mixed acid hydrolysis and ultrasonic assistance*”, Carbohydrate Polymers 165, 197–204.
- Öztürk, H.B. dan Bechtold, T., 2007, ”*The Christian-Doppler-Laboratory for Textile and Fibre Chemistry in Cellulosics*”, Research Institute for Textile Chemistry and Textile Physics, University of Innsbruck, Vol. 15, No. 5 - 6 (64 - 65).
- Pambudi, A., Moh. Farid, dan Haniffudin Nurdiansah, 2017, ” *Analisis Morfologi dan Spektroskopi Infra Merah Serat Bambu Betung (Dendrocalamus Asper) Hasil Proses Alkalisasi Sebagai Penguat Komposit Absorpsi Suara*”, Jurnal Teknik ITS Vol. 6, No. 2, (2017) ISSN: 2337-3539 (2301-9271 Print)
- Pradana, M.A., Hosta Ardhyana, dan Moh. Farid, 2017, ” *Pemisahan Selulosa dari Lignin Serat Tandan Kosong Kelapa Sawit dengan Proses Alkalisasi untuk Penguat Bahan Komposit Penyerap Suara*”, Jurnal Teknik ITS Vol. 6, No. 2, (2017) ISSN: 2337-3539 (2301-9271) Print
- Prizlanto, G. dan Rochardjo, H.S.B, 2014, ”*Pembuatan Nanofiber Serat Rami (Bohmeria Nivea) dengan Metode Semimekanis*”, Prosiding SNaPP: Sains, Teknologi, dan Kesehatan, Vol 4, No 1.
- Pschorn, T., Namhee Shin, Clifton Park, dan Stromberg, 2013, ”*System And Method For Preextraction Of Hemicellulose Through Usinga Continuous Prehydrolysis And Steam Explosion Pretreatment Process*”, doi:10.1016/j.biosystemseng, Taherzadeh
- Pagliaro, M., dan Rossi, M., 2008, ”*The Future of Glycerol: NewattUses of a Versatile RawattMaterial: Chapter 1 Glycerol: Properties and Production*”, RSC Green Chemistry Book Series
- Ross, R. J. (2010). Wood Handbook. *Handbook*.
- Sari, A.P.Y, Paulina Taba, Prastawa Budi, 2015, ”*Synthesis And Characterization Of The Mcm-48 And Modified NH2 Sintesis Dan Karakterisasi MCM-48 Serta Termodifikasi Gugus –NH2* “, Ind. J. Chem. Res, 2015, 3, 249 – 253
- Stromberg, B., & Point, D., 2013, ”*System And Method For Preextraction Of Hemicellulose Through Usinga Continuous Prehydrolysis And Steam Explosion Pretreatment Process*”, doi:10.1016/j.biosystemseng, Taherzadeh

- Sutka, A., Kukle, S., Gravitis, J., Berzins, A., 2013, "*Chemical and physical modification of hemp fibres by steam explosion technology*", Mater. Sci. Eng. 012053, 49
- Stefanus, Syahfudin dan Ridwan, 2004, "*Pengaruh Susunan Serat Kaca terhadap Kekuatan Komposit Plastik (Fiber Glass Reinforcement Plastic)*", Abstrak skripsi, Universitas Gunadarma.
- Sheng-Hsi and Tong sun, 2003, "*Steam Explosion Treatment With Addition*",
- Supardi, 2009, "*2010 Banjarnegara Ekspor Salak ke Luar Negeri*", Laporan daerah Kab. Banjarnegara, pemda@banjarnegarakab.go.id.
- Sanyoto, S., 2009, "*Salak Magelang Diekspor ke China*", Antara News Senin, 18 Mei 2009, Mengutip Bupati Magelang.
- Saraswati, I., 2008, "*Suryo Agung Memaksimalkan Potensi Salak Pondoh*", Inovasi Usaha, Kutipan dari Suryo Agung. Ketua kelompok Tani Salak.
- Suryana, A., Prastowo, B., Mahmud, Z., Wahyudi, S., Hardono, GS., Novariant, H., Luntung, an, H.T., dan Rfendi, D.S., 2007, "*Prospek Dan Arah Pengembangan Agribisnis Kelapa*", Edisi Kedua, Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian
- Schneider, A., 2003, "*US Imports of Asbestos brake material are on Rise*", Sunday Post-Dispatch, vol 125 No. 229, hal 1
- Taufik, Y., Promosiana, A., Atmojo, H.D., 2015, "*Statistik Produksi Hortikultura Tahun 2014*", Kementerian Pertanian Direktorat Jenderal Hortikultura
- Theuretzbacher, F., Lizasoain, J., Lefever, C., Saylor, M.K., Enguidanos, R., Weran, N., Gronauer, A., Bauer, A., 2015, "*Steam explosion pretreatment of wheat strawatto improve methane yields: Investigation of the degradation kinetics of structural compounds during anaerobic digestion*", Bioresour. Technol. 179, 299–30
- Thongsang, S., dan Sombatsomp, N., 2005, "*Effect of Filler Surface Treatment on Properties of Fly Ash/NR Blend*", Polymer Processing and FlowattGroup, Shool of Energ & Material King Mongkut's University of Technology Thonburi (KMUTT) Bangkok Thailand
- Taurista, A.Y., Agita O. R. dan Khrisna H. P., 2005, "*Komposit Laminat Bambu Serat Woven Sebagai Bahan Alternatif Pengganti Fiber Glass pada Kulit Kapal*", Laporan (PKMI) Program Kreatif Mahasiswa, Dikti.
- Toyota, 2002, "*Car Recycling Europe, Toyota Motor Marketing Europe Environmental Affair Office, Brussels*", Oktober 2002, dalam http://www.toyota_europe.com
- Xu, W., Ke, G., Wu, J., and Wang, X., 2006, "*Modification of wool fiber using steam explosion*", European Polymer Journal, vol. 42, pp. 2168–2173.
- Yasar, S dan Icel, B., 2016, "*Alkali Modification of Cotton Stalks (GossypiumHirsutum L.) and Its Effect on Properties of Produced Particleboards*", BioRessources 11 (3) 7191-7204
- Widyorini, R, Ari Puspa Yudha, Ganis Lukmandaru, dan Tibertius Agus Prayitno, 2015, "*Sifat Fisika Mekanika Dan Ketahanan Papan Partikel Bambu Dengan Perkat Asam Sitrat Terhadap Serangan Rayap Kayu Kering*", Jurnal Ilmu Kehutanan Volume 9 No. 1 - Januari-Maret.

- Wang, S., Qingzheng Cheng, T.G. Rials, and S.H. Lee. 2006. "Cellulose Microfibril/nanofibril and Its Nanocomposites." In *Proceedings of the 8th Pacific Rim Bio-Based Composites Symposium*, 301–308. http://web.utk.edu/~swang/SWang06_PRBBCS..
- Wang, B., 2004, "Pre-Treatment of Flax Fibers for Use in Rotationally Molded Biocomposites", Thesis for degree of Master of Science, Department of agricultural and Bioresource Engineering, University of Saskatchewan.
- Wang, B., Panigrahi, S., Crerar, and Tabil, L., 2003, "Application of Pre-Treated Flax Fibers in Composites", Department of Agricultural and Bioresource Engineering, University of Saskatchewan 57 Campus Drive, Saskatoon, SK S7N 5A9 Canada.
- Wang, B., Panigrahi, S., Tabil, L., Crerar, WAT dan Sokansanj, S., 2003, "Modification Flax Fiber by Chemical Treatment", Presentasi di CSAE/SCGR 2003 Meeting Montreal Quebec on "Different Functionalities on the Performance of Jute-Polycarbonate Composite", Radiation and Polymer Chemistry
- Wijaya, H., 2009, "Singapura dan Cina, Potensi Tujuan Ekspor Salak Nglumut", Harian Suara Merdeka, 11 Desember 2009 <http://m.suaramerdeka.com>.
- Willy, D., Adhitama, G.P., 2008, "Pemanfaatan Dahan Salak (*Salacca Edulis*) untuk Komponen Interior & Kria: Sebuah Upaya Pelestarian Perkebunan Salak Cineam, Tasikmalaya", hasil penelitian dan pemberdayaan masyarakat bekerjasama dengan IKM Manikmaya, Yayasan Apikayu, PP Seni Rupa dan Desain ITB, LPPM ITB
- Weinstein dan Broido, A., 1970, "Pyrolysis-Crystallinity Relationships in Cellulose", *Combustion Science and Technology*, Vol. 1, pp. 287-292.
- Zugenmair, P., 2008, "Crystalline Cellulose and Cellulose Derivatives", (R. W. T.E. Timell, Ed.). Springer-Verlag Berlin Heidelberg: Springer Series in