

DAFTAR PUSTAKA

- Abou-Arab, A. A., Talaat, H. A., Abu-Salem, F. M. (2011). Physico-chemical properties of inulin produced from Jerusalem artichoke tubers on bench and pilot plant scale. *Australian Journal of Basic and Applied Sciences*, 5, pp. 1297–1309.
- Andersson, H., Asp, N. G., Bruce, A., Roos, S., Wadstrom, T., Wold, A. E. (2001). Health effects of probiotics and prebiotics: A literature review on human studies. *Scandinavian Journal of Nutrition*, 45, pp. 58–75.
- Anonim. (2016). Gembili, berpotensi besar langka di pasar. <http://www.satuharapan.com/read-detail/read/gembili-berpotensi-besar-langka-di-pasar> diunduh pada 6 November 2016.
- AOAC. (1990). Method: 990.19 and 997.08. Official method of analytical of AOAC International.
- AOAC. (1999). AOAC Official Method 999.03 Measurement of total fructan in foods enzymatic/spectrophotometric method. Official Method of Analytical of AOAC International.
- Apolinario, A. C., de Lima Damasceno, B. P., de Macedo Beltrao, N. E., Pessoa, A., Converti, A., da Silva, J. A. (2014). Inulin-type fructans: a review on different aspects of biochemical and pharmaceutical technology. *Carbohydrate Polymer*, 101, pp. 368–378.
- Arora, T., Sharma, R., Frost, G. (2011). Propionate. Anti-obesity and satiety enhancing factor? *Appetite*, 56, pp. 511–515.
- Arumdinari, R. (2015). Karakterisasi dan evaluasi sifat prebiotik inulin hasil ekstraksi dari tepung gembili. MSc. Universitas Gadjah Mada.
- Barclay, T., Ginic-Markovic, M., Cooper, P., Petrovsky, N. (2010). Inulin: A versatile polysaccharide with multiple pharmaceutical and food chemical uses. *Journal of Excipients and Food Chemicals*, 1, pp. 27–50.
- Bekers, M., Grube, M., Upite, D., Kaminska, E., Danilevich, A., Viesturs, U. (2008). Inulin syrup from dried jerusalem artichoke. *Proceedings of the Latvia University of Agriculture*, 21(315), pp. 116–121.
- Biedrzycka, E., Bielecka, M. (2004). Prebiotic effectiveness of fructans of different degrees of polymerization. *Trends Food Sciences Technology*, 15, pp. 170–175.
- Bot, A., Erle, U., Vreeker, R., Agterof, W. G. M. (2004). Influence of crystallization conditions on the large deformation rheology of inulin gels. *Food Hydrocolloids*, 18, pp. 547–556.
- Bouchard, A., Hofland, G. W., Witkamp, G.-J. (2007). Properties of sugar, polyol, and polysaccharide water-ethanol solutions. *Journal of Chemical & Engineering Data*, 52, pp. 1838–1842.
- Buriti, F. C. A., Cardarelli, H. R., Filisetti, T. M. C. C., Saad, S. M. I. (2007). Synbiotic potential of freshcream cheese supplemented with inulin and *Lactobacillus paracasei* inco-culture with *Streptococcus termophilus*. *Food Chemical*, 104, pp. 1605–1610.

- Brüggemann, H., Gottschalk, G. (2004). Insights in metabolism and toxinproduction from the complete genome sequence of *Clostridium tetani*. *Anaerobe*, 10, pp. 53–68.
- Carpita, N. C., Kanabus, J., Housley, T. L. (1989). Linkage structure of fructans and fructan oligomers from *Triticum aestivum* and *Festuca arundinacea* leaves. *Journal of Plant Physiology*, 134, pp. 162-168.
- Charrier, C., Duncan, G. J., Reid, M. D., Rucklidge, G. J., Henderson, D., Young, P., Russell, V. J., Aminov, R. I., Flint, H. J., Louis, P. (2006). A novel class of CoA-transferase involved in short-chain fatty acid metabolism in butyrate producing human colonic bacteria. *Microbiology*, 152, pp. 179–182.
- Cho, S. S., Samuel, P. (2009). Fiber ingredients: food applications and health benefits. Boca Raton: CRC Press. pp: 41–55.
- Ciptaningrum, A. B. (2015). Ekstraksi inulin dari chip umbi gembili (*Dioscorea esculenta*) dengan variasi rasio chip dan air serta evaluasi potensinya sebagai prebiotik. MSc. Universitas Gadjah Mada.
- Coussement, P. A. A. (1999). Inulin and oligofructose: Safe and intake legal status. *The Journal of Nutrition*, 129(7), pp. 1412S-1417S.
- Cummings, J. H., Macfarlane, G. T. (1991). A review: the control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology*, 70, pp. 443 – 459.
- DeVuyst, L., Leroy, F. (2011). Cross-feeding between bifidobacteria and butyrate-producing colon bacteria explains bifidobacterial competitiveness, butyrate production, and gas production. *International Journal of Food Microbiology*, 149, pp. 73–80.
- DeVuyst, L., Moens, F., Selak, M., Rivière, A., Leroy, F. (2014). Summer meeting 2013: growth and physiology of *bifidobacteria*. *Journal of Applied Microbiology*, 116, pp. 477–491.
- Dicks, L. M. T., Endo, A. (2009). Taxonomic status of lactic acid bacteria in wine and key characteristics to differentiate species. *South African Journal of Enology and Viticulture*, 30, pp. 72 – 90.
- Dominguez, A. L., Rodrigues, L. R., Lima, N. M., Teixeira, J. A. (2014). An overview of the recent developments on fructooligosaccharide production and applications. *Food Bioprocess Technology*, 7, pp. 324–337.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., Smith, F. (1956). Colorimetric method for determination of sugar and related substances. *Analytical Chemistry*, 28, pp. 350–356.
- Duncan, S. H., K. P. Scott, A. G. Ramsay, H. J. M. Harmsen, G. W. Welling, C. S. Stewart, and J. H. Flint. (2003). Effects of alternative dietary substrates on competition between human colonic bacteria in an anaerobic fermentor system. *Applied and Environmental Microbiology*, 69, pp. 1136–1142.
- Durre, P. (2014). Physiology and sporulation in clostridium. *Microbiology Spectrum*, 2(4), pp. 1–14.

- El Kaoutari, A., Armougom, F., Gordon, J. I., Raoult, D., Henrissat, B. (2013). The abundance and variety of carbohydrate-active enzymes in the human gut microbiota. *Nature Reviews Microbiology*, 11, pp. 497–504.
- Esko, J. D., Doering, T. L., Raetz, C. R. H. (2009). *Eubacteria and Archaea, Essentials of Glycobiology*. 2nd edition. Cold Spring Harbour: New York.
- Falony, G., Lazidou, K., Verschaeren, A., Weckx, S., Maes, D., DeVuyst, L. (2009). *In vitro* kinetic analysis of fermentation of prebiotic inulin-type fructans by *Bifidobacterium* species reveals four different phenotypes. *Applied and Environmental Microbiology*, 75, pp. 454–461.
- Fante, L., Noreña, C. P. Z. (2013). Quality of hot air dried and freeze-dried of garlic (*Allium sativum* L.). *Journal of Food Sciences and Technology*, pp. 1–10.
- Flamm, G., Glinsmann, W., Kritchevsky, D., Prosky, L., Roberfroid, M. (2001). Inulin and oligofructose as dietary fiber: A review of the evidence. *Critical Reviews in Food Science and Nutrition*, 41, pp. 353–362.
- Forest, V., Clement, M., Pierre, F., Meflah, K., Menanteau, J. (2003). Butyrate restores motile function, actin cytoskeletal network integrity in apc mutated mouse colon epithelial cells. *Nutrition and Cancer*, 4(5), pp. 84–92.
- Franck, A. (2007). Technological functionality of inulin and oligofructose. *British Journal of Nutrition*, 87, pp. S287–S291.
- Gibson, G. R., Probert, H. M., Van Loo, J. A. E., Roberfroid, M. B. (2004). Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Reviews*, 17(2), pp. 259–276.
- Glibowski, P., Bukowska, A. (2011). The effect of pH, temperature and heating time of inulin chemical stability. *Acta Scientiarum Polonorum, Technologia Alimentaria*, 10(2), pp. 189–196.
- Griffin, I. J., Davila, P. M., Abrams, S. A. (2002). Non-digestible oligosaccharides and calcium absorption in girls with adequate calcium intakes. *British Journal of Nutrition*, 87, pp. S187–S191.
- Gueimonde, M., Margolles, A. G., DeLos Reyes-Gavilán, C., Salminen, S. (2007). Competitive exclusion of enteropathogens from human intestinal mucus by *Bifidobacterium* strains with acquired resistance to bile—Apreliminary study. *International Journal of Food Microbiology*, 113, pp. 228–232.
- Gupta, A. K., Kaur, N., Kaur, N. (2003). Preparation of inulin from chicory roots. *Journal of Sciencetific & Industrial Research*, 62, pp. 916–920.
- Harijono, Estiasih, T., Sunarharum, W. B., Hartono, M. D. (2013). Hypoglycemic effect of biscuits containing water-soluble polysaccharides from wild yam (*Dioscorea hispida* Dennts) or lesser yam (*Dioscorea esculenta*) tubers and alginate. *International Food Research Journal*, 20(5), pp. 2279–2285.
- Harmsen, H. J., Raangs, G. C., Franks, A., Wildeboer-Veloo, A. C., Welling, G. W. (2002). The effect of the prebiotic inulin and the probiotic *Bifidobacterium longum* on the fecal microflora of healthy volunteers measured by FISH and DGGE. *Microbial Ecology Health and Disease*, 14(4), pp. 212–220.

- Hoyles, L., Delzenne, N., Cani, P. D., Neyrinck, A. (2010). Prebiotic effects: metabolic and health benefits. *The British Journal of Nutrition*, 104(S2), pp. 1-51.
- Hughes, R., Rowland, I. R. (2001). Stimulation of apoptosis by two prebiotic chicory fructans in the rat colon. *Carcinogenesis*, 22, pp. 43-47.
- Jensen, W. A. (1964). The world of cell. In: the plant cell. First edition. pp 9-23. Wordsworth Publishing Company.
- Jia, W., Li, H., Zhao, L., Nicholson, J. K. (2008). Gut microbiota: A potential new territory for drug targeting. *Nature Reviews Drug Discovery*, 7, pp. 123-129.
- Jiang, Qanqian, Gao, Wenyuan, Shi, Yanpeng, Li, Xia, Wang, Haiyang, Huang, Luqi, Xiao, Peigen. (2013). Physicochemical properties and *in vitro* digestion of starches from different *Dioscorea* plants. *Food Hydrocolloids*, 23, pp. 432-439.
- Kaplan, H., Hutkins, R. W. (2000). Fermentation of fructooligosaccharides by lactic acid bacteria and *bifidobacteria*. *Applied and Environmental Microbiology*, 66(6), pp. 2682-2684.
- Kasno, A., Saleh, N., Ginting, E. (2006). Pengembangan pangan berbasis kacang-kacangan dan umbi-umbian guna pemantapan ketahanan pangan nasional. *Buletin Palawija*, 12, pp. 43-51.
- Kaur, N., Gupta, K. (2002). Applications of inulin and oligofructose in health and nutrition. *Journal of Biosciences*, 27(7), pp. 703-714.
- Kim, Y., Faqih, M. N., Wang, S. S. (2001). Factors affecting gel formation of inulin. *Carbohydrate Polymers*, 46, pp. 135-145.
- Kosasih, W., Pudjiraharti, S., Ratnaningrum, D., Priatni, S. (2015). Preparation of inulin from dahlia tubers. *Procedia Chemistry*, 16, pp. 190-194.
- Krise, K., M. (2011). The effects of microviscosity, bound water and protein mobility on the radiolysis and sonolysis of hen egg white. PhD. Penn State.
- Langendijk, P. S., Schut, F., Jansen, G. J., Raangs, G. C., Kamphuis, G. R., Wilkinson, M. H. F., Welling, G. W. (1995). Quantitative fluorescent *in situ* hybridisation of *Bifidobacterium* with genus specific 16S rRNA-targeted probes and its application in fecal samples. *Applied Environmental Microbiology*, 61, pp. 3069-3075.
- Langlands, S. J., Hopkins, M. J., Coleman, N., Cummings, J. H. (2004). Prebiotic carbohydrates modify the mucosa associated flora of the large bowel. *Gut*, 53, pp. 1610-1616.
- Lee, J., Cheng, Y. (2006). Critical freezing rate in freeze drying nanocrystal dispersions. *Journal of Controlled Release*, 111, pp. 185-192.
- Lee, J. H., O'Sullivan, D. J. (2010). Genomic insights into *bifidobacteria*. *Microbiology and Molecular Biology Reviews*, 74, pp. 368 - 416.
- Leu, R. K., Brown, I. L., Hu, Y., Bird, A. R., Jackson, M., Esterman, A. Young, G. P. (2005). A synbiotic combination of resistant starch and *Bifidobacterium lactis* facilitates apoptotic deletion of carcinogen damaged cells in rat colon. *Journal of Nutrition*, 135, pp. 996-1001.

- Li, H., Pordesimo, L., Weiss, J. (2004). High intensity ultrasound assisted extraction of oil from soybeans. *Food Research International*, 37, pp. 731–738.
- Li, W., Zhang, J., Yu, C., Li, Q., Dong, F., Wang, G., Gu, G., Guo, Z. (2015). Extraction, degree of polymerization determination and prebiotic effect evaluation of inulin from Jerusalem artichoke. *Carbohydrate Polymers*, 121, pp. 315–319.
- Lingyun, W., Jianhua, W., Xiaodong, Z., Da, T., Yalin, Y., Chenggang, C., Tianhua, F., Fan, Z. (2007). Studies on the extracting technical conditions of inulin from Jerusalem artichoke tubers. *Journal of Food Engineering*, 79, pp. 1087–1093.
- Livingston, D. P. (1990). Fructan precipitation from a water/ethanol extract of oat and barley. *Plant Physiol*, 92, pp. 767–769.
- López-Molina, D., Navarro-Martinez, M. D., Melgarejo, F. R., Hiner, A. N. P., Chazarra, S., Rodriguez-Lopez, J. N. (2005). Molecular properties and prebiotic effect of inulin obtained from artichoke (*Cynara scolymus* L.). *Phytochemistry*, 66, pp. 1476–1484.
- Macfarlane, G. T., Gibson, G. R., Macfarlane, S. (1994). Short-chain fatty acid and lactate production by human intestinal bacteria grown in batch and continuous culture. In: Binder H. J., Cummings, J. H., Soergel, K. H. (eds) *Short-chain fatty acids*. Kluwer Publishing: London. pp: 44–60.
- Macfarlane, S., Quigley, M. E., Hopkins, M. J., Newton, D. F., Macfarlane, G. T. (1998). Polysaccharide degradation by human intestinal bacteria during growth under multi-substrate limiting conditions in a three-stage continuous culture system. *FEMS Microbiology Ecology*, 26, pp. 231–243.
- Macy, J. M., Ljungdahl, L. G., Gottschalk, G. (1978). Pathway of succinate and propionate formation in *Bacteroides fragilis*. *Journal of Bacteriology*, 134, pp. 84–91.
- Melanie, H., Susilowati, A., Iskandar, Y. M., Lotulung, P. D., Andayani, G. S. A. (2015). Characterization of inulin from local red dahlia (*Dahlia*, sp. L) tubers by infrared spectroscopy. *Procedia Chemistry*, 16, pp. 78–84.
- Milani, E., Koocheki, A., Golimovahhed, Q. A. (2011). Extraction of inulin from Burdock root (*Arctium lappa*) using high intensity ultrasound. *International Journal of Food Sciences and Technology*, 46, pp. 1699–1704.
- Miller, G. L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31, pp. 420–428.
- Mitsuoka, T., Hidaka, H., Eida, T. (1987). Effect of fructooligosaccharides on intestinal microflora. *Nahrung*, 31, pp. 427–436.
- Morisse, J. P., Maurice, R., Boilletot, E., Cotte, J. P. (1993). Assessment of the activity of a fructooligosaccharide on different caecal parameters in rabbits experimentally infected with *E. coli* O.103. *Annals of Zootechnology*, 42, pp. 81–87.

- Nemcova, R., Bomba, A., Gancarikova, S., Herich, R., Guba, P. (1999). Study of the effect of *Lactobacillus paracasei* and fructooligosaccharides on the fecal microflora in weanling piglets. *Berl Munch Teraarzil Wschr*, 112, pp. 225-228.
- Ohizumi, Y., Gaidamashvili, M., Ohwada, S., Matsuda, K., Kominami, J., Sachiko, N., Hirabayashi, J., Naganuma, T., Ogawa, T., Muramoto, K. (2009). Mannose-binding lectin from yam (*Dioscorea batatas*) tubers with insecticidal properties against *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Food Chemical*, 57, pp. 2896-2902.
- Ohta, A., Ohtsuki, M., Uehara, M., Hosono, A., Hirayama, M., Adachi, T., Hara, H. (1998). Dietary fructooligosaccharides prevent postgastrectomy anemia and osteopenia in rats. *Journal of Nutrition*, 128, pp. 485-490.
- Olano-Martin, E., Gibson, G. R., Rastall, R. A. (2002). Comparison of the *in vitro* bifidogenic properties of pectins and pectic-oligosaccharides. *Journal of Applied Microbiology*, 93, pp. 505-511.
- Palframan, R. J., Gibson, G. R., Rastall, R. A. (2003). Development of a quantitative tool for the comparison of the prebiotic effect of dietary oligosaccharides. *Letters in Applied Microbiology*, 37, pp. 281-284.
- Palma, D. G., Nadal, I., Collado, M. C., Sanz, Y. (2009). Effects of a gluten-free diet on gut microbiota and immune function in healthy adult human subjects. *The British Journal of Nutrition*, 102(8), pp. 1154-1160.
- Panchev, I., Delchev, N., Kovacheva, D., Slavov, A. (2011). Physicochemical characteristics of inulins obtained from Jerusalem artichoke (*Helianthus tuberosus* L.). *European Food Research and Technology*, 233, pp. 889-896.
- Panneerselvam, R., Jaleel, C. A. (2008). Starch and sugar conversion in *Dioscorea esculenta* tubers and *Curcuma longa* rhizomes during storage. *Caspian Journal of Environmental Sciences*, 6(2), pp. 151-160.
- Park, K. J., de Oliveira, R. A., Brod, F. P. R. (2006). Drying operational parameters influence on chicory roots drying and inulin extraction. *Institution of Chemical Engineering*, 85, pp. 184-192.
- Petkova, N., Ognyanov, M., Todorova, M., Denev, P. (2015). Ultrasound-assisted extraction and characterization of inulin-type fructan from roots of elecampane (*Inula helenium* L.). *Acta Scientifica Naturalis*, 1, pp. 225-235.
- Pokusaeva, K., Fitzgerald, G. F., VanSinderen, D. (2011). Carbohydrate metabolism in *Bifidobacteria*. *Genes Nutrition*, 6, pp. 285-306.
- Polycarp, D., Afoakwa, E. O., Budu, A. S., Otoo, E. (2012). Characterization of chemical composition and anti-nutritional factors in seven species within the Ghanaian yam (*Dioscorea*) germplasm. *International Food Research Journal*, 19(3), pp. 985-992.
- Pompei, A., Cordisco, L., Raimondi, S., Amaretti, A., Pagnoni, U. M. (2008). *in vitro* comparison of the prebiotic effect of two inulin type fructans. *Aerobe*, 14(5), pp. 280-286.
- Raven, J. A. (1987). The role of vacuoles. *New Phytology*, 106, pp. 357-422.

- Retnaningtyas, Y. (2012). Determination of inulin from multivitamin syrup product by high performance liquid chromatography with RI detector. *Indonesia Journal of Chemical*, 12(2), pp. 201 – 205.
- Richana, N., Sunarti, T. C. (2004). Karakterisasi sifat fisika-kimia tepung umbi dan tepung pati dari umbi ganyong, suweg, ubi kelapa dan gembili. *Jurnal Pascapanen*, 1(1), pp. 29-37.
- Rinne, M. M., Gueimonde, M., Kalliomaki, M., Hoppu, U., Salminen, S. J., Isolauri, E. (2005). Similar bifidogenic effects of prebiotic-supplemented partially hydrolysed infant formula and breastfeeding on infant gut microbiota. *FEMS Immunology and Medical Microbiology*, 43, pp. 59–65.
- Riviere, A., Gagnon, M., Weckx, S., Roy, D., DeVuyst, L. (2015). Mutual cross-feeding interactions between *Bifidobacterium longum* NCC2705 and *Eubacterium rectale* ATCC 33656 explain the bifidogenic and butyrogenic effects of arabinoxylan-oligosaccharides. *Applied of Environmental and Microbiology*, 81, pp. 7767–7781.
- Riviere, A., Selak, M., Lantin, D., Leroy, F., De Vuyst, L. (2016). *Bifidobacteria* and butyrate-producing colon bacteria: importance and strategies for their stimulation in the human gut. *Frontiers in Microbiology*, 7, pp. 1-21.
- Roberfroid, M. B. (2005). Inulin-Type Fructans: Functional Food Ingredients. Boca Raton: CRC Press.
- Roberfroid, M. B. (2007). Prebiotics: The Concept Revisited. *The Journal of Nutrition*, 137, pp. 830S–837S.
- Roberfroid, M. B., Gibson, G.R. (1995). Dietary Modulation of The Human Colonic Microbiota: Introducing The Concept of Prebiotics. *Journal of Nutrition*, 125(6), pp. 1401-1412.
- Roselló-Soto, E., Galanakis, C. M., Brnčić, M., Orlie, V., Trujillo, F. J., Mawson, R., Barba, F. J. (2015). Clean recovery of antioxidant compounds from plant foods, by-products and algae assisted by ultrasounds processing. Modeling approaches to optimize processing conditions. *Trends in Food Science & Technology*, 42(2), pp. 134–149.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., Matteuzzi, D. (2005). Fermentation of fructooligosaccharides and inulin by *Bifidobacterium*: A comparative study of pure and fecal cultures. *Applied of Environmental and Microbiology*, 71, pp. 6150–6158.
- Rycroft, C. E., Jones, M. R., Gibson, G. R., Rastall, R. A. (2001). A comparative *in vitro* evaluation of the fermentation properties of prebiotic oligosaccharides. *Journal of Applied Microbiology*, 91, pp. 878–887.
- Saengthongpinit, W. (2005). Influence of harvest time and storage temperature on characteristics of inulin from jerusalem artichoke and physicochemical properties of inulin-starch mixed gel. PhD. Kasetsart University.
- Salisbury, F. B. dan Ross, C. W. (1992). Plant physiology and plant cells. In: Plant physiology. California: Wadsworth Publishing Company. pp. 8-24
- Salyers, A. A., Valentine, P., Hwa, V. (1993). Genetics of polysaccharide utilization pathways of colonic *Bacteroides* species. *Genetics and molecular biology of anaerobic bacteria*, pp. 505–516.

- Sghir, A., Chow, J. W., Mackie, R. I. (1998). Continuous culture selection of *bifidobacteria* and *lactobacilli* from human faecal samples using fructo-oligosaccharide as selective substrate. *Journal of Applied Microbiology*, 85, pp. 69–77.
- Shoaib, M., Shehzada, A., Omar, M., Rakha, A., Razaa, H., Sharif, H. R., Shakeela, A., Ansaria, A., Niazi, S. (2016). Inulin: Properties, health benefits and food applications. *Carbohydrate Polymers*, 147, pp. 444–454.
- Soria, A. C., Villamiel, M. (2010). Effect of ultrasound on the technological properties and bioactivity of food: A review. *Trends in Food Science & Technology*, 21(7), pp. 323–331.
- Srinameb, B., Nuchadomrong, S., Jogloy, S., Patanothai, A., Srijaranai, S. (2015). Preparation of inulin powder from Jerusalem artichoke (*Helianthus tuberosus*, L.) tuber. *Plant Foods for Human Nutrition*, 70, pp. 221–226.
- Takeuchi, J., Nagashima, T. (2011). Preparation of dried chips from Jerusalem artichoke (*Helianthus tuberosus*) tubers and analysis of their functional properties. *Food Chemistry*, 126, pp. 922–926.
- Tewari, S., Ramalakshmi, K., Methre, L., Mohan Rao, L., J. (2015). Microwave-assisted extraction of inulin from chicory roots using response surface methodology. *Journal of Nutrition and Food Science*, 5(1), pp. 1–7.
- Toneli, J., Park, K., Murr, F., Martinelli, P. (2008). Rheological behavior of concentrated inulin solution: Influence of soluble solids concentration and temperature. *Journal of Texture Studies*, 39, pp. 369–392.
- Topping, D. L., Clifton, P. M. (2001). Short-chain fatty acids and human colonic function: Roles of resistant starch and non-starch polysaccharides. *Physiological Reviews*, 81, pp. 1031–1064.
- Tuohy, K. M., Rouzaud, G. C. M., Bruck, W. M., Gibson, G. R. (2005). Modulation of the human gut microflora towards improved health using prebiotics—assessment of efficacy. *Current Pharmaceutical Design*, 11(1), pp. 75–90.
- Van de Heuvel, E. G. H. M., Schaafsma, G., Muys, T., van Dokkum, W. (1998). Nondigestible oligosaccharides do not interfere with calcium and nonheme-iron absorption in young, healthy men. *American Journal of Clinical Nutrition*, 67, pp. 445–451.
- Van de Wiele, T., Boon, N., Possemiers, S., Jacobs, H., Verstraete, W. (2004). Prebiotic effects of chicory inulin in the simulator of the human intestinal microbial ecosystem. *FEMS Microbiology Ecology*, 51, pp. 143–153.
- Van Loo, J. (2004). The specificity of the interaction with intestinal bacterial fermentation by prebiotics determines their physiological efficacy. *Nutrition and Research Review*, 17, pp. 89–98.
- Vaughan, E. E., Heilig, H. G., Ben-Amor, K., DeVos, W. M. (2005). Diversity, vitality and activities of lactic acid bacteria and *bifidobacteria* assessed by molecular approaches. *FEMS Microbiology Review*, 29, pp. 477–490.
- Vecchia, M. G., Carnelos, M., Fellipe, C. R. C., Curi, R., Newsholme, E. A. (1997). Acetate and propionate potentiate the anti-proliferative effect of butyrate on RBL-2H3 growth. *Gen Pharmacology*, 29, pp. 725–728.

- Veereman-Wauters, G., Staelens, S., VanDeBroek, H., Plaskie, K., Wesling, F., Roger, L. C. (2011). Physiological and bifidogenic effects of prebiotic supplements in infant formulae. *Journal of Pediatric Gastroenterology Nutrition*, 52, pp. 763–771.
- Vijn, I., Smeekens, S. (1999). Fructan: More than a reserve carbohydrate? *Plant Physiology*, 120, pp. 351–360.
- Vinatoru, M. (2001). An overview of the ultrasonically assisted extraction of bioactive principles from herbs. *Ultrasonics Sonochemistry*, 8, 303–313.
- Wada, T., Sugatani, J., Terada, E., Ohguchi, M., Miwa, M. (2005). Physicochemical characterization and biological effects of inulin enzymatically synthesized from sucrose. *Journal of Agricultural and Food Chemistry*, 53, pp. 1246–1253.
- Walker, A. W., Duncan, S. H., Louis, P., Flint, H. J. (2014). Phylogeny, culturing, and metagenomics of human gut microbiota. *Trends Microbiology*, 22, pp. 267–274.
- Wang, Y. B. (2009). Prebiotics: present and future in food science and technology. *Food Research International*, 42(1), pp. 8–12.
- Wichienchot, S., Prakobpran, P., Ngampanya, B., Jaturapiree, P. (2016). Production, purification and fecal fermentation of fructooligosaccharide by FTase from Jerusalem artichoke. *International Food Research Journal*, 24(1), pp. 134–141.
- Wichienchot, S., Prasertsan, P., Hongpattarakere, T., Gibson, G. R., Rastall, R. A. (2013). *In vitro* Three-stage continuous fermentation of glucooligosaccharides produced by *Gluconobacter oxydans* NCIMB 4943 by the human colonic microflora. *Current Issues Intestinal Microbiology*, 7, pp. 13–18.
- Winarti, S., Harmayani, E., Nurismanto, R. 2011. Extraction of inulin from various yam tubers (*Dioscorea*, spp.). In: *The 12th ASEAN Food Conference*. Bangkok: BITEC.
- Winarti, S., Harmayani, E., Marsono, Y., Pranoto, Y. (2013). Pengaruh *foaming* pada pengeringan inulin umbi gembili (*Dioscorea esculenta*) terhadap karakteristik fisiko-kimia dan aktifitas prebiotik. *Agritech*, 33(4), 424–432.
- Yazawa, K., Imai, K., Tamura, Z. (1978). Oligosaccharides and polysaccharides specifically utilizable by *Bifidobacteria*. *Chemical Pharmaceutical Bulletin*, 26, pp. 3306–3311.
- Yeo, S. K., Liong, M. T. (2010). Effect of prebiotics on viability and growth characteristics of probiotics in soymilk. *Journal of the Science of Food and Agriculture*, 90, pp. 267–275.
- Yildiz, S. 2010. The Metabolism of Fructooligosaccharides and related compounds in plants. *Food Reviews International*, 27(1), pp. 16–50.
- Zhu, Z., Bals, O., Grimi, N., Vorobiev, E. (2012). Pilot scale inulin extraction from chicory roots assisted by pulsed electric fields. *International Journal of Food Science and Technology*, 47, pp. 1361–1368.
- Zubaidah, E., Akhadiana, W. (2013). Comparative study of inulin extracts from Dahlia, Yam, and Gembili tubers as prebiotic. *Food and Nutrition Sciences*, 4, pp. 8–12.