

## DAFTAR PUSTAKA

- Abel, K. M., Drake, R., & Goldstein, J. M. 2010. Sex differences in schizophrenia. *International Review of Psychiatry*, 22 (October): 417–428. doi: 10.3109/09540261.2010.515205
- Aghababian, V., Auquier, P., & Lanc, C. 2011. Relationship between insight and self-reported quality of life among schizophrenic patients. *L'Encéphale*, 162–171. doi: 10.1016/j.encep.2010.08.011
- American Psychiatric Association. 2013. *Diagnostic and Statistical Manual of Mental Disorders*. Fifth. Washington, DC: American Psychiatric Association.
- Balestrieri, M., Giaroli, G., Mazzi, M., & Bellantuono, C. 2006. Performance of the Italian Version of the Subjective Well-being under Neuroleptic ( SWN ) Scale in Schizophrenic Outpatients. *Pharmacopsychiatry*, 39: 81–84. doi: 10.1055/s-2006-941480
- Brown-smythe, C. A. 2015. The Relationship of Spirituality Well Being of Jamaican College Students: A Cross Sectionsl Study of Teacher Training Institutions in Jamaica, (December)
- Chakraborty, K., & Basu, D. 2010. Insight in Schizophrenia – A Comprehensive Update. *German J Psychiatry*, 13: 17–30.
- Chen, W., & Lin, S. 2017. Quality of Life and Social Function in Patients with Schizophrenia or with Bipolar Disorder Receiving Long-acting Antipsychotics. *Taiwanese Journal of Psychiatry*, 31 (4): 309–317.
- Clark, A. E. 2009. Work , Jobs and Well-Being across the Millennium, (3940).
- Cohen, L., Manion, L., Morrison, K., 2011. *Research Methods in Education*. Routledge, New York
- Crismon L, Argo TR, Buckley PF. Schizophrenia. In: DiPiro JT, Talbert RL, Yee GC, et al, eds. *Pharmacotherapy: A Pathophysiologic Approach*. 9th ed. New York, New York: McGraw-Hill; 2014:1019–1046.
- Dahlan, MS., 2009a. *Statistik untuk Kedokteran dan Kesehatan*. Penerbit Salemba Medika, Jakarta
- Dahlan, MS., 2009b. *Penelitian Diagnostik*. Penerbit Salemba Medika, Jakarta
- Departemen Kesehatan. 1993. *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa*. III. Jakarta.

- Diener, E., & Ryan, K. 2008. Subjective well-being : a general overview. *South African Journal of Psychology*, 39 (4): 391–406.
- Engh, J. A. 2010. Cognitive insight and clinical insight in schizophrenia methodological, neurocognitive and psychopathological aspects and comparison to bipolar disorder.
- Erickson, M., Jaafari, N., & Lysaker, P. 2011. Insight and negative symptoms as predictors of functioning in a work setting in patients with schizophrenia. *Psychiatry Research*, 189 (2): 161–165. doi: 10.1016/j.psychres.2011.06.019
- Gaurav kumar, N. G., Mir Insha, A., & Ahmad. 2015. Disability and Subjective Well Being in Patients of Schizophrenia Gaurav Kumar Giri, 4 (4): 8–12.
- Grover, S., Chakrabarti, S., Kulhara, P., & Avasthi, A. 2017. Clinical Practice Guidelines for Management of Schizophrenia. *Indian J Psychiatry*. 59(Suppl 1): S19–S33. doi: 10.4103/0019-5545.196972
- Helliwell, J. F., Barrington-Leigh, C. P., Harris, A., & Huang, H. 2009. International Evidence on the Social Context of, (March). doi: 10.1093/acprof
- Jalil, A., Keliat, B. A., & Pujasari, H. 2012. Insight dan Efikasi Diri pada Klien Skizofrenia yang Mendapatkan Terapi Penerimaan dan Komitmen dan Program Edukasi Pasien di Rumah Sakit Jiwa. Universitas Indonesia, Jakarta.
- Kako, Y., Ito, K., Hashimoto, N., Toyoshima, K., Shimizu, Y., Mitsui, N., *et al.* 2014. The relationship between insight and subjective experience in schizophrenia. *Neuropsychiatric Disease and Treatment*, 1415–1422.
- Kao, Y. C., Liu, Y. P., Chou, M. K., & Cheng, T. H. 2011. Subjective quality of life in patients with chronic schizophrenia: Relationships between psychosocial and clinical characteristics. *Comprehensive Psychiatry*, 52 (2): 171–180. doi: 10.1016/j.comppsy.2010.05.008
- Kaplan, HI., Sadock, BJ., Grebb, JA. 2010. *Kaplan-Sadock Sinopsis Psikiatri, Ilmu Pengetahuan Perilaku Psikiatri Klinis*. Jilid Satu. Binarupa Aksara
- Karamatskos, E., Mulert, C., Lambert, M., & Naber, D. 2012. Subjective well-being of patients with schizophrenia as a target of drug treatment. *Curr Pharm Biotechnol*, 13 (8): 1490–1499. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/22283757>
- Karow, A., Pajonk, F. G., Reimer, J., Hirdes, F., Osterwald, C., Naber, D., *et al.* 2008. The dilemma of insight into illness in schizophrenia: Self- and expert-

rated insight and quality of life. *European Archives of Psychiatry and Clinical Neuroscience*, 258 (3): 152–159. doi: 10.1007/s00406-007-0768-5

Kementerian Kesehatan RI. 2013. *Riset Kesehatan Dasar 2013*. [Online]. Jakarta. Available from: [www.litbang.depkes.go.id](http://www.litbang.depkes.go.id).

Kim, J., Ann, J., & Ba, J. L. 2011. Insight change and its relationship to subjective well-being during acute atypical antipsychotic treatment in schizophrenia. *Journal of Clinical Pharmacy and Therapeutics*, 687–694. doi: 10.1111/j.1365-2710.2010.01230.x

Kim, J. H., Ann, J. H., & Kim, M. J. 2010. The relationship between depressive symptoms and subjective well-being in newly admitted patients with schizophrenia. *Comprehensive Psychiatry*, 51 (2): 165–170. doi: 10.1016/j.comppsy.2009.05.004

Kim, J., Lee, S., Han, A., Kim, K., & Lee, J. 2015. Relationship between cognitive insight and subjective quality of life in outpatients with schizophrenia. *Neuropsychiatric Disease and Treatment*, 2041–2048.

Krieger, E., Moritz, S., Weil, R., & Nagel, M. 2018. Patients' attitudes towards and acceptance of coercion in psychiatry. *Psychiatry Research*, 260 (February): 478–485. doi: 10.1016/j.psychres.2017.12.029

Lee, Y.-W., Kim, J.-H., Ann, J.-H., Cho, S.-E., Lee, J., Kim, M.-J., *et al.* 2010. Subjective well-being in patients with schizophrenia treated with atypical antipsychotics: The impact of psychopathology and adverse drug effects. *Clinical Psychopharmacology and Neuroscience*, 8 (3): 149–155.

Lysaker, P. H., Vohs, J. L., & Tsai, J. (2009). Negative symptoms and concordant impairments in attention in schizophrenia: associations with social functioning, hope, self-esteem and internalized stigma. *Schizophr Res*, 110(1-3), 165-172.

Macgregor, A., Norton, J., Bortolon, C., Robichon, M., Rolland, C., Boulenger, J. P., *et al.* 2015. Insight of patients and their parents into schizophrenia: Exploring agreement and the influence of parental factors. *Psychiatry Research*, 228 (3): 879–886. doi: 10.1016/j.psychres.2015.05.005

Mauriño, J., Cordero, L., & Ballesteros, J. 2012. The subjective well-being under neuroleptic scale - short version (SWN-K) and the SF-36 health survey as quality of life measures in patients with schizophrenia. *Patient Preference and Adherence*, 6: 83–85. doi: 10.2147/PPA.S28354

Mauriño, J., Sanjúan, J., Haro, J. M., Díez, T., & Ballesteros, J. 2011. Impact of depressive symptoms on subjective well-being: the importance of patient-

- reported outcomes in schizophrenia. *Dovepress Journal*, 471–474.
- Naber, D., Moritz, S., Lambert, M., Pajonk, F. G., Holzbach, R., Mass, R., *et al.* 2001. Improvement of schizophrenic patients' subjective well-being under atypical antipsychotic drugs. *Schizophrenia Research*, 50 (1–2): 79–88.
- Naber, D. 2008. Subjective effects of antipsychotic drugs and their relevance for compliance and remission. *Epidemiologia E Psichiatria Sociale*, 17 (3): 174–176. doi: 10.1017/S1121189X00001238
- Narvaez, J. M., Twamley, E. W., McKibbin, C. L., Heaton, R. K., & Patterson, T. L. 2008. Subjective and objective quality of life in schizophrenia. *Schizophrenia Research*, 98 (1–3): 201–208. doi: 10.1016/j.schres.2007.09.001
- NHS Health Scotland. 2008. Warwick-Edinburgh Mental Well-being Scale (WEMWBS) User Guide. Retrieved from <http://www.mentalhealthpromotion.net/resources/user-guide.pdf>
- Oh, J., Ko, Y., & Paik, J. 2014. Variables Influencing Subjective Well-Being in Patients with Schizophrenia. *Korean J Schizophr Res*, 17 (2): 93–99.
- Oktovino, M. N. 2009. Evaluasi Rejimen Obat Pasien Skizofrenia pada Unit Rawat Jalan dan Rawat Inap setelah Uji Coba kebijakan INA-DRG di Rumah Sakit Jiwa Dr. Soeharto Herdjan Jakarta. Universitas Indonesia.
- Patel, K. R., Cherian, J., & Gohil, K. 2014. Schizophrenia: Overview and Treatment Options, 39 (9): 638–645.
- Pavot, W., & Diener, E. 2008. The Satisfaction With Life Scale and the emerging construct of life satisfaction. *Journal of Positive Psychology*, 3 (2): 137–152. doi: 10.1080/17439760701756946
- Pazvantoglu, O., Simsek, O. F., Aydemir, O., Sarisoy, G., Korkmaz, Z., Mor, S., *et al.* 2016. Reliability and Validity of Subjective Well-Being Under Neuroleptics Scale-Short Form-Turkish Version. *Bulletin of Clinical Psychopharmacology*, 7833 (January 2018). doi: 10.5455/bcp.20120731082335
- Ramadan, E. S., Abdou, W., & Dod, E. 2010. Relation Between Insight and Quality of Life in Patients With Schizophrenia: Role of Internalized Stigma and Depression, 43–47.
- Sastroasmoro, S., & Ismail, S. 2016. *Dasar-dasar Metodologi Penelitian Klinis*. 5th edition. Jakarta: Sagung Seto.
- Schennach-Wolff, R., Jäger, M., Obermeier, M., Schmauss, M., Laux, G.,

- Pfeiffer, H., *et al.* 2010. Quality of life and subjective well-being in schizophrenia and schizophrenia spectrum disorders: Valid predictors of symptomatic response and remission? *The World Journal of Biological Psychiatry*, 11 (5): 729–738. doi: 10.3109/15622971003690289
- Schroeder, K., Huber, C. G., Jelinek, L., & Moritz, S. 2013. Subjective well-being, but not subjective mental functioning shows positive associations with neuropsychological performance in schizophrenia-spectrum disorders. *Comprehensive Psychiatry*, 54 (7): 824–830. doi: 10.1016/j.comppsy.2013.02.008
- Sira, I. 2011. Karakteristik Skizofrenia di Rumah Sakit khusus Aliyang Pontianak periode 1 Januari-Desember 2009. Universitas Tanjungpura.
- Siu, C. O., Harvey, P. D., Agid, O., Wayne, M., Brambilla, C., Remington, G., *et al.* 2016. Insight and subjective measures of quality of life in chronic schizophrenia, 2 (3): 127–132. doi: 10.1016/j.scog.2015.05.002.Insight
- Staring, A. B. P., Mulder, C. L., Duivenvoorden, H. J., De Haan, L., & Van der Gaag, M. 2009. Fewer symptoms vs. more side-effects in schizophrenia? Opposing pathways between antipsychotic medication compliance and quality of life. *Schizophrenia Research*, 113 (1): 27–33. doi: 10.1016/j.schres.2009.05.022
- Topp, C. W., Østergaard, S. D., Søndergaard, S., & Bech, P. 2015. The WHO-5 well-being index: A systematic review of the literature. *Psychotherapy and Psychosomatics*, 84 (3): 167–176. doi: 10.1159/000376585
- Valiente, C., Provencio, M., Espinosa, R., Chaves, C., & Fuentenebro, F. 2011. Predictors of subjective well-being in patients with paranoid symptoms: Is insight necessarily advantageous? *Psychiatry Research*, 189 (2): 190–194. doi: 10.1016/j.psychres.2011.02.018
- Vothknecht, S., Schoevers, R. A., & de Haan, L. 2011. Subjective Well-Being in Schizophrenia as Measured with the Subjective Well-Being Under Neuroleptic Treatment Scale: A Review. *Australian & New Zealand Journal of Psychiatry*, 45 (3): 182–192. doi: 10.3109/00048674.2010.545984
- Wani, M. A., & Khan, P. M. S. 2015. Subjective Well-being and Religiosity: A study of Optimists and Pessimists. *The International Journal of Indian Psychology*, 2 (3): 104–114.
- Wolters, H. A., Knegtering, H., Bosch, R. J. Van Den, & Wiersma, D. 2009. Effects and side effects of antipsychotic treatment in schizophrenia: Pros and cons of available self-rating scales. *Schizophrenia Research*, 112 (1–3): 114–118. doi: 10.1016/j.schres.2009.03.026