



DAFTAR PUSTAKA

- Adom, D., & Nie, D. (2013). Regulation of autophagy by short chain fatty acids in colon cancer cells. In *Autophagy-A Double-Edged Sword-Cell Survival or Death?* (pp. 235–247). <http://doi.org/10.5772/54999>
- Al-Lahham, S. H., Roelofsen, H., Priebe, M., Weening, D., Dijkstra, M., Hoek, A., ... Vonk, R. J. (2010). Regulation of adipokine production in human adipose tissue by propionic acid. *Eur J Clin Invest*, 40(5), 401–407. <http://doi.org/10.1111/j.1365-2362.2010.02278.x>
- Al Massadi, O., Pardo, M., Roca-Rivada, A., Castelao, C., Casanueva, F. F., & Seoane, L. M. (2010). Macronutrients act directly on the stomach to regulate gastric ghrelin release. *J. Endocrinol. Invest*, 33(9), 599–602.
- Álvarez-castro, P., Pena, L., & Cordido, F. (2013). Ghrelin in obesity , physiological and pharmacological considerations. *Mini-Review Med Chem*, 13(3), 1.
- Amaral, C. L. D., Milagro, F. I., Curi, R., & Martínez, J. A. (2014). DNA methylation pattern in overweight women under an energy-restricted diet supplemented with fish oil. *BioMed Res Int*, 2014, 1–10. <http://doi.org/10.1155/2014/675021>
- American Diabetes Association. (2008). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 31(supplement 1), 562–567. <http://doi.org/10.2337/dc09-S062>
- Amiel, S. A., Dixon, T., Mann, R., & Jameson, K. (2008). Hypoglycaemia in Type 2 diabetes. *Diabet. Med.*, 25, 245–254. <http://doi.org/10.1111/j.1464-5491.2007.02341.x>
- Angelopoulos, T., Kokkinos, A., Liaskos, C., Tentolouris, N., Alexiadou, K., Miras, A. D., ... le Roux, C. W. (2014). The effect of slow spaced eating on hunger and satiety in overweight and obese patients with type 2 diabetes mellitus. *BMJ Open Diab Res Care*, 2(e000013), 1–6. <http://doi.org/10.1136/bmjdrc-2013-000013>
- Arora, T., Loo, R. L., Anastasovska, J., Gibson, G. R., Tuohy, K. M., Sharma, R. K., ... Frost, G. (2012). Differential Effects of Two Fermentable Carbohydrates on Central Appetite Regulation and Body Composition. *PLoS ONE*, 7(8), 1–10. <http://doi.org/10.1371/journal.pone.0043263>
- Bäckhed, F. (2012). Host responses to the human microbiome. *Nutr Rev*, 70(suppl. 1), S14–S17. <http://doi.org/10.1111/j.1753-4887.2012.00496.x>
- Bahar, B., O'Doherty, J. V., O'Doherty, A. M., & Sweeney, T. (2013). Chito-Oligosaccharide Inhibits the De-Methylation of a “CpG” Island within the Leptin (LEP) Promoter during Adipogenesis of 3T3-L1 Cells. *PLoS ONE*, 8(3). <http://doi.org/10.1371/journal.pone.0060011>



- Baião, D., Defreitas, C., Gomes, L., Silva, D., Correa, A. C. N. T. F., Pereira, P., ... Paschoalin, V. M. F. (2017). Polyphenols from root, Tubercles and grains cropped in brazil: Chemical and nutritional characterization and their effects on human health and diseases. *Nutrients*, 9(9). <http://doi.org/10.3390/nu9091044>
- Bakk, M. R., Bakk, I. T., & Haslberger, A. G. (2008). Epigenetic influence of butyrate producing bacteria in metabolic syndrome. In *Butyrate: Food Sources, Functions and Health Benefits* (Vol. 22, pp. 661–666). Nova Science Publishers.
- Barengolts, E. (2013). Vitamin D and prebiotics may benefit the intestinal microbacteria and improve glucose homeostasis in prediabetes and type 2 diabetes. *Endocr Pract*, 19(3), 497–510. <http://doi.org/10.4158/EP12263.RA>
- Batterham, R. L., & Bloom, S. R. (2003). The Gut Hormone Peptide YY Regulates Appetite. *Ann. N.Y. Acad. Sci*, 994, 162–168.
- Bennett, K. a, Langmead, C. J., Wise, A., & Milligan, G. (2009). Growth hormone secretagogues and growth hormone releasing peptides act as orthosteric super-agonists but not allosteric regulators for activation of the G protein Galpha(o1) by the Ghrelin receptor. *Mol. Pharmacol*, 76(4), 802–811. <http://doi.org/10.1124/mol.109.056101>
- Berni Canani, R., Di Costanzo, M., & Leone, L. (2012). The epigenetic effects of butyrate: potential therapeutic implications for clinical practice. *Clin Epigenetics*, 4(4), 1–7. <http://doi.org/10.1186/1868-7083-4-4>
- Birt, D. F., Boylston, T., Hendrich, S., Jane, J., Hollis, J., Li, L., ... Whitley, E. M. (2013). Resistant starch: promise for improving human health. *Adv. Nutr.*, 4, 587–601. <http://doi.org/10.3945/an.113.004325>.
- Bodinham, C. L., Smith, L., Thomas, E. L., Bell, J. D., Swann, J. R., Costabile, A., ... Robertson, M. D. (2014). Efficacy of increased resistant starch consumption in human type 2 diabetes. *Endocr. Connect.*, 3, 75–84. <http://doi.org/10.1530/EC-14-0036>
- Brown, J. H., Fazio, S., Chehab, F. F., Haynes, W. G., Cone, R. D., & Kahn, B. B. (2003). Recent progress in hormone research. In A. R. Means (Ed.), *Recent Progress in Hormone Research* (Vol. 59, pp. 1–438). The Endocrine Society Press. <http://doi.org/10.1002/car.1158>
- Buchanan, T. A., Xiang, A. H., & Page, K. A. (2012). Gestational Diabetes Mellitus: Risks and Management during and after Pregnancy. *Nat Rev Endocrinol*, 8(11), 639–649. <http://doi.org/10.1038/nrendo.2012.96>.
- Byrne, C. S., Chambers, E. S., Morrison, D. J., & Frost, G. (2015). The role of short chain fatty acids in appetite regulation and energy homeostasis. *Int J Obes*, 39(9), 1331–1338. <http://doi.org/10.1038/ijo.2015.84>
- Cerdá-Reverter, J. M., & Larhammar, D. (2000). Neuropeptide Y family of



- peptides: structure, anatomical expression, function, and molecular evolution. *Biochem. Cell Biol.*, 78, 371–392. <http://doi.org/10.1139/o00-004>
- Chen, L., Liu, R., Qin, C., Meng, Y., Zhang, J., Wang, Y., & Xu, G. (2010). Sources and intake of resistant starch in the Chinese diet. *Asia Pac. J. Clin. Nutr.*, 19(2), 274–282.
- Christine Merold, B. (2013). *Epigenetic changes of FFAR3 and LINE1 in obese and diabetic patients*. Universitat wien.
- Colagiuri, S. (2010). Diabesity: therapeutic options. *Diabetes, Obesity and Metabolism*, 12, 463–473. <http://doi.org/10.1111/j.1463-1326.2009.01182.x>
- Cook, S. I., & Sellin, J. H. (1998). Review article: short chain fatty acids in health and disease. *Aliment Pharmacol Ther*, 12, 499–507.
- Coppari, R., & Bjorbaek, C. (2012). The Potential of Leptin for Treating Diabetes and its Mechanism of Action. *Nat Rev Drug Discov*, 11(9), 692–708. <http://doi.org/10.1038/nrd3757>
- Cordero, P., Campion, J., Milagro, F. I., Goyenechea, E., Steemburgo, T., Javierre, B. M., & Martinez, J. A. (2011). Leptin and TNF-alpha promoter methylation levels measured by MSP could predict the response to a low-calorie diet. *J Physiol Biochem*, 67(3), 463–470. <http://doi.org/10.1007/s13105-011-0084-4>
- Dai, F. J., & Chau, C. F. (2017). Classification and regulatory perspectives of dietary fiber. *J. Food Drug Anal.*, 25(1), 37–42. <http://doi.org/10.1016/j.jfda.2016.09.006>
- Das, U. N. (2010). Obesity: Genes, brain, gut, and environment. *Nutrition*. <http://doi.org/10.1016/j.nut.2009.09.020>
- den Besten, G., van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D.-J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J. Lipid Res.*, 54, 2325–40. <http://doi.org/10.1194/jlr.R036012>
- Denver, R. J., Bonett, R. M., & Boorse, G. C. (2011). Evolution of leptin structure and function. *Neuroendocrinology*, 94, 21–38. <http://doi.org/10.1159/000328435>
- Departemen Kesehatan Republik Indonesia. (2013). *Laporan Hasil Riset Kesehatan Dasar Indonesia (Rskesdas) 2013*.
- Derkx, S., Lentjes, M. H. F. M., Hellebrekers, D. M. E. I., Bruïne, A. P. De, Herman, J. G., & van Engeland, M. (2004). Methylation-specific PCR unraveled. *Cell. Oncol.*, 26, 291–299.
- DeVries, J. W. (2001). The definition of dietary fibre. *Cereal Foods World*, 46(3), 112–129. <http://doi.org/10.3402/fnr.v54i0.5750>



- Diabetes UK. (2014). *Diabetes : Facts and Stats.* Retrieved from https://www.diabetes.org.uk/Documents/About_Us/Statistics/Diabetes-key-stats-guidelines-April2014.pdf
- Ding, Y., & Cho, M. E. (2015). Autophagy in diabetic nephropathy. *J Endocrinol*, 224(1), 1–26. <http://doi.org/10.1530/JOE-14-0437>
- Djaafar, T. F., Sarjiman, & Pustika, A. B. (2010). Pengembangan budi daya tanaman garut dan teknologi pengolahannya untuk mendukung ketahanan pangan. *Jurnal Litbang Pertanian*, 29(1), 25–33.
- Dupont, C., Armant, R., & Brenner, C. A. (2009). Epigenetics: definition, mechanisms and clinical perspective. *Semin Reprod Med*, 27(5), 351–357. <http://doi.org/10.1055/s-0029-1237423>
- Eckel, R. H., Kahn, S. E., Ferrannini, E., Goldfine, A. B., Nathan, D. M., Schwartz, M. W., ... Smith, S. R. (2011). Obesity and type 2 diabetes: What Can be unified and what needs to be individualized? *Diabetes Care*, 34(6), 1424–1430. <http://doi.org/10.2337/dc11-0447>
- Evert, A. B., Boucher, J. L., Cypress, M., Dunbar, S. A., Franz, M. J., Mayer-Davis, E. J., ... Yancy, W. S. (2013). Nutrition therapy recommendations for the management of adults with diabetes. *Diabetes Care*, 36(11), 3821–3842. <http://doi.org/10.2337/dc13-2042>
- Fan, C., Liu, X., Shen, W., Deckelbaum, R. J., & Qi, K. (2011). The regulation of leptin, leptin receptor and pro-opiomelanocortin expression by N-3 PUFAs in diet-induced obese mice is not related to the methylation of their promoters. *Nutr. Metab.*, 8(1), 31. <http://doi.org/10.1186/1743-7075-8-31>
- Fernandes, J., Su, W., Rahat-Rozenbloom, S., Wolever, T. M. S., & Comelli, E. M. (2014). Adiposity, gut microbiota and faecal short chain fatty acids are linked in adult humans. *Nutr. Diabetes*, 4(May), e121. <http://doi.org/10.1038/nutd.2014.23>
- Fitria, A. L. (2015). *Efek Pemberian Makanan Selingan Berbahan Dasar Tepung Gembili (dioscorea Esculenta) Terhadap Perubahan Kadar Glukosa Darah, Asupan Energi Dan Zat Gizi Orang Dewasa Overweight Dan Obesitas.* Gadjah Mada.
- Fowler, M. J. (2008). Microvascular and macrovascular complications of diabetes. *Clin. Diabetes*, 26(2), 77–82. Retrieved from <http://clinical.diabetesjournals.org>
- Frost, G., Sleeth, M. L., Sahuri-Arisoylu, M., Lizarbe, B., Cerdan, S., Brody, L., ... Bell, J. D. (2014). The short-chain fatty acid acetate reduces appetite via a central homeostatic mechanism. *Nat Commun*, 5, 3611–22. <http://doi.org/10.1038/ncomms4611>
- Fuentes-Zaragoza, E., Riquelme-Navarrete, M. J., Sanchez-Zapata, E., & Perez-Alvarez, J. A. (2010). Resistant Starch as a Functional Ingredient: A Review.



Food Res. Int., 1–12. <http://doi.org/10.1016/j.foodres.2010.02.004>

- Fukumori, R., Sugino, T., Hasegawa, Y., Kojima, M., Kangawa, K., Obitsu, T., & Taniguchi, K. (2011). Plasma ghrelin concentration is decreased by short chain fatty acids in wethers. *Domest Anim Endocrinol*, 41, 50–55. <http://doi.org/10.1016/j.domaniend.2011.04.001>
- Galm, O., & Herman, J. G. (2005). Methylation-Specific Polymerase Chain Reaction. In R. . Brown & P. J. Ho (Eds.), *Methods in Molecular Medicine* (Vol. 113, pp. 279–291). Totowa, NJ, NJ: Humana Press Inc.
- Gaur, V. (2013). *HDAC inhibition as a therapeutic potential to treat metabolic diseases*. Deakin University.
- Geurts, L., Neyrinck, a. M., Delzenne, N. M., Knauf, C., & Cani, P. D. (2014). Gut microbiota controls adipose tissue expansion, gut barrier and glucose metabolism: Novel insights into molecular targets and interventions using prebiotics. *Benef Microbes*, 5(March), 3–17. <http://doi.org/10.3920/BM2012.0065>
- Gibbons, C., Caudwell, P., Finlayson, G., Webb, D., Hellström, P. M., Näslund, E., & Blundell, J. E. (2013). Comparison of postprandial profiles of ghrelin, active GLP-1, annd total PYY to meals varying in fat and carbohydrate and their association with hunger and the Phases of Satiety. *J Clin Endocrinol Metab*, 98(5), E847-855. <http://doi.org/10.1210/jc.2012-3835>
- González, E. L. M., Johansson, S., Wallander, M.-A., & Rodríguez, L. A. G. (2009). Trends in the prevalence and incidence of diabetes in the UK: 1996–2005. *J Epidemiol Community Health*, 63, 332–336. <http://doi.org/10.1136/jech.2008.080382>
- Harper, L. M. L. M., Renth, A., Cade, W. T. T., Colvin, R., Macones, G. A. G. A., & Cahill, A. G. A. G. (2014). Impact of Obesity on Maternal and Neonatal Outcomes in Insulin-Resistant Pregnancy. *Am J Perinatol*, 31(5), 383–388. <http://doi.org/10.1055/s-0033-1350057>
- Hartvigsen, M. L., Lærke, H. N., Overgaard, A., Holst, J. J., Bach Knudsen, K. E., & Hermansen, K. (2014). Postprandial effects of test meals including concentrated arabinoxylan and whole grain rye in subjects with the metabolic syndrome: a randomised study. *Eur. J. Clin. Nutr.*, 68(5), 567–574. <http://doi.org/10.1038/ejcn.2014.25>
- Herman, J. G., Graff, J. R., Myohanen, S., Nelkin, B. D., & Baylin, S. B. (1996). Methylation-specific PCR : A novel PCR assay for methylation status of CpG islands. *Proc. Natl. Acad. Sci. USA*, 93(September), 9821–9826.
- Higgins, J. (2014). Resistant starch and energy balance: impact on weight loss and maintaenance. *Crit Rev Food Sci Nutr*, 54(9), 1158–1166. <http://doi.org/10.1080/10408398.2011.629352>.
- Holmes, E. E., Jung, M., Meller, S., Leisse, A., Sailer, V., Zech, J., ... Dietrich,



- D. (2014). Performance evaluation of kits for bisulfite-conversion of DNA from tissues, cell lines, FFPE tissues, aspirates, lavages, effusions, plasma, serum, and urine. *PLoS ONE*, 9(4). <http://doi.org/10.1371/journal.pone.0093933>
- Houde, A.-A., Légaré, C., Hould, F.-S., Lebel, S., Marceau, P., Tchernof, A., ... Bouchard, L. (2014). Cross-tissue comparisons of leptin and adiponectin. *Adipocyte*, 3(2), 132–140. <http://doi.org/10.4161/adip.28308>
- Hussain, A., Hydrie, M. Z. I., Claussen, B., & Asghar, S. (2010). Type 2 Diabetes and obesity : A review. *J. Diabetol.*, 2(1), 1–7.
- Ichimura, A., Hasegawa, S., Kasubuchi, M., & Kimura, I. (2014). Free fatty acid receptors as therapeutic targets for the treatment of diabetes. *Front. Pharmacol.*, 5, 1–6. <http://doi.org/10.3389/fphar.2014.00236>
- International Diabetes Federation. (2014). *Complications of diabetes*. International Diabetes Federation. Retrieved from <http://www.idf.org/complications-diabetes>
- Iwakura, H., Kangawa, K., & Nakao, K. (2014). The regulation of circulating ghrelin with recent updates from cell-based assays [Review]. *Endocr. J.* <http://doi.org/10.1507/endocrj.EJ14-0419>
- Jin, H., Zhang, Y. J., Jiang, J. X., Zhu, L. Y., Chen, P., Li, J., & Yao, H. Y. (2013). Studies on the extraction of pumpkin components and their biological effects on blood glucose of diabetic mice. *J. Food Drug Anal.*, 21(2), 184–189. <http://doi.org/10.1016/j.jfda.2013.05.009>
- Johansson, E. V., Nilsson, A. C., Östman, E. M., & Björck, I. M. E. (2013). Effects of indigestible carbohydrates in barley on glucose metabolism, appetite and voluntary food intake over 16 h in healthy adults. *Nutr. J.*, 12(1), 46. <http://doi.org/10.1186/1475-2891-12-46>
- Jones, J. M. (2014). CODEX-aligned dietary fiber definitions help to bridge the “fiber gap.” *Nutrition Journal*, 13(1), 1–10. <http://doi.org/10.1186/1475-2891-13-34>
- Jung, H. S. (2015). Clinical implications of glucose variability: chronic complications of diabetes. *Endocrinol Metab*, 30, 167–174. <http://doi.org/10.3803/EnM.2015.30.2.167>
- Kaemmerer, E., Plum, P., Klaus, C., Weiskirchen, R., Liedtke, C., Adolf, M., ... Gassler, N. (2010). Fatty acid binding receptors in intestinal physiology and pathophysiology. *World J Gastrointest Pathophysiol*, 1(5), 147–153. <http://doi.org/10.4291/wjgp.v1.i5.147>
- Keenan, M. J., Martin, R. J., Raggio, A. M., Mccutcheon, K. L., Brown, I. L., Birkett, A., ... Zhou, J. (2012). A microarray study indicates high-amylose resistant starch increases hormones and improves structure and function of the GI tract. *J Nutrigenet Nutrigenomics*, 5(1), 997–1003.



<http://doi.org/10.1016/j.biotechadv.2011.08.021.Secreted>

- Keire, D. A., Mannon, P., Kobayashi, M., Walsh, J. H., Solomon, T. E., & Reeve, J. R. (2000). Primary structures of PYY, [Pro(34)]PYY, and PYY-(3-36) confer different conformations and receptor selectivity. *Am J Physiol Gastrointest Liver Physiol*, 279, G126–G131.
- Kementerian Kesehatan Republik Indonesia. (2015). Tahun 2030 Prevalensi Diabetes Melitus Di Indonesia Mencapai 21,3 Juta Orang. *Kementerian Kesehatan Republik Indonesia*.
- Khokhar, K. K., Sidhu, S., & Kaur, G. (2013). Relationship between serum leptin and type 2 diabetes mellitus and their association with obesity and menopausal status. *Arch. Appl. Sci. Res.*, 5(5), 38–44.
- Kimura, I., Ozawa, K., Inoue, D., Imamura, T., Kimura, K., Maeda, T., ... Tsujimoto, G. (2013). The gut microbiota suppresses insulin-mediated fat accumulation via the short-chain fatty acid receptor GPR43. *Nat. Commun.*, 4(1829), 1–12. <http://doi.org/10.1038/ncomms2852>
- King, M. W. (2015). Gut-Brain Interrelationships and Control of Feeding Behavior. Retrieved from themomedicalbiochemistrypage.org/gut-brain.php
- Kirchner, H., Tong, J., Tschöp, M. H., & Pfluger, P. T. (2010). Ghrelin and PYY in the regulation of energy balance and metabolism: lessons from mouse mutants. *Am. J. Physiol. Endocr. Metab.*, 298, E909–E919. <http://doi.org/10.1152/ajpendo.00191.2009>
- Klok, M. D., Jakobsdottir, S., & Drent, M. L. (2007). The role of leptin and ghrelin in the regulation of food intake and body weight in humans: A review. *Obes. Rev.*, 8(1), 21–34. <http://doi.org/10.1111/j.1467-789X.2006.00270.x>
- Kojima, M., & Kangawa, K. (2005). Ghrelin: Structure and Function. *Physiol. Rev.*, 85, 495–522. <http://doi.org/10.1152/physrev.00012.2004>.
- Korek, E., Krauss, H., Gibas-dorna, M., Kupsz, J., Piątek, M., & Piątek, J. (2013). Fasting and postprandial levels of ghrelin, leptin and insulin in lean, obese and anorexic subjects. *Prz Gastroenterol* 2013;, 8(6), 383–389. <http://doi.org/10.5114/pg.2013.39922>
- Krisnanti, G. W., Anjarwati, E. F., Prabowo, W. S., Umam, M. S., & Primadhana, F. (2013). *Aplikasi perhitungan kalori harian penderita diabetes melitus menggunakan metode fuzzy inference system (FIS) Tsukamoto*.
- Kumar, A., Chopra, S., & Lal, A. K. (2015). Serum Leptin and Body Mass Index in Type 2 Diabetes Mellitus Patients of Dehradun, Uttarakhand, India. *Int.J.Curr.Microbiol.App.Sci*, 4(12), 434–440.
- Kurdyukov, S., & Bullock, M. (2016). Review DNA Methylation Analysis: Choosing the Right Method. *Biology*, 5(3), 1–21.



<http://doi.org/10.3390/biology5010003>

- Kuroda, M., Tominaga, A., Nakagawa, K., Nishiguchi, M., Sebe, M., Miyatake, Y., ... Sakaue, H. (2016). DNA methylation suppresses leptin gene in 3T3-L1 adipocytes. *PLoS ONE*, 11(8), 1–13. <http://doi.org/10.1371/journal.pone.0160532>
- Kuwahara, A. (2014). Contributions of colonic short-chain fatty acid receptors in energy homeostasis. *Front. Endocr.*, 5(September), 1–5. <http://doi.org/10.3389/fendo.2014.00144>
- Lafond, D. W., Greaves, K. A., Maki, K. C., Leidy, H. J., & Romsos, D. R. (2015). Effects of Two Dietary Fibers as Part of Ready-to-Eat Cereal (RTEC) Breakfasts on Perceived Appetite and Gut Hormones in Overweight Women. *Nutrients*, 7(2), 1245–1266. <http://doi.org/10.3390/nu7021245>
- Larraufie, P., Martin-Gallausiaux, C., Lapaque, N., Dore, J., Gribble, F. M., Reimann, F., & Blottiere, H. M. (2018). SCFAs strongly stimulate PYY production in human enteroendocrine cells. *Sci. Rep.*, 8(1), 1–9. <http://doi.org/10.1038/s41598-017-18259-0>
- Li, Y. O., & Komarek, A. R. (2017). Dietary fibre basics: Health, nutrition, analysis, and applications. *Food Qual. Saf.*, 1(1), 47–59. <http://doi.org/10.1093/fqs/fyx007>
- Lin, H. V., Frassetto, A., Kowalik, E. J., Nawrocki, A. R., Lu, M. M., Kosinski, J. R., ... Marsh, D. J. (2012). Butyrate and propionate protect against diet-induced obesity and regulate gut hormones via free fatty acid receptor 3-independent mechanisms. *PLoS ONE*, 7(4), 1–9. <http://doi.org/10.1371/journal.pone.0035240>
- Lupton, J. R., Fahey, G. C., Jenkins, D. A., Marlett, J. A., Slavin, J. L., Story, J. A., & Williams, C. L. (2001). *Dietary Reference Intakes: Proposed Definition of Dietary Fiber*. Washington DC: National Academy Press. <http://doi.org/https://doi.org/10.17226/10161>
- Maki, K. C., Pelkman, C. L., Finocchiaro, E. T., Kelley, K. M., Lawless, a. L., Schild, a. L., & Rains, T. M. (2012). Resistant Starch from High-Amylose Maize Increases Insulin Sensitivity in Overweight and Obese Men. *J Nutr*, 142(4), 717–723. <http://doi.org/10.3945/jn.111.152975>
- Maletkovic, J., & Drexler, A. (2013). Diabetic ketoacidosis and hyperglycemic hyperosmolar state. *Endocrinol Metab Clin N Am*, 42, 677–695. <http://doi.org/10.1016/j.ecl.2013.07.001>
- Martínez-Castelao, A., Navarro-González, J., Górriz, J., & de Alvaro, F. (2015). The concept and the epidemiology of diabetic nephropathy have changed in recent years. *J Clin Med*, 4, 1207–1216. <http://doi.org/10.3390/jcm4061207>
- Masniah, & Yusuf. (2013). Potensi ubi kayu sebagai pangan fungsional (pp. 580–587). Retrieved from <http://balitkabi.litbang.pertanian.go.id/wp->



content/uploads/2017/02/prosiding_2013_4_11.pdf

- Maziarz, M. P., Preisendanz, S., Juma, S., Imrhan, V., Prasad, C., & Vijayagopal, P. (2017). Resistant starch lowers postprandial glucose and leptin in overweight adults consuming a moderate-to-high-fat diet: a randomized-controlled trial. *Nutr. J.*, 16(14), 1–10. <http://doi.org/10.1186/s12937-017-0235-8>
- Mei, Y., Jia-zhong, S., Yan-lei, S., Wei, Y., Jing, D., & Guang-sen, L. (2012). Association between leptin gene promoter methylation and type 2 diabetes mellitus. *Chinese J. Med. Genet.*, 29(4). <http://doi.org/10.3760/cma.j.issn.1003-9406.2012.04.021>
- Merlotti, C., Ceriani, V., Morabito, A., & Pontiroli, A. E. (2017). Subcutaneous fat loss is greater than visceral fat loss with diet and exercise , weight-loss promoting drugs and bariatric surgery : a critical review and meta-analysis. *Int. J. Obes.*, 1–11. <http://doi.org/10.1038/ijo.2017.31>
- Mohammadzadeh, G., & Zarghami, N. (2013). Serum leptin level is reduced in non-obese subjects with type 2 diabetes. *Int. J. Endocr. Metab.*, 11(1), 3–10. <http://doi.org/10.5812/ijem.6535>
- Monti, M. (2012). Epigenetics protocols. *Eur. J. Histochem.*, 56(2), 8. <http://doi.org/10.4081/ejh.2012.br8>
- Moreno-Indias, I., Cardona, F., Tinahones, F. J., & Queipo-Ortuño, M. I. (2014). Impact of the gut microbiota on the development of obesity and type 2 diabetes mellitus. *Front. Microbiol.*, 5(APR), 1–10. <http://doi.org/10.3389/fmicb.2014.00190>
- Mosher, M. J., Melton, P. E., Stapleton, P., Schanfield, M. S., & Crawford, M. H. (2016). Patterns of DNA Methylation Across the Leptin Core Promoter in Four Diverse Asian and North American Populations. *Hum. Biol.*, 88(2), 121–135. <http://doi.org/10.13110/humanbiology.88.2.0121>
- Müller, M., Canfora, E. E., & Blaak, E. E. (2018). Gastrointestinal transit time, glucose homeostasis and metabolic health: Modulation by dietary fibers. *Nutrients*, 10(3). <http://doi.org/10.3390/nu10030275>
- National Diabetes Information Clearinghouse. (2013). *Causes of diabetes*. National Intitute of Diabetes and Digestive and Kidney Diseases. Retrieved from <http://diabetes.niddk.nih.gov/dm/pubs/causes/#causes>
- Nazhrah, Julianti, E., & Masniary, L. (2014). Pengaruh proses modifikasi fisik terhadap karakteristik pati dan produksi pati resisten dari empat varietas ubi kayu (Manihot esculenta) (The Effect of Physically Modification Process on Starch Characteristic and Resistant Starch Production from Four V. J.Rekayasa Pangan Dan Pert., 2(2), 1–9.
- Nilsson, A., Johansson, E., Ekstrom, L., & Bjorck, I. (2013). Effects of a Brown Beans Evening Meal on Metabolic Risk Markers and Appetite Regulating



- Hormones at a Subsequent Standardized Breakfast: A Randomized Cross-OVER Study. *PLoS ONE*, 8(4), e59985. <http://doi.org/10.1371/journal.pone.0059985>
- O'Byrne, K. J., Baird, A.-M., Kilmartin, L., Leonard, J., Sacevich, C., & Gray, S. G. (2011). Epigenetic Regulation of Glucose Transporters in Non-Small Cell Lung Cancer. *Cancers*, 3(4), 1550–1565. <http://doi.org/10.3390/cancers3021550>
- Ozougwu, J. C., Obimba, K. C., Belonwu, C. D., & Unakalamba, C. B. (2013). The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J. Physiol. Pathophysiol.*, 4(4), 46–57. <http://doi.org/10.5897/JPAP2013.0001>
- Paparo, L., di Costanzo, M., di Scala, C., Cosenza, L., Leone, L., Nocerino, R., & Canani, R. B. (2014). The influence of early life nutrition on epigenetic regulatory mechanisms of the immune system. *Nutrients*, 6, 4706–4719. <http://doi.org/10.3390/nu6114706>
- Petznick, A. (2010). Prevention of diabetes mellitus-related macrovascular disease. *AOA Health Watch*, (February), 9–15.
- Pfluger, P. T., Kampe, J., Castaneda, T. R., Vahl, T., D'Alessio, D. A., Kruthaupt, T., ... Tscho, M. H. (2007). Effect of Human Body Weight Changes on Circulating Levels of Peptide YY and Peptide YY 3 – 36. *J. Clin. Endocrinol. Metab.*, 92(2), 583–588. <http://doi.org/10.1210/jc.2006-1425>
- Pischke, M. A. Diabetic ketoacidosis., 25 Physician Assistant 767–772 (2001). [http://doi.org/10.1016/S0140-6736\(95\)90645-2](http://doi.org/10.1016/S0140-6736(95)90645-2)
- Post, R. E., Mainous, A. G., King, D. E., & Simpson, K. N. (2012). Dietary Fiber for the Treatment of Type 2 Diabetes Mellitus: A Meta-Analysis. *J. Am. Board Fam. Med.*, 25(1), 16–23. <http://doi.org/10.3122/jabfm.2012.01.110148>
- Poykko, S. M., Kellokoski, E., Horkko, S., Kauma, H., Kesaniemi, Y. A., & Ukkola, O. (2003). Low Plasma Ghrelin Is Associated With Insulin Resistance, Hypertension, and the Prevalence of Type 2 Diabetes. *Diabetes*, 52(October), 2546–53.
- Prabowo, A. Y., Estiasih, T., & Purwantiningrum, I. (2014a). Umbi gembili (Dioscorea esculenta L.) sebagai bahan pangan mengandung senyawa bioaktif : kajian pustaka. *J. Pangan dan Agroindustri*, 2(3), 129–135.
- Prabowo, A. Y., Estiasih, T., & Purwantiningrum, I. (2014). Umbi gembili (Dioscorea esculenta L.) sebagai bahan pangan mengandung senyawa bioaktif : kajian pustaka. *Gembili (Dioscorea esculenta L.) as Food Contain Bioactive Compounds : A Review. J. Pangan Dan Agroindustri*, 2(3), 129–135. <http://doi.org/10.1002/fsn3.2>
- Priori, D., Valduga, E., Castelo, J., Villela, B., Mistura, C. C., Vizzotto, M., ...



- Barbieri, R. L. (2016). Characterization of bioactive compounds , antioxidant activity and minerals in landraces of pumpkin (*Cucurbita moschata*) cultivated in Southern Brazil. *Food Sci. Tecnhology.*, 37(1), 1–8. <http://doi.org/10.1590/1678-457X.05016>
- Pryde, S. E., Duncan, S. H., Hold, G. L., Stewart, C. S., & Flint, H. J. (2002). The microbiology of butyrate formation in the human colon. *FEMS Microbiol. Lett.*, 217, 133–139. [http://doi.org/10.1016/S0378-1097\(02\)01106-0](http://doi.org/10.1016/S0378-1097(02)01106-0)
- Psichas, A., Sleeth, M. L., Murphy, K. G., Brooks, L., Bewick, G., Hanyaloglu, A. C., ... Frost, G. (2014). The short chain fatty acid propionate stimulates GLP-1 and PYY secretion via free fatty acid receptor 2 in rodents. *Int. J. Obes.*, 39, 424–429. <http://doi.org/10.1038/ijo.2014.153>
- Puddu, A., Sanguineti, R., Montecucco, F., & Viviani, G. L. (2014). Evidence for the Gut Microbiota Short-Chain Fatty Acids as Key Pathophysiological Molecules Improving Diabetes. *Mediators Inflamm.*, 2014, 1–9. Retrieved from <http://dx.doi.org/10.1155/2014/162021>
- Pulkkinen, L., Ukkola, O., Kolehmainen, M., & Uusitupa, M. (2010). Ghrelin in Diabetes and Metabolic Syndrome, 2010. <http://doi.org/10.1155/2010/248948>
- Pv, S., Vv, R., & Kv, M. (2015). Pharmacognostic standardisation of *Maranta arundinacea* L. -An important ethnomedicine. *J Pharmacog Phytochem*, 242(43), 242–246.
- Robertson, M. D., Bickerton, A. S., Dennis, a L., Vidal, H., & Frayn, K. N. (2005). Insulin-sensitizing effects of dietary resistant starch and effects on skeletal muscle and adipose tissue metabolism. *Am. J. Clin. Nutr.*, 82, 559–567.
- Roth, C. L., & Doyle, P. (2017). Just a Gut Feeling : Central Nervous Effects of Peripheral Gastrointestinal Hormones. In W. M & P. C (Eds.), *Developmental Biology of Gastrointestinal Hormones* (Vol. 32, pp. 100–123). Basel, Switzerland, Switzerland: Karger. <http://doi.org/10.1159/000475734>
- Rudianto, A., Lindarto, D., Decroli, E., Shahab, A., Tarigan, T. J. E., Adhiarta, I., ... Pandelaki, K. (2011). *Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2011* (4th ed.). Jakarta: PERKENI.
- Saisho, Y. (2015). β -cell dysfunction: Its critical role in prevention and management of type 2 diabetes. *World J. Diabetes*, 6(1), 109–124. <http://doi.org/10.4239/wjd.v6.i1.109>
- Saputro, P. S., & Estiasih, T. (2015). Pengaruh polisakarida larut air (PLA) dan serat pangan umbi-umbian terhadap glukosa darah: kajian pustaka. *J. Pangan Dan Agroindustri*, 3(2), 756–762.
- Sarda, F. A. H., Giuntini, E. B., Gomez, M. L. P. A., Lui, M. C. Y., Negrini, J. A.



- E., Tadini, C. C., ... Menezes, E. W. (2016). Impact of resistant starch from unripe banana flour on hunger , satiety , and glucose homeostasis in healthy volunteers. *J. Funct. Foods*, 24, 63–74. <http://doi.org/10.1016/j.jff.2016.04.001>
- Setiawan, T. A. (2013). *Pengaruh Pemberian Tepung Gembili (dioscorea Esculenta) Terhadap Glukosa Darah Tikus Wistar Yang Diinduksi Nikotinamide Dan Streptozotosin*. Universitas Gajah Mada.
- Sharifi, F., Yamini, M., Esmaeilzadeh, A., Mousavinasab, N., & Shajari, Z. (2013). Acylated ghrelin and leptin concentrations in patients with type 2 diabetes mellitus , people with prediabetes and first degree relatives of patients with diabetes , a comparative study. *J. Diabetes Metab. Disord.*, 12, 51–7. <http://doi.org/10.1186/2251-6581-12-51>
- Shaw, J. E., Sicree, R. A., & Zimmet, P. Z. (2010). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract*, 87, 4–14. <http://doi.org/10.1016/j.diabres.2009.10.007>
- Shen, W., Wang, C., Xia, L., Fan, C., Dong, H., Deckelbaum, R. J., & Qi, K. (2014). Epigenetic modification of the leptin promoter in diet-induced obese mice and the effects of N-3 polyunsaturated fatty acids. *Sci. Rep.*, 4, 1–8. <http://doi.org/10.1038/srep05282>
- Sigal, R. J., Kenny, G. P., Wasserman, D. H., Castaneda, C., & White, R. D. (2006). Physical activity / exerise and tipe 2 diabetes. *Diabetes Care*, 29(6), 1433–38. <http://doi.org/10.2337/dc06-9910>
- Slavin, J. (2013). Fiber and prebiotics: Mechanisms and health benefits. *Nutrients*, 5, 1417–1435. <http://doi.org/10.3390/nu5041417>
- Solano, M., & Golberg, R. (2006). Lipid management in Type 1 diabetes. *Clin. Diabetes*, 24(1), 27–32.
- Soliman, M. M., Ahmed, M. M., Salah-Eldin, A. E., & Abdel-Aal, A. A. A. (2011). Butyrate regulates leptin expression through different signaling pathways in adipocytes. *J. Vet. Sci.*, 12(4), 319–323. <http://doi.org/10.4142/jvs.2011.12.4.319>
- St-Pierre, D. H., Wang, L., & Taché, Y. (2003). Ghrelin: a novel player in the gut-brain regulation of growth hormone and energy balance. *News Physiol. Sci. : An International Journal of Physiology Produced Jointly by the International Union of Physiological Sciences and the American Physiological Society*, 18, 242–246. <http://doi.org/10.1152/nips.01460.2003>
- Stöger, R. (2006). In vivo methylation patterns of the leptin promoter in human and mouse. *Epigenetics*, 1(4), 155–162. <http://doi.org/10.4161/epi.1.4.3400>
- Stoner, G. D. (2005). Hyperosmolar hyperglycemic state. *Am Fam Physician*, 71(9), 1723–30. Retrieved from <http://www.aafp.org/afp/2005/0501/p1723.html>



- Sumithran, P., Prendergast, L. A., Delbridge, E., Purcell, K., Shulkes, A., Kriketos, A., & Proietto, J. (2013). Ketosis and appetite-mediating nutrients and hormones after weight loss. *Eur. J. Clin. Nutr.*, 67, 759–764. <http://doi.org/10.1038/ejcn.2013.90>
- Tartaglia, L. A. (1997). The leptin receptor. *J. Biol. Chem.*, 272 (10)(March 7), 6093–6096. <http://doi.org/10.1074/jbc.272.10.6093>
- Taylor, E. M., Jones, A. D., & Henagan, T. M. (2014). A Review of mitochondrial-derived fatty acids in epigenetic regulation of obesity and type 2 diabetes. *J Nutrition Health Food Sci*, 2(3), 1–4. <http://doi.org/10.15226/jnhfs.2014.00127>
- Tensiska. (2012). *Pengaruh pemberian ekstrak bengkuang (Pachyrhizus erosus) terhadap kadar gula darah, kadar immunoglobulin A (IgA) dan vili usus pada tikus putih (Rattus norvegicus) diabetes melitus*. Retrieved from <http://www.pasca.unand.ac.id>
- Topping, D. L., & Clifton, P. M. (2001). Short-chain fatty acids and human colonic function: roles of resistant starch and nonstarch polysaccharides. *Physiological Reviews*, 81(3), 1031–1064. [http://doi.org/10.1002/\(SICI\)1096-8644\(199706\)103:2<157::AID-AJPA2>3.0.CO;2-R](http://doi.org/10.1002/(SICI)1096-8644(199706)103:2<157::AID-AJPA2>3.0.CO;2-R)
- U.S. Departement of Health and Human Service National Institutes of Health. (2008). Hypoglycemia. Retrieved from www.diabetes.niddk.nih.gov.
- Umpierrez, G. E., Murphy, M. B., & Kitabchi, A. E. (2002). Diabetic ketoacidosis and hyperglycemic hyperosmolar state. *Diabetes Spectr.*, 15(1), 28–38. <http://doi.org/10.1016/j.ecl.2013.07.001>
- Uriarte, G., Paternain, L., Milagro, F. I., Martínez, J. A., & Campion, J. (2013). Shifting to a control diet after a high-fat, high-sucrose diet intake induces epigenetic changes in retroperitoneal adipocytes of Wistar rats. *J. Physiol. Biochem.*, 69(3), 601–611. <http://doi.org/10.1007/s13105-012-0231-6>
- US Department of Health and Human service National Institutes of Health. (2009). *Diabetic neuropathies : The nerve damage of diabetes*. NIH Publication No. 09-3185. Retrieved from www.diabetes.niddk.nih.gov.
- Usmiati, S., Setyaningsih, D., Purwani, E. .., Yuliani, S., & O.G, M. (2005). karakteristik serbuk labu kuning Cucurbita moschata.pdf. *J. Teknol Ind. Pangan*, XVI(2), 157–167.
- van den Hoek, a. M., Heijboer, a. C., Corssmit, E. P. M., Voshol, P. J., Romijn, J. a., Havekes, L. M., & Pijl, H. (2004). PYY3-36 Reinforces Insulin Action on Glucose Disposal in Mice Fed a High-Fat Diet. *Diabetes*, 53(May), 1949–1952. <http://doi.org/10.2337/diabetes.53.8.1949>
- Viardot, A., Heilbronn, L. K., Herzog, H., Gregersen, S., & Campbell, L. V. (2008). Abnormal postprandial PYY response in insulin sensitive



- nondiabetic subjects with a strong family history of type 2 diabetes. *Int. J. Obes.*, 32, 943–948. <http://doi.org/10.1038/ijo.2008.24>
- Vijayaraghavan, K. (2010). Treatment of dyslipidemia in patients with type 2 diabetes. *Lipids Health Dis.*, 9(144), 1–12. <http://doi.org/10.1186/1476-511X-9-144>
- Wang, X., Wei, X., Pang, Q., & Yi, F. (2012). Histone deacetylases and their inhibitors: molecular mechanisms and therapeutic implications in diabetes mellitus. *Acta Pharm. Sin. B*, 2(4), 387–395. <http://doi.org/10.1016/j.apsb.2012.06.005>
- Westerberg, D. P. (2013). Diabetic ketoacidosis: evaluation and treatment. *Am Fam Physician*, 87(5), 337–346.
- Wijanarko, S. (2012). *Pengaruh Emping Garut (Maranta Arundinacea L)pada Kadar Glukosa Darah Dan Tekanan Darah Pada Penderita Diabetes Mellitus Tipe 2*.
- Wilmot, E., & Idris, I. (2014). Early onset type 2 diabetes: risk factors, clinical impact and management. *Ther. Adv. Chronic Dis.*, 5(6), 234–244. <http://doi.org/10.1177/2040622314548679>
- Xiong, Y., Miyamoto, N., Shibata, K., Valasek, M. a, Motoike, T., Kedzierski, R. M., & Yanagisawa, M. (2004). Short-chain fatty acids stimulate leptin production in adipocytes through the G protein-coupled receptor GPR41. *Proc. Nat. Acad. Sci. USA*, 101(4), 1045–1050. <http://doi.org/10.1073/pnas.2637002100>
- Yaturu, S. (2011). Obesity and type 2 diabetes. *J. Diabetes Mellit.*, 1(4), 79–95. <http://doi.org/10.4236/jdm.2011.14012>
- Zaibi, M. S., Stocker, C. J., O'Dowd, J., Davies, A., Bellahcene, M., Cawthorne, M. a, ... Arch, J. R. S. (2010). Roles of GPR41 and GPR43 in leptin secretory responses of murine adipocytes to short chain fatty acids. *FEBS Lett.*, 584(11), 2381–2386. <http://doi.org/10.1016/j.febslet.2010.04.027>
- Zárate, G. (2012). Dairy Propionibacteria: Less Conventional Probiotics to Improve the Human and Animal Health. In E. C. Rigobelo (Ed.), *Probiotic in Animals* <Http://Creativecommons.Org/Licenses/By/3.0>, (pp. 155–202). October 3, 2012 under CC BY 3.0 license. © The Author(s). <http://doi.org/10.5772/3319>
- Zhang, G., & Hamaker, B. R. (2009). Slowly Digestible Starch: Concept , Mechanism , and Proposed Extended Glycemic Index. *Crit Rev Food Sci Nutr*, 49, 852–867. <http://doi.org/10.1080/10408390903372466>
- Zwirska-Korczala, K., Konturek, S. J., Sodowski, M., Wylezol, M., Kuka, D., Kukla, M., ... Slaska, R. (2007). Basal and postprandial plasma levels of PYY, ghrelin, cholecystokinin, gastrin and insulin in women with moderate obesity and metabolic syndrome. *J. Physiol. Pharmacol.*, 58(Suppl 1), 13–



UNIVERSITAS
GADJAH MADA

PENGARUH MAKANAN RINGAN KAYA SERAT TERHADAP PASIEN DIABETES MELITUS TIPE 2
Kajian Metilasi Promoter
Gen Leptin dan Kadar Leptin, Peptida YY serta Ghrelin dalam Darah Pasien Diabetes Melitus Tipe 2
JENNY HIDAYAT, Prof. Dr. Dra. Sunarti, M.Kes.; Prof. Dr. Mustofa, M.Kes, Apt.; dr. Ahmad Hamim Sadewa, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

35. Retrieved from www.jpp.krakow.pl

Zychowska, M., Rojewska, E., Przewlocka, B., & Mika, J. (2013). Mechanisms and pharmacology of diabetic neuropathy - experimental and clinical studies. *Pharmacol. Rep.* : PR, 65, 1601–10. [http://doi.org/10.1016/S1734-1140\(13\)71521-4](http://doi.org/10.1016/S1734-1140(13)71521-4)