

DAFTAR PUSTAKA

- Agarwal, R., 2005. Hypertension and survival in chronic hemodialysis patients - Past lessons and future opportunities. *Kidney Int.* 67(1):1-13.
- Altunoren, O., Dogan, E., Sayarlioglu, H., Acar, G., Yavuz, Y.C., Aydin, N., Sahun, M., Akkoyun, M, Isik, I.O., Altunoren, O., Altunoren, O., 2013. Effect of hemoglobin variability on mortality and some cardiovascular parameters in hemodialysis patients. *Ren Fail.* 35:819–824.
- Ayus, J.C., Go, A.S., Valderrabano, F., Verde, E., Vinuesa, S.G., Achinger, S.G., Lorenzo, V., Arieff, A.I., Luno, J., 2005. Effects of erythropoietin on left ventricular hypertrophy in adults with severe chronic renal failure and hemoglobin <10 g/dL. *Kidney Int.* 68(2):788-795.
- Babitt, J.L., Lin, H.Y., 2012. Mechanisms of anemia in CKD. *J Am Soc Nephrol* 23:1631–1634.
- Berns, J.S., Elzein, H., Lynn, R.I., Fishbane, S., Meisels, I.S., Deoreo, P.B., 2003. Hemoglobin variability in epoetin-treated hemodialysis patients. *Kidney Int.* 64:1514–1521.
- Boedisantoso, R.A., Soegondo, S., Suyono, S., Waspadji, S., Tambunan, Y., 2009. Penatalaksanaan Diabetes Mellitus Terpadu. Jakarta: FKUI.
- Brunelli, S.M., Lynch, K.E., Ankers, E.D., Joffe, M.M., Yang, W., Thadhani, R.I., Feldman, H.I., 2008. Association of hemoglobin variability and mortality among contemporary incident hemodialysis patients. *Clin J Am Soc Nephrol.* 3:1733–1740.
- Burton, J.O., Jefferies, H.J., Selby, N.M., McIntyre, C.W., 2009. Hemodialysis-induced repetitive myocardial injury results in global and segmental reduction in systolic cardiac function. *Clin J Am Soc Nephrol.* 4:1925–1931.
- Chahal, N.S., Lim, T.K., Jain, P., Chambers, J.C., Kooner, J.S., Senior, R., 2010. Ethnicity-related differences in left ventricular function, structure and geometry: A population study of UK Indian Asian and European white subjects. *Br Med J.* 466–472.
- Cheung, A.K., Sarnak, M.J., Yan, G., Dwyer, J.T., Heyka, R.J., Rocco, M.V., Teehan, B.P., Levey, A.S., 2000. Atherosclerotic cardiovascular disease risks in chronic hemodialysis patients. 58(1):353-362.
- Chirinos, J.A., Segers, P., Buyzere, M.L. De, Kronmal, R., Raja, M.W., Bacquer, D.D., Claessens, T., Gillebert, T.C., Sutton, M.S.J., Rietzschel, E.R., 2011. Left ventricular mass: Allometric scaling, normative values, effect of obesity and prognostic performance. *Hypertension* 56:91–98.
- Chiu, D.Y.Y., Green, D., Abidin, N., Sinha, S., Kalra, P.A., 2014. Echocardiography in hemodialysis patients: Uses and challenges. *Am J Kidney Dis.* 64:804–816.
- Cohn, J.N., Ferrari, R., Sharpe, N., 2000. Cardiac remodelling-Concepts and clinical implications: A consensus paper from an international forum on cardiac remodeling. *J Am Coll Cardiol.* 35(3): 569-582.

- Cupisti, A., Bolasco, P., 2017. Keto-analogues and essential aminoacids and other supplements in the conservative management of chronic kidney disease. *Panminerva Med.* 59(2):149-156.
- Dahlan, S. 2014. Statistik untuk Kedokteran dan Kesehatan. Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS. Jakarta: Epidemiologi Indonesia.
- Daniels, S.R., Meyer, R.A., Liang, Y., Bove, K.E., 1988. Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. *J Am Coll Cardiol.* 12:703–708.
- Darmadi, 2013. Patofisiologi dan tatalaksana remodeling kardiak. *CDK.* 40(9): 651-655.
- Darmeizar, 2014. BAB 25: Nefrourologi; Sindrom Kardiorenal. In: Buku Ajar Ilmu Penyakit Dalam. pp. 2159–2165.
- Drueke, T.B., Locatelli, F., Clyne, N., Eckardt, K.-U., Macdougall, I.C., Tsakiris, D., Burger, H.U., Scerhaq, A., 2006. Normalization of hemoglobin hevel in patients with chronic kidney disease and anemia. *N Engl J Med.* 355:2071–84.
- Ebben, J.P., Gilbertson, D.T., Foley, R.N., Collins, A.J., 2006. Hemoglobin level variability: Associations with comorbidity, intercurrent eventss, and hospitalizations. *Clin J Am Soc Nephrol.* 1:1205-1210.
- Eckardt, K.U., Kim, J., Kronenberg, F., Aljama, P., Anker, S.D., Canaud, B., Molemans, B., Stenvinkel, P., Schernthaner, G., Ireland, E., 2010. Hemoglobin variability does not predict mortality in European hemodialysis patients. *J Am Soc Nephrol.* 21:1765–1775.
- Facchin, L., Vescovo, G., Levedianos, G., Zannini, L., Nordio, M., Lorenzi, S., Caturelli, G., Ambrosio, G.B., 1995. Left ventricular morphology and diastolic function in uraemia: Echocardiographic evidence of a specific cardiomyopathy. *Br Heart J.* 74:174–179.
- Fellner, S.K., Lang, R.M., Neuman, A., Korcarz, C., Borow, K.M., 1993. Cardiovascular consequences of correction of the anemia of renal failure with erythropoietin. *Kidney Int.* 44(6):1309-1315.
- Fishbane, S., Berns, J., 2005. Hemoglobin cycling in hemodialysis patients treated with recombinant human erythropoietin. *Kidney Int.* 68(3):1337-1343.
- Fogo, A., 2007. Mechanisms of progression of chronic kidney disease. *Pedi Nephrol.* 22(12):2011-2022.
- Foley, R.N., Parfrey, P.S., Harnett, J.D., Kent, G.M., Murray, D.C., Barre, P.E., 1996. Hypoalbuminemia, cardiac morbidity, and mortality in end-stage renal disease. *J Am Soc Nephrol.* 7:728–36.
- Foley, R.N., Parfrey, P.S., Harnett, J.D., Kent, G.M., Murray, D.C., Barre, P.E., 1996. The impact of anemia on cardiomyopathy, morbidity, and mortality in end-stage renal disease. *Am J Kidney Dis.* 28:53–61.
- Georgieva, Z., Georgieva, M., 1997. Compensatory and adaptive changes in microcirculation and left ventricular function of patients with chronic iron-deficiency anaemia. *Clin Hemorheol Microcirc.* 17(1):21-30.

- Gilbertson, D.T., Ebben, J.P., Foley, R.N., Weinhandl, E.D., Bradbury, B.D., Collins, A.J., 2008. Hemoglobin level variability: Associations with mortality. *Clin J Am Soc Nephrol.* 3:133–138.
- Gilbertson, D.T., Peng, Y., Bradbury, B., Ebben, J.P., Collins, A.J., 2009. Hemoglobin level variability: Anemia management among variability groups. *Am J Nephrol.* 30:491–498.
- Glassock, R.J., Pecoits-Filho, R., Barberato, S.H., 2009. Left ventricular mass in chronic kidney disease and ESRD. *Clin J Am Soc Nephrol.* 4:79–91.
- Gopinathannair, R., Etheridge, S.P., Marchlinski, F.E., Spinale, F.G., Lakkireddy, D., Olshansky, B., 2015. Arrhythmia-induced cardiomyopathies: mechanisms, recognition, and management. *J Am Coll Cardiol.* 66(15):1714-1728.
- Greenberg, B., Goldstein, S., 2006. Cardiac remodeling: Mechanism and treatment. *Circulation.* 113:774.
- Gross, M.L., Meyer, H.P., Ziebart, H., Rieger, P., Wenzel, U., Amann, K., Berger, I., Adamczak, M., Schirmacher, P., Ritz, E., 2007. Calcification of coronary intima and media: immunohistochemistry, backscatter imaging, and x-ray analysis in renal and nonrenal patients. *Clin J Am Soc Nephrol.* 2:121–134.
- Gupta, A., Sharma, P., Bahl, A., 2016. Left ventricular size as a predictor of outcome in patients of non-ischemic dilated cardiomyopathy with severe left ventricular systolic dysfunction. *Int J Cardiol.* 221:310-313.
- Habler, O.P., Messmer, K.F., 1997. The physiology of oxygen transport. *Transfus Sci.* 18(3):423-435.
- Ie, E.H.Y., Zietse, R., 2018. Evaluation of cardiac function in the dialysis patient – a primer for the non-expert. *Nephrol Dial Trans.* 21:1474-1481.
- Ikizler, T.A., Flakoli, P.J., Parker, R.A., Hakim, R.M., 1994. Amino acid and albumin losses during hemodialysis. *Kidney Int.* 46(3):830-837.
- Io, H., Matsumoto, M., Okumura, K., Sato, M., Masuda, A., Furukawa, M., Nohara, N., Tanimoto, M., Kodama, F., Hagiwara, S., Gohda, T., Shimizu, Y., Tomino, Y., 2011. Predictive factors associated with left ventricular hypertrophy at baseline and in the follow-up period in non-diabetic hemodialysis patients. *Semin Dial.* 24:349–354.
- Jackevicius, C.A, Fan, C.S., Warner, A., 2014. Clinical outcomes of erythropoietin use in heart failure patients with anemia of chronic kidney disease. *J Card Fail.* 20(5):327-333.
- Joki, N., Hase, H., Nakamura, R., Yamaguchi, T., 1997. Onset of coronary artery disease prior to initiation of haemodialysis in patients with end-stage renal disease. *Nephrol Dial Transplant.* 12:718–723.
- Kasner, M., Aleksandrov, A.S., Westermann, D., Lassner, D., Gross, M., Von Haehling, S., Anker, S.D., Schultheiss, H.P., Tschope, C., 2013. Functional iron deficiency and diastolic function in heart failure with preserved ejection fraction. *Int J Cardiol.* 168:4652–4657.
- Kaysen, G.A., 2003. Serum albumin concentration in dialysis patients: Why does it remain resistant to therapy?. *Kidney Int.* 64:S92-S98.

- Kirschbaum, B., 2003. The effect of hemodialysis on electrolytes and acid-base parameters. *Clin Chimica Acta*. 336:109-113.
- Kliger, A.S., Foley, R.N., Goldfarb, D.S., Goldstein, S.L., Johansen, K., Singh, A., Szczech, L., 2013. KDOQI us commentary on the 2012 KDIGO clinical practice guideline for anemia in CKD. *Am J Kidney Dis*. 62:849–859.
- Konstam, M.A., Kramer, D.G., Patel, A.R., Maron, M.S., Udelson, J.E., 2011. Left ventricular remodeling in heart failure current concepts in clinical significance and assessment. *Cardiovasc Imaging*. 4(1):98-108.
- Lang, R.M., Badano, L.P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F.A., Foster, E., Goldstein, S.A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M.H., Rietzschel, E.R., Rudski, L., Spencer, K.T., Tsang, W., Voigt, J.U., 2015. Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American society of echocardiography and the European association of cardiovascular imaging. *Eur Heart J Cardiovasc Imaging* 16:233–271.
- Levey, A.S., Coresh, J., 2012. Chronic kidney disease. *Lancet* 379:165–180.
- Levine, R.L., Gilliland, D.G., 2008. Myeloproliferative disorders. *Blood J*. 112:2190-2198.
- Lilly, L.S., Rhee, J.-W., Sabatine, M.S., 2011. Pathophysiology of heart disease : a collaborative project of medical students and faculty.
- Locatelli, F., Bárány, P., Covic, A., De Francisco, A., Del Vecchio, L., Goldsmith, D., Horl, W., London, G., Vanholder, R., Van Biesen, W., 2013. Kidney disease: Improving global outcomes guidelines on anaemia management in chronic kidney disease: A European Renal Best Practice position statement. *Nephrol Dial Transplant*. 28:1346–1359.
- Locatelli, F., Vecchio, L.D., 2011. Erythropoiesis-stimulating agents in renal medicine. *Oncologist* 16:19–24.
- London, G.M., Parfrey, P.S., 1997. Cardiac disease in chronic uremia: pathogenesis. *Adv Ren Replace Ther*. 4:194–211.
- Lorio, B., Vincenzo, I., 2001. Variations in hematocrit induced by hemodialysis. *Blood Purification*. 19:68-69.
- Lullo, L.D., Gorini, A., Russo, D., Santoboni, A., Ronco, C., 2015. Left ventricular hypertrophy in chronic kidney disease patients: From pathophysiology to treatment. *Cardiorenal Medicine*. 5:254-296.
- Ma, J.Z., Ebben, J., Xia, H., Collins, A.J., 1999. Hematocrit level and associated mortality in hemodialysis patients. *Am Soc Nephrol*. 10: 610-619.
- Maduell, F., Navarro V., Torregrosa, E., Rius, A., Dicenta, F., Cruz, M.C., Ferrero, J.A, 2003. Change from three times a week on-line hemodiafiltration to short daily on-line hemodiafiltration. *Kidney Int*. 64:305-313.
- McCullough, P., Chan, C., Weinhandl, E., Burkart, J.M., Barkis, G.L., 2016. Intensive Hemodialysis, Left Ventricular Hypertrophy, and Cardiovascular Disease. *Am J Kidney Dis*. 68(5):S5-S14.

- McIntyre, C.W., 2009. Effects of hemodialysis on cardiac function. *Kidney Int.* 76:371–375.
- Mikhail, A., Shrivastava, R., Richardson, D., 2017. Renal association clinical practice guideline on anaemia of chronic kidney disease. *Nephron Clin Pract.* 118:c101–c124.
- Mishra, R., Dubun, R., 2013. The effects of frequent hemodialysis on left ventricular mass, volumes, and geometry. *Clin J Am Soc Nephrol.* 8:2025–2027.
- Nazar, C.M.J., Bashir, F., Ahmed, S.A., Izhar, S., 2017. Does frequent hemodialysis regimen results in regression of left ventricular mass compared to conventional hemodialysis?. *Nephroarmacology.* 4(1): 37-41.
- Ofsthun, N., LaBrecque, J., Lacson, E., Keen, M., Lazarus, J.M., 2003. The effects of higher hemoglobin levels on mortality and hospitalization in hemodialysis patients. *Kidney Int.* 63:1908–1914.
- Panidis, I.P., Kotler, M.N., Ren, J.F., Mintz, G.S., Ross, J., Kalman, P., 1984. Development and regression of left ventricular hypertrophy. *J Am Coll Cardiol.* 3(5):1309-1320.
- Parfrey, P.S., Foley, R.N., 1999. The clinical epidemiology of cardiac disease in chronic renal failure. *J Am Soc Nephrol.* 10:1606–1615.
- Park, S.H., Shub, C., Nobrega, T.P., Bailey, K.R., Seward, J.B., 1996. Two-dimensional echocardiographic calculation of left ventricular mass as recommended by the American society of echocardiography: Correlation with autopsy and M-mode echocardiography. *Am Soc Echocardiogr.* 9:119–128.
- PERNEFRI, 2001. Konsensus Manajemen Anemia pada Penyakit Ginjal Kronik.
- Quinones, M.A., Greenberg, B.H., Kopelen, H.A., Koilpillai, C., Limacher, M.C., Shindler, D.M., Shelton, B.J., Weiner, D.H., 2000. Echocardiographic predictors of clinical outcome in patients with left ventricular dysfunction enrolled in the SOLVD registry and trials. *J Am Coll Cardiol.* 35:1237–1244
- Ronco, C., Lullo, L.D., 2014. Cardiorenal syndrome. *Heart Fail Clin.* 10:251–280.
- Ronco, C., McCullough, P., Anker, S.D., Anand, I., Aspromonte, N., Bagshaw, S.M., Bellomo, R., Berl, T., Bobek, I., Cruz, D.N., Daliento, L., Davenport, A., Haapio, M., Hillege, H., House, A.A., Katz, N., Maisel, A., Mankad, S., Zanco, P., Mebazaa, A., Palazzuoli, A., Ronco, F., Shaw, A., Sheinfeld, G., Soni, S., Vescovo, G., Zaperetti, N., Ponikowski, P., 2010. Cardio-renal syndromes: Report from the consensus conference of the acute dialysis quality initiative. *Eur Heart J.* 31:703–711.
- Roshanov, P.S., Walsh, M., Devereaux, P.J., MacNeil, S.D., Lam, N.N., Hildebrand, A.M., Acedillo, R.R., Mrkobrada, M., Chow, C.K., Lee, V.W., Thabane, L., Gang, A.X., 2017. External validation of the revised cardiac risk index and update of its renal variable to predict 30-day risk of major cardiac complications after non-cardiac surgery: rationale and plan for analyses of the VISION study. *Brit Med J.* 1136:1-10.

- Salman, M., Khan, A.H., Adnan, A.S., Sulaiman, S.A.S., Hussain, K., Shehzadi, N., Islam, M., Jummaat, F., 2016. Prevalence and management of anemia in pre-dialysis Malaysian patients: A hospital-based study. *Rev Assoc Med Bras.* 62(8):742-747.
- Sastroasmoro, S., Ismael, S., 2014. Dasar-dasar Metodologi Penelitian Klinis. Jakarta: Sagung Seto.
- Solomon, S.D., Foster, E., Bourgoun, M., Shah, A., Vilorio, E., Brown, M.W., Hall, W.J., Pfeffer, M.A., Moss, A.J., 2010. Investigators M-C. Effect of cardiac resynchronization therapy on reverse remodeling and relation to outcome: multicenter automatic defibrillator implantation trial: cardiac resynchronization therapy. *Circulation.* 122:985-992.
- Suwitra, K., 2014. BAB 25: Nefrourologi; Penyakit ginjal kronik. In: Buku Ajar Ilmu Penyakit Dalam. pp. 2159–2165.
- Vasan, R.S., Larson, M.G., Benjamin, E.J., Evans, J.C., Levy, D., 1997. Left ventricular dilatation and the risk of congestive heart failure in people without myocardial infarction. *N Engl J Med.* 336(19):1350-1355.
- Vijayalakshmi, U., Riyadi, M., 2015. Laboratory profiles of patients on hemodialysis – A retrospective one year study in a rural tertiary care hospital. *J Clin Diagnos Resear.* 9(10):10-13.
- Wanner, C., Amann, K., Shoji, T., 2016. The heart and vascular system in dialysis. *Lancet (London, England)* 388:276–284.
- Watanabe, J., Shiba, N., Shinozaki, T., Koseki, Y., Karibe, A., Komaru, T., Miura, M., Fukuchi, M., Fukahori, K., Sakuma, M., Kagaya, Y., Shirato, K., 2005. Prognostic value of plasma brain natriuretic peptide combined with left ventricular dimensions in predicting sudden death of patients with chronic heart failure. *J Card Fail.* 11:50–55.
- Weiner, D.E., Sarnak, M.J., 2010. Cardiovascular disease in patients with chronic kidney disease, 3rd ed, Chronic Kidney Disease, Dialysis, and Transplantation. Elsevier Inc.
- Weinhandl, E.D., Peng, Y., Gilbertson, D.T., Bradbury, B.D., Collins, A.J., 2011. Hemoglobin variability and mortality: Confounding by disease severity. *Am J Kidney Dis.* 57:255–265.
- Yang, W., Israni, R.K., Brunelli, S.M., Joffe, M.M., Fishbane, S., Feldman, H.I., 2007. Hemoglobin variability and mortality in ESRD. *J Am Soc Nephrol.* 18:3164–3170.
- Zoccali, C., 2011. Left ventricular mass index as an outcome measure in clinical trials in dialysis patients: A word of caution. *Am. J. Nephrol.* 33:370–372.