



## DAFTAR PUSTAKA

- Acquaah, G. 2012. *Principles of Plant Genetics and Breeding*. Wiley-Blackwell.
- Akadiri, M. M. A. 2010. *Role of surfactants in kraft pulping processes*. Thesis. McGill University.
- Alén, R. 1998. *Papermaking Science and Technology, Book 3: Forest Products Chemistry*. TAPPI, Fapet Oy, Helsinki, Finlandia.
- Andrade, M. & J. Colodette. 2014. Dissolving pulp production from sugar cane bagasse. *Industrial Crops and Products*. 52, 58-64.
- Aprianis, Y., & S. Rahmayanti. 2009. Dimensi Serat dan Nilai Turunannya dari Tujuh Jenis Kayu Asal Propinsi Jambi. *Jurnal Penelitian Hasil Hutan*. Vol.27, No. 1, 11-20.
- Area, M. C. & V. I. Popa. 2014. *Wood Fibres for Papermaking*. Smithers-PIRA. United Kingdom.
- Asim, M. 2012. *Effects of prehydrolysis prior to kraft cooking on Swedish Spruce Wood*. Thesis. Karlstads Universitet.
- \_\_\_\_\_. 1978. *ASTM D1103-60 Method of Test for Alpha-Cellulose in Wood*. ASTM International. Washington.
- \_\_\_\_\_. 1978. *ASTM D1104-56 Method of test for Holocellulose in Wood*. ASTM International. Washington.
- Bajpai, P. 2012. Production of dissolving-grade pulp. In: *Biotechnology for pulp and paper processing*. Springer. 193–209.
- Bassa, A.G.M.C., F.A.S. Duarte, F.G. Da Silva., & V.M. Sacon. 2002. *The Effect of Alkali Charge on Eucalyptus spp. Kraft Pulping*. University of São Paulo – Brazil.
- Batalha, L. A. R., J. L. Colodette, J. L. Gomide, L. C. A. Barbosa, C. R. A. Maltha & F. J. B. Gomes. 2012. Dissolving pulp production from bamboo. *Bioresources*. 7(1), 640-651.
- Biermann, C.J. 1996. *Handbook of Pulping and Papermaking*. Academic Press. California.



Bodhlyera, O., T. Zewotir & S. Ramroop. 2014. Random Coefficient Model for Changes in Viscosity in *Dissolving pulp*. *Wood Research*. 59(4), 571-582.

Bonfatti Jr, E. A., J. C. Gonzalez & F.G. Silva Jr. 2012. The effect of alkali charge on *Bambusa vulgaris* Schrad. ex J.C. Wendl., for the kraft pulping process. *2012 PEERS Conference*. 894-902.

Cao, S., X. Ma, L. Lin, F. Huang, L. Huang, & L. Chen. 2014. Morphological and Chemical Characterization of Green Bamboo (*Dendrocalamopsis oldhami* (Munro) Keng f.) for *Dissolving pulp* Production. *Bioresources*. 9 (3), 4528-4539.

Chaudhary, R.C. 1982. Introduction to Plant Breeding. Oxford & IBH Publishing. New Delhi.

Chen, C., C. Duan, J. Li, Y. Liu, X. Ma, L. Zheng, J. Stavik & Y. Ni. 2016. Cellulose (*Dissolving pulp*) manufacturing processes and properties: A Mini-Review. *Bioresources*. 11(2), 5553-5564.

Christov, L. P. & B. A. Prior, 1993. Xylan removal from *dissolving pulp* using enzymes of *Aureobasidium pullulans*. *Biotechnol. Lett.* 15, 1269–1274.

Clarke, C. R. E. 2001. Are Eucalyptus clones advantageous for the pulp mill?. *The Southern African Forestry Journal*. 190:1, 61-65.

Desch, H. E. & J. M. Dinwoodie. 1996. *Timber Structure, Properties, Conversion and Use*. 7th edition, Macmillan press Limited, London.

Dien, L. Q., T. D. Cuong, P. H. Hoang, D. T. Hoa & L. T. Thanh. 2015. Production of Dissolving Cellulose from Rice Straw in Vietnam by Pre-hydrolysis Kraft Pulping. *International Journal of Materials Chemistry and Physics*. Vol. 1 (3), 359-365.

Duan, C., J. Li., X. Ma., C. Chen., Y. Liu., J. Stavik & Y. Ni. 2015. Comparison of acid sulfite (AS) and prehydrolysis kraft (PHK)-based *dissolving pulps*. *Cellulose*. 22(6), 4017-4026.

Ďurkovič, J., M. Kardošová, F. Kačík & M. Masaryková. 2011. Wood traits in parental and hybrid species of *Sorbus*. *Botany*. 89, 559-572.

Ek, M., G. Gellerstedt & G. Henriksson. 2009. *Pulp and Paper Chemistry and Technology Volume 1: Wood Chemistry and Wood Biotechnology*. De Gruyter. Berlin.

Fang, S & W. Yang. 2003. Interclonal and within-tree variation in wood properties of poplar clones. *Journal of Forestry Research*. 14 (4), 263-268.



Fatriasari, W & E. Hermiati. 2008. Analisis morfologi serat dan sifat fisis-kimia pada enam jenis bambu sebagai bahan baku pulp dan kertas. *Jurnal Ilmu dan Teknologi Hasil Hutan*. Vol. 1(2), 67-72.

Fischer, K., & I. Schmidt. 2008. Hemicellulose in dissolving pulp and its behavior during its processing to viscose. *Macromolecular Symposia*. 262(1), 85-88.

Gullichsen, J. 1998. *Papermaking Science and Technology, Book 6: Chemical Pulping*. TAPPI, Fapet Oy, Helsinki, Finlandia.

Hallac, B. B. & A. J. Ragauskas, 2011. Analyzing cellulose degree of polymerization and its relevancy to cellulosic ethanol. *Biofuels, Bioprod. Bioref.* 5(2), 215–225.

Harsono, A. S. Putra, R. Maryana, A. T. Rizaluddin, Y. Y. H'ng, A. Nakagawa-izumi & H. Ohi. 2015. Preparation of *dissolving pulp* from oil palm empty fruit bunch by prehydrolysis soda-anthraquinone cooking method. *Journal of Wood Science*. 62(1), 65-73.

Hart, P. W. 2011. Production of high yield bleached hardwood kraft pulp: Breaking the kraft pulp yield barrier. *TAPPI Journal*. 37-41.

Hastanto, H. 2009. Peran benih unggul untuk meningkatkan produktivitas hutan tanaman mangium di PT. Musi Hutan Persada. *Prosiding ekspose hasil-hasil penelitian BBPBPTH*. Yogyakarta.

Henriksson, G., M. Christiernin, & R. Agnemo. 2005. Monocomponent endoglucanase treatment increases the reactivity of softwood sulphite *dissolving pulp*. *Journal of Industrial Microbiology and Biotechnology*. 32, 211-214.

Hillman, D. C. 2002. Single-species pulping: the world's preferred market pulps. *Solutions*. 27–28.

Iller, E., A. Kukielka, H. Stupinskab & W. Mikolajczyk. Electron-beam stimulation of the reactivity of cellulose pulps for production of derivatives. *Radiation Physics and Chemistry*. 63, 253-257.

Ilvessalo-Pfäffli. M. S. 1995. *Fiber Atlas: Identifcation of Papermaking Fibers*. Springer Series in Wood Science. Berlin, Jerman.

Irianto R. S. B., K. Barry, N. Hidayati, S. Ito, A. Fiani, A. Rimbawanto & C. Mohammed. 2006. Incidence and spatial analysis of root rot of *Acacia mangium* in Indonesia. *Journal of Tropical Forest Science*. 18 (3) : 157 – 165.

Istikowati, W. T. & S. N. Marsoem. 2009. Pengaruh inokulasi jamur *Phanerochaete chrysosporium* Burds terhadap kandungan kimia kayu randu (*Ceiba pentandra* Gaertn). *Sains dan Terapan Kimia*. Vol. 3 No. 2, 144 – 153.



Istikowati, W. T., H. Aiso, Sunardi, B. Sutiya, F. Ishiguri, J. Ohshima, K. Iizuka & S. Yokota. 2016. Wood, Chemical, and Pulp Properties of Woods from Less-Utilized Fast-Growing Tree Species Found in Naturally Regenerated Secondary Forest in South Kalimantan, Indonesia. *Journal of Wood Chemistry and Technology*. 00, 1-9.

Jahan, M. S., L. Ahsan, A. Noori & M. A. Quaiyyum. 2008. Process for the production of *dissolving pulp* from *Trema orientalis* (Nalita) by prehydrolysis kraft and soda-ethylenediamine (EDA) process. *Bioresources*. 3(3), 816-828.

Jahan, M. S., D. A. N. Chowdhury & M. K. Islam. 2008b. Effects of Cooking Conditions on the Bleachability of Bamboo Kraft Pulping. *Japan TAPPI*. 444-451.

Jahan, M. S., R. M. Deb, M. M. Rahaman & M. A. Quaiyyum. 2016. *Dissolving pulp* from white press cuttings. *TAPPI Journal*. 14 (4), 277-282.

Javed, M. U., S. Iqbal, Z. Ahmad & M. S. Naeem. 2014. *Viscose Fiber Strength and Degree of Polymerization*. Available at: [https://www.researchgate.net/publication/268629417\\_Viscose\\_Fiber\\_Strength\\_and\\_Degree\\_of\\_Polymerization](https://www.researchgate.net/publication/268629417_Viscose_Fiber_Strength_and_Degree_of_Polymerization).

Ji, L. 2014. The enlightenment to China paper industry of the global dissolved pulp market changes. *China Pulp Paper Ind*. 35(5), 50-54.

Ji, L., & Zhao, L. 2015. Current situation and future trend of the dissolving market in domestic and international. *China Pulp Paper Ind*. 36(3), 41-45.

Joslyn, M.A. 1950. *Methods in Food Analysis Applied to Plant Products*. Academic Press. New York.

Jusoh, I., F. A. Zaharin & N. S. Adam. 2014. Wood Quality of Acacia Hybrid and Second Generation Acacia mangium. *Bioresources*. 9(1), 150-160.

Kha, L. D. & H. T. Ha. 2017. Research and development of acacia hybrids for commercial planting in Vietnam. *Vietnam Science and Technology*. Vol. 1 (1), 36-42.

Kijkar, S. 1992. *Handbook on Vegetative Propagation of A. mangium x A. auriculiformis*. ASEAN - Canada Forest Tree Seed Centre, Saraburi, Thailand.

Kim, N. T., M. Ochiishi, J. Matsumura & K. Oda. 2008. Variation in wood properties of six natural acacia hybrid clones in northern Vietnam. *Journal of Wood Science*. 54 (6), 436-442.



- Kim, N. T., J. Matsumura, K. Oda & N. V. Cuong. 2009. Possibility of improvement in fundamental properties of wood of acacia hybrids by artificial hybridization. *Journal of Wood Science*. 55, 8-12.
- Klasnja, B., S. Kopitovic & S. Orlovic. 2003. Variability of some wood properties of eastern cottonwood (*Populus deltoides* Bartr.) clones. *Wood Sci. Technol.* 37, 331–337.
- Liu, J., M. Li, X. Luo, L. Chen & L. Huang. 2015. Effect of hot-water extraction (HWE) severity on bleached pulp based biorefinery performance of eucalyptus during the HWE–Kraft–ECF bleaching process. *Bioresources Technology*. 181, 183-190.
- Luo, X., J. Liu, H. Wang & L. Huang. 2014. Comparison of hot-water extraction and steam treatment for production of high purity-grade *dissolving pulp* from green bamboo. *Cellulose*. 21, pp.1445-1457.
- Marsoem, S. N., F. Setiaji, N. H. Kim, J. Sulistyo, D. Irawati, W. D. Nugroho & Y. A. B. Pertiwi. 2015. Fiber Morphology and Physical Characteristics of Gigantochloa atter at Three Different Ages and Heights of Culms for Better Utilization. *J. Korean Wood Sci. Technol.* 43(2), 145-155.
- Martino, D.C., J. L. Colodette, R. Chandra & J. Saddler. 2017. Steam explosion pretreatment used to remove hemicellulose to enhance the production of a eucalyptus organosolv *dissolving pulp*. *Wood Science and Technology*. 51 (3), 557-569.
- Matin, M., M. M. Rahaman, J. Nayeem, M. Sarkar & M. S. Jahan. 2015. *Dissolving pulp* from jute stick. *Carbohydrate Polymers*. 115, 44-48.
- Miao, Q., L. Chen, L. Huang, C. Tian, L. Zheng & Y. Ni. 2014. A process for enhancing the accessibility and reactivity of hardwood kraft-based *dissolving pulp* for viscose rayon production by cellulase treatment. *Bioresouces Technology*. 154, 109-113.
- Mimms, A. 1993. *Kraft Pulping : a compilation of notes*. TAPPI Press.
- Mouyal, P. 2005. Efficient Resin Removal. *Paper Age*. 34-35.
- Muhammad, A. J., S. S. Ong & W. Ratnam,. 2018. Characterization of mean stem density, fibre length and lignin from two *Acacia* species and their hybrid. *J. For. Res. Volume*. 29(2) 549–555.
- Nambiar, E.K.S., C.E. Harwood & D.S. Mendham. 2018. Paths to sustainable wood supply to the pulp and paper industry in Indonesia after diseases have forced a change of species from acacia to eucalypts. *Australian Forestry*. 1-14.



Nguyen, K.L & V.Q. Dang. 2006. The fractal nature of kraft pulping kinetics applied to thin Eucalyptus nitens chips. *Carbohydrate Polymers*. 64, 104-11.

Patrick, K. 2011. *Dissolving pulp* gold rush in high gear. *Paper 360°*. 8-12.

Popa, V.I. 2013. *Pulp Production and Processing: From Papermaking to High-Tech Products*. Smithers-PIRA. United Kingdom.

Praptoyo, H. 2015. Variation of Anatomical Features between Two Acacia Hybrids (*Acacia mangium x auriculiformis*) and (*Acacia auriculiformis x mangium*) from Wonogiri. *Proceedings of The 7th International Symposium of IWoRS*. Indonesian Wood Research Society. Bandung.

Purwita, C. A. & S. Sugesti. 2017. *Dissolving pulp* production from spiny bamboo (*Bambusa blumeana*). *Proceedings of International Workshop on Non-Wood Pulping and Papermaking Technology*. 207-216.

Rahmayati, H., P. Ebrahimi & M. Sedghi. 2010. Effect of cooking conditions and oxygen-delignification on *Bambusa tulda* kraft pulping. *Indian Journal of Chemical Technology*. Vol. 17, 74-77.

Ramírez, M., J. Rodríguez, C. Balocchi, M. Peredo, J.P. Elissetche, R. Mendonça & S. Valenzuela. 2009. Chemical Composition and Wood Anatomy of *Eucalyptus globulus* Clones: Variations and Relationships with Pulpability and Handsheet Properties. *Journal of Wood Chemistry and Technology*. 29:1, 43-58.

Rao R.V. & M. Sujatha. 2004. Variation in basic density and anatomical properties of plantation grown *Acacia mangium*. *J. Timb. Dev. Assoc. Ind.* 50 (3&4), 12-17.

Rao R.V., S. Shashikala & Y. B. Srinivas. 2007. Variation in wood anatomical properties among different age groups of *Acacia auriculaeformis*. *Ind. J. For.* 30 (3), 283-289.

Raymond, C.A., P. Banham & A.C. Macdolad. 1998. Within tree variation and genetic control of basic density, fibre length and coarseness in *Eucalyptus regnans*. *Appita Journal*. 51(4), 299–305.

Rizaluddin, A.T., Q. Liu, P. R. Panggabean, H. Ohi & K. Nakamata. 2015. Application of peroxyomonosulfuric acid as a modification of the totally chlorine-free bleaching of acacia wood prehydrolysis-kraft pulp. *Journal of Wood Science*, 61(3), pp.292–298.



- Rosli, W. D. W., C. P. Leh, Z. Zainuddin & R. Tanaka. 2003. Optimization of soda pulping variables for preparation of *dissolving pulp* from oil palm fibre. *Holzforschung*. 57, 106-114.
- Rosli, W.D.W., I. Mazlan, & K.N Law. 2009. Effect of Kraft Pulping Variables on Pulp and Paper Properties of *Acacia mangium* Kraft Pulp. *Cellulose Chem. Technol.* 43 (1-3), 9-15.
- Sharma, S. K., S. R. Shukla & M. Sujatha. 2016. Radial variation of anatomical properties in 8-year-old clones of Acacia hybrid (*A. mangium* x *A. auriculaeformis*). *African Journal of Wood Science and Forestry*. Vol. 4 (3), 238-246.
- Shen, K., S. Bie, W. Liu & G. Fang. 2014. Analysis of global *dissolving pulp* production in past 50 years and prognosis for the future of China *dissolving pulp*. *China Pulp Paper Ind.* 35(3), 56-60.
- Siagian, R. M., S.B. Lestari & Yoswita. 2004. Sifat pulp sulfat kayu kurang dikenal asal jawa barat. *Jurnal Penelitian Hasil Hutan*. Vol. 22(2), 75-86.
- Sixta, H. 2006. *Handbook of Pulp*. Vol. 1. Wiley-VCH Verlag GmbH & Co. KGaA. Weinheim.
- Sjödahl, R.J. 2006. *Some Aspects on the Effects of Dissolved Wood Components in Kraft Pulping*. Thesis. Royal Institute of Technology Department of Fiber and Polymer Technology Stockholm.
- Sjostrom, E. & R. Alen. 1999. *Analytical Methods in Wood Chemistry, Pulping, and Papermaking*. Springer. New York.
- Smulsky, R. & P. D. Jones. 2011. *Forest products and wood science : an introduction*. Wiley-Blackwell. USA-United Kingdom.
- Suhartati, Y. Rahmayanto & Y. Daeng. 2014. Dampak Penurunan Daur Tanaman HTI Acacia Terhadap Kelestarian Produksi, Ekologis dan Sosial. *Info Teknis BOTANI*. Vol. 11 (2), 103-116.
- \_\_\_\_\_. 1989. *Standar Nasional Indonesia (SNI) 14-1031-1989 Cara uji kadar abu silika dan silikat dalam kayu dan pulp*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 1989. *Standar Nasional Indonesia (SNI) 14-1305-1989 Cara uji kelarutan air dingin dan air panas*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 1989. *Standar Nasional Indonesia (SNI) 14-1838-1989 Cara uji kelarutan kayu dan pulp dalam larutan natrium hidroksida satu persen*. Badan Standardisasi Nasional (BSN). Jakarta.



- \_\_\_\_\_. 1990. *Standar Nasional Indonesia (SNI) 14-1839-1990 Cara uji padatan total, alkali total dan alkali aktif lindi hitam*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 1990. *Standar Nasional Indonesia (SNI) 14-1840-1990 Cara uji panjang serat kayu dan bukan kayu*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2005. *Standar Nasional Indonesia (SNI) 08-7070-2005 Cara uji kadar air pulp dan kayu dengan metode pemanasan dalam oven*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2008. *Standar Nasional Indonesia (SNI) 0492-2008 Pulp dan kayu – Cara uji kadar lignin – Metode Klason*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2008. *Standar Nasional Indonesia (SNI) 0494:2008 Cara uji bilangan kappa*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2009. *Standar Nasional Indonesia (SNI) 0442:2009 Kertas, karton dan pulp – Cara uji kadar abu pada 525 °C*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2009. *Standar Nasional Indonesia (SNI) 0444:2009 Cara uji kadar selulosa alfa, beta dan gamma*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2010. *Standar Nasional Indonesia (SNI) 0938:2010 Pulp rayon*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2010. *Standar Nasional Indonesia (SNI) 692:2010 Cara uji kelarutan dalam alkali*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2012. *Standar Nasional Indonesia (SNI) 5351:2012 Cara uji bilangan viskositas limit (viskositas instrinsik) dalam larutan kuprietilendiamina*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2012. *Standar Nasional Indonesia (SNI) 7835-3-2012 Serpih kayu (wood chips) – Bagian 3: Cara uji kadar air*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2014. *Standar Nasional Indonesia (SNI) ISO 3688:2014 Cara pembuatan lembaran pulp laboratorium untuk pengukuran faktor pantul baur biru (derajat cerah ISO)*. Badan Standardisasi Nasional (BSN). Jakarta.
- \_\_\_\_\_. 2017. *Standar Nasional Indonesia (SNI) 8401 Ekstraktif terlarut dalam kayu dan pulp*. Badan Standardisasi Nasional (BSN). Jakarta.



- Strunk, P. 2012. *Characterization of cellulose pulps and the influence of their properties on the process and production of viscose and cellulose ethers*. Thesis. Umea Universitet.
- Suess, H. U. 2010. *Pulp Bleaching Today*. De Gruyter. Berlin.
- Sugestiyono, S., Setiawan, Y. 2012. Making of Dissolving pulp by Bio-bleaching Process from *Acacia mangium* Wood. *Proceeding The International Conference on the Innovation in Polymer Science and Technology 2011*. 88-93.
- Sugestiyono, S., T. Kardiansyah & W. Pratiwi. 2015. Potensi *Acacia crassicarpa* Sebagai Bahan Baku Pulp Kertas untuk Hutan Tanaman Industri. *Jurnal Selulosa*. Vol. 4(1), 21-32.
- Sugestiyono, S., T. Kardiansyah & W. Pratiwi. 2015b. Penggunaan xilanase pada pemutihan dissolving pulp *Acacia crassicarpa*. *Jurnal Selulosa*. Vol. 4(2), 99-106.
- Sunarti, S., H. Praptoyo & A. Nirsatmanto. 2016a. Karakteristik Serat Kayu Hibrid *Acacia auriculiformis x Acacia mangium* Sebagai Bahan Baku Pulp. *Jurnal Pemuliaan Tanaman Hutan*. 10 (2), 135 – 143.
- Sunarti, S., M. Naiem, E. B. Hardiyanto & S. Indrioko. 2013. Variasi Pertumbuhan Tinggi Klon Hibrid *Acacia (A. mangium x A. auriculiformis)* Umur 12 Bulan Di Wonogiri, Jawa Tengah. *Jurnal Pemuliaan Tanaman Hutan*. Vol. 7 (3), 139-150.
- Sunarti, S., A. Nirsatmanto & T. Setyaji. 2016. Acacia Hybrid (*Acacia mangium x A. auriculiformis*): Promising A New Variety of Forest Tree to Increase Forest Plantation Productivity in Indonesia. *Proceeding International Seminar on “Challenges of Sustainable Forest Plantation Development”*. Centre for Forest Biotechnology and Tree Improvement. Yogyakarta.
- Sunarti, S., A. Nirsatmanto, T. Setyaji & D. Kartikaningtyas. 2014. *Akasia Hibrida (A. mangium x A. auriculiformis) Varietas Baru untuk Bahan Baku Industri Pulp dan Kertas*. IPB Press. Bogor.
- Takeuchi, R., I. Wahyudi, H. Aiso, F. Ishiguri, W. T. Istikowati, T. Ohkubo, J. Ohshima, K. Iizuka & S. Yokota. 2016. Wood properties related to pulp and paper quality in two Macaranga species naturally regenerated in secondary forests, Central Kalimantan, Indonesia. *TROPICS* Vol. 25 (3), 107-115.
- \_\_\_\_\_. 2017. *TAPPI Test method T-204, Solvent extractives of wood and pulp*. TAPPI Press. Atlanta.



Testova, L., M. Borrega, L. K. Tolonen, P. A. Penttila, R. Serimaa, P. T. Larsson, & H. Sixta. 2014. Dissolving-grade birch pulps produced under various prehydrolysis intensities: Quality, structure and applications. *Cellulose*, 21(3), pp.2007–2021.

Tian, C., L. Zheng, Q. Miao, C. Nash, C. Cao & Y. Ni. 2013. Improvement in the Fock test for determining the reactivity of dissolving pulp. *Tappi J.* 12(11), 21-26.

Vu, T. H. M., H. Pakkanen & R. Alen. 2004. Delignification of bamboo (*Bambusa procera acher*) Part 1. Kraft pulping and the subsequent oxygen delignification to pulp with a low kappa number. *Industrial Crops and Products*. 19, 49–57.

Wang, Q., S. Liu, G. Yang, J. Chen & Y. Ni. 2015a. High consistency cellulase treatment of hardwood prehydrolysis kraft based *dissolving pulp*. *Bioresource Technology*, 189, pp.413–416.

Wang, Q., Liu, S., Yang, G., Chen, J., and Ni, Y. 2015b. Cationic polyacrylamide enhancing cellulase treatment efficiency of hardwood kraft-based dissolving pulp. *Bioresource Technology*. 183, 42-46.

Wistara, N. J., A. Carolina, W. S. Pulungan, N. Emil, S. H. Lee & N. H. Kim. 2015. Effect of Tree Age and Active Alkali on Kraft Pulping of White Jabon. *J. Korean Wood Sci. Technol.* 43(5), 566-577.

Wu, C., L. Bing, D. Yu, R. Li & S. Zhou. 2015. Preparation of *dissolving pulp* made from poplar residual slabs and effect of xylanase post-treatment on its reactivity. *BioResources*, 10(1), pp.423–431.

Yahya, R., J. Sugiyama, D. Silsia & J. Gril. 2010. Some anatomical features of an Acacia hybrid, *A. mangium* and *A. auriculiformis* grown in Indonesia with regard to pulp yield and paper strength. *Journal of Tropical Forest Science*, 22(3), 343–351.

Yamada, N., K. C. Khoo & M. N. M. Yusoff. 1992. Sulphate Pulping Characteristics Of Acacia Hybrid, *Acacia mangium* and *Acacia auriculiformis* From Sabah. *Journal of Tropical Forest Science*. Vol. 4 (3), 206-214.