

DAFTAR PUSTAKA

- Aoyama, T. and N. Chua. 1997. A glucocorticoid-mediated transcriptional induction system in transgenik rice. *The Plant J.* 11(3): 605-612
- Applied Biosystem. 2004. Guide to Performing Relative Quantitation of Gene Expression Using Real-Time Quantitative PCR. Applied Biosystem
- Applied Biosystem. 2007. Real Time PCR VS Traditional PCR. Applied Biosystem
- Backer, C. A. and R. C. B. van den Brink. 1965. Flora of Java : Spermatophytes Only. Nordhoff. Groningen.
- Bashir, K., M. Rafiq, T. Fatima, T. Husnain, and S. Riazuddin. 2004. Hygromycin based selection of transformants in a local inbred line of *Zea mays* (L). *Pakistan Journal of Biological Sciences* 7: 318-323
- Bayer Martin, Daniel Slane, Gerd Jurgens. 2017. Early plant embryogenesis-dark ages or dark matter?. *Current Opinion in Plant Biology*. DOI: 10.1016/j.pbi.2016.10.004
- Binns, A. and A. Campbell. 2001. *Agrobacterium tumefaciens* mediated Transformation of Plant Cells. *Encyclopedia of Life*. Nature Publishing Group / www.els.net.
- Bio-Rad Laboratories Inc.. 2006. Real-Time PCR Applications Guide. Bio Rad Laboratories, Inc.
- Brownfield Disa L., Christopher D. Todd, Sandra L. Stone, Michael K. Deyholos, David J. Gifford. 2007. Patterns of storage protein and triacylglycerol accumulation during loblolly pine somatic embryo maturation. *Plant Cell Tiss Organ Cult.* 88: 217-223
- Brownfield, Disa L., Christopher D. Todd, Sandra L. Stone Michael K. Deyholos David J. Gifford. 2007. Patterns of storage protein and triacylglycerol accumulation during loblolly pine somatic embryo maturation. *Plant Cell Tiss Organ Cult* 88:217–223
- Brundrett, Mark C., Bryce Kendrick, Carol A, Peterson. 1991. Efficient Lipid Staining in Plant Material with Sudan Red 7B or Fluorol Yellow 088 in Polyethylene Glycol-Glycerol *Online Publication Date: 01 May 1991*
- Chardin, C., Girin, T., Roudier, F., Meyer, C. and Krapp, A. 2014. The Plant RWPRK transcription factors : key regulators of nitrogen responses and of gametophyte development. *Journal of Experimental Botany*. Doi : 10.1093/2x6/eru261
- Chaudary R. C. and D. V. Tran. 2001. Specialty Rice of the World: A Prologue. In: Specialty Rice of the World; Breeding, Production and Marketing. Enfield, N.H. (USA): *Science Publishers*. Inc. and FAO. pp. 3-12
- Chaudhary, R.C. 2003. Speciality rices of the world : Effect of WTIO and IPR on its production trend and marketing. *J. Food Agric. Env.* 1 (2) : 34 - 41.
- Che, Ping, Tanzy M. Love, Bronwyn R. Frame, Kan Wang, Alicia L. Carriquiry, Stephen H. Howell. 2006. Gene expression patterns during somatic embryo development and germination in maize Hi II callus cultures. *Plant Mol Biol*. DOI 10.1007/s11103-006-9013-2

- Chen, L., Tong, J., Xiao, L., Ruan, Y., Liu, J., Zeng, M., 2016. YUCCA-mediated auxin biogenesis is required for cell fate transition occurring during de novo root organogenesis in *Arabidopsis*. *J. Exp. Bot.* 67, 4273–4284. doi: 10.1093/jxb/erw213
- Chia Tansy Y. P., Marilyn J. Pike and Stephen Rawsthorne. 2005. Storage oil breakdown during embryo development of *Brassica napus* (L.) *Journal of Experimental Botany*, Vol. 56, No. 415, pp. 1285–1296
- De Smet, I., S. Lau, U. Mayer, and G. Jurgens. 2010. Embryogenesis – the humble beginnings of plant life. *The Plant J.* 61: 959-970
- Department of Biotechnology Government of India. 2011. Biology of *Oryza sativa* L. (Rice). Ministry of Environment and Forest Government of India
- Derolles, C., Gardner C. 1988. Expression and inheritance of kanamycin resistance in a large number of transgenic petunias generated by *Agrobacterium*-mediated transformation. *Plant Mol. Biol.* 11: 355-364
- Dorak MT. 2006. Real Time PCR. Advance method series. www.dorak.info/genetics/realtime.html [29Apr 2007]
- Emons, A. M. C. 1994. Somatic embryogenesis : cell biological aspects. *Acta Bot. Neer.* 43(1): 1-4
- Fauzia, Anisa Nazera, 2017. Overekspresi Gen *OsRKD4* pada Padi Hitam (*Oryza sativa* L. ‘Cempo Ireng’) untuk Induksi Embriogenesis Somatik. Tesis. Yogyakarta: Universitas Gadjah Mada
- Feher, Attila. 2015. Somatic embryogenesis — Stress-induced remodeling of plant cell fate. *Biochimica et Biophysica Acta.* 1849 (2015) 385–402
- Gelvin, S. B. 2003. *Agrobacterium*-mediated plant transformation: the biology behind “gene-jockeying” tool. *Microbiol. Mol. Biol. R.* 67(1): 16-37
- Guisti, M. M. and Wrolstad, R. E. 2001. Characterization and measurement of anthocyanins by UV-Visible spectroscopy. *Current Protocols in Food Analytical Chemistry.* (F1.21-F1.2.13). New York: John Wiley & Sons.
- Harding EW, Tang W, Nichols KW, Fernandez DE, Perry SE. 2003. Expression and maintenance of embryogenic potential is enhanced through constitutive expression of *AGAMOUS-Like 15*. *Plant Physiol* 133: 653–663
- Hofmann N.. 2014. Getting to the root of regeneration: Adventitious Rooting and Call Formation. *Plant Cell.* 26 (3): 845
- Hu X., & Xu L.. 2016. Transcription factors *WOX11/12* directly activate *WOX5/7* to promote root primordia initiation and organogenesis. *Plant Physiology*, 172(4), 2363–2373.
- Hu, X., and Xu, L. 2016. Transcription factors *WOX11/12* directly activate *WOX5/7* to promote root primordia initiation and organogenesis. *Plant Physiol.* 172, 2363–2373. doi: 10.1104/pp.16.01067
- Hyun JW, Chung HS. 2004. Cyanidin and Malvidin from *Oryza sativa* cv. Heugjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G(2)/M phase and induction of apoptosis. *J Agric Food Chem.* 2004 Apr 21; 52(8):2213-7
- Ikedai-Iwai Miho, Mikiyoshi Umehara, Shinobu Satoh, Hiroshi Kamada. 2003. Stress-induced Somatic Embryogenesis in Vegetative Tissues of *Arabidopsis thaliana*. *The Plant Journal.* 34: 107-114

- Ikeuchi, M., K. Sugimoto, and A. Iwase. 2013. Plant Callus: Mechanisms of Induction and Repression. *The Plant Cell*. 25: 3159–3173
- Indoliya, Y., P. Tiwari, A. S. Chauhan, R. Goel, M. Shri, S. K. Bag, and D. Chakrabarty. 2016. Decoding regulatory landscape of somatik embriogenesis reveals differential regulatory networks between japonica and indica rice subspecies. *Sci. Rep.* 6: 1-15
- Indrasari, Siti Dewi, Prihadi Wibowo, E. Y. Purwani. 2010. Evaluasi Mutu Fisik, Mutu Gliling, dan Kandungan Antosianin Kultivar Beras Merah. *Jurnal penelitian Pertanian Tanaman Pangan* Vol. 29 No. 1
- Jeong S, Palmer TM, Lukowitz W.2011. The RWP-RK factor GROUNDED promotes embrionic polarity by facilitating YODA MAP kinase signaling. *Current Biology* 21, 1268–1276
- Jimenez, V. M. 2001. Regulation of *in vitro* somatic embryogenesis with emphasis on the role of endogenous hormones. *R. Bras. Fisiol. Veg.* 13(2):196-223
- Jimenez, V.M. & Bangerth, F. 2001. Endogenous hormone concentrations and embryogenic callus development in wheat.. *Plant Cell, Tissue and Organ Culture*. 67:37-46
- Kamada H, Ishikawa K, Saga H & Harada H. 1993. Induction of somatic embryogenesis in carrot by osmotic stress. *Plant Tiss. Cult. Lett.* 10: 38–44
- Kamada H, Kobayashi K, Kiyosue T & Harada H. 1989. Stress induced somatic embryogenesis in carrot and its application to synthetic seed production. *In Vitro Cell Dev. Biol.* 25: 1163–116
- Kamei H, Kojima T, Hasegawa M, Koide T, Umeda T, Yukawa T, Terabe K. 1995. Suppression of tumor cell growth by anthocyanins in vitro. *Cancer Invest.* 1995; 13(6):590-4
- Kang Hong-Gu, Fang Y., Singh K. B. 1999. A glucocorticoid-inducible transcription system causes severe growth defects in Arabidopsis and induces defense-related genes. *The Plant Journal*. 20 (1): 127-33
- Karami, Omid, Behzad Aghavaisi, & Aghil Mahmoudi Pour. 2009. Molecular aspects of somatik-to-embriogenic transition in plants. *J Chem Biol* 2: 177-190
- Kiyosue T, Takano K, Kamada H & Harada H. 1990. Induction of somatic embryogenesis in carrot by heavy metal ions. *Can. J. Bot.* 68: 2301
- Kristamtini dan H. Purwaningsih. 2009. Kandungan Beras Merah dan Beras Hitam Lokal Yogyakarta. *Seminar Nasional Padi*. hal. 1011-1018
- Kristamtini, Taryono, P. Basunanda, R. H. Murti, dan Supriyanta. 2012. Morphological of Genetic Relationships Among Black Rice Landraces From Yogyakarta and Surrounding Areas. *ARNP Journal of Agricultural and Biological Science*. (7)12: 982-989
- Kristamtini, Taryono, Panjisakti Basunanda, & Rudi Hari Murti. 2014. Keragaman Genetik dan Korelasi Parameter Warna Beras dan Kandungan Antosianin Total Sebelas Kultivar Padi Beras Hitam Lokal. *Ilmu Pertanian* Vol. 17 No. 1: 90-103
- Kurczynska, Ewa U., Izabela Potocka, Izabela Dobrowolska, Katarzyna Kulinska-Lukaszek, Katarzyna Sala & Justyna Wrobel. 2012. Cellular Markers for Somatic Embryogenesis, Embryogenesis, Dr. Ken-Ichi Sato (Ed.). *InTech*

Open. ISBN: 978-953-51-0466-7

- Kuswaha, U. K. S. 2016. Black Rice: Research, History, and Development. *Springer International Publishing*. Switzerland. p. 21-2
- Ling, W. H., L. L. Wang, and J. Ma. 2002. Supplementation of the Black Rice Outer Layer Fraction to Rabbits Decrease Atherosclerotic Plaque Formation and Increase Antioxidant Status. *The Journal of Nutrition*. **132**: 20-26
- Ling, W. H., Q. X.Cheng, J. Ma, and T. Wang. 2001. Red and Black Rice Decrease Atherosclerotic Plaque Formation and Increase Antioxidant Status In Rabbits. *The Journal of Nutrition*. **131**: 1421-1426
- Liu, J., Sheng, L., Xu, Y., Li, J., Yang, Z., Huang, H.. 2014. WOX11 and 12 are involved in the first-step cell fate transition during de novo root organogenesis in Arabidopsis. *Plant Cell* 26, 1081–1093. doi: 10.1105/tpc.114.122887
- Livak KJ, Schmittgen TD. 2001. Analysis of relative gene expression data using real time quantitative PCR and the 2⁻ $\Delta\Delta$ CT method. *Methods* 25 : 402-408
- Lotan T, Ohto M, Yee KM.1998. Arabidopsis LEAFY COTYLEDON1 is sufficient to induce embryo development in vegetative cells. *Cell* 93, 1195–1205.
- Mangeon A., Junqueira R. M., Sachetto-Martins G. 2010. Functional diversity of the plant glycine-rich proteins superfamily. *Plant Signal. Behav.* 5 99–104. 10.4161/psb.5.2.10336
- Mariani, T. S., H. Miyake, and Y. Takeoka. 1998. Changes in Surface Structure during Direct Somatic Embryogenesis in Rice Scutellum Observed by Scanning Electron Microscopy. *Plant. Prod. Sci.* 1(3): 223-231
- Mariani, Totik Sri, Hiroshi Miyake, & Yoji Takeoka. 2015. Changes in Surface Structure during Direct Somatic Embryogenesis in Rice Scutellum Observed by Scanning Electron Microscopy. *Plant Production Science* ISSN: 1343-943X (Print) 1349-1008 (Online)
- Miquel, Martine, Ghassen Trigui, Sabine Andr ea, Zsolt Kelemen, S bastien Baud, Adeline Berger, Carine Deruyffelaere, Alain Trubuil, Lo c Lepiniec, and Bertrand Dubreucq. 2014. Specialization of Oleosins in Oil Body Dynamics during Seed Development in Arabidopsis Seeds. *Plant Physiology*. Vol. 164, pp. 1866–1878,
- Mursyanti, Exsyupransia, Aziz Purwantoro, Sukarti Moeljopawiro, & Endang Semiarti. 2015. Induction of Somatic Embryogenesis through Overexpression of AtRKD4 Genes in Phalaenopsis “Sogo Vivien” *I. J. Biotech.* 20(1): 42-53
- Nick, P. and Z. Opatrny. 2014. Applied Plant Cell Biology Cellular Tools and Approaches for Plant Biotechnology. *Springer-Verlag Berlin Heidelberg*. p. 11-25, 138, 152
- Nonogaki Hiroyuki. 2014. Seed dormancy and germination-emerging mechanisms and new hypotheses. *Frontiers in Plant Science*. 5: 233
- Nonogaki, Hiroyuki, George W. Bassel, J. Derek Bewley. 2010. Germination—Still a mystery. *Plant Science* 179, 574–581
- Ouwerkerk P. B., de Kamp R. J., Hoge J. H., Meijer A. H., 2001. Glucocorticoid-inducible gene expression in rice. *Planta*. 213 (3): 370-7
- Pagnussat, Luciana A, Natalia Oyarburo, Carlos Cimmino, Marcela L Pinedo, &

- Laura de la Canal. 2015. On the role of a Lipid-Transfer Protein. Arabidopsis ltp3 mutant is compromised in germination and seedling growth. *Plant Signaling & Behavior* 10:12 e1105417
- Pardal, Saptowo J.. 2010. Menguji Ekspresi Gen Menggunakan *Real-Time PCR*. *Warta Penelitian dan Pengembangan Pertanian* Vol 32 Nomor 6
- Pawłowski.P., Somers.A. (1996). Transgene Inheritance In Plants Genetically engineered by microprojectile bombardment. *Mol. Biotechnol.* 6(1): 17-30.
- Philpott M., Gould K.S., Lim C, Ferguson LR. 2004. In situ and in vitro antioxidant activity of sweetpotato anthocyanins. *J Agric Food Chem.* 24; 52(6):1511-3.
- Pratiwi R., Purwestri, Y.A., Tunjung, W.A., 2014. *Efek Diet Pelet Nasi dari Padi (Oryza sativa L.) "Cempo Ireng", "Cempo Abang", dan "IR-64" terhadap Profil Lipid Serum Darah Tikus Putih (Rattus norvegicus Berkenhout, 1769) Hiperlipidemia.* 2014. Buku Program Seminar dan Workshop *Annual scientific Meeting* Pokja Nutrigenomik, Fakultas Kedokteran UGM, Yogyakarta.hal 29 (prosiding in press)
- Purwestri, Y. A., R. D. K. Sari, L. N. Anggraeni, and A. B. Sasongko.. 2015. Agrobacterium tumefaciens Mediated Transformation of rolC::Hd3a-GFP in Black Rice (*Oryza sativa* L. cv. Cempo Ireng) to Promote Early Flowering. *Procedia Chemistry* 14 (2015) 469 – 473
- Radoeva, T. and D. Weijers. 2014. A roadmap to embryo identity in plants. *Trends in Plant Sci.* 19(11): 709-717
- Rahmawati, S. 2006. Status Perkembangan Perbaikan Sifat Genetik Padi Menggunakan Transformasi Agrobacterium. *Jurnal AgroBiogen* 2(1):36-44
- Rövekamp M, Bowman JL, Grossniklaus U. 2016. Marchantia MpRKD Regulates the Gametophyte-Sporophyte Transition by Keeping Egg Cells Quiescent in the Absence of Fertilization. *Curr Biol.* 26(13):1782-1789.
- Ruzin, S.E.. 1999. Plant Micro Technique and Microscopy. Oxford University Press, Inc., Oxford
- Ryu S. N., S. Z. Park and C.T. Ho. 1998. High Performances Liquid Chromatographic Determination of Anthocyanin Pigments in Some varieties of Black Rice. *Journal of food and Drug Analysis.* 6: 1710-1715.
- Satue-Gracia M, Heinonen IM, Frankel EN. 1997. Anthocyanins as antioxidants on human low-density lipoprotein and lecithin-liposome system. *J Agric Food Chem.* 45:3362–3367
- Sheng, L., Hu, X., Du, Y., Zhang, G., Huang, H., Scheres, B., Xu, L. 2017. Non-canonical WOX11-mediated root branching contributes to plasticity in Arabidopsis root system architecture. *Development.* doi: 10.1242/dev.152132.[Epub ahead of print].
- Smertenko, A. and P. V. Bozhkov. 2014., Somatik embriogenesis: life and death processes during apical–basal patterning. *J. Exp. Bot.* 65(5): 1343–1360
- Stone SL, Kwong LW, Yee KM, Pelletier J, Lepiniec L, Fischer RL, Goldberg RB, Harada JJ.2001. LEAFY COTYLEDON2 encodes a B3 domain transcription factor that incudes embrio development. *Proceedings of the National Academy of Sciences, USA* 98, 11806–11811.
- Su, Ying Hua, Yu Bo Liu, Bo Bai, and Xian Sheng Zhang. 2015. “Establishment of Embryonic Shoot – Root Axis Is Involved in Auxin and Cytokinin Response

- during Arabidopsis Somatik Embriogenesis.” 5(January): 1–9.
- Suardi D. dan I. Ridwan 2009. Beras Hitam, Pangan Berkhasiat yang Belum Populer. *Warta Penelitian dan Pengembangan Pertanian* 31(2): 9-10.
- Sudarmaji, R. Kaliky, Gunawan, S. Rustijarno, dan S. B. Lestari. 2013. 100 Inovasi Teknologi Pertanian Spesifik Lokasi Daerah Istimewa Yogyakarta. IAARD Press. Jakarta. p. 4, 13
- Sugimoto K., Jiao Y., & Meyerowitz E. M.. 2010. *Arabidopsis* regeneration from multiple tissues occurs via a root development pathway. *Developmental Cell*, 18(3), 463–471
- Touraev A., Oscar Vicente, Erwin Friedrich Heberle-Bors. (1997) Initiation of microspore embriogenesis by stress. *Trends Plant Sci.* 2, 297–302
- Tsuda T, Horio F, Osawa T. 2002. Cyanidin 3-O-beta-D-glucoside suppresses nitric oxide production during a zymosan treatment in rats. *J Nutr Sci Vitaminol (Tokyo)*. 2002 Aug; 48(4):305-10
- Vega, Rafael, Nelly Vasquez, Ana M. Espinoza, Andres M. Gatica, & Marta Valdez-Melara. 2009. Histology of somatik embriogenesis in rice (*Oryza sativa* cv 5272). *Rev. Biol. Trop. (Int. J. Trop. Biol. ISSN-0034-7744)* Vol. 57 (Suppl. 1): 141-150
- Waki, Takamitsu, Takeshi Hiki, Ryouhei Watanabe, Takashi Hashimoto, Keiji Nakajima. 2011. The Arabidopsis RWP-RK Protein RKD4 Triggers Gene Expression and Paattern Formation in Early Embriogenesis. *Current Biology* 21, 1277–1281
- Wibowo, Anjar , Claude Baker, Julius Durr, Jonathan Price, Stijn Spaepen, Sally Hilton, Hadi Putra, Ranjith Papareddy, Quentin Saintain, Sarah Harvei, Garry D Bending, Paul S-Lefert, Detlef Wigel, Jose Gutierrez-Marcos. 2018. Incomplete reprogramming of cell-specific epigenetic marks during asexual reproduction leads to heritable phenotypic variation in plants. *Online*. www.bioarxiv.org
- Yeung, E.C. and Clutter, M.E. 1979. Embriogeny of Phaseolus coccineus: the ultrastructure and development of the suspensor. *Can. J. Bot.* 57, 120–136
- Z. Yin, Wojciech Plader, Stefan Malepszy. 2004. Transgene Inheritance in Plant. *J. Appl. Genet.* 54 (2)
- Zeng, Yan-Hua Zahng Yu-Ping, Xiang Jing, Wu Hui, Chen Hui-Zhe, Zhang Yi-Kai, Zhu De-Feng. 2016. “Effects of Chilling Tolerance Induced by Spermidine Pretreatment on Antioxidative Activity , Endogenous Hormones and Ultrastructure of Indica-Japonica Hybrid Rice Seedlings.” *Journal of Integrative Agriculture* 15(2): 295–308. [http://dx.doi.org/10.1016/S2095-3119\(15\)61051-6](http://dx.doi.org/10.1016/S2095-3119(15)61051-6).
- Zhao C, Giusti MM, Malik M, Moyer MP, Magnuson BA. 2004. Effects of commercial anthocyanin-rich extracts on colonic cancer and nontumorigenic colonic cell growth. *J Agric Food Chem.* 2004 Oct 6; 52(20):6122-8
- Zhao Peng, Kevin Begcy, Thomas Dresselhaus, Meng-Xiang Sun. 2017. Does Early Embryogenesis in Eudicots and Monocots Involve the Same Mechanism and Molecular Players?. *Plant Physiology*. Vol. 173, pp. 130-142

Zuo JR, Niu QW, Frugis G, Chua NH.2002. The WUSCHEL gene promotes vegetative-to-embryonic transition in Arabidopsis. *The Plant Journal* 30, 49–359