

DAFTAR PUSTAKA

- Abdennadher, A., Francisco, R., Mohamed, S. R., Xavier, R., Lluís, J., dan Carolina, S., 2011. Little Egret (*Egretta garzetta*) as a bioindicator of trace element pollution in Tunisian aquatic ecosystems. *Environmental Monitoring and Assessment*. 175:677–684.
- Ackerman, J. T., Collin, A. E., John, Y.T., Jill, D.B., dan Terrence, L. A. 2008. Mercury concentrations in blood and feathers of prebreeding Forster's terns in relation to space use of San Francisco Bay, California, USA, habitats. *Environmental toxicology and chemistry*. 27:897-908.
- Amanda, D. D., 2016. Akumulasi merkuri di Danau Lebo, Kabupaten Sumbawa Barat, Nusa Tenggara Barat. Yogyakarta. *Tesis*. Universitas Gadjah Mada.
- Arnot, A. J., dan Gobas, F. A., 2003. A Generic QSAR for Assessing the Bioaccumulation Potential of Organic Chemicals in Aquatic Food Webs. *QSAR Comb. Sci.* 22 : 337-345.
- Aschner, M dan Judy L. A., 1990. Mercury Neurotoxicity: Mechanisms of Blood-Brain Barrier Transport. *Neuroscience & Biobehavioral Reviews*. 14:169-176.
- Barkay, T., 1992. *Mercury Cycle, Encyclopedia of Microbiology*. Academic Press. Inc. London.
- Barus, T. A., 2004. *Pengantar Limnologi Studi Tentang Ekosistem Air Daratan*. Medan: USU Press.
- Becker, P.H dan Dittmann, T., 2009. *Contaminants in bird eggs*. Thematic Report No. 5.2.
- Berglund, A. M. M., 2018. Evaluating blood and excrement as bioindicators for metal accumulation in birds. *Environmental Pollution*. 233:1198-1206.
- Botcher, P., Caurant, F., Miramand, P., Cherel, Y., dan Bustamante, P., 2003. Influence of the diet on the bioaccumulation of heavy metals in zooplankton-eating petrels at Kerguelen archipelago, Southern Indian Ocean. *Polar Biology*. 26; 759-767.
- Bonanno, G. R., dan Lo Giudice, R., 2010. Heavy metal bioaccumulation by the organs of *Phragmites australis* (common reed) and their potential use as contamination indicators. *Ecological Indicators*. 10:639–645.

- Bond, A. L., dan Antony, W. D., 2009. Mercury concentrations in seabird tissues from Machias Seal Island, New Brunswick, Canada. *Science of the Total Environment*. 407:4340–4347.
- Bostan, N., Muhammad, A., Abdul, S. M., dan Iftikhar, A., 2007. Diagnosis of heavy metal contamination in agro-ecology of Gujranwala, Pakistan using cattle egret. *Ecotoxicology*. 16:247–251.
- Braune, B. M., dan Gaskin, D. E., 1987. A mercury budget for the Bonaparte's Gull during autumn moult. *Scandinavian Journal of Ornithology*. 18:244–50.
- Burger, J., 1993. Metals in feathers of brown noddy (*anous stolidus*): Evidence for bioaccumulation or exposure levels?. *Environmental Monitoring and Assessment*. 24: 181-187.
- Calle, P., Omar, A., Lorena, M., Juan, M.C., Nastenka, C., dan Juan, J. A., 2015. Mercury accumulation in sediments and seabird feathers from the Antarctic Peninsula. *Marine pollution bulletin*. 91:410-417.
- Carravieri, A., Yves, C., Audrey, J., Carine, C., dan Paco, B., 2016. Penguins as bioindicators of mercury contamination in the southern Indian Ocean: geographical and temporal trends. *Environmental Pollution*. 213:195-205.
- Connel dan Miller, 2006. *Kimia dan Etoksikologi Pencemaran*. UI Press. Jakarta.
- Dantje T. Sembel, 2015. *Toksikologi lingkungan*. Penerbit Andi. Yogyakarta.
- Darmono, 2010. *Lingkungan Hidup dan Pencemaran (Hubungannya dengan Toksikologi Senyawa Logam)*. Universitas Indonesia Press. Jakarta.
- Dauwe, T, Ellen, J., Lieven, B., Ronny, B., dan Marcel, E., 2004. Relationships between metal concentrations in great tit nestlings and their environment and food. *Environmental Pollution*. 131:373-380.
- Dauwe, T., Bervoets, L., Blust, R., Pinxten, R., dan Eens, M., 2000. Can excrements and feathers of nestling songbirds be used as a biomonitor for heavy metal pollution? Archives of *Environmental Contamination and Toxicology*. 39: 541-546.

- David, P. K., 2000. Aquatic Cycling of Mercury in the Everglades (ACME). https://sofia.usgs.gov/geer/2000/posters/merc_cycle/, diakses pada 10 Agustus 2017.
- Del Hoyo, J., Collar, N. J., Christie, D.A., Elliott, A. dan Fishpool, L.D.C., 2014. *HBW and BirdLife International Illustrated Checklist of the Birds of the World*. Volume 1: Non-passerines. Lynx Edicions BirdLife International, Barcelona, Spain and Cambridge, UK.
- Dmytriw, R., Mucci, A., Lucotte, M., dan Pichet, P., 1995. The partitioning of mercury in the solid components of dry and flooded forest soils and sediments from a hydroelectric reservoir, Quebec (Canada). *Water Air Soil Pollution*. 80:1099-1103.
- Doni, S. 2008. Struktur komunitas Makrozoobenthos sebagai Bioindikator Kualitas lingkungan Perairan Hilir Sungai Musi. *Tesis*. IPB.
- Espin, S., Emma, M. L., Pilar, G. R., Pedro, M. M., Antonio, J., dan Garcia, F., 2012. Razorbills (*Alca todra*) as bioindicators of mercury pollution in the southwestern Mediterranean. *Marine Pollution Bulletin*. 64:2461-2470.
- Evers, D. C., Neil, M. B., Louise, C., Bart, H., Andrew, M., Wing, M., Robert, J. T., Robert, P., dan Theresa, D., 2005. Patterns and Interpretation of Mercury Exposure in Freshwater Avian Communities in Northeastern North America. *Ecotoxicology*. 14, 193–221.
- Farina, M., João. B.T. R, and Michael A., 2011. Mechanisms of methylmercury-induced neurotoxicity: Evidence from experimental studies. *Life Sciences*. 89: 555–563.
- Fisher, N. S. 2002. *Executif Summary”CIESM Workhsop Monogfraph” 19, CIESM Workshop Monographs Metal and Radionuclides Bioaccumulation in Marine Organism*, Monaco. Hal: 7-25.
- Frederick, P. C., Marilyn, G. S., dan Robert D., 2002. Wading birds as bioindicators of mercury contamination in florida, usa: annual and geographic variation. *Environmental toxicology and chemistry* 21:163–167.
- Furness, R. W. dan Camphuysen, C. J. 1997. Seabirds as monitors of the marine environment. – *ICES Journal of Marine Science*. 54: 726–737.

- Furness, R.W., 1993. Birds as monitors of pollutants. dalam; Furness, R. W., Greenwood, J.J.D. (Eds), *Birds as Monitors of Environmental Change*. Chapman & Hall, London, UK. Pp. 86-143.
- Gamal-Eldein, A. A. M., dan Lamiaa, M., 2012. Resident wild birds as bio-indicator for some heavy metals pollution in Lake Manzala. *Suez Canal Veterinary Medical Journal*. 12: 109-121.
- Gobas, F. A. P. C., dan Morrison, H. A., 2000. Bioconcentration and bioaccumulation in the aquatic environment. In: Boethling, R., Mackay, D. (Eds.), *Handbook of Property Estimation Methods for Chemicals: Environmental and Health Sciences*. CRC Press LLC, Boca Raton, FL, USA, pp. 189–231.
- Goodale, M.W., Evers, D.C., Mierzykowski. S.E., Bond, A.L., Burgess, N.M., Otorowski, C.I., Welch, L.J., Hall, C. S., Ellis, J. C., Allen, R.B., Diamond, A. W., Kress, S.W., dan Taylor, R.J., 2008. Marine Foraging Birds As Bioindicators of Mercury in the Gulf of Maine. *EcoHealth*, 5: 409-425.
- Goede, A. A., dan De Bruin, M., 1984. The use of bird feather parts as a monitor for metal pollution. *Environment Pollutan*. 8:281–98.
- Goldman, C.R dan A.J. Horne, 1983. *Limnology*. Mac Graw Hill Int. Book Company. Tokyo. 464 hlm.Group, Wilhelmshaven, Germany.
- Hammond, P. B. dan Beliles, R. P., 1980. *Metals*. In: *Toxicology, the basic science of poisons*. Second edition. Macmillan Publishing Co. Inc. New York.
- Hahn, E., Karin, H., dan Markus, S., 1993. Bird feathers as bioindicators in areas of the German Environmental Specimen Bank- bioaccumulation of mercury in food chains and exogenous deposition of atmospheric pollution with lead and cadmium. *The Science of the Total Environment*.139:259-270.
- Holmes, D., dan Stephen N., 1999. *Burung-Burung di Jawa dan Bali*. Puslitbang Biologi-LIPI. Bogor.
- Holt, E. A. dan Miller, S. W., 2010. Bioindicators: Using Organisms to Measure Environmental Impacts. *Nature Education Knowledge*. 3:8-15.
- Jardine, T. D., Karen, A. K., Richard, A. C., dan Paul, A. A., 2009. Factors affecting water strider (hemiptera: Gerridae) mercury concentrations in lotic systems. *Environmental toxicology and chemistry*. 28:1480–1492.

- Jardine, T. D., Tom, A. A., Kerry, T.B. M., Charles, D. R., Paul, A. A., Antu, M., dan Richard, A. C., 2004. Water striders (family Gerridae): mercury sentinels in small freshwater ecosystems. *Environmental Pollution*. 134: 165-171.
- Kahle S., dan Becker P.H., 1999. Bird blood as bioindicator for mercury in the environment. *Chemosphere*. 39: 2451-2457.
- Kojadinovic, J., Paco, B., Carine, C., Richard, P. C., dan Matthiew, L. C., 2007. Mercury in seabird feathers: Insight on dietary habits and evidence for exposure levels in the Western Indian Ocean. *Science of the total environment* 384:194-204.
- Lewis dan Furness, 1991. Mercury accumulation and excretion in laboratory reared black-headed gull *Larus ridibundus* chicks. *Archives of Environmental Contamination and Toxicology*. 21: 316-320.
- Llabjani, V., Malik, R. N., Trevisan, J., Hoti, V., Ukpebor, J., Shinwari, Z.K., Moeckel, C., Jones, K.C., Shore, R.F., dan Martin, F.L., 2012. Alterations in the infrared spectral signature of avian feathers reflect potential chemical exposure: a pilot study comparing two sites in Pakistan. *Environmental International*. 48: 39-46.
- M.E. Conti dan Cecchetti G., 2001. Biological monitoring: Lichens as bioindicators of air pollution assesment.-a review. *Enviromental pollution*. 114: 471-492.
- MacKinnon J., Karen P., dan Bas Van Balen, 1992. *Burung burung di Sumatera, Jawa, Bali dan Kalimantan*. Jakarta: Puslitbang Biologi-LIPI.
- Majidi, Y., Nader, B., dan Seyed, M. G., 2015. Pattern of mercury accumulation in different tissues of migratory and resident birds: Western reef heron (*Egretta gularis*) and Siberian gull (*Larus heuglini*) in Hara International Wetland—Persian Gulf. *Environmen Monitoring Assessment*. 187:40-82.
- Malczyk, E. A., dan Brian, A. B., 2015. Mercury in sediment, water, and fish in a managed tropical wetland-lake ecosystem. *Science of the total environment*. 524-525:260-268.
- Malik, R.N., dan Zeb, N.. 2009. Assessment of environmental contamination using feathers of *Bubulcus ibis* L. as a biomonitor of heavy metal pollution, Pakistan. *Ecotoxicology*. 18:522-36.

- Markert, B., Wappelhorst, O., Weckert, V., Herpin, U., Siewers, U. dan Friese, K., 1999. The use of bioindicators for monitoring the heavy-metal status of the environment. *Journal of Radioanalytical Nuclear Chemistry*. 240: 425-429.
- Martínez-Vilalta, A., Motis, A. dan Kirwan, G.M., 2017. *Javan Pond-heron (Ardeola speciosa)*. In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. & de Juana, E. (eds.). *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. <http://www.hbw.com/node/52701> diakses pada 2 August 2017.
- McGeoch, M. 1998. The Selection, Testing And Application Of Terrestrial Insects As Bioindicators. *Biological Reviews*. 73: 181-201.
- Monteiro, L. R. dan Furness, R. W. 1995. Seabirds as monitors of mercury in the marine environment. *Water, Air and Soil Pollution*. 80: 851–870.
- Monteiro, L. R., Granadeiro, J. P., Furness, R. W., dan Oliveira, P., 1999. Contemporary patterns of mercury contamination in the Portuguese Atlantic inferred from mercury concentrations in seabird tissues. *Marine Environmental Research*. 47:137–56.
- Mothersill, C dan Seymour C, 2016. *Genomic Instability and the Spectrum of Response to Low Radiation Doses*. Academic Press.
- Newman, M. C., 2008. *Ecotoxicology*. Boca Raton: CRC Press. No. 25. CommonWadden Sea Secretariat, Trilateral Monitoring and Assessment.
- Nybakken, J. W., 1992. *Biologi Laut Suatu Pendekatan Biologis*. PT Gramedia. Jakarta.
- Otero, X. L., dan Fernandes S. M. J., 2000. Mercury in faeces and feathers of yellow-legged gulls (*Larus cachinnans Pallas*) and in soils from their breeding sites in the Cies Islands (NW Spain) in the vicinity of a chlor-alkali plant. *Fresenius Environmental Bulletin*. 9: 056-063.
- Parmar T., K., Rawtani D., dan Agrawal Y. K., 2016. Bioindicators: the natural indicator of environmental pollution. *Frontiers in life science*. 9 : 110-118.
- Poissant, L., Cristopher, F., dan Aurelien, D., 2012. Mercury as a Global Pollutant. *De Physique IV*.
- Pereira, M. G., dan Richard, F. S., 2009. Long-term trends in mercury and PCB congener concentrations in gannet (*Morus bassanus*) eggs in Britain. *Environment Pollution*, 157: 155-163.

- Peter G.C., Campbell, P. G. C., Olivier E., Claude F., Veronique P., Hiriart-Baer., dan Bernard V., 2002. Metal bioavailability to phytoplankton—applicability of the biotic ligand model. *Comparative Biochemistry and Physiology Part C*. 133: 189-206.
- Ronald orenstein, 2014. *Berburu burung di daerah Sabah, Malaysia : kota belud*. <http://ronorenstein.blogspot.co.id/2015/11/sabah-kota-belud.html>. Dikases pada 2 agustus 2017.
- Saeki, K., Okabe, Y., Kim , E. Y., Tanabe, S., Fukuda, M., Tatsukawa, R., 2000. Mercury and cadmium in common cormorants (*Phalacrocorax carbo*). *Environmental Pollution*.108:249-255.
- Sellin, N. E, 2009. Global Biogeochemical Cycling of Mercury: A Review. *Annual Review of Environment and Resources* 34:43–63.
- Shagir, K. M., 2013. Javan pond heron-in flight. http://orientalbirdimages.org/search.php?Bird_ID=1091&Bird_Image_ID=98150. Diakses pada juli 2017.
- Smith, C. A. E., Joshua, T. A., Susan, E.W., John, Y., dan Takekawa, B., 2009. Mercury bioaccumulation and risk to three waterbird foraging guilds is influenced by foraging ecology and breeding stage. *Environmental Pollution*. 157:1993–2002.
- Stewart, F.M., Phillips, R.A., Catry, P, dan Furness, R.W., 1997. Influence of species, age and diet on mercury concentrations in shetland seabirds. *Marine Ecology Progress Series*. 151:237–44.
- Suprian, C., dan Indah R. S. S., 2011. Akumulasi merkuri (hg) pada ikan budidaya keramba jaring apung dan ikan liar di waduk jatiluhur accumulation of mercury (hg) in fish on cage aquaculture and wild fish at jatiluhur reservoir. *Jurnal Teknik Lingkungan*. 17: 68-76.
- Suseno, H. 2011. Bioakumulasi merkuri dan metil merkuri oleh *oreochromis mossambicus* menggunakan aplikasi peruntut radioaktif : pengaruh konsentrasi, salinitas, partikulat, ukuran ikan dan kontribusi jalur pakan. *Disertasi*. Universitas Indonesia.

- Sutarto Ratri Indri Hapsari. (2007). Kontaminasi Logam Berat pada Ikan Mas (*Cyprinus carpio*) Budidaya Jaring Apung di Waduk Cirata. Tugas Akhir Program Sarjana, Teknik Lingkungan FTSL ITB.
- Szkudlińska, M. M., Piotr, S., Piotr, K., dan Jacek, N., 2011. Biomagnification of mercury in trophic relation of Great Cormorant (*Phalacrocorax carbo*) and fish in the Vistula Lagoon, Poland. *Environmental Monitoring Assessment* 176:439–449.
- Wei wei Z.J., dan Zhang M. A., 2011. Waterbirds as bioindicators of wetland heavy metal pollution. *Procedia Environmental Sciences* . 10 : 2769 – 2774.
- Yin, X., Lijun, X., Liguang, S., Honghao, L., dan Yuhong, W., 2008. Animal excrement: A potential biomonitor of heavy metal contamination in the marine environment. *Science of the total environment*. 399: 179-185.
- Zamani-Ahmadmahmoodi, R., Esmaili-Sari, A., Savabieasfahani, M., Ghasempouri, S.M., dan Bahramifar, N., 2010. Mercury pollution in three species of waders from Shadegan wetlands at the head of the Persian Gulf. *Bull. Environmental Contamination Toxicology*. 84:326–330.
- Zhang, Z., Qichao, W., Dongmei, Z., Na Zheng, dan Xianguo, L., 2010. Mercury distribution and bioaccumulation up the soil-plant-grasshopper-spider food chain in Huludao City, China. *Journal of Environmental Sciences*. 22:1179–1183.
- Zolfaghari G., Abbas E. S., Seyed M. G., dan Bahram H. K., 2007. Examination of mercury concentration in the feathers of 18 species of birds in southwest Iran. *Environmental Research* 104 : 258–265.