



DAFTAR PUSTAKA

- Aditha, S.K., Kurdekar, A.D., Chunduri, L.A.A., Patnaik, S., and Kamiseti, V., 2016, Aqueous based reflux method for green synthesis of nanostructures: Application in CZTS synthesis, *MethodsX.*, 3, 35–42.
- Aifantis, K.E., Hackney, S.A., and Kumar, R.V., 2010, *High Energy Density Lithium Batteries*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Aklalouch, M., Manuel, J., Rojas, R.M., Saadoun, I., and María, J., 2008, Chromium doping as a new approach to improve the cycling performance at high temperature of 5 V LiNi_{0.5}Mn_{1.5}O₄ based positive electrode, *J. Power Sources.*, 185, 501–511.
- Altomare, a., Giacovazzo, C., Grazia, a., Moliterni, G., and Rizzi, R., 2004, Direct methods optimised for solving crystal structure by powder diffraction data: Limits, strategies, and prospects, *J. Res. Natl. Inst. Stand. Technol.*, 109, 125.
- Altomare, A., Camalli, M., Cuocci, C., Giacovazzo, C., Moliterni, A., and Rizzi, R., 2009, EXPO2009: Structure solution by powder data in direct and reciprocal space, *J. Appl. Crystallogr.*, 42, 1197–1202.
- Amarilla, J.M., Rojas, R.M., Pico, F., Pascual, L., Petrov, K., Kovacheva, D., et al., 2007, Nanosized LiM_yMn_{2-y}O₄ (M=Cr, Co and Ni) spinels synthesized by a sucrose-aided combustion method Structural characterization and electrochemical properties, *J. Power Sources.*, 174, 1212–1217.
- Armand, M. and Tarascon, J.-M., 2008, Building better batteries, *Nature.*, 451, 652–7.
- Arora, P., Popov, B., and White, R.E., 1998, Electrochemical Investigations of Cobalt-Doped LiMn₂O₄ as Cathode Material for Lithium-Ion Batteries, *J. Electrochem. Soc.*, 145, 807.
- Belharouak, I., 2012, *Lithium Ion Batteries-New Developments*, 1st ed., InTech, Belharouak.
- Brodd, R.J., Yoshio, M., and Kozawa, A., 2009, *Lithium-Ion Batteries*, 1st ed., Springer, New York.
- Chen, J., 2013a, A review of nanostructured lithium ion battery materials via low temperature synthesis, *Recent Pat. Nanotechnol.*, 7, 2–12.
- Chen, J., 2013b, Recent Progress in Advanced Materials for Lithium Ion Batteries, *Materials (Basel).*, 6, 156–183.
- Daniel, C. and Besenhard, O., 2011, *Handbook of Battery Materials*, 2nd ed., Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.



- David, W.I.F., Shankland, K., McCusker, L.B., and Baerlocher, C., 2006, *Structure determination from powder diffraction data*, 1st ed., OXFORD University Press, New York.
- Dimesso, L., Förster, C., Jaegermann, W., Khanderi, J.P., Tempel, H., Popp, a, et al., 2012, Developments in nanostructured LiMPO_4 (M = Fe, Co, Ni, Mn) composites based on three dimensional carbon architecture, *Chem. Soc. Rev.*, 41, 5068–80.
- Dong, Z., Huang, Y., Jia, D., and Guo, Z., 2010, Preparation and performance comparison of $\text{LiMn}_2\text{O}_{3.95}\text{Br}_{0.05}$ and $\text{LiMn}_2\text{O}_{3.95}\text{Br}_{0.05}/\text{SiO}_2$ cathode materials for lithium-ion battery, *J. Solid State Electrochem.*, 15, 725–730.
- Dxphu, L.W., Lq, W., Dqg, O., and Frpphufldoo, L.Q., 2007, XRD and impedance spectroscopy study of phase transitions in nanocrystalline Li-Mn, *Funct. Mater.*, 14, 468–474.
- Fahlman, B.D., 2011, *Materials Chemistry*, 2nd ed., Fahlman, B.D., Springer, Mount Pleasant.
- Fergus, J.W., 2010, Recent developments in cathode materials for lithium ion batteries, *J. Power Sources.*, 195, 939–954.
- Fleischer., M., Richmond, W.E., and Evans, H.T., 1962, Studies of the manganese oxides. V. Ramsdellite, MnO_2 , an orthorhombic dimorph of pyrolusite, *Am. Mineral.*, 47, 47–58.
- Gaddy, J., Lamsal, J., Petrovic, M., Montfroofij, W., Schmetts, A., and Vojta, T., 2009, Magnetic ordering in the spinel compound $\text{Li}[\text{Mn}_{2-x}\text{Li}_x]\text{O}_4$ ($x=0,04$), *J. Appl. Phys.*, 105, 07D532.
- Gnanaraj, J.S., Pol, V.G., Gedanken, A., and Aurbach, D., 2003, Improving the high-temperature performance of LiMn_2O_4 spinel electrodes by coating the active mass with MgO via a sonochemical method, *Electrochem. commun.*, 5, 940–945.
- Goriparti, S., Miele, E., De Angelis, F., Di Fabrizio, E., Proietti Zaccaria, R., and Capiglia, C., 2014, Review on recent progress of nanostructured anode materials for Li-ion batteries, *J. Power Sources.*, 257.
- Gu, X., Li, X., Xu, L., and Xu, H., 2012, Synthesis of spinel $\text{LiNi}_x\text{Mn}_{2-x}\text{O}_4$ ($x= 0, 0,1, 0,16$) and their high rate charge-discharge performances, *Int. J. Electrochem. Sci.*, 7, 2504–2512.
- Guo, H.J., Li, Q.H., Li, X.H., Wang, Z.X., and Peng, W.J., 2011, Novel synthesis of LiMn_2O_4 with large tap density by oxidation of manganese powder, *Energy Convers. Manag.*, 52.



- Hammond, J.L., Formisano, N., Estrela, P., Carrara, S., and Tkac, J., 2016, Electrochemical biosensors and nanobiosensors, *Essays Biochem.*, 60, 69–80.
- He, W., Zhang, Y., Zhang, X., Wang, H., and Yan, H., 2003, Low temperature preparation of nanocrystalline Mn₂O₃ via ethanol-thermal reduction of MnO₂, *J. Cryst. Growth.*, 252, 285–288.
- Hu, M., Pang, X., and Zhou, Z., 2013, Recent progress in high-voltage lithium ion batteries, *J. Power Sources.*, 237, 229–242.
- Hwang, J.T., Park, S. Bin, Park, C.K., and Jang, H., 2011, The Sintering Temperature Effect on Electrochemical Properties of LiMn₂O₄, *Bull. Korean Chem Soc.*, 32, 3952–3958.
- Julien, C.M. and Massot, M., 2003, Lattice vibrations of materials for lithium rechargeable batteries I . Lithium manganese oxide spinel, *Mater. Sci. Eng.*, 97, 217–230.
- Kanevskii, L.S. and Dubasova, V.S., 2005, Degradation of Lithium-Ion batteries and how to fight it: A review. *Russ, J. Electrochem.*, 41, 1–16.
- Kim, D.K., Muralidharan, P., Lee, H.-W., Ruffo, R., Yang, Y., Chan, C.K., et al., 2008, Spinel LiMn₂O₄ nanorods as lithium ion battery cathodes, *Nano Lett.*, 8, 3948–52.
- Kim, H. and Popov, B.N., 2003, Synthesis and Characterization of MnO₂-Based Mixed Oxides as Supercapacitors, *J. Electrochem. Soc.*, 150, D56.
- Kumar, V.G., Gnanara, J.S., David, S. Ben, Pi, D.M., E, E.R.H. Van, Gedanken, A., and A, D., 2003, An Aqueous Reduction Method to Synthesize Spinel LiMn₂O₄ Nanoparticles as a Cathode Material for Rechargeable Lithium-Ion Batteries, *Chem. Mater.*, 15.22, 4211–4216.
- Lee, H.-W., Muralidharan, P., Ruffo, R., Mari, C.M., Cui, Y., and Kim, D.K., 2010, Ultrathin spinel LiMn₂O₄ nanowires as high power cathode materials for Li-ion batteries, *Nano Lett.*, 10, 3852–3856.
- Lee, M.-J., Lee, S., Oh, P., Kim, Y., and Cho, J., 2014, High Performance LiMn₂O₄ Cathode Materials Grown with Epitaxial Layered Nanostructure for Li-Ion Batteries, *Nano Lett.*, 14, 993–999.
- Li, X., Xu, Y., and Wang, C., 2009, Novel approach to preparation of LiMn₂O₄ core/LiNi_xMn_{2-x}O₄ shell composite, *Appl. Surf. Sci.*, 255, 5651–5655.
- Liu, J., Chen, H., Xie, J., Sun, Z., Wu, N., and Wu, B., 2014, Electrochemical performance studies of Li-rich cathode materials with different primary particle sizes, *J. Power Sources.*, 251, 208–214.
- Liu, Q., Wang, S., Tan, H., Yang, Z., and Zeng, J., 2013, Preparation and Doping



Mode of Doped LiMn₂O₄ for Li-Ion Batteries, *Energies.*, 6, 1718–1730.

- Luo, J.Y., Xiong, H.M., and Xia, Y.Y., 2008, LiMn₂O₄ nanorods, nanothorn microspheres, and hollow nanospheres as enhanced cathode materials of lithium ion battery, *J. Phys. Chem. C.*, 112, 12051–12057.
- Mao, J., Ma, M., Liu, P., Hu, J., Shao, G., and Battaglia, V., 2016, The effect of cobalt doping on the morphology and electrochemical, *Solid State Ionics.*, 292, 70–74.
- McArdle, P., 2017, Oscale, a program package for small-molecule single-crystal crystallography with crystal morphology prediction and molecular modelling, *J. Appl. Crystallogr.*, 50, 320–326.
- Momchilov, A. and Manev, V., 1993, Rechargeable lithium battery with spinel-related MnO₂, II Optimization of the LiMn₂O₄ synthesis conditions, *J. Power Sources.*, 41, 305–314.
- Park, H., Kim, J., and Lee, C., 2001, Synthesis of LiMn₂O₄ powder by auto-ignited combustion of poly (acrylic acid)-metal nitrate precursor, *J. Power Sources.*, 92, 124–130.
- Park, K., Yeon, D., Hwa, J., Park, J., Doo, S., and Choi, B., 2017, Spinel-embedded lithium-rich oxide composites for Li-ion batteries, *J. Power Sources.*, 360, 453–459.
- Parvathy, S., Ranjusha, R., Sujith, K., Subramanian, K.R. V., Sivakumar, N., Nair, S. V., and Balakrishnan, A., 2012, Cycling Performance of Nanocrystalline LiMn₂O₄ Thin Films via Electrophoresis, *J. Nanomater.*, 2012, 1–6.
- Patil, A., Patil, V., Wook Shin, D., Choi, J.-W., Paik, D.-S., and Yoon, S.-J., 2008, Issue and challenges facing rechargeable thin film lithium batteries, *Mater. Res. Bull.*, 43, 1913–1942.
- Peng, C., Bai, H., Xiang, M., Su, C., Liu, G., and Guo, J., 2014, Effect of calcination temperature on the electrochemical properties of spinel LiMn₂O₄ prepared by solid-state combustion synthesis, *Int. J. Electrochem. Sci.*, 9, 1791–1798.
- Post, J.E., 1999, Manganese oxide minerals: crystal structures and economic and environmental significance, *Proc. Natl. Acad. Sci. U. S. A.*, 96, 3447–54.
- Praasb, H., 1996, Influence of processing on the Li:Mn ratio in spinel phases of the system Li_{1+x}Mn_{2-x}O_{4-δ}, *Solid State Ionics.*, 2738, 221–231.
- Purwaningsih, D., Sutrisno, H., and Lestari, D.Y., 2014, Effects Of Calcination Temperatures On Synthesis Of LiMn₂O₄ By Polymer Matrix-Based Alkaline Deposition Method, *Proceeding Int. Conf. Res. Implement. Educ. Math. Sci.*, 18-20 May 2014, 35–41, Yogyakarta.



- Ramana, C. V., Massot, M., and Julien, C.M., 2005, XPS and Raman spectroscopic characterization of LiMn_2O_4 spinels, *Surf. Interface Anal.*, 37, 412–416.
- Rao, B.N., Muralidharan, P., Kumar, P.R., Venkateswarlu, M., and Satyanarayana, N., 2014, Fast and Facile Synthesis of LiMn_2O_4 Nanorods for Li Ion Battery by Microwave Assisted Hydrothermal and Solid State Reaction Methods, *Int. J. Electrochem. Sci.*, 9, 1207–1220.
- Rao, M.M., Jayalakshmi, M., Schaf, O., Wulff, H., Guth, U., and Scholz, F., 2001, Electrochemical behaviour of solid lithium cobaltate (LiCoO_2) and lithium manganate (LiMn_2O_4) in an aqueous electrolyte system, *J. Solid State Electrochem.*, 5, 50–56.
- Rissanene, K., Gavezzotti, A., Houk, K.N., Olivucci, M., and Theim, J., 2012, *Advanced X-Ray Crystallography*, Springer, Berlin.
- Ritchie, A. and Howard, W., 2006, Recent developments and likely advances in lithium-ion batteries, *J. Power Sources.*, 162, 809–812.
- Roisnel, T. and Rodríguez-Carvajal, J., 2001, WinPLOTR: a Windows tool for powder diffraction patterns analysis, *Mater. Sci. Forum.*, 378–381, 118–123.
- Rojas, R.M., Amarilla, J.M., Pascual, L., Rojo, J.M., Kovacheva, D., and Petrov, K., 2006, Combustion synthesis of nanocrystalline $\text{LiNi}_y\text{Co}_{1-2y}\text{Mn}_{1+y}\text{O}_4$ spinels for 5 V cathode materials Characterization and electrochemical properties, *J. Power Sources.*, 160, 529–535.
- Shannon, B.Y.R.D., H, M., Baur, N.H., Gibbs, O.H., Eu, M., and Cu, V., 1976, Revised Effective Ionic Radii and Systematic Studies of Interatomic Distances in Halides and Chalcogenides, *Acta Crystallogr.*, A32, 751.
- Shen, P., Huang, Y., Liu, L., Jia, D., and Guo, Z., 2005, Synthesis and electrochemical performance of $\text{LiCr}_x\text{Mn}_{2-x}\text{O}_4$ ($x=0,02,0,05,0,08,0,10$) powders by ultrasonic coprecipitation, *J. Solid State Electrochem.*, 10, 929–933.
- Song, M.-K., Park, S., Alamgir, F.M., Cho, J., and Liu, M., 2011, Nanostructured electrodes for lithium-ion and lithium-air batteries: the latest developments, challenges, and perspectives, *Mater. Sci. Eng. R Reports.*, 72, 203–252.
- Stephan, A.M., Renganathan, N.G., Gopukumar, S., Subramanian, V., and Bobba, R., 2004, Cycling behavior of $\text{LiNi}_x\text{Co}_y\text{Mn}_{2-x-y}\text{O}_4$ prepared by sol–gel route, *Solid State Ion.*, 175, 291–295.
- Subramanian, V., Zhu, H., and Wei, B., 2006, Nanostructured MnO_2 : Hydrothermal synthesis and electrochemical properties as a supercapacitor electrode material, *J. Power Sources.*, 159, 361–364.



- Sun, Y., Kim, D., Jin, S., Hyung, Y., Moon, S., and Park, D., 1998, Synthesis and cycling behavior of LiMn_2O_4 Cathode Materials Prepared by Glycine-assisted Sol-Gel Method for Lithium Secondary Batteries, *Korean J. Chem. Eng.*, 15, 64–70.
- Suryakala, K., Kalaignan, G.P., and Vasudevan, T., 2006, Synthesis and electrochemical improvement of nanocrystalline $\text{LiMn}_{2-x}\text{Mg}_x\text{O}_4$ powder using sol-gel method, *Int.J.Electrochem.Sci.*, 1, 372–378.
- Thackeray, M., Division, C.T., and Program, E.T., 1997, Manganese oxides for lithium batteries, *Prog.Solid St. Chem.*, 25, 3–4.
- Thackeray, M.M., 1999, Spinel Electrodes for Lithium Batteries, *J. Am. Ceram. Soc.*, 82, 3347–3354.
- Toby, B.H., 2012, R factors in Rietveld analysis: How good is good enough? *Powder Diffr.*, 21, 67–70.
- Wan, C., Nuli, Y., Zhuang, J., and Jiang, Z., 2002, Synthesis of spinel LiMn_2O_4 using direct solid state reaction, *Mater. Lett.*, 56, 357–363.
- Wang, D., Liu, L.-M., Zhao, S.-J., Li, B.-H., Liu, H., and Lang, X.-F., 2013, β - MnO_2 as a cathode material for lithium ion batteries from first principles calculations, *Phys. Chem. Chem. Phys.*, 15, 9075–9083.
- Wang, F.X., Xiao, S.Y., Shi, Y., Liu, L.L., Zhu, Y.S., Wu, Y.P., et al., 2013, Spinel $\text{LiNi}_x\text{Mn}_{2-x}\text{O}_4$ as cathode material for aqueous rechargeable lithium batteries, *Electrochim. Acta.*, 93, 301–306.
- West, A.R., 2014, *Solid State Chemistry*, 2nd Ed., Wiley, New York.
- Whittingham, M.S., 2004, Lithium batteries and cathode materials, *Chem. Rev.*, 104, 4271–4301.
- Will, G., 2006, *Powder diffraction: The rietveld method and the two stage method to determine and refine crystal structures from powder diffraction data*, Springer, Berlin
- Xiao, L., Guo, Y., Qu, D., Deng, B., Liu, H., and Tang, D., 2013, Influence of particle sizes and morphologies on the electrochemical performances of spinel LiMn_2O_4 cathode materials, *J. Power Sources.*, 225, 286–292.
- Xu, B., Qian, D., Wang, Z., and Meng, Y.S., 2012, Recent progress in cathode materials research for advanced lithium ion batteries, *Mater. Sci. Eng. R Reports.*, 73, 51–65.
- Xu, J., Dou, S., Liu, H., and Dai, L., 2013, Cathode materials for next generation lithium ion batteries, *Nano Energy.*, 2, 439–442.



- Yao, J., Lv, L., Shen, C., and Zhang, P., 2013, Nano-sized spinel LiMn_2O_4 powder fabricated via modified dynamic hydrothermal synthesis, *Ceram. Int.*, 39, 3359–3364.
- Yonemura, M., Yamada, A., Kobayashi, H., and Tabuchi, M., 2004, Synthesis, structure, and phase relationship in lithium manganese oxide spinel, *J. Mater. Chem.*, 14, 1948–1958.
- Yoon, Y.K., Park, C.W., Ahn, H.Y., Kim, D.H., Lee, Y.S., and Kim, J., 2007, Synthesis and characterization of spinel type high-power cathode materials $\text{LiM}_x\text{Mn}_{2-x}\text{O}_4$ (M=Ni, Co, Cr), *J. Phys. Chem. Solids.*, 68, 780–784.
- Young, R., 1993, *The Rietveld Method*, OXFORD University Press, Atlanta.
- Zhan, D., Yang, F., Zhang, Q., Hu, X., and Peng, T., 2014, Electrochimica Acta Effect of solid-state reaction temperature on electrochemical performance of LiMn_2O_4 submicro-rods as cathode material for Li-ion battery by using α - MnOOH submicro-rods as self-template, *Electrochim. Acta.*, 129, 364–372.
- Zhang, Y., Huo, Q., Du, P., Wang, L., Zhang, A., Song, Y., et al., 2012, Advances in new cathode material LiFePO_4 for lithium-ion batteries. *Synth. Met.*, 162, 1315–1326.



Sintesis $\text{LiMxMn}_{2-x}\text{O}_4$ Terdoping Co, Ni, Cr dan Aplikasinya sebagai Katoda Baterai Litium
DYAH PURWANINGSIH, Drs. Roto, M.Eng., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA