

## DAFTAR PUSTAKA

- Ahmadi, S, 2008, Faktor Risiko Kejadian Malaria di Desa Lubuk Nipis Kecamatan Tanjung Agung Kabupaten Muara Enim, *Tesis*, Program Pascasarjana Universitas Diponegoro, Semarang
- Achmad, M. F., dan Susanto, I., 2003, Peran gen *Pfmdr-1* pada mekanisme resistensi *Plasmodium falciparum* terhadap kloroquin, *Majalah Kedokteran Indonesia*, 53, 69-75
- Aguilera, A., Alcantara, A. R., Marinas, J. M., and Sinisterr, J. V., 1987, Ba(OH)<sub>2</sub> as the Catalyst in Organic Reactions. Part XIV. Mechanism of Claisen-Schmidt Condensation in Solid-Liquid Conditions, *Can. J. Chem.*, 65, 1165-1171
- Anjarsari, Putri, 2010, Sintesis Flavanon Turunan 3,4-Dimetoksibenzaldehid, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta
- Andersen, Q. M., and Markham, K. R., 2006, *Flavonoids: Chemistry, Biochemistry and Applications*, Taylor & Francis Group, New York
- Ares, J.J., Outt, P.E., Kokadkar, S.V., Buss, R.C., Geiger and Jeffrey C., A convenient Large-scale Synthesis of 5-methoxyflavone and Its Application to Analog Preparation, *J. Org. Chem.*, 58, 7903
- Arsin, A.A, 2012, *Malaria di Indonesia: Tinjauan Aspek Epidemiologi*, Masagena Press: Makassar
- Bano, S., Javed, K., Ahmad, S., Rathish, I.G., dan Singh, S., 2013, Synthesis of Some Novel Chalcones, Flavanones, and Flavones and Evaluation of their Anti-inflammatory Activity, *Eur. J. Med. Chem.*, 65, 51-59
- Basco, L.K. 2007. *Field Application of In Vitro Assays for the Sensitivity of Human Malaria Parasites to Antimalarial Drugs*. Geneva : WHO
- Bu, X., dan Y. Li, 1996, *Synthesis of Exyguaf flavanone K and (±)-Lechianone G*, *J. Nat. Prod.*, 59, 968-969
- Bruce-Chwatt LJ, 1985, *Essential Malariology, 2nd ed.* John Wiley & Son. New York
- Cabrera, M., Simoens, M., Falchi, G., Lavaggi, M., 2007, Synthetic chalcones, flavanones, and flavones as antitumoral agents: Biological evaluation and structure-activity relationships, *Bioorg. Med. Chem.* 15 (2007) 3356–3367
- Carey, F.A, 2000, *Organic Chemistry*, Fourth Edition, The Mc Graw-Hill Companies, Inc. United States of America

- Chen, M., Theander, T.G., Christensen, S.B., Hviid, L., Zhai, L., Kharazmi, A., 1997, Licochalcone A, a new antimalarial agent, inhibits *in vitro* growth of the human malaria parasite *Plasmodium falciparum* and protects mice from *P.yoeli* infection, *Antimicrob. Agents Chemoter.*, 38, 1470-1475
- Cowman, A.F., dan Foote, S.J. 1990. Chemotherapy and drug resistance in malaria, *Int. J. Parasitol.* 20: 503-513
- Farah, H. I., 2015, Sintesis 7-Hidroks-4'-Metoksiflavanon dan Uji Sitotoksik Terhadap Sel Kanker Serviks (HeLa) dan Sel Kanker Kolon (WiDr) Secara *In Vitro*, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Fukumoto, T., Ujita, K., Mori, T., Nakao, N., Yokohama, Tamai, Y., and Shibata, 1997, Process for Producing 2,4-dihidroksiasetofenon, US Patent, 5621146
- Handayani, S., 2000, Sintesis 4'-Metoksiflavanon Menggunakan Orto-hidroksiasetofenon dan P-Anisaldehyda dari Minyak Adas, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Harborne, J.B. dan T.J. Mabry, 1975, *The Flavonoid*, Academic Press, New York.
- Hariyanto, J.R.S. 2000. *Malaria, Epidemiologi, Patogenesis, Manifestasi Klinis dan Penanganan*. Jakarta: EGC
- Hsieh, C. T., Hsieh, T. J., El-Shazly, M., Chuang, D. W., Tsai, Y. H., Yen, C. T., Wu, S. E., Wu, Y. C., and Chang, F. R., 2012, Synthesis of Chalcone Derivatives as Potential Anti-diabetic Agents, *Bioor. Med. Chem. Lett.*, 22, 3912-3915
- Ismiyarto, 1998, Sintesis Senyawa Khalkon dan Flavanon Menggunakan Bahan Dasar Senyawa Turunan Asetofenon dan Benzaldehida, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Khan, A.S., Ahmed, B. and Alam, T., 2006, Synthesis and Antihepatotoxic Activity of Some New Chalcones Containing 1,4-dioxine Ring System, *Pak.J.Parm.Sci*, 19 (4), 290-294
- Kirk, K., 2001, Membrane Transport in the Malaria Infected Erythrocyte, *Physiol. Rev.* 81: 495-537
- Killelea, J. R., and Lindwall, H. G., 1948, Preparation of Resacetophenone, *J. Am. Chem. Soc* 70, 428
- Kulkarni, P., Wagh, P. and Zubaidha, P., 2012, An Improved and Eco-Friendly Method for The Synthesis of Flavanone by The Cyclization of 2'-Hydroxy Chalcone Using Methane Sulphonic Acid as Catalyst, *Chem. J.*, 2(3), 106-110

- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., Sahal, D., 2010, Reinvestigation of structure-activity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural  $\beta$ -asarone, *Eur. J. Med. Chem.*, 45, 5292-5301
- Kshatriya, R.B., Macchi, J.K., and Nazeerrudin, G.M., 2014, Novel Methodology and Process Optimization for the Synthesis of Flavones, *Int. J. Curr. Res. Rev.*, 3(2), 47-57
- Lestari, E., 2016, Sintesis Senyawa Turunan Khalkon dan Flavon Berbahan Dasar Vanilin dan Uji Sitotoksik Terhadap Sel Kanker Serviks (HeLa), Sel Kanker Kolon (WiDr), dan Sel Kanker Payudara (T47D) Secara *In Vitro*, Tesis, FMIPA UGM, Yogyakarta
- Li, J., Feng, J., Li, M., Wang, Q., Su, Y., and Jia, Z., 2013, Studies of Manufacturing Controlled-Release Graphene Acid and Catalyzing Synthesis of Chalcone with Claisen-Schmidt Condensation Reaction, *Sol. Sci.*, 21, 1-5
- Lim, S.S., Kim, H.S., Lee, D.U., 2007, *In vitro* antimalarial activity of flavonoids and chalcones, *Bull. Korean Chem. Soc.* 2007, Vol. 28, No. 12
- Mandge, S., Singh, H.P., Gupta D., and Moorthy H.R., 2007, Synthesis and Characterization of Some Chalcone Derivatives, *Tren Applied Sci. Res.*, 2, 52-56
- March, J., 1992, *Advance Organic Chemistry, Reactions, Mechanism and Structure*, Fourth Edition, John Willey & Sons, New York
- Markham, K.R., Technique of Flavanoid Identification, diterjemahkan oleh Kosasih Padmawinata, 1988, Cara Mengidentifikasi Flavanoid, Program Pascasarjana Institute Teknologi Bandung, Bandung
- Markham, K.R., Marby, T.J., and Thomas, M.B., 1970, *The Systematic Identification of Flavanoids*, Spinger-Verlag, New York
- Masesane, I.B., 2015, A Comprehensive Review of the Oxidative Cyclisation of 2'-hydroxychalcones to Aurones and Flavones, *Int. J. Chem.*, 3(3) : 53-59
- Matin, A., Gavande, N., Kim M.S., Yang, N.X., Salam, N.K., Hanrahan, J.R., Roubin, R.H., and Hibbs, D.E., 2009, 7-Hidroksi-Benzopyran-4-one Derivatives: A novel Pharmacophore of Piroxisome of Proliferator-Activated Reseptor  $\alpha$  and  $-\gamma$  (PPAR  $\alpha$  and  $-\gamma$ ) Dual Agonist, *J. Med. Chem.*, 52, 6835-6850

- Matsjeh, S., 1997, Kimia Hasil Alam Senyawa Metabolit Sekunder Tumbuhan Flavonoid, Terpenoid dan Alkaloid, Gre Publishing, Yogyakarta
- Matsjeh, S., 2013, Kimia Hasil Alam Senyawa Metabolit Sekunder Tumbuhan Flavonoid, Terpenoid, dan Alkaloid, Gre Publishing, Yogyakarta
- McMurry, J. E., 2008, Organic Chemistry, 7<sup>th</sup> edition, Thomson Learning Inc., California
- Mondal, R., Gupta, A.D. and Mallik, A.K., 2011, Synthesis of Flavanones by use of Anhydrous Potassium Carbonate as an Inexpensive, Safe, and Efficient Basic Catalyst, *Tetrahedron Lett*, 52, 5020-5024
- Mogilaiah, K., Swami, T.K., Chandra, A.V., Srivani, N., and Vidya, K., 2010, Claisen Schmidt Condensation under Solvent Free Conditions, *Indian J. Chem.*, 49B, 382-385
- Mustafa. 2009. *Obat antimalaria baru: antara harapan dan kenyataan*. Pidato pengukuhan jabatan Guru Besar, Universitas Gadjah Mada, Yogyakarta
- Neto, A. G., Lavarda, F. C., 2014, The correlation between electronic structure and antimalarial activity of alkoxyated and hydroxylated chalcones, *J. Med. Chem. Res.*, 23, 580-586
- Nugroho, A dan Wagey , M.T., 2000, Siklus hidup *Plasmodium* malaria. Dalam: Harijanto, P.N. (editor) Malaria, epidemiologi, patogenesis, manifestasi klinis dan pelayanan. Penerbit Buku Kedokteran. Jakarta. 30-53
- Nurfitria, K., 2015, Sintesis dan Uji Sitotoksitas 7-hidroksi-4'-metoksiflavon Terhadap Sel Kanker Serviks (HeLa) dan Sel Kanker Kolon (WiDr), *Tesis*, FMIPA UGM, Yogyakarta
- Noedl, H., Wongsrichanalai, C., dan Wernsdorfer, W. H. 2003. Malaria drug sensitivity testing: new assays, new perspectives, *Trends in Parasitol.* 19(4):175-181
- Olliaro, P.L dan Bloland, P.B., 2001, Clinical and public health implications of antimalarial drug resistance. In *Antimalarial Chemotherapy: Mechanisms of Action, Resistance, and New Directions in Drug Discovery* (ed. P. J. Rosenthal) Totowa, NJ: Humana Press. 65-83.
- Parvaskar, P. T., Parameswaran, P. S., and Tilve, S. G., 2012, Recent Developments in The Synthesis of Five-and Six-Membered Heterocycles Using Molecular Iodine, *Chem. Eur. J.*, 18, 5460-5489

- Patil, C.B., Mahajan, S.K., Katti, S.A., 2009, Chalcone: A Versatile Molecule, *J. Pharm. Sci. & Res.*, 1(13), 11-22
- Plowe, C., 2003 Monitoring Antimalarial Drug Resistance: Making the Most of The tools at Hand, *J. Exp. Biol* 206: 3745–3752
- Portet, B., Fabre, N., Roumy, V., Gornitzka, H., 2007, Activity guided isolation of antiplasmodial dihydrochalcones and flavanones from *Piper hostmannianum* var. *berbicense*, *J. Phytochemistry*. 68: 1312-1320
- Purwantiningsih. (2003). *Artemisinin dari Artemisia saccharum, Ledep dan Turunannya Sebagai Komponen Bioaktif Antimalaria*. Bogor: Karya Utama Doktor Kimia, FMIPA Kimia IPB
- Rathod, P.K, McErlean. T, and Lee, PC., 1997, Variations in Frequencies of Drug Resistance in Plasmodium falciparum, USA: *Proc. Natl Acad, Sci.* 94: 9389–9393.
- Saliba, KJ., Folb, PI., & Smith, PJ., 1998, Role for the *Plasmodium falciparum* Digestivevacuole in Klorokuin Resistance, *Biochem Pharmacol*, 56: 313–320
- Savafi, M., Esmati, N., Ardestani, S.K., Emami, S., Ajdari, S., Davoodi, J., Shafiee, A. and Foroumadi, A., 2012, Halogenated Flavanones as Potential Apoptosis-Inducing Agents: Synthesis and Biological Activity Reaction, *Eur. J. Med. Chem.*, 58, 573-580
- Sandhar, H.K., Kumar, B., Prasher, S., Tiwari, P., Salhan, M., and Sharma, P., 2011, A Review of Phytochemistry and Pharmacology of Flavonoids, *Int. Pharm. Sci.*, 1(1), 25-41
- Sashidra, K. V., Kumar, M., and Kumar A., 2012, A Novel Route to Synthesis of Flavones from Salicylaldehyde and Acetophenone Derivatives, *Tetrahedron Lett*, 53(18), 2355-2359
- Setyawati, A., 2015, Sintesis Turunan Pirazolina sebagai Agen Antibakteri dari Vanilin dan Minyak Gandapura, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Singh, S., Sharma, P. K., Kumar, K., and Dudhe, R., 2011, Anti-oxidant Activity of 2-hydroxyacetophenone chalcone, *J. Adv. Sci. Res.*, 2(3), 37-41
- Sinha, S., Medhi, B., and Sehgal, R., 2013, Chalcone as an emerging lead molecule for antimalarial therapy: A review, *Journal of Modern Medicinal Chemistry*, E-ISSN: 2308-8044/13, Vol. 1, No. 2,

- Suryani, N., 2018, Sintesis dan uji antimalaria senyawa khalkon, flavon dan flavanon dari turunan 2,4-dihidroksiasetofenon, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Susanti, E., Matsjeh, S., Mustofa, Redjeki, and Wahyuningsih, T.D., 2014, Synthesis and Antioxidant Activities of Some Hydroxy Dimethoxy Chalcone Derivatives, *Indones. J. Pharm.*, 25(1), 17-24
- Syahri, J., Yuanita, E., Nurohmah, B. A., Wathon, M. H., Syafri, R., Armunanto, R., Purwono, B., 2017, Xanthone as antimalarial: QSAR analysis, synthesis, molecular docking and *in vitro* antimalarial evaluation, *Orient. J. Chem.*, 33, 29-40
- Tjitda, P. J. P., 2015, Sintesis dan Uji Antibakteri Senyawa Pirazolina N1- Hidrogen dan N1-Benzoil dari Vanilin dan Veratraldehida, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta
- Trager, W dan Jensen, J.B., 1976, Human malaria parasites in continous culture. *Science*. 193. 673-676. The Merck Index. 2001, An Encyclopedia of Chemicals, Drugs and Biologicals. 13<sup>th</sup> ed. Merck & Co., Inc. Rahway, New York
- Valderramos, S.G dan Fidock, D.A., 2006, Transporters involved in resistance to antimalaraial drugs, *TRENDS in Pharmacological Sciences*, Vol. 27, No. 11.
- Vial, H. dan Ancelin, M.L. 1994. Research of Antimalaria Molecules, *Pathol. Biol.* 42:138-144
- Vogel, S., Barbic, M., Jurgenliemk, G., Heilmann, J., 2010, Synthesis, cytotoxicity, anti-oxidative, and anti-inflammatory activity of chalcones and influence of A-ring modifications on the pharmacological effect, *European Journal of Medicinal Chemistry* 45 (2010) 2206–2213
- Widyawaruyanti, A., A.P. Devi., N. fatri., L. Tumewu., I. Tantular., and A.F. Hafid., 2014, *In vitro* antimalaria Activity Screening of Several Indonesian Plants Using HRP2 Assay, *International Journal of Pharmacy and Pharmaceutical Sciences*. (6): 125-128.
- Winstanley, P., Ward, S., Snow, R., & Breckenridge A., 2004, Therapy of Falciparum Malaria in Sub-Saharan Africa: from Molecule to Policy, *Am. Soc for Microbiol* 2004: 17(3): 612-637
- World Health Organization, 2014, World Malaria Report, WHO Press, Geneva
- World Health Organization, 2012, World Malaria Report, WHO Press, Geneva

- Wulansari, F. D., Matsjeh, S., dan Anwar, C., 2010, Sintesis 2-hidroksi-3-metoksi-5-propil-asetofenon dari eugenol, *Seminar Rekayasa Kimia dan Proses*, ISSN: 1411-4216
- Yadav, G. D. dan Joshi, A. V., 2002, A Green Route for The Acylation of Resorcinol with Acetic Acid, *Clean Techn. Environ, Policy*, 4, 157-164
- Zangade S., Mokle, S., Vibhute, A., and Vibhute, Y., 2011, An Efficient and Operationally Simple Synthesis of Some New Chalcones by Using Grinding Technique, *Chem. Sci. J.*, 13, 1-6
- Zakaria, I., Ahmat, N., Jaafar, F.M., Widyawaruyanti, A., 2011, Flavonoids with antiplasmodial and cytotoxic activities of *Macaranga Triloba*, *J. Fitoterapia*, 83: 968-972