

DAFTAR PUSTAKA

- Abu, M., Himmel, W., Vormfelde, S., & Koschack, J. (2014). Patient Education and Counseling Video-assisted patient education to modify behavior : A systematic review. *Patient Education and Counseling*, 97(1), 16–22. <https://doi.org/10.1016/j.pec.2014.06.015>
- Ahmad, W., Wan, H., Zaharan, N. L., & Wong, M. H. (2014). The Effects of Intermittent Fasting during the Month of Ramadan in Chronic Haemodialysis Patients in a Tropical Climate Country, 9(12), 1–12. <https://doi.org/10.1371/journal.pone.0114262>
- Aliasgharpour, M., Shomali, M., Moghaddam, M. Z., Faghihzadeh, S., & Hospital, A. M. (2012). Effect of self-efficacy promotion training program on the body weight changes in patients undergoing hemodialysis. *Journal of Renal Care*, 1–7.
- Alpert, P. T., Kawi, J., Tandy, R., & John, A. (2013). The Relationship Between Self-Efficacy and Fluid and Dietary Compliance in Hemodialysis Patients. *Clinical Scholars review*, 6(2), 98-103.
- American Heart Association. (2017). Kidney Disease and Diabetes. Dalas, United States. Retrieved from http://www.heart.org/HEARTORG/Conditions/More/Diabetes/WhyDiabetesMatters/Kidney-Disease-Diabetes_UCM_313867_Article.jsp#
- Anson, H. M., Byrd, M. R., & Koch, E. I. (2009). Case Report Cognitive Behavioral Treatment to Improve Adherence to Hemodialysis Fluid Restrictions: A Case Report. *Hindawi Journal*. <https://doi.org/10.1155/2009/835262>
- Aran, R. A. S., Resham, J. E. L. B. R., Ayner, H. U. G. H. C. R., Oodkin, D. A. A. G., Ukuhara, F., Oung, E. R. I. C. W. Y., ... Ort, F. R. K. P. (2003). Nonadherence in hemodialysis : Associations with mortality , hospitalization , and practice patterns in the DOPPS. *Kidney International*, 64(3), 254–262. <https://doi.org/10.1046/j.1523-1755.2003.00064.x>
- Arikunto, S., (2009). *Prosedur Penelitian: Suatu Pendekatan Praktek edisi Revisi*. Jakarta: Rineka Cipta.
- Arnold, T. L. (2008). *Predicting Fluid Adherence in Hemodialysis Patients via the Illness Perception Questionnaire - Revided*. Dissertations. United Stated. Georgia State University.
- Arsyad, A. (2011). *Media Pembelajaran*. Jakarta: Raja Grafindo Persada.

- Atreja, A., Bellam, N., & Levy, R. S. (2005). Strategies to enhance patient adherence: Making it simple. *Medscape General Medicine*, 7 (1), 126-130. Retrieved from <http://www.ncbi.nlm.nih.gov/PMC/articles/PMC1681370>
- Ayodele, O. E., & Alebiosu, C. O. (2010). Burden of Chronic Kidney Disease : An International Perspective. *Advances in Chronic Kidney Disease*, 17(3), 215–224. <https://doi.org/10.1053/j.ackd.2010.02.001>
- Bakhotmah, B. A. (2011). The puzzle of self-reported weight gain in a month of fasting (Ramadan) among a cohort of Saudi families in Jeddah , Western Saudi Arabia. *Nutrition Journal*, 10(1), 84. <https://doi.org/10.1186/1475-2891-10-84>
- Balitbangkes Kementerian Kesehatan RI. (2013). Riset Kesehatan Dasar 2013. Jakarta: Kementerian Kesehatan RI. Retrieved from <http://www.depkes.go.id/resources/download/general/Hasil%20Rikesdas%202013.pdf>.
- Bandura, A. (1994). *Encyclopedia of Human Behavior*. New York: Academic Press
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York, NY: W. H. Freeman.
- Baradero, M., Dayrit, M., & Siswadi, Y. (2005). *Seri Asuhan Keperawatan Klien Gagal Ginjal*. Jakarta: EGC
- Baraz, S., Parvardeh, S., Mohammadi, E., Broumand, B. (2010). Dietary and Fluid Compliance: an Educational Intervention for Patients Having Hemodialysis. *Journal of Advanced Nursing*, 66(1), 60-68.
- Baraz, S., Zarea, K., & Dashtbozorgi, B. (2014). Comparing the Effect of Two Educational Programs on the Quality of Life of Hemodialysis Patients in Iran. *Iranian Red Crescent Medical Journal*, 16(8), 1-5. <https://doi.org/10.5812/ircmj.19368>
- Barnett, T., Yoong, T. L., Pinikahana, J., & Si-Yen, T. (2008). Fluid compliance among patients having hemodialysis: Can an educational program make a difference? *Journal of Advanced Nursing*, 61(3), 300–306.
- Besarab, A., & Levin, A. (2000). Defining a Renal Anemia Management Period. *American Journal of Kidney Disease*, 36(6), 13–23. <https://doi.org/10.1053/ajkd.2000.19927>
- Black, J.M., Hawk, J. H. (2005). *Medical Surgical Nursing: Clinical Management Positive Outcome 7th Ed*. Philadelphia: W.B Saunders Company.

- Blake, H. (2008). Innovation in practice: mobile phone technology in patient care. *British Journal of Community Nursing*, 13(4), 160-165. <https://doi.org/10.12968/bjcn.2008.13.4.29024>
- Bodenheimer, T., & Lorig, K. (2013). Patient Self-management of Chronic Disease in Primary Care. *Journal of the American Medical Association*, 288(19), 2469-2475.
- Bradbury, B. D., Fissell, R. B., Albert, J. M., Anthony, M. S., Critchlow, C. W., Pisoni, R. L., ... Gillespie, B. W. (2004). Predictors of Early Mortality among Incident US Hemodialysis Patients in the Dialysis Outcomes and Practice Patterns Study (DOPPS), (1), 89-99. <https://doi.org/10.2215/CJN.01170905>
- Brennan, P., & Safran, C. (2003). Report of conference track 3: patient empowerment. *International Journal of Medical Informatics*, 69, 301-304. [https://doi.org/10.1016/S1386-5056\(03\)00002-9](https://doi.org/10.1016/S1386-5056(03)00002-9)
- Brenner, B. M., Lazarus, J. M. (2000). *Prinsip-Prinsip Ilmu Penyakit Dalam*. Volume 3 Edisi 13. Jakarta: EGC.
- Calvalho, M. S., henderson, R., Shimakura., S., & Sousa, I.P.S.C. (2003). Survival of Hemodialysis Patients : Medelling Differences in Rsk of Dialysis Center. *International Journal for Quality in Health Care*, 15(3), 189-196
- Cargill, A. Watson, AR. (2003). Telecare support for patients undergoing chronic peritoneal dialysis. *Peritoneal Dialysis International*, 23(1), 91-104
- Cavanaugh, K. L., Wingard, R. L., Hakim, R. M., Eden, S., Shintani, A., Wallston, K. A., Ikizler, T. A. (2010). Low Health Literacy Associates with Increased Mortality in ESRD. *Journal of The American Society of Nephrology*, 21, 1979-1985. <https://doi.org/10.1681/ASN.2009111163>
- Chan, Y. M., Zalilah, M. S., & Hii, S. Z. (2012). Determinants of Compliance Behaviours among Patients Undergoing Hemodialysis in Malaysia. *Public of Library of Science*, 7(8), 1-7. <https://doi.org/10.1371/journal.pone.0041362>
- Chen, W., & Abramowitz, M. K. (2014). Metabolic acidosis and the progression of chronic kidney disease. *BMC Nephrology*, 1-8. <https://doi.org/10.1186/1471-2369-15-55>
- Chirona, G., & Bhengu, B. (2016). Contributing Factors to Non-Adherence among Chronic Kidney Disease (CKD) Patients: A Systematic Review of Literature Keywords. *Medical & Clinical Reviews*, 2(4), 1-9. <https://doi.org/10.21767/2471-299X.1000038>

- Christensen, A., Moran, P., Wiebe, J., Ehlers, S., & Lawton, W. (2002). Effect of a behavioral self-regulation intervention on patient adherence in hemodialysis. *Health Psychology, 21*(4), 393-397
- Christensen AJ, Benotsch EG, Smith TW. (1997). Determinants of regimen adherence in renal dialysis. In: Gochman DS, ed. *Handbook of Health Behavior Research II: Provider Determinants*. New York: Plenum Press
- Cohen, J. (1988). *Statistical Power Analysis for The Behavioral Sciences Second Edition*. New York: Lawrence Erlbaum
- Cole-lewis, H., & Kershaw, T. (2015). Text Messaging as a Tool for Behavior Change in Disease Prevention and Management. *American Journal of Kidney Disease, 32*, 56–69. <https://doi.org/10.1093/epirev/mxq004>
- Curtin, R. B., Walters, B. A. J., Schatell, D., Pennell, P., Wise, M., & Klicko, K. (2008). Self-efficacy and self-management behaviors in patients with chronic kidney disease. *Advances in Chronic Kidney Disease, 15*(2), 191-205 <https://doi.org/10.1053/j.ackd.2008.01.006>
- Dahlan, S., (2011). *Statistik Untuk Kedokteran Dan Kesehatan Edisi 5*. Jakarta: Salemba Medika
- Dahlan, S., (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan Edisi 4*. Jakarta: Epidemiologi Indonesia
- Dermawan A.C & Setiawan.S. (2008). *Proses Pembelajaran dalam Pendidikan Keperawatan*. Jakarta: TIM
- Denhaerynck, K., Manhaeve, D., Dobbels, F., Garzoni, D., Nolte, C., & De greest, S. (2007). Prevalence and Consequences of Nonadherence to Hemodialysis Regimens. *American Journal of Critical Care, 16* (3), 222-236
- Dharmapalan, A., & Vijaykumar, R. (2013). Renal Tuberculosis Presenting as Thigh Abscess. *American Journal of Kidney Disease, 75*(1), 446–448. <https://doi.org/10.1007/s12262-012-0747-6>
- Diamantidis, C. J., & Becker, S. (2014). Health information technology (IT) to improve the care of patients with chronic kidney disease (CKD). *BMC Nephrology, 1–6*. <https://doi.org/10.1186/1471-2369-15-7>
- Epstein, R. M., Alper, B. S., & Quill, T. E. (2015). Participatory Decision Making. *Journal of the American Medical Association, 291*(19), 2359–2366.
- Fincham, D., & Kagee, A. (2008). Dietary and fluid adherence among haemodialysis patients attending public sector hospitals in the Western Cape. *South Africa Journal of Clinical Nutrition, 21*(2), 7–12.

- Fresenius Medical Care. (2013). *Annual Report 2013*. Jerman: Fresenius Medical Care. Retrieved from https://www.freseniusmedicalcare.com/fileadmin/data/de/pdf/investors/News_Publications/Annual_Reports/2013/FMC_Annual_Report_2013_en.pdf
- Gigante, A., Mario, F. Di, Pierucci, A., Amoroso, A., Pignataro, F. S., Napoleone, L., ... Raparelli, V. (2017). European Journal of Internal Medicine Kidney disease and venous thromboembolism: Does being woman make the difference? *European Journal of Internal Medicine*. <https://doi.org/10.1016/j.ejim.2017.02.012>
- Glanz, K., Barbara K. R., K. Viswanath. (2008). *Health Behavior and Health Education*. San Fransisco: Jossey-Bass A Wiley Imprint
- Ghimire, S., Castelino, R. L., Lioufas, N. M., & Peterson, G. M. (2015). Nonadherence to Medication Therapy in Haemodialysis Patients: A Systematic Review. *Public of Library of Science*. 1–19. <https://doi.org/10.1371/journal.pone.0144119>
- Griva, K., Lai, A. Y., Lim, H. A., Yu, Z., Wai, M., Foo, Y., & Newman, S. P. (2014). Non-Adherence in Patients on Peritoneal Dialysis: A Systematic Review. *Public of Library of Science*, 9(2). <https://doi.org/10.1371/journal.pone.0089001>
- Guyton, A. C., & Hall, J.E. (2007). *Buku ajar fisiologi kedokteran (Textbook of medical physsiology) edisi 11*. Jakarta: EGC
- Hanafiah, M. J., & Amir, A., (2009). *Etika Kedokteran & Hukum Kesehatan Edisi 4*. Jakarta: EGC
- Hardy, H., Sc, M., Kumar, V., Doros, G., Ph, D., Farmer, E., Stanic, A. (2011). Randomized Controlled Trial of a Personalized Cellular Phone Reminder System to Enhance Adherence to Antiretroviral Therapy. *AIDS Patient Care and STDs*, 25(3). <https://doi.org/10.1089/apc.2010.0006>
- Hill, N. R., Fatoba, S. T., Oke, J. L., Hirst, J. A., Callaghan, A. O., Lasserson, D. S., & Hobbs, F. D. R. (2016). Global Prevalence of Chronic Kidney Disease: A Systematic Review and Meta-Analysis. *Public of Library of Science*, 11(7), 1–18. <https://doi.org/10.1371/journal.pone.0158765>
- Himmelfarb, J., Ikizler, T. A., & Scribner, B. (2010). Medical Progress Hemodialysis. *The New England Journal of Medicine*, 363(19), 1833–1845.
- Holden, R. J., & Karsh, B. (2010). The Technology Acceptance Model : Its past and its future in health care. *Journal of Biomedical Informatics*, 43(1), 159–172. <https://doi.org/10.1016/j.jbi.2009.07.002>
- Holmberg, B., & Stegmayr, B. G. (2009). Cardiovascular conditions in

hemodialysis patients may be worsened by extensive interdialytic weight gain. *Hemodialysis International*, 13, 27–31

Howren, M. B., Kellerman, Q. D., Hillis, S. L., Cvengros, J., Lawton, W., & Christensen, A. J. (2016). Effect of a Behavioral Self-Regulation Intervention on Patient Adherence to Fluid-Intake Restrictions in Hemodialysis: a Randomized Controlled Trial. *Annals of Behavioral Medicine*, 50(2), 167–176. <https://doi.org/10.1007/s12160-015-9741-0>

Iborra-moltó, C., López-roig, S., & Pastor, M.-ángeles. (2012). Prevalence of adherence to fluid restriction in kidney patients in haemodialysis : objective indicator and perceived compliance. *Nefrologia* <https://doi.org/10.3265/Nefrologia.pre2012.Feb.11236>

Imtiaz, S., Salman, B., Dhrolia, M. F., Nasir, K., Abbas, H. N., & Ahmad, A. (2016). Clinical and Biochemical Parameters of Hemodialysis Patients Before and During Islamic Month of Ramadan. *Iranian Journal of Kidney Disease*.10(2), 75-78.

Indonesian renal registry. (2014). 7th *Annual Report of Indonesian Renal Registry*. Jakarta: Perhimpunan Nefrologi Indonesia. Retrieved from <http://www.indonesianrenalregistry.org/data/INDONESIAN%20RENAL%20REGISTRY%202014.pdf>

Indramayu, D. I. R., Saefulloh, M., & Nuraeni, W. (2016). Penerapan Edukasi Terstruktur Meningkatkan Self-efficacy dan Menurunkan IDWG Pasien Hemodialisa di RSUD Indramayu. *Jurnal Pendidikan Keperawatan Indonesia*, 2(1), 22-28

Informa, R., Number, W. R., House, M., Street, M., Published, M., & Differences, P. G. (2010). Possible Gender Differences in the Relationships of Self-efficacy and the Internal Locus of Hemodialysis Patients, *Behavioral Medicine*, 37–41. <https://doi.org/10.3200/BMED.32.1.5-11>

Inrig, J. K., Patel, U. D., Gillespie, B. S., Hasselblad, V., Himmelfarb, J., Reddan, D., ... Szczech, L. A. (2011). Relationship Between Interdialytic Weight Gain and Blood Pressure Among Prevalent Hemodialysis Patients . *American Journal of Kidney Disease*, 50(1), 108–118. <https://doi.org/10.1053/j.ajkd.2007.04.020>.

Ipema, K. J. R., Kuipers, J., Westerhuis, R., Schans, C. P. Van Der, Krijnen, W. P., & Franssen, C. F. M. (2016). Causes and Consequences of Interdialytic Weight Gain. *Kidney & Blood Pressure Research*, 41, 710–720. <https://doi.org/10.1159/000450560>

Istanti, Y. P. (2011). Faktor-Faktor yang Berkontribusi Terhadap Interdialytic Weight Gains pada Pasien Chronic Kidney Diseases yang Menjalani Hemodialisis. *Mutiara Medika*, 11(2), 118-130.

- Jha, V., Garcia-garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., ... Yang, C. (2013). Global Kidney Disease 3 Chronic kidney disease : global dimension and perspectives. *The Lancet*, 382, 260–272. [https://doi.org/10.1016/S0140-6736\(13\)60687-X](https://doi.org/10.1016/S0140-6736(13)60687-X)
- Jia, E., Huang, B., Chu, Y., Lu, Y., Arthur, A. (2016). Management of non-adherence to fluid intake restrictions in hemodialysis patients in a tertiary hospital: a best practice implementation project. *Joana Briggs Institute*, 309-322. <https://doi.org/10.11124/JBISRIR-2016-003046>
- Jumianto, D. (2015). *Faktor Resiko Hemodialisis Terhadap Penderita Penyakit Ginjal Kronik di RSUD Tidar Kota Magelang Provinsi Jawa Tengah*. Tesis. Yogyakarta: Universitas Gadjah Mada
- Kahraman, A., Akdam, H., Alp, A., (2015). Impact of Interdialytic Weight Gain (IDWG) on Nutritional Parameters, Cardiovascular Risk Factors and Quality of Life in Hemodialysis Patients. *Bantao Journal*, 13(1), 25–33. <https://doi.org/10.1515/bj-2015-0006>
- Kammerer, J., Garry, G., Hartigan, M., Carter, B., & Erlich, L. (2007). Adherence in Patients On Dialysis : Strategies for Success. *Nephrology Nursing Journal*, 34(5), 479–487.
- Kamyar, & Kalantar, Z. (2009). Interdialytic weight gain, Mortality linked-Renal & Urology News. Retrieved from <http://www.renalurologynews.com/hemodialysis/interdialytic-weight-gain-mortality-linked/article/127528/>
- Kanfer, F. & Gaelick, L. (1986). Self-management methods. In F. Kanfer & A. Goldstein (Eds.), *Helping people change* (3rd ed.). New York: Paergamon Press.
- Kaswari, M. P. (2012). *Hubungan Lama Hemodialisis Terhadap Kepatuhan Restriksi Cairan Pada Pasien Hemodialisis di Instalasi Dialisis RSUP DR. Sardjito Yogyakarta*. Skripsi. Yogyakarta: Universitas Gadjah Mada
- Kaur, S., Behera, D., Gupta, D., & Verma, S. K. (2009). Evaluation of a ' Supportive Educative Intervention' on self care in patients with bronchial asthma. *Nursing and Midwifery Research Journal*, 5 (2), 124–132.
- Kauric-klein, Z. (2012). Improving Blood Pressure Control in End Stage Renal Disease Through a Supportive Educative Nursing Intervention. *Neprology Nursing Journal*, 39(3), 217–230.
- Keeratiyutawong, P., Hanucharunkul, S., Boonchaay, W., Phumleng, B., Muangkae, W., (2005). Effectiveness of a Supportive-Educative Program on Diabetic Control, Perceived Self-Care Efficacy, and Body Mass Index in Person with Type 2 Diabetes Mellitus. *Thai Journal of Nursing Research*, 9(1), 1-12

- Koene, T. T., & Alexandre, H. (2011). Factors related to interdialytic weight gain in hemodialysis patients. *Brazilian Journal of Nephrology*, 33(3), 300–305.
- Kopple, J. D., & Massry, S.G (2004). *Nutritional Management of Renal Disease*, 2nd Edition. Philadelphia: Lippincot Williams & Wilkins.
- Kowalak, J.P., Welsh, W., & Mayer, B. (2011). *Buku Ajar Patofisiologi (Professional Guide Pathophysiology)*. Jakarta: EGC
- Krueger, K.P., Berger, B.A., & Felkey, B. (2005) Medication adherence and persistence: A comprehensive review. *Advances in Therapy*, 22(4), 313-356.
- Kugler, J.D & Massry, S.G. (2004). *Nutritional Management of Renal Disease* 2nd Edition. Philadelphia: Lippincot Williams & Wilkins
- Kugler, C., Vlaminc, H., Haverich, A., & Maes, B. (2005). Nonadherence with Diet and Fluid Restriction Among Adults having Hemodialysis. *Journal of Nursing Scholarship*, 37(1), 25-29
- Kuipers, J., Usvyat, L. A., Oosterhuis, J. K., Dasselaar, J. J., Jong, P. E. De, Westerhuis, R., ... Franssen, C. F. M. (2013). Variability of Predialytic, Intradialytic, and Postdialytic Blood Pressures in the Course of a Week: A Study of Dutch and US Maintenance Hemodialysis Patients. *YAJKD*, 62(4), 779–788. <https://doi.org/10.1053/j.ajkd.2013.03.034>
- Kutner, N. G., Zhang, R., McClellan, W. M., & Cole, S. A. (2002). Psychosocial predictors of non-compliance in haemodialysis and peritoneal dialysis patients. *Nephrology Dialysis Transplantation*, (17), 93–99. <https://doi.org/10.1093/ndt/17.1.93>
- Kuypers, D. (2009). Skin problems in chronic kidney disease. *Nature Clinical Practice Nephrology*, 5(3), 157–170. <https://doi.org/10.1038/ncpneph1040>
- Leiper, J. B., Molla, A. M., & Molla, A. M. (2003). Effects on health of fluid restriction during fasting in Ramadan. *European Journal of Clinical Nutrition*, 57, 30–38. <https://doi.org/10.1038/sj.ejcn.1601899>
- Lerma, E. V., Berns, J.S., & Nisseson, A.R. (2009). *Current Diagnosis & Treatment Nephrology & hypertension*. United States: The McGraw-Hill Companies, Inc.
- Lindberg, P., & Lindberg, M. (2009). Interdialytic weight gain and ultrafiltration rate in hemodialysis : Lessons about fluid adherence from a national registry of clinical. *Hemodialysis International*, 13, 181-188.
- Lindley, E. J., Gardiner, C., Keane, D., & Wright, M. (2015). What I tell my patients about interdialytic weight gain. *British Journal of Renal Medicine*, 20(3), 69–71.

- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., Murray, C. J. L. (2010). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, (30), 2095–2128. [https://doi.org/10.1016/S0140-6736\(12\)61728-0](https://doi.org/10.1016/S0140-6736(12)61728-0)
- Maslakpak, M. H., & Shams, S. (2015). A Comparison of Face to Face and Video- Based Self Care Education on Quality of Life of Hemodialysis Patients. *International Journal of Community Based Nursing and Midwifery*, 3(3), 234–243.
- Maulana, Heri. D.J. (2009). *Promosi Kesehatan*. Jakarta: EGC
- Mazloui, Mehdi, Morovvati (2007). The relationship between selfefficacy and health behavior at the Medical University Shahid Sadoughi. *Journal of Studies and Medical Education Development Institute* 3(2), 111-117
- Mcclellan, W., Aronoff, S. L., Bolton, W. K., Hood, S., Lorber, D. L., Tang, K. L., ... Leiserowitz, M. (2004). The prevalence of anemia in patients with chronic kidney disease. *Current Medical Research and Opinion*, 20(9), 1501–1510. <https://doi.org/10.1185/030079904X2763>
- McPhee, S, J., & Ganong, W, F. (2010). *Patofisiologi Penyakit: Pengantar menuju kedokteran klinis Edisi 5*. Jakarta: EGC
- Meining, I. (2017). *Pengaruh Edukasi Melalui Media Whatsapp Terhadap Pengetahuan Ibu dalam Memberikan Asi Eksklusif*. Tesis. Yogyakarta: Universitas Gadjah Mada
- Mistiaen, P. (2001). Thirst, Interdialytic Weight Gain, and Thirst Intervention in Hemodialysis Patients: A Literature Review. *Nefrology Nursing Journal*, 28(6), 601-605.
- Modanloo, S., Dehghankar, L., Zolfaghari, M., & Ghiyasvand, A. M. (2015). The Effects of Training and Follow-up via Text Messaging on Weight Control in Hemodialysis Patients. *Journal of Applied Environmental and Biological Sciences*, 5(6), 287–292.
- Molzahn, A., Butera, E. (2006). *Contemporary Nephrology Nursing : Principles and Practice 2nd Edition*. Pitman : American Nephrology Nurses' Association (ANNA).
- Monhart, V. (2013). Education in Cardiology Hypertension and chronic kidney diseases, 55, 397–402. <https://doi.org/10.1016/j.crvasa.2013.07.006>
- Montazeri, R. S., & Sharifi, N. (2014). Evaluation of Nutritional Knowledge in Terms of Dietary Sources of Protein , Phosphorous , Potassium and Fluids

Restriction in Hemodialysis Patients. *Jentashapir Journal of Health Research*, 5(4), 1-5. <https://doi.org/10.5812/jjhr.21878>

Morgan, L. (2000). A decade review: Methods to improve adherence to the treatment regimen among hemodialysis patients. *Nephrology Nursing Journal*, 27(3), 299-304.

Mousa, I., Ataba, R., Al-ali, K., Alkaiyat, A., & Zyoud, S. H. (2018). Dialysis-related factors affecting self-efficacy and quality of life in patients on haemodialysis: a cross-sectional study from Palestine, *Renal Replacement Therapy*, 4(21), 1–12.

Muehrer, R. J., Schatell, D., Witten, B., Gangnon, R., Becker, B. N., & Hofmann, R. M. (2011). Factors Affecting Employment at Initiation of Dialysis, 6, 489–496. <https://doi.org/10.2215/CJN.02550310>

National Kidney Foundation. (2016). Diabetes and Chronic Kidney Disease. United States. Retrieved from <https://www.kidney.org/news/newsroom/factsheets/Diabetes-And-CKD>

National Kidney Foundation-Kidney Disease Outcomes Quality Initiative (NKF-KDOQI). (2002). K/DOQI Clinical Practice Guidelines For Chronic Kidney Disease : Evaluation, Classification, and Stratification. New York. Retrieved from https://www.kidney.org/sites/default/files/docs/ckd_evaluation_classification_stratification.pdf

National Kidney Foundation. (2017). Gout, Hyperurecemia & Chronic Kidney Disease. New York. Retrieved from <https://www.kidney.org/atoz/content/gout>

National Kidney Foundation-Kidney Disease Outcomes Quality Initiative (NKF-KDOQI). (2002). K/DOQI clinical practice guidelines for chronic kidney disease: evaluation, classification, and stratification. Retrieved from http://kidneyfoundation.cachefly.net/professionals/KDOQI/guidelines_ckd/p4_class_g1.htm

Ningsih, S. (2015). *Hubungan Tingkat Pengetahuan dengan Tingkat Depresi Pada Pasien yang Menjalani Hemodialisis di RSUD Panembahan Senopati Bantul*. Skripsi. Yogyakarta: Universitas Gadjah Mada

Notoatmodjo, S,. (2005). *Metode Penelitian Kesehatan*. Jakarta: Rineka Cipta

Notoatmodjo, S. (2007). *Promosi Kesehatan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta

Novak, M., Winkelman, J. W., & Unruh, M. (2006). Restless Legs Syndrome in

- Patients With Chronic Kidney Disease. *Seminars in Nephrology*, 35(4), 347–358. <https://doi.org/10.1016/j.semnephrol.2015.06.006>
- Orem, D.E., Taylor, S.G., Renpenning, K., (2001). *Nursing Concepts of Practice*, 6th ed. Mosby: St. Louis
- Parvan, K., Hasankhani, H., Seyyedrasooli, A., & Riahi, S. M. (2015). The Effect of Two Educational Methods on Knowledge and Adherence to Treatment in Hemodialysis Patients : Clinical Trial. *Journal of Caring Sciences*, 4(1), 83–93. <https://doi.org/10.5681/jcs.2015.009>
- Parvan, K., Lakdizaji, S., Mohammadpoorasl, A., Crowley, M., & M, B. A. (2016). The effect of an Educative Intervention about Blood Pressure Control on levels of Knowledge and Self Efficacy in Patients Undergoing Hemodialysis : A Randomized Clinical Trial. *International Journal of Medical Research & Health Sciences*, 25, 249–255.
- Perdana, M. (2014) *Self-efficacy as a Predictor Fluid Intake Restriction among Patients with Hemodialysis in Indonesian*. Master Thesis Report. Taiwan: National Cheng Kung University.
- Pisoni, R. L., Keen, M. L., Saran, R., Mendelssohn, D. C., Young, E. W. and Port, F. K. (2006) ‘Pruritus in haemodialysis patients : international results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephrology Dialysis Transplantation*, 21, 3495–3505
- Price, S.A., & Wilson, L.M. (2005). *Patofisiologi Konsep Klinis Proses-Proses Penyakit Edisi 6*. Jakarta: EGC
- Polit, D. F & Beck, C. T. (2012). *Nursing Research : Generating and Assessing Evidence for Nursing Practice Ninth Edition*. China: Wolters Kluwer Health Lippincot Williams &Wilkins.
- Polit, D. F., & Beck, C. T. (2006). The Content Validity Index : Are You Sure You Know What ’ s Being Reported? Critique and Recommendations, *Research in Nursing and Health*, 29 (1), 489–497. <https://doi.org/10.1002/nur>
- Potter, P. A., Perry, A. G. (2005). *Fundamental of Nursing*. Australia: Elsevier
- Proscia, A. (2014). MyPlate for Healthy Eating With Chronic Kidney Disease (MyPlate Education for Patients With Chronic Kidney Disease Receiving Hemodialysis and Peritoneal Dialysis Treatment). *Journal of Renal Nutrition*, 24(3), e23–e25. <https://doi.org/10.1053/j.jrn.2014.02.003>
- Pusat Data dan Informasi Kementerian Kesehatan RI. (2017). *InfoDATIN Situasi Penyakit Ginjal Kronis*. Jakarta: Kementerian Kesehatan Republik Indonesia Retrieved from <http://www.pusdatin.kemkes.go.id/article/view/17050400001/situasi>

penyakit-ginjal-kronis.html

- Rahaman, H. S., & Viveka, P. (2018). Effectiveness of a Patient Education Module on Diabetic Foot Care in Outpatient Setting: An Open-label Randomized Controlled Study. *Journal of Nursing and Health Science*, 5(6), 74–78. <https://doi.org/10.4103/ijem.IJEM>
- Rathi, M., & Ramachandran, R. (2012). Review Article Sexual and gonadal dysfunction in chronic kidney disease: Pathophysiology. *Indian Journal of Endocrinology and Metabolism*, 6(2), 214–220. <https://doi.org/10.4103/2230-8210.93738>
- Ratnawati, D. (2013). *Pengaruh pendidikan kesehatan Supportive Educative terhadap kemampuan pengelolaan faktor resiko Stroke pada pasien Stroke di RSUD Wates Yogyakarta*. Skripsi. Yogyakarta: Universitas Gadjah Mada
- Richard, C.D. (2006). Self-care Management in Adults Undergoing Haemodialysis. *Nephrology Nursing Journal*, 33(4), 387-395
- Rosenbaum, M., & Ben-Ari Smira, K. (2006). Cognitive and personality factors in the delay of gratification of hemodialysis patients. *Journal of Personality and Social Psychology*, 51, 357–364.
- Rosenthal, R. (1994). *Parametric Measures of Effect Size Cooper & L.V Hedges (Eds). Handbook of Research*. New York: RussellSage Foundation.
- Sabate, E. (2001). *World Health Organization Meeting Report Adherence to Long-term Therapies: Policy for Action*. Geneva: World Health Organization. Retrieved from <http://www.who.int/iris/handle/10665/66984>
- Sagawa. M., Oka, M., Chaboyer, W., Satoh, W., & Yamaguchi, M. (2001) Cognitive behavioral therapy for fluid control in hemodialysis patients. *Nephrology Nursing Journal*, 28(1), 37-39.
- Sapnas, K. G., & Zeller, R. A. (2002). Minimizing sample size when using exploratory factors analysis for measurement. *Journal of Nursing Measurement*, 10(2), 135–154.
- Sapri, Akhmad. (2005). Faktor-Faktor yang Mempengaruhi Kepatuhan dalam Mengurangi Asupan Cairan Pada Penderita Gagal Ginjal kronis yang Menjalani Hemodialisis di RSUP Abdoel Moeloek Bandar Lampung. Skripsi. Yogyakarta: Universitas Gadjah Mada
- Saran, R., Bragg-Gresham, J.L., Rayner H.C., Goodkin, D.A., Keen, M.L., van Dijk, P.C. et al. (2003). Nonadherence in hemodialysis: Associations with mortality, hospitalization, and practice patterns in the DOPPS. *Kidney International*, 64(1), 254-262.

- Schipper, K., & Abma, T. A. (2011). Coping, family and mastery: top priorities for social science research by patients with chronic kidney disease. *Nephrology Dialysis Transplantation*, 26(10), 3189–3195. <https://doi.org/10.1093/ndt/gfq833>
- Schneider, M. S., Friend, R., & Whitaker, P. (1991). Fluid Noncompliance and Symptomatology in End-Stage Renal Disease: Cognitive and Emotional Variables. *Health Psychology*, 70(3), 209–215.
- Service, T. S., Fjeldsoe, B. S., Marshall, A. L., & Miller, Y. D. (2009). Behavior Change Interventions Delivered by Mobile. *AMEPRE*, 36(2), 165–173. <https://doi.org/10.1016/j.amepre.2008.09.040>
- Shailendranath, B. (2014). Impact of Knowledge, Attitude and Behavior among Maintenance Hemodialysis Patients for Adherence to Dietary Regimen – A Single Centre Experience Department of Food and Nutrition Department of Nephrology. *International Journal of Humanities and Social Science*, 4(12), 257–262.
- Sharaf, A. Y. (2016). The impact of Educational Interventions on Hemodialysis Patients Adherence to Fluid and Sodium Restrictions. *Journal of Nursing and Health Sciences*, 5(3), 50–60. <https://doi.org/10.9790/7388-0603025060>
- Sharp, J., Wild, M. R., & Gumley, A. I. (2005). A Systematic Review of Psychological Interventions for the Treatment of Nonadherence to Fluid-Intake Restrictions in People Receiving Hemodialysis. *American Journal of Kidney Disease*, 45(1), 15–27. <https://doi.org/10.1053/j.ajkd.2004.09.010>
- Sinclair, P. M., Parker, V. (2009). Pictures and perspectives: a unique reflection on interdialytic weight gain. *Nephrologi Nursing Journal*, 36, 589-596
- Singh, R., & Shandily, D. K. (2016). Effectiveness of Self Instructional Module (SIM) on knowledge regarding home care management among patients with chronic renal failure undergoing haemodialysis at Selected Hospital of Punjab. *Indian Journal of Endocrinology and Metabolism*, 5(6), 20–31. <https://doi.org/10.9790/1959-0506012031>
- Smeltzer, S. C., Bare, B.G., Hinkle, J.L., & Cheever, K. H. (2010). *Brunner & Suddarth's textbook of medical surgical nursing 12th edition*. Philadelphia: Lippincot Willams & Wilkins.
- Smith, K., Coston, M., Glock, K., Elasy, T. A., Wallston, K. A., Ikizler, T. A., & Cavanaugh, K. L. (2011). Patient Perspectives on Fluid management in Chronic Hemodialysis. *Journal of Renal Nutrition*, 20(5), 334–341. <https://doi.org/10.1053/j.jrn.2009.09.001>

- Sudiya. (2015). *Efektifitas Pengiriman Pesan Pengingat (SMS Reminder) Terhadap Peningkatan Keteraturan Pengobatan Penderita Tuberculosis di Fasilitas Pelayanan Kesehatan Kabupaten Sleman*. Tesis. Yogyakarta: Universitas Gadjah Mada
- Suiraoaka, I.P & Supariasa, I.D. (2012). *Media Pendidikan Kesehatan*. Yogyakarta : Graha Ilmu. Hal 20-45
- Sulistyaningsih. (2011). *Metodologi Penelitian Kebidanan: Kuantitatif-Kualitatif*. Yogyakarta: Graha Ilmu.
- Suwitra, K. (2009). *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: InternaPublishing. Hal 1035-1040
- Stagg, S. J., Speroni, K. G., Daniel, M. G., Eigenbrode, M., & Geisler, L. (2017). Evaluation of Text Messaging Effects on Health Goal Adherence in the Management of Participants with Chronic Disease. *Professional Case Management*, 22(3), 126–135. <https://doi.org/10.1097/NCM.0000000000000190>
- Strandbygaard, U., Thomsen, S. F., & Backer, V. (2010). A daily SMS reminder increases adherence to asthma treatment: A three-month follow-up study. *Respiratory Medicine*, 104(2), 166–171. <https://doi.org/10.1016/j.rmed.2009.10.003>
- Sugiyono. (2007). *Metode Penelitian Kuantitatif, Kualitatif, R & D*. Bandung: Alfabeta
- Syamsiah, N. (2011). *Faktor-faktor yang berhubungan dengan kepatuhan pasien CKD yang menjalani hemodialisa di RSPAU Dr. Esnawan Antariksa Halim Perdana Kusuma*. Tesis. Depok: Universitas Indonesia
- Tanujjarso, B. A. (2014). *Efektifitas Konseling Diet Cairan Terhadap Pengontrolan Interdialytic Weight Gain (IDWG) Pasien Hemodialisis*. Jurnal Ilmu Keperawatan dan Kebidanan, 1-12.
- The PEW Forum on Region and Public Life. (2009). *Mapping the Global Muslim Population: A Report on the Size and Distribution of the World's Muslim Population*. Washington, Dc: Pew Research Center. Retrieved from <http://www.pewforum.org/2009/10/07/mapping-the-global-muslim-population/>
- Thi, N., Chinh, M., Thanasilp, S., & Preechawong, S. (2017). The Effect of The Supportive Educative Nursing Program on Glycemic Control in Vietnamese Patients Wirh Uncontrolled Type 2 Diabetes Mellitus : Randomized Controlled Trial. *Advances in Nursing Science*, 31(3), 233–239. <https://doi.org/10.14456/jhr.2017.29>

- Thomas, M. C., & Atkins, R. C. (2006). Blood pressure lowering for the prevention and treatment of diabetic kidney disease. *Journal of Drugs Issue.*, 66(17), 2213-34. PMID : 17137404.
- Thomas, R., Kanso, A., Sedor, J. R. (2008). Chronic kidney disease and its complication. *Primary Care Journal*, 35(2), 1–15. <http://dx.doi.org/10.1016/j.pop.2008.01.008>
- Thomson, B. K. A., Dixon, S. N., Huang, S. S., Leitch, R. E., Suri, R. S., Chan, C. T., & Lindsay, R. M. (2013). Modifiable variables affecting interdialytic weight gain include dialysis time , frequency , and dialysate sodium, 1–10. <https://doi.org/10.1111/hdi.12056>
- Tsay, S. (2003). Self-efficacy training for patients with end-stage renal disease, *Journal of Advanced Nursing*, 43(4), 370-375
- Unites State Data System (USRDS). (2010). *USRDS annual data report* Retrieved from <https://www.usrds.org/atlas09.aspx>
- Vervloet, M., Dijk, L. Van, Vlijmen, B. Van, Wingerden, P. Van, Bouvy, M. L., & Bakker, D. H. De. (2012). SMS reminders improve adherence to oral medication in type 2 diabetes patients who are real time electronically. *International Journal of Medical Informatics*, 81(9), 594–604. <https://doi.org/10.1016/j.ijmedinf.2012.05.005>
- Wilde, M. H., & Garvin, S. (2007). A concept analysis of self-monitoring. *Journal of Advanced Nursing*, 57(3), 339-350
- Yeh, Shu-Chuan J., & Chou, Hsueh-Chih. (2007). Coping Strategies and Stressors in Patients With Hemodialysis. *Psychosomatic Medicine*, 69, 182–190. <https://doi.org/10.1097/PSY.0b013e318031cdcc>
- Yu, I., Tsai, Y., Fang, J., Yeh, M., & Fang, J. (2016). Effects of mouthwash interventions on xerostomia and unstimulated whole saliva fl ow rate among hemodialysis patients : A randomized controlled study. *International Journal of Nursing Studies*, 63, 9–17. <https://doi.org/10.1016/j.ijnurstu.2016.08.009>
- Zrinyi, M., Juhasz, M., Balla, J., Katona, E., Ben, T., Kakuk, G., & Pall, D. (2003). Dietary self-efficacy : determinant of compliance behaviours and biochemical outcomes in haemodialysis patients. *Nephrology Dialysis Transpalntation*. 1869–1873. <https://doi.org/10.1093/ndt/fgf307>