

## DAFTAR PUSTAKA

- Aassila, H., Bourguet-Kondracki, M.L., Rifai, S., Fassouane, A., and Guyot, M., 2003, Identification of harman as the antibiotic compound produced by a tunicate-associated bacterium, *Mar. Biotechnol.*, 2(5), 163–166.
- Abourriche, A., Charrouf, M., Bennamara, A., Berrada, M., Chaib, N., Boudouma, M., and Francisco, C., 1999, Investigation of bioactivity of extracts from Moroccan solitary tunicate *Cynthia savignyi*, *J. Ethnopharmacol.*, 1-3(68), 47–53.
- Akujobi, C.O. and Njoku, H.O., 2010, Bioassay for the determination of microbial sensitivity to nigerian honey, *Glob. J. Pharmacol.*, 4(1), 36–40.
- Ardrey, R.E., 2003, *Liquid Chromatography – Mass Spectrometry: An Introduction*, John Wiley and Sons Ltd., Chichester.
- Carrero-Colon, M., Wickham, G.S., and Turco, R.F., 2011, *Taxonomy, phylogeny, and physiology of fecal indicator bacteria*. Dalam Sadowsky, M.J. and Whitman, R.L., *Fecal Bacteria*, American Society for Microbiology Press, Washington DC.
- Cleary, D.F.R. and DeVantier, L., 2011, *Indonesia: Threats to the Country's Biodiversity*. Dalam Nriagu, J.O., *Encyclopedia of Environmental Health*, Elsevier.
- Cui, Z., Zhang, K., She, G., Lin, Y., Sun, L., Cheng, Y., and Tan, B., 2010, Antimicrobial activity investigation on wuyiencin fractions of different polarity, *Molecules*, 5(15), 3179–3185.
- Djinni, I., Defant, A., Kecha, M., and Mancini, I., 2013, Antibacterial polyketides from the marine alga-derived endophytic streptomyces *sundarbansensis*: A study on hydroxypyron tautomerism, *Mar. Drugs*, 1(11), 124–135.
- El-Bestawy, E.A., Gohar, Y.M., and Wefky, S.M., 2017, Antimicrobial phenolic compounds from *Enterococcus faecium* S29 (EU 158188): characterization and production optimization, *Int. J. Environ. Sci. Technol.*, 3(14), 497–508.
- French, G.L., 2006, Bactericidal agents in the treatment of MRSA infections - The potential role of daptomycin, *J. Antimicrob. Chemother.*, 6(58), 1107–1117.
- Gad, G.F., El-Domany, R.A., and Ashour, H.M., 2008, Antimicrobial Susceptibility Profile of *Pseudomonas aeruginosa* Isolates in Egypt, *J. Urol.*, 1(180), 176–181.

- Goad, L.J. and Akihisa, T., 1997, *Analysis of Sterols*, Springer Netherlands, Dordrecht.
- Gudbjarnason, S., 1999, Bioactive marine natural products, *Rit. Fiskid.*, 16, 107–110.
- Guo, J.K., Chiang, C.Y., Lu, M.C., Chang, W.B., and Su, J.H., 2012, 4-Methylenesterols from a sponge *theonella swinhoei*, *Mar. Drugs*, 7(10), 1536–1544.
- Higgs, R.E., Zahn, J.A., Gygi, J.D., and Hilton, M.D., 2001, Rapid Method To Estimate the Presence of Secondary Metabolites in Microbial Extracts, *Appl. Environ. Microbiol.*, 1(67), 371–376.
- Holland, L.Z., 2016, Tunicates, *Curr. Biol.*, 4(26), R146–R152.
- Houssen, W.E. and Jaspars, M., 2012, Isolation of Marine Natural Products. Dalam Sarker, S.D., Latif, Z., and Gray, A.I., *Natural Products Isolation - Methods in Biotechnology*, Humana Press, Totowa.
- Hudzicki, J., 2009, Kirby-Bauer disk diffusion susceptibility test protocol, *Am. Soc. Microbiol.*, 1–23.
- Jaffar Ali, H.A. and Tamilselvi, M., 2016, *Ascidians in Coastal Water*, Springer International Publishing, Berlin.
- Keller, B.O., Sui, J., Young, A.B., and Whittall, R.M., 2008, Interferences and contaminants encountered in modern mass spectrometry, *Anal. Chim. Acta.*, 1(627), 71–81.
- Kiontke, A., Oliveira-Birkmeier, A., Opitz, A., and Birkemeyer, C., 2016, Electrospray ionization efficiency is dependent on different molecular descriptors with respect to solvent pH and instrumental configuration, *PLoS One*, 12(11), 1–16.
- Kumar, K., Giribhattanavar, P., Sagar, C., and Patil, S., 2018, A rapid and simple resazurin assay to detect minimum inhibitory concentrations of first-line drugs for *Mycobacterium tuberculosis* isolated from cerebrospinal fluid, *J. Glob. Antimicrob. Resist.*, 12, 157–161.
- Latif, Z. and Sarker, S.D., 2012, *Isolation of Natural Products by Preparative High Performance Liquid Chromatography (Prep-HPLC)*. Dalam Sarker, S.D., Latif, Z., and Gray, A.I., *Natural Products Isolation - Methods in Biotechnology*, Humana Press, Totowa.

- Leal-Sánchez, M.V., Jiménez-Díaz, R., Maldonado-Barragán, A., Garrido-Fernández, A., Ruiz-Barba, J.L., 2002, Optimization of Bacteriocin Production by Batch Fermentation of *Lactobacillus plantarum* LPCO10, *Appl. Environ. Microbiol.*, 9(68), 4465–4471.
- Lebreton, F., Willems, R.J.L., and Gilmore, M.S., 2014, *Enterococcus Diversity, Origins in Nature, and Gut Colonization*. Dalam Gilmore, M.S., Clewell, D.B., Ike, Y., and Shankar, N., *Enterococci: From Commensals to Leading Causes of Drug Resistant Infection*, Massachusetts Eye and Ear Infirmary, Boston.
- Lee, J.Y., Lee, E.J., Kim, S.H., Jeong, H.S., Oh, S.H., Kim, H.R., Lee, J.N., Chang, C.L., Kho, W.G., and Shin, J.H., 2009, The optimal wavelength of spectrophotometric broth microdilution antifungal susceptibility test for flucytosine and three azoles, *Korean J. Lab. Med.*, 4(29), 324–330.
- Lei, H., Sun, J.F., Han, Z., Zhou, X.F., Yang, B., and Liu, Y., 2014, Fragilisinins A-L, new briarane-type diterpenoids from gorgonian *Junceella fragilis*, *RSC Adv.*, 10(4), 5261–5271.
- Li, J.L., Han, S.C., Yoo, E.S., Shin, S., Hong, J., Cui, Z., Li, H., and Jung, J.H., 2011, Anti-inflammatory Amino Acid Derivatives from the Ascidian *Herdmania momus*, 8(74), 1792–1797.
- Li, J.L., Kim, E. La, Wang, H., Hong, J., Shin, S., Lee, C.K., and Jung, J.H., 2013, Epimeric methylsulfinyladenosine derivatives from the marine ascidian *Herdmania momus*, *Bioorganic Med. Chem. Lett.*, 16(23), 4701–4704.
- Li, J.L., Xiao, B., Park, M., Yoo, E.S., Shin, S., Hong, J., Chung, H.Y., Kim, H.S., and Jung, J.H., 2012, PPAR- $\gamma$  Agonistic Metabolites from the Ascidian *Herdmania momus*, *J. Nat. Prod.*, 12(75), 2082–2087.
- Lopez-Legentil, S., Turon, X., and Erwin, P.M., 2016, Feeding cessation alters host morphology and bacterial communities in the ascidian *Pseudodistoma crucigaster*, *Front Zool*, 2(13), 1-11
- MacGowan, A. and Macnaughton, E., 2017, Antibiotic resistance, *Med. (United Kingdom)*, 11(41), 622–628.
- Mujipradhana, V.N., Wewengkang, D.S., dan Suryanto, E., 2018, aktivitas antimikroba dari ekstrak ascidian *Herdmania momus* pada mikroba patogen manusia, *Pharmacon Jurnal Ilmiah Farmasi Universitas Sam Ratulangi*, 3(7), 338–347.
- Müller, E., Berger, R., Blass, E., and Sluyts, D., 2000, *Liquid-Liquid Extraction*. Dalam Elvers, B., *Ullmann's Encyclopedia of Industrial Chemistry*, Wiley-VCH Verlag GmbH and Co. KGaA, Weinheim.

- Nazemi, M., Moradi, Y., Rezvani, G.F., Ahmaditaba, M.A., Gozari, M., and Salari, Z., 2017, Antimicrobial activities of semi polar-nonpolar and polar secondary metabolites of sponge *Dysidea pallescens* from Hengam Island, Persian Gulf, *Iran. J. Fish. Sci.*, 15(5), 200–209.
- Nelson, D.L. and Cox, M.M., 2008, *Lehninger Principles of Biochemistry*, 5<sup>th</sup> Ed. W.H. Freeman and Company, New York.
- Patnaik, P., 2004, *Dean's Analytical Chemistry Handbook*, 2<sup>nd</sup> Ed., McGraw-Hill Companies, New York.
- Pinu, F.R., Villas-Boas, S.G., and Aggio, R., 2017, Analysis of intracellular metabolites from microorganisms: Quenching and extraction protocols. *Metabolites*, 4(7).
- Putra, M.Y., Hadi, T.A., and Murniasih, T., 2016, In vitro antibacterial and antifungal activities of twelve sponges collected from the Anambas Islands, Indonesia, *Asian Pacific J. Trop. Dis.*, 9(6), 732–735.
- Sarker, S.D., Latif, Z., and Gray, A.I., 2005, *Natural Products Isolation*, Humana Press, Totowa.
- Schleifer, K.H. and Kilpper-Balz, R., 1984, Transfer of *Streptococcus faecalis* and *Streptococcus faecium* to the Genus *Enterococcus* nom. rev. as *Enterococcus faecalis* comb. nov. and *Enterococcus faecium* comb. nov., *Int. J. Syst. Bacteriol.*, 1(34), 31–34.
- Schmidt, E.W., Donia, M.S., McIntosh, J.A., Fricke, W.F., and Ravel, J., 2012, Origin and variation of tunicate secondary metabolites, *J. Nat. Prod.*, 2(75), 295–304.
- Schofield, M.M., Jain, S., Porat, D., Dick, G.J., and Sherman, D.H., 2015, Identification and analysis of the bacterial endosymbiont specialized for production of the chemotherapeutic natural product ET-743, *Environ. Microbiol.*, 17(10), 3964–3975.
- Seidel, V., 2012, *Initial and Bulk Extraction*. Dalam Sarker, S.D., Latif, Z., and Gray, A.I., *Natural Products Isolation - Methods in Biotechnology*, Humana Press, Totowa.
- Snyder, L.R., Kirkland, J.J., and Glajch, J.L., 2012, *Practical HPLC Method Development*, 2<sup>nd</sup> Ed., John Wiley and Sons Inc., Hoboken.
- Strohl, W.R., 2002, *Secondary Metabolites, Antibiotics*. Dalam Flickinger, M.C. and Drew, S.W., *Encyclopedia of Bioprocess Technology*, John Wiley and Sons Inc., Hoboken.

- Tian, F., Li, B., Ji, B., Yang, J., Zhang, G., Chen, Y., and Luo, Y., 2009, Antioxidant and antimicrobial activities of consecutive extracts from *Galla chinensis*: The polarity affects the bioactivities, *Food Chem.*, 1(113), 173–179.
- Tissue, B.M., 2013, *Basics of Analytical Chemistry and Chemical Equilibria*, John Wiley and Sons Inc., Hoboken
- Tjaniadi, P., Lesmana, M., Subekti, D., Machpud, N., Komalarini, S., Santoso, W., Simanjuntak, C.H., Punjabi, N., Campbell, J.R., Alexander, W.K., Beecham III, H.J., A.L. Corwin, and Oyofu, B.A., 2003, Antimicrobial Resistance of Bacterial Pathogens Associated With Diarrheal Patients in Indonesia, *Am J Trop Med Hyg*, 6(68), 666–670.
- Tong, H., Bell, D., Tabei, K., and Siegel, M.M., 1999, Automated data massaging, interpretation, and e-mailing modules for high throughput open access mass spectrometry, *J. Am. Soc. Mass Spectrom.*, 11(10), 1174–1187.
- Vranic, S. and Uzunovic, A., 2016, Antimicrobial Resistance of *Escherichia Coli* Strains Isolated from Urine at Outpatient Population: a Single Laboratory Experience, *Mater. Sociomed.*, 2(28), 121.
- Wang, W., Kim, H., Patil, R.S., Giri, A.G., Won, D.H., Hahn, D., dkk., 2017, Cadiolides J–M, antibacterial polyphenyl butenolides from the Korean tunicate *Pseudodistoma antinboja*, *Bioorg. Med. Chem. Lett.*, 3(27), 574–577.
- Widayati, A., Suryawati, S., Crespigny, C. De, and Hiller, J.E., 2015, Beliefs About the Use of Nonprescribed Antibiotics Among People in Yogyakarta City, Indonesia, *Asia Pacific J. Public Heal.*, 2(27), NP402-NP413.
- Wilson, C.O., Gisvold, O., Block, J.H., and Beale, J.M., 2004, *Wilson and Gisvold's textbook of organic medicinal and pharmaceutical chemistry*, Lippincott Williams and Wilkins, Philadelphia.
- Won, T.H., Jeon, J.E., Kim, S.H., Lee, S.H., Rho, B.J., Oh, D.C., Oh, K.B., and Shin, J., 2012, Brominated aromatic furanones and related esters from the ascidian *synoicum* sp., *J. Nat. Prod.*, 12(75), 2055–2061.
- Youssef, D.T.A., Mohamed, G.A., Shaala, L.A., Badr, J.M., Bamanie, F.H., and Ibrahim, S.R.M., 2015, New purine alkaloids from the Red Sea marine tunicate *Symplegma rubra*, *Phytochem. Lett.*, 13, 212–217.
- Zahn, J.A., Higgs, R.E., and Hilton, M.D., 2001, Use of direct-infusion electrospray mass spectrometry to guide empirical development of improved conditions for expression of secondary metabolites from actinomycetes, *Appl. Environ. Microbiol.*, 1(67), 377–386.



Zhong, Z., Zhang, W., Song, Y., Liu, W., Xu, H., Xi, X., Minghe, B., Zhang, H., and Sun, Z., 2017, Comparative genomic analysis of the genus *Enterococcus*, *Microbiol. Res.*, 196, 95–105.