

DAFTAR PUSTAKA

- Abd El-Salam, M.H., Hippen, A.R., Assem, F.M., El-Shafei, K., Tawfik, N.F., and M. El-Aassar. 2011. Preparation and properties of probiotic cheese high in conjugated linoleic acid content. *Int. J. Dairy Technol.* 64: 64-74.
- Abd El-Salam, M.H., El-Shafei, K., Sharaf, O.M., Effat, B.A., Asem, F.M., and M. El-Aassar. 2010. Screening of some potentially probiotic lactic acid bacteria for their ability to synthesis conjugated linoleic acid. *Int. J. Dairy Technol.* 63: 62-69.
- Abdulrazak, S.A. and T. Fujihara. 1999. *Animal nutrition: A laboratory manual*. Shimane University. Shimane: Japan.
- Abo-Donia, F. M., Yang, L.Y., Hristov, A.N., Wang, M., Tang, S.X., Zhou, C.S., Han, X.F., Kang, J.H., Tan, Z. L., and Z. X. He. 2017. Effects of tannins on the fatty acid profiles of rumen fluids and milk from lactating goats fed a total mixed ration containing rapeseed oil. *Livest Sci.* 204: 16-24.
- AbuGhazaleh, A. A., and A. Ishlak. 2014. Effects of incremental amounts of fish oil on trans fatty acids and *Butyrivibrio* bacteria in continuous culture fermenters. *J. Anim. Physiol. Anim. Nutr.* 98(2): 271- 278.
- Alonso-Díaz, M., Torres-Acosta, J., Sandoval-Castro, C., and H. Hoste. 2010. Tannins in tropical tree fodders fed to small ruminants: A friendly foe? *Small Rum. Res.* 89: 164-173.
- Anassori, E., Dalir-naghadeh, B., Pirmohammadi, R., Taghizadeh, A., and S. Asri-rezaei. 2012. In vitro assessment of the digestibility of forage based sheep diet, supplemented with raw garlic, garlic oil and monensin. *Vet. Res. Forum.* 3(1): 5–11.
- Animut, G., Puchala, R., Goetsch, A.L., Patra, A.K., Sahlu, T., Varel, V.H., and J. Wells. 2008. Methane emission by goats consuming diets with different levels of condensed tannins from lespedeza. *Anim. Feed Sci. Technol.* 144: 212–227.
- AOAC. 1995. *Official methods of analysis*. 16th ed. Arlington, VA: Association of Official Analytical Chemists, International.
- Archimède, H., Eugène, M., Magdeleine, C. M., Boval, M., Martin, C., Morgavi, D. P., and M. Doreau. 2011. Comparison of methane production between C3 and C4 grasses and legumes. *Anim. Feed Sci. Technol.* 167: 59–64.
- Archimède, H., Rira, M., Barde, D.J., Labirin, F., Marie-Magdeleine, C. Calif, B. Periacarpin, F. Fleury, J. Rochette, Y., Morgavi, D.P., and M. Doreau. 2015. Potential of tannin rich plants, *Leucaena leucocephala*, *Glyricidia sepium* and *Manihot esculenta*, to reduce enteric methane emissions in sheep. *J. Anim. Physiol. Anim. Nutr.* DOI: 10.1111/jpn.12423.
- Azuhnwi, B.N., Boller, B., Martens, M., Dohme-Meier, F., Ampuero, S., Günter, S., Kreuzer, M., and H. D. Hess. 2011. Morphology, tannin concentration and forage value of 15 Swiss accessions of sainfoin (*Onobrychis viciifolia*

- Scop.) as influenced by harvest time and cultivation site. *Grass and Forage Sci.* 66: 474-487.
- Barahona, R., Lascano, C. E., Cochran, R., Morrill, J., and E. C. Titgemeyer. 1997. Intake, digestion, and nitrogen utilization by sheep fed tropical legumes with contrasting tannin concentration and astringency. *J. Anim. Sci.* 75: 1633–1640.
- Barros-Rodríguez, M., Sandoval-Castro, C. A., Solorio-Sánchez, J., Sarmiento-Franco, L. A., Rojas-Herrera, R., and A. V. Klieve. 2014. *Leucaena leucocephala* in Ruminant Nutrition. *Trop. Subtrop. Agroecosystems.* 17: 173–183.
- Beam, T. M., Jenkins, T. C., Moate, P. J., Kohn, R. A., and D. L. Palmquist. 2000. Effects of amount and source of fat on the rates of lipolysis and biohydrogenation of fatty acids in ruminal contents 1. *J. Dairy Sci.* 83(11): 2564–2573.
- Beauchemin, K.A., McGinn, S.M., Martinez, T.F., and T. A. McAllister. 2007. Use of condensed tannin extract from quebracho trees to reduce methane emissions from cattle. *J. Anim. Sci.* 85: 1990–1996.
- Beauchemin, K. A., McGinn, S. M., Benchaar, C., and L. Holtshausen. 2009. Crushed sunflower, flax, or canola seeds in lactating dairy cow diets: Effects on methane production, rumen fermentation, and milk production. *J. Dairy Sci.* 92(5): 2118–2127.
- Beauchemin, K. A., McGinn, S. M., Martinez, T. F., and T. A. McAllister. 2014. Use of condensed tannin extract from quebracho trees to reduce methane emissions from cattle 1. *J. Anim. Sci.* 1990–1996.
- Benchaar, C., Hassanat, F., Martineau, R., and R. Gervais. 2015. Linseed oil supplementation to dairy cows fed diets based on red clover silage or corn silage Effects on methane production, rumen fermentation, nutrient digestibility, N balance, and milk production. *J. Dairy Sci.* 1–16.
- Bhatta, R., Uyeno, Y., Tajima, K., Takenaka, A., Yabumoto, Y., Nonaka, I., and M. Kurihara. 2009. Difference in the nature of tannins on in vitro ruminal methane and volatile fatty acid production and on methanogenic archaea and protozoal populations. *J. Dairy Sci.* 92(11): 5512–5522.
- Bhatta, R., Saravanan, M., Baruah, L., and K. T. Sampath. 2012. Nutrient content, in vitro ruminal fermentation characteristics and methane reduction potential of tropical tannin-containing leaves. *J. Sci. Food Agric.* 92: 2929–2935.
- Bhatta, R., M. Saravanan, L. Baruah, P. K. Malik and K. T. Sampath. 2017. Nutrient composition, rate of fermentation and in vitro rumen methane output from tropical feedstuffs. *J. Agric. Sci.* 155: 171-183.
- Boapa, L. D., Henríquez-Hernández, L. A., and O. P. Luzardo. 2016. The impact of red and processed meat consumption on cancer and other health outcomes: Epidemiological evidences. *Food Chem. Toxicol.* 92: 236–244.

- Bodas, R., Prieto, N., Garcia-Gonzalez, R., Andres, S., Giraldez, F.J., and S. Lopez. 2012. Manipulation of rumen fermentation and methane production with plant secondary metabolites. *Anim. Feed Sci. Technol.* 176: 78–93.
- Boerman, J. P., Preseault, C. L., and A. L. Lock. 2014. Effect of dietary antioxidant and increasing corn oil inclusion on milk fat yield and fatty acid composition in dairy cattle. *J. Dairy Sci.* 97(12): 7697–7705.
- Borrel, G., Toole, P. W. O., Harris, H. M. B., and P. Peyret. 2013. Phylogenomic Data Support a Seventh Order of Methylophilic Methanogens and Provide Insights into. *Genome Biol. Evol.* 5(10): 1769–1780.
- Brownlee, H.E., Mceuen, A.R., Hedger, J., and I. M. Scott. 1990. Antifungal effects of cocoa tannin on the witches broom pathogen *Crinipellis perniciosus*. *Physiol. Mol. Plant Pathol.* 36: 39–48.
- Buccioni A., Minieri S., Rapaccini S., Antongiovanni M., and M. Mele. 2011. Effect of chestnut and quebracho tannins on fatty acid profile in rumen liquid- and solid-associated bacteria: an in vitro study. *Animal* 5: 1521-1530.
- Buccioni, A., Pauselli, M., Viti, C., Minieri, S., Pallara, G., Roscini, V., and M. T. Marinucci. 2015. Milk fatty acid composition, rumen microbial population, and animal performances in response to diets rich in linoleic acid supplemented with chestnut or quebracho tannins in dairy ewes. *J. Dairy Sci.* 1–12.
- Buccioni, A., Pauselli, M., Minieri, S., Roscini, V., Mannelli, F., Rapaccini, S., Lupi, P., Conte, G., Serra, A., Cappucci, A., Brufani, L., Ciucci, F., and M. Mele. 2017. Chestnut or quebracho tannins in the diet of grazing ewes supplemented with soybean oil: effects on animal performances, blood parameters and fatty acid composition of plasma and milk lipids. *Small Rum. Res.* DOI: 10.1016/j.smallrumres.2017.05.006.
- Calder, P. C. 2015. Functional roles of fatty acids and their effects on human health. *J. Parenter Enteral Nutr.* 39(Suppl. 1): 18S–32S.
- Calsamiglia S., Ferret A., Reynolds C. K., Kristensen, N. B. and A. M. van Vuuren. 2010. Strategies for optimizing nitrogen use by ruminants. *Animal* 4: 1184–1196.
- Carreño, D., Hervás, G., Toral, P.G., Belenguer, A., and P. Frutos. 2015. Ability of different types and doses of tannin extracts to modulate in vitro ruminal biohydrogenation in sheep. *Anim Feed Sci Technol* 202: 45-51.
- Castagnino, P.S., Messana, J.D., Fiorentini, G., de Jesus, R.B., San Vito, E., Carvalho, I.C.P., and T. T. Berchielli. 2015. Glycerol combined with oils did not limit biohydrogenation of unsaturated fatty acid but reduced methane production in vitro. *Anim. Feed Sci. Technol.* 201, 14–24.
- Chaney, A.L. and E.P. Marbach. 1962. Modified reagent for determination urea and ammonia. *Clin. Chem.* 8: 130–132

- Chen, X. B. and M. J. Gomes. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives. An overview of the technical details. Rowett Research Institute, Bucksburn. Aberdeen.
- Choudhury, P.K., A.Z.M. Salem., R. Jena., S. Kumar, R. Singh, and A.K. Puniya. 2015. Rumen microbiology: An overview, in: Rumen Microbiology: From evolution to revolution. A.K. Puniya, R. Singh, and D.N. Kamra (Eds). Springer India.
- Cieslak, A., Stochmal, A., and W. Oleszek. 2013. Plant components with specific activities against rumen methanogens. *Animal*. 7(s2): 253–265.
- Cieslak, A., Zmora, P., Pers-Kamczyc, E., Stochmal, A., Sadowinska, A., Salem, A. Z., Kowalczyk, D. Zbonik, P., and M. Szumacher-Strabel. 2014. Effects of two sources of tannins (*Quercus L.* and *Vaccinium vitis idaea L.*) on rumen microbial fermentation: an in vitro study. *Ital. J. Anim. Sci.* 13(2): 290-294.
- Cieslak, A., El-Sherbiny, M., Szczechowiak, D. K., Kowalczyk, D., Pers-Kamczyc, E., Bryszak, M., Szul, P., Jozwik, A., and M. Szumacher-Strabel. 2015. Rapeseed and fish oil mixtures supplied at low dose can modulate milk fatty acid composition without affecting rumen fermentation and productive parameters in dairy cows. *Anim. Sci. Pap. Rep.* 33(4): 357-372.
- Costa, D F A., Quigley, S P., Isherwood, P., Mclennan, S R., Sun, X Q., Gibbs, S J., and D. P. Poppi. 2017. The inclusion of low quantities of lipids in the diet of ruminants fed low quality forages has little effect on rumen function. *Anim. Feed Sci. Technol.* 234: 20–28.
- Corriher, V. A., G. M. Hill, T. D. Pringle, and B. G. Mullinix Jr. 2009. Two-year performance forage-finished beef supplemented with corn and corn oil. *Prof. Anim. Sci.* 25:586.
- Corriher, V.A. Hill, G.M., Bernard, J.K., B. G. Mullinix. 2010. Performance of Finishing Steers Corn Silage or Forage Sorghum Silage with corn oil. *Prof. Anim. Sci.* 26(4): 387-392.
- Cottle, D. J., Nolan, J. V, and S. G. Wiedemann. 2011. Ruminant enteric methane mitigation: A review. *Anim. Prod. Sci.* 51(June): 491–515.
- Daryatmo, J., Hartadi, H., Orskov, E.R., Kustantinah, and W. Nurcahyo. 2010. *In vitro* screening of various forages for anthelmintic activity on *Haemonchus contortus* eggs. Proceeding of The British Society of Animal Science and Agriculture Research Forum. 01(1):113. DOI: 10.1017/S2040470010002566
- De Visser, H., H. Valk, A. Klop, J. Van der Meulen, J. G. M. Bakker, and G. B. Huntington. 1997. Nutrient fluxes in splanchnic tissue of dairy cows: Influence of grass quality. *J. Dairy Sci.* 80:1666–1673.

- Dehority, B. A. and P. A. Tirabasso. 2004. Effect of feeding frequency on bacterial and fungal concentration, pH and other parameters in the rumen. *J. Anim. Sci.* 79: 2908-2912.
- Dongmeza, E., Steinbronn, S., Francis, G., Focken, U., and K. Becker. 2008. Investigations on the nutrient and antinutrient content of typical plants used as fish feed in small scale aquaculture in the mountainous regions of Northern Vietnam. *Anim. Feed Sci. Technol.* 149: 162–178.
- Duffield, T. F., Rabiee, A. R., and I. J. Lean. 2008. A Meta-Analysis of the Impact of Monensin in Lactating Dairy Cattle. Part 1. Metabolic Effects. *J. Dairy Sci.* 91(4): 1334–1346.
- Durmic, Z., Mcsweeney, C. S., and G. W. Kemp. 2008. Australian plants with potential to inhibit bacteria and processes involved in ruminal biohydrogenation of fatty acids. *Anim. Feed Sci. Technol.* 145: 271–284.
- Eckard, R. J., Grainger, C., and C. A. M. de Klein. 2010. Options for the abatement of methane and nitrous oxide from ruminant production: A review. *Livest. Sci.* 130(1–3): 47–56.
- El-Zaiat, H. M., Araujo, R. C., Soltan, Y. A., Morsy, A. S., Louvandini, H., Pires, A.V., Patino, H. O., Correa, P. S., and A. L. Abdalla. 2014. Encapsulated nitrate and cashew nut shell liquid on blood and rumen constituents, methane emission, and growth performance of lambs. *J. Anim. Sci.* 92: 2214-2224.
- Esteban, J., Girón, P., Lucía, M., Restrepo, P., and J. E. Carulla. 2016. Supplementation with corn oil and palm kernel oil to grazing cows: ruminal fermentation, milk yield, and fatty acid profile. *Revista Brasileira de Zootecnia.* 45(11): 693–703.
- Eugène, M., Mass, D., Chiquette, J., and C. Benchaar. 2008. Meta-analysis on the effects of lipid supplementation on methane production in lactating dairy cows. *Can. J. Anim. Sci.* 88: 331–334.
- FAO-WHO. 2010. Fats and fatty acids in human nutrition. Food and nutrition paper: Report of an expert consultation. Geneva, November 10–14, 2008. Rome, Italy. Rome: FAO.
- Fievez, V., F. Dohme, M. Danneels, K. Raes, and D. I. Demeyer. 2003. Fish oils as potent rumen methane inhibitors and associated effects on rumen fermentation in vitro and in vivo. *Anim. Feed Sci. Technol.* 104:41–58.
- Finlay B.J, Esteban G, Clarke K.J, Williams A.G, Embley T.M and R. R. Hirt. 1994. Some rumen ciliates have endosymbiotic methanogens. *FEMS Microbiol Lett.* 117:157–162.
- Foroughbakhch, P. R., Parra, A. C., and A. R. Estrada. 2012. Nutrien content and in vitro dry matter digestibility of *Gliricidia sepium* (Jacq.) Walp. and *Leucaena leucocephala*. *J. Anim. Veterenary Adv.* 10: 1708–1712.

- France, J., and J. Dijkstra. 2005. Volatile fatty acid production. Pages 157–175 in *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. CABI Publishing, Cambridge, MA.
- Fuentes, M. C., Calsamiglia, S., Fievez, V., Blanch, M., and D. Mercadal. 2011. Effect of pH on ruminal fermentation and biohydrogenation of diets rich in omega-3 or omega-6 fatty acids in continuous culture of ruminal fluid. *Anim. Feed Sci. Technol.* 169(1–2): 35–45.
- Garcia-Gonzalez R., Lopez S., Fernandez M., Bodas R., and J. S. Gonzalez. 2008. Screening the activity of plants and spices for decreasing ruminal methane production in vitro. *Anim. Feed Sci. Tech.* 147: 36-52.
- Gemeda, B. S., and A. Hassen. 2015. Effect of tannin and species variation on in vitro digestibility, gas, and methane production of tropical browse plants. *Asian Aust. J. Anim. Sci.* 28(2): 188–199.
- Giang, N. T. T., Wanapat, Phesatcha, M. K., and S. Kang. 2016. Level of *Leucaena leucocephala* silage feeding on intake, rumen fermentation, and nutrient digestibility in dairy steers. *Trop. Anim. Health Prod.* 48: 1057-1064.
- Giger-Reverdin, S., Morand-Fehr, P., and G. Tran. 2003. Literature survey of the influence of dietary fat composition on methane production in dairy cattle. *Livest. Prod. Sci.* 82: 73–79.
- Gill, M., Smith, P., and J. M. Wilkinson. 2010. Mitigating climate change : the role of domestic livestock. *Animal.* 4: 323–333.
- Girard, M., Wechsler, D., Goy, D., Kreuzer, M., and G. Bee. 2016. Ability of 3 tanniferous forage legumes to modify quality of milk and Gruyère-type cheese. *J. Dairy Sci.* 99(1): 205–220.
- Girón, J. E. P., Estrepo, M. L. P., and J. E. C. Fornaguera. 2016. Supplementation with corn oil and palm kernel oil to grazing cows: ruminal fermentation, milk yield, and fatty acid profile. *Revista Brasileira de Zootecnia.* 45(11): 693–703.
- Glasser, F., A. Ferlay, and Y. Chilliard. 2008a. Oilseed lipid supplements and fatty acid composition of cow milk: A meta-analysis. *J. Dairy Sci.* 91:4687–4703.
- Goel, G and H. P. S. Makkar. 2015. Methane mitigation from ruminants using tannins and saponins Methane mitigation from ruminants using tannins and saponins. *Trop Anim Health Prod.* 44: 729-739.
- Gómez-Cortés, P., Gallardo, B., Mantecón, A. R. R., Juárez, M., de la Fuente, M. A., and T. Manso. 2014. Effects of different sources of fat (calcium soap of palm oil vs. extruded linseed) in lactating ewes' diet on the fatty acid profile of their suckling lambs. *Meat Sci.* 96(3): 1304–1312.
- Gómez, I., Mendizabal, J.A., Sarriés, M.V., Insausti, K., Albertí, P., Realini, C., Pérez-Juan, M., Oliver, M.A., Purroy, A., and M. J. Beriain. 2015. Fatty

- acid composition of young Holstein bulls fed whole linseed and rumen-protected conjugated linoleic acid enriched diets. *Livest. Sci.* 180: 106–112.
- Grainger, C., Williams, R., Clarke, T., Wright, A. G., and R. J. Eckard. 2010. Supplementation with whole cottonseed causes long-term reduction of methane emissions from lactating dairy cows offered a forage and cereal grain diet. *J. Dairy Sci.* 93(6): 2612–2619.
- Gravador, R. S., Luciano, G., Jongberg, S., Bognanno, M., Scerra, M., Andersen, M. L., and A. Priolo. 2015. Fatty acids and oxidative stability of meat from lambs fed carob-containing diets. *J. Food Chem.* 182, 27-34.
- Heidarian, V., Kumar, A., and S. Hadi. 2013. Effect of cumin (*Cuminum cyminum*) seed extract on milk fatty acid profile and methane emission in lactating goat. *Small Rumin Res.* 113(1): 66–72.
- Henderson, G., Cox, F., Ganesh, S., Jonker, A., Young, W., Collaborators, G.R.C., and P. H. Janssen. 2016. Rumen microbial community composition varies with diet and host, but a core microbiome is found across a wide geographical range. *Sci. Rep.* 5: 14567.
- Hervás, G., P. Frutos, F. Javier Giráldez, A. R. Mantecón, and M. C. Alvarez Del Pino. 2003. Effect of different doses of quebracho tannins extract on rumen fermentation in ewes. *Anim. Feed Sci. Technol.* 109: 65–78.
- Hook, S. E., Wright, G., and B. W. McBride. 2010. Methanogens: Methane producers of the rumen and mitigation strategies. *Archea.* 50–60.
- Hristov, A.N., Vander Pol, M., Agle, M., Zaman, S., Schneider, C., Ndegwa, P. Vaddella, V.K., Johnson, K., Shingfield, K.J., and S. K. R. Karnati. 2009. Effect of lauric acid and coconut oil on ruminal fermentation, digestion, ammonia losses from manure, and milk fatty acid composition in lactating cows. *J. Dairy Sci.* 92: 5561-5582.
- Hristov, A. N., Oh, J., Firkins, J. L., Dijkstra, J., Kebreab, E., Waghorn, G., and J. M. Tricarico. 2013. SPECIAL TOPICS-Mitigation of methane and nitrous oxide emissions from animal operations: A review of enteric methane mitigation options. *J. Anim. Sci.* 91(11): 5045–5069.
- Huang, X. D., Liang, J. B., Tan, H. Y., Yahya, R., Khamseekhiew, B., and Y. W. Ho. 2010. Molecular weight and protein binding affinity of Leucaena condensed tannins and their effects on in vitro fermentation parameters. *Anim. Feed Sci. Technol.* 159: 81–87.
- Hung, L. V., Wanapat, M., and A. Cherdthong. 2013. Effects of leucaena leaf pellet on bacterial diversity and microbial protein synthesis in swamp buffalo fed on rice straw. *Livest Sci.* 151:188-97.
- Hur, S. J., Kim, H. S., Bahk, Y. Y., and Y. Park. 2017. Overview of conjugated linoleic acid formation and accumulation in animal products. *Livest Sci.* 195: 105–111.

- Ivan, M., P. S. Mir, Z. Mir, T. Entz, M. L. He, and T. A. McAllister. 2004. Effects of dietary sunflower seeds on rumen protozoa and growth of lambs. *Br. J. Nutr.* 92:303–310.
- Ivan, M., H. V. Petit, J. Chiquette, and A. D. G. Wright. 2013. Rumen fermentation and microbial population in lactating dairy cows receiving diets containing oilseeds rich in C18 fatty acids. *Br. J. Nutr.* 109:1211–1218.
- Jafari, S., Goh, Y. M., Rajion, M. A., Jahromi, M. F., and Y. H. Ahmad. 2016. Papaya (*Carica papaya*) leaf methanolic extract modulates in vitro rumen methanogenesis and rumen biohydrogenation. *Anim. Sci.* 88(2): 267–276.
- Jalč, D., and Z. Čerešňáková. 2002. Effect of plant oils and malate on rumen fermentation in vitro. *Czech J. Anim. Sci.* 47: 106-111.
- Jayanegara, A., Togtokhbayar, N., Makkar, H.P.S., and K. Becker. 2009. Tannins determined by various methods as predictors of methane production reduction potential of plants by an in vitro rumen fermentation system. *Anim. Feed Sci. Technol.* 150: 230–237.
- Jayanegara, A., Wina, E., Soliva, C.R., Marquardt, S., Kreuzer, M., and F. Leiber. 2011. Dependence of forage quality and methanogenic potential of tropical plants on their phenolic fractions as determined by principal component analysis. *Anim. Feed Sci. Technol.* 163, 231–243.
- Jayanegara, A., Leiber, F., and M. Kreuzer. 2012. Meta-analysis of the relationship between dietary tannin level and methane formation in ruminants from in vivo and in vitro experiments. *J. Anim. Physiol. Anim. Nutr.* 96: 365–375.
- Jayanegara, A., Ridla, M., and E. B. Laconi. 2014. Influence of Tanin Concentration in Ration on Fermentation Parameters of Rumen Simulation Technique (RUSITEC): A Meta-analysis, International Workshop on Tropical Bio-resources for Sustainable Development, 13-15 August 2014, Bogor.
- Jayanegara, A., Makkar, H. P. S., and K. Becker. 2015. Addition of purified tannin sources and polyethylene glycol treatment on methane emission and rumen fermentation in vitro. *Media Peternak.* 38(1): 57-63.
- Jenkins, T.C. and J. W. C. Bridges. 2007. Protection of fatty acids against ruminal biohydrogenation in cattle. *Eur J Lipid Sci Technol.* 109: 778-789.
- Jenkins, T. C., Wallace, R. J., Moate, P. J., Mosley, E. E., Jenkins, T. C., Wallace, R. J., ... and E. E. Mosley. 2008. BOARD-INVITED REVIEW : Recent advances in biohydrogenation of unsaturated fatty acids within the rumen microbial ecosystem *J. Anim. Sci.* 86: 397–412.
- Jenkins, T. C. 2010. Technical note: Common analytical errors yielding inaccurate results during analysis of fatty acids in feed and digesta samples. *J. Dairy Sci.* 93:1170-1174.

- Jerenimo, E., Alves, S. P., Dentinho, M. T. P., Martins, S. V, Prates, J. A. M., Vasta, V., and R. J. B. Bessa. 2010. Effect of grape seed extract, cistus ladanifer l., and vegetable oil supplementation on fatty acid composition of abomasal digesta and intramuscular fat of lambs. *J. Agric. Food Chem.* 58(19): 10710–10721.
- Kamal, M. 1997. Kontrol Kualitas Pakan Ternak. Laboratorium Makanan Ternak. Jurusan Nutrisi Makanan Ternak, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Kamra, D.N. 2005. Rumen microbial ecosystem. *Current Sci.* 89: 124-135.
- Kariuki, I. W., and B. W. Norton. 2008. The digestion of dietary protein bound by condensed tannins in the gastro-intestinal tract of sheep. *Anim. Feed Sci. Technol.* 142: 197–209.
- Kennedy, P. M., and E. Charmley. 2012. Methane yields from Brahman cattle fed tropical grasses and legumes. *Anim. Prod. Sci.* 52: 225–239.
- Kim, B. H. and G. M. Gadd. 2008. *Bacterial Physiology and Metabolism.* Cambridge University Press, Cambridge, U.K
- Khiosa-Ard, R., Bryner, S. F., Scheeder, M. R. L., Wettstein, H., Leiber, F., Kreuzer, M., and C. R. Soliva. 2009. Evidence for the inhibition of the terminal step of ruminal α -linolenic acid biohydrogenation by condensed tannins. *J. Dairy Sci.* 92(1): 177–188.
- Klevenhusen, F., Muro-reyes, A., Khiaosa-ard, R., Metzler-zebeli, B. U., and Q. Zebeli. 2012. A meta-analysis of effects of chemical composition of incubated diet and bioactive compounds on in vitro ruminal fermentation. *Anim. Feed Sci. Technol.* 176(1-4): 61–69.
- Knowles, M. M., Pabon, M. L., Hess, H. D., and J. E. Carulla. 2017. Changes in vitro ruminal and post-ruminal degradation of tropical tannin-rich legumes due to varying levels of polyethylene glycol. *Anim. Physiol. Anim. Nutr.* DOI: 10.1111/jpn.12610
- Krueger, N. A., Anderson, R. C., Tedeschi, L. O., Callaway, T. R., Edrington, T. S., and D. J. Nisbet. 2010. Evaluation of feeding glycerol on free-fatty acid production and fermentation kinetics of mixed ruminal microbes in vitro. *Bioresou Technol.* 101(21): 8469–8472.
- Kustantinah, Daryatmo, J., Orskov, E.R., Mayes, R.W., and H. Hartadi. 2010. Utilisation of cassava leaf and carica papaya leaf as feeds and anthelmintics for goats. *Proceeding of The British Society of Animal Science and Agriculture Research Forum.* 01(1):114.
- Lascano, C., Schmidt, A., and R. Barahona. 2001. Forage quality and the environment. *International Grassland Congress: SBZ São Pedro.*
- Lees, G. L., Suttill, N. H., and M. Y. Gruber. 1993. Condensed tannins in sainfoin. 1. A histological and cytological survey of plant tissues. *Can. J. Bot.* 71: 1147-1152.

- Leupp, J. L., G. P. Lardy, M. L. Bauer, K. K. Karges, M. L. Gibson, J. S. Caton, and R. J. Maddock. 2009. Effects of distillers dried grains with solubles on growing and finishing steer intake, performance, carcass characteristics, and steak color and sensory attributes. *J. Anim. Sci.* 87:4118-4124.
- Liu, H., Vaddella, V., and D. Zhou. 2011. Effects of chestnut tannins and coconut oil on growth performance, methane emission, ruminal fermentation, and microbial populations in sheep. *J. Dairy Sci.* 94(12): 6069–6077.
- Liu, Y., and W. B. Whitman. 2008. Metabolic, Phylogenetic, and Ecological Diversity of the Methanogenic Archaea. *Archaea.* 189: 171–189.
- Lopes, J. C., Harper, M. T., Giallongo, F., Oh, J., Smith, L., Harper, S. A., and A. Melgar. 2017. Effect of high-oleic-acid soybeans on production performance, milk fatty acid composition, and enteric methane emission in dairy cows. *J. Dairy Sci.* 2015: 1–14.
- Lourenco, M., Ramos-Morales, E., and R. J. Wallace. 2010. The role of microbes in rumen lipolysis and biohydrogenation and their manipulation. *Animal.* 4(7): 1008–1023.
- Machmuller, A., Ossowski, D.A., and M. Kreuzer. 2000: Comparative evaluation of the effects of coconut oil, oil seeds and crystalline fat on methane release, digestion and energy balance in lambs. *Anim. Feed Sci. Technol.* 85: 41-60.
- Macome, F. M., Pellikaan, W. F., Schonewille, J. H., Bannink, A., and H. Van Laar. 2017. In vitro rumen gas and methane production of grass silages differing in plant maturity and nitrogen fertilisation, compared to in vivo enteric methane production. *Anim. Feed Sci. Technol.* 230: 96–102.
- Maia, M. R. G., Chaudhary, L., Figueres, L., and R. Wallace. 2007. Metabolism of polyunsaturated fatty acids and their toxicity to the microflora of the rumen. *Antonie van Leeuwenhoek.* 91: 303–314.
- Makkar, H. P. S. 2003. Quantification of Tannins in Tree and Shrub Foliage: A Laboratory Manual. Academic Publishers, Dordrecht, The Netherlands.
- Makkar, H. P. S. 2003. Applications of the in vitro gas method in the evaluation of feed resources, and enhancement of nutritional value of tannin-rich tree or browse leaves and agro-industrial by-products. International Atomic Energy Agency. Vienna: Country Report.
- Martin, C., Morgavi, D. P., and M. Doreau. 2010. Methane mitigation in ruminants: from microbe to the farm scale. *Animal.* 4(3): 351–365.
- Martinez, M. E., Ranilla, M. J., Tejido, M. L., Ramos, S., and M. D. Carro. 2010. Comparison of fermentation of diets of variable composition and microbial populations in the rumen of sheep and Rusitec fermenters. I. Digestibility, fermentation parameters, and microbial growth. *J. Dairy Sci.* 93: 3684–3698.

- Mathew, B., Eastridge, M. L., Oelker, E. R., Firkins, J. L., and S. K. R. Karnati. 2011. Interactions of monensin with dietary fat and carbohydrate components on ruminal fermentation and production responses by dairy cows. *J. Dairy Sci.* 94(1): 396–409.
- Mathius IW, Gaga IB, Utama IK. 2002. Kebutuhan kambing pejantan muda akan energi dan protein kasar: konsumsi, pencernaan, ketersediaan dan pemanfaatan nutrisi. *JITV.* 7(2): 99-109.
- Matsushita, M., Tazinafo, N. M., Padre, R. G., Oliveira, C. C., Souza, N. E., Visentainer, J. V, Ribas, N. P. 2007. Fatty acid profile of milk from Saanen goats fed a diet enriched with three vegetable oils. *Small. Rumin. Res.* 72: 127–132.
- McAllister, T. A., Okine, E. K., Mathison, G. W., Chengl, K., Canada, A., Bo, P. O., and C. Tij. 1996. Dietary, environmental and microbiological aspects of methane Production in ruminants. *Can. J. Anim. Sci.* 231–243.
- Mcallister, T. A., and C. J. Newbold. 2008. Redirecting rumen fermentation to reduce methanogenesis. *Aust. J. Exp. Agric.* 48: 7–13.
- McDonald, P., Edwards, R.A., Greenhalgh, J.F.D., and C. A. Morgan. 2002. *Animal Nutrition*, sixth ed. Prentice Hall, Gosport, United Kingdom.
- McDonald, P., R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, and R.G. Wilkinson. 2011. *Animal Nutrition*. 7th eds. Prentice Hall, Harlow, London.
- McGinn, S. M., Beauchemin, K. A., Coates, T., and D. Colombatto. 2004. Methane emissions from beef cattle : Effects of monensin, sunflower oil, enzymes, yeast, and fumaric acid. *J. Anim. Sci.* 83(December): 3346–3356.
- Mcsweeney, C. S., Palmer, B., Bunch, R., and D. O. Krause. 2001. Effect of the tropical forage calliandra on microbial protein synthesis and ecology in the rumen. *J. Appl. Microbiol.* 90(3): 78–88.
- Meignan, T., Lechartier, C., Chesneau, G., and N. Bareille. 2017. Effects of feeding extruded linseed on production performance and milk fatty acid profile in dairy cows: A meta-analysis. *J. Dairy Sci.* 1–15.
- Menke, B. Y. K. H., Raab, L., Salewski, A., and H. Steingass. 1979. The estimation of the digestibility and metabolizable energy content of ruminant feedingstuffs from the gas production when they are incubated with rumen liquor in vitro, *J. Agric. Sci.* 93: 217-222.
- Minieri, S., Buccioni, A., Rapaccini, S., Pezzati, A., Benvenuti, D., Serra, A., and M. Mele. 2014. Effect of Quebracho tannin extract on soybean and linseed oil biohydrogenation by solid associated bacteria: an in vitro study. *Ital J Anim Sci.* 13: 604-608.
- Min, B. R., W. C. McNabb, T. N. Barry, and J. S. Peters. 2000. Solubilization and degradation of ribulose-1,5-bisphosphate carboxylase/ oxygenase (EC

- 4.1.1.39; Rubisco) protein from white clover (*Trifolium repens*) and *Lotus corniculatus* by rumen microorganisms and the effect of condensed tannins on these processes. *J. Agric. Sci.* 134:305–317.
- Monforte-Briceño, G., Sandoval-Castro, C., Ramírez-Avilés, L., and M. Capetillo-Leal. 2005. Defaunating capacity of tropical fodder trees: Effects of polyethylene glycol and its relationship to in vitro gas production. *Animal Feed Science and Technology.* 123/124: 313-327.
- Moran, J. 2005. *Tropical dairy farming: Feeding management for small holder dairy farmers in the humid tropics.* Landlinks Press.
- Moss, A. R., Givens, D. I., and P. C. Garnsworthy. 1995. The effect of supplementing grass silage with barley on digestibility, in sacco degradability, rumen fermentation and methane production in sheep at two levels of intake. *Anim Feed Sci Technol.* 55: 9–33.
- Moss, A., Jouany, J., Newbold, J., Moss, A., Jouany, J., and J. Newbold. 2000. Methane production by ruminants: its contribution to global warming. *Ann. Zootech.* 49:231–253.
- Mudita, I. M., Kayana I.G.N., and I.W. Wirawan. 2016. Rumen fermentation of Bali cattle fed basal diet with biosupplement of cattle colon and organic waste bacteria consortium. *Intl. J. Agric. Environ. Res.* 2: 1899-1908.
- Mueller-Harvey, I. 2006. Unravelling the conundrum of tannins in animal nutrition and health. *J. Sci. Food Agric.* 86: 2010- 2037.
- Nguyen, T. T. G., Wanapat, M., Phesatcha, K., and S. Kang. 2017. Effect of inclusion of different levels of *Leucaena* silage on rumen microbial population and microbial protein synthesis in dairy. *Asian-Australas J Anim Sci.* 30(December): 181–186.
- Niderkorn V., Baumont R., and A. Le Morvan. 2011. Occurrence of associative effects between grasses and legumes in binary mixtures on in vitro rumen fermentation characteristics. *J Anim Sci.* 89: 1138–1145.
- Noviandi, C.T. 2013. *Growth Performance and Nutrient Metabolism of Pasture-Finished Beef Steers and In Vitro Fermentation Characteristics of Pasture Forages in Continuous Cultures (2013).* All Graduate Theses and Dissertations. Paper 1969, Utah State University. Logan
- Noviandi, C. T., Eun, J., Peel, M. D., Waldron, B. L., Min, B. R., Zobell, D. R., and R. L. Miller. 2014. Effects of energy supplementation in pasture forages on in vitro ruminal fermentation characteristics in continuous cultures. *Prof. Anim. Sci.* 30(1): 13–22.
- Ogimoto, K. and S. Imai, 1980. *Atlas of Rumen Microbiology.* Jap. Sci. Soc. Press, Tokyo.
- Oldick B. S., and J. L. Firkins. 2000. Effects of degree of fat saturation on fiber digestion and microbial protein synthesis when diets are fed twelve times

- O'Connell, T. D., Block, R. C., Huang, S. P., and G. C. Shearer. 2017. ω 3-polyunsaturated fatty acids for heart failure: Effects of dose on efficacy and novel signaling through free fatty acid receptor 4. *J Mol Cell Cardiol.* 103: 74–92.
- Ørskov, E. R., and I, McDonald. 1979. The estimation of protein degradability in the rumen from incubation measurements weighted according to rate of passage. *J. Agric. Sci.* 92: 499.
- Ørskov E.R and M. Ryle. 1990. Energy nutrition in ruminant: London Els Appl Sci.
- Paillard, D., Mckain, N., Chaudhary, L.C., Walker, N.D., Pizette, F., Koppova, I., McEwan, N.R., Kopecn ý, J., Vercoe, P.E., Louis, P., and R. J. Wallace. 2007. Relation between phylogenetic position, lipid metabolism and butyrate production by different *Butyrivibrio*-like bacteria from the rumen. *Antonie van Leeuwenhoek.* 91: 417–422.
- Pal, K., Patra, A. K., Sahoo, A., and P. K. Kumawat. 2015. Evaluation of several tropical tree leaves for methane production potential, degradability and rumen fermentation in vitro. *Livest. Sci.* 180: 98–105.
- Palic, D., and K. J. Leeuw. 2009. Comparison of three in vitro methods for determining and predicting the organic matter digestibility of complete diets for ruminants. *Acta Periodica Technologica.* 220: 79–86.
- Palmquist, D.L., and J. M. Griinari. 2006. Milk fatty acid composition in response to reciprocal combinations of sunflower and fish oils in the diet. *Anim. Feed Sci. Technol.* 131: 358-369.
- Pathak, A. K. 2008. Various factors affecting microbial protein synthesis in the rumen. *Vet. World.* 1(6): 186-189.
- Patra, A.K., Saxena, J., 2011. Exploitation of dietary tannins to improve rumen metabolism and ruminants nutrition. *J. Sci. Food Agric.* 91, 24-37.
- Patra, A.K., 2012. Enteric methane mitigation technologies for ruminant livestock: a synthesis of current research and future directions. *Environ. Monitor. Assess.* 184: 1929–1952.
- Patra, A. K., and Z. Yu. 2013. Effects of coconut and fish oils on ruminal methanogenesis, fermentation, and abundance and diversity of microbial populations in vitro. *J. Dairy Sci.* 96: 1782–1792.
- Patra, A. K. 2014. A meta-analysis of the effect of dietary fat on enteric methane production, digestibility and rumen fermentation in sheep, and a comparison of these responses between cattle and sheep. *Livest. Sci.* 162: 97–103.
- Pellikaan, W.F., Stringano, E., Leenaars, J., Bongers, D.J.G.M., Schuppen, S.V.L.V., Plant, J., and I. Mueller-Harvey. 2011. Evaluating effects of tannins on extent and rate of in vitro gas and CH₄ production using an automated pressure evaluation system (APES). *Anim. Feed Sci. Technol.* 166–167: 377–390.

- Penner, G.B., Beauchemin, K. A., and T. Mutsvangwa, 2006. An evaluation of the accuracy and precision of a stand-alone submersible continuous ruminal pH measurement system. *J. Dairy Sci.* 89: 2132-2140.
- Pilajun, R., and M. Wanapat. 2011. Effect of coconut oil and mangosteen peel supplementation on ruminal fermentation, microbial population, and microbial protein synthesis in swamp buffaloes. *Livest. Sci.* 141: 148-154.
- Piñeiro-Vázquez, A.T., Canul-solis, G., Jiménez-Ferrer, J. A., Alayón-Gamboa, A.J., Chay-Canul, A. J., Ayala-Burgos, C. F., Aguilar-Pérez, J. C., and Ku-Vera. 2017. Effect of condensed tannins from *Leucaena leucocephala* on rumen fermentation, methane production and population of rumen protozoa in heifers fed low-quality forage. *Asian-Australas. J. Anim. Sci.* doi:10.5713/ajas.17.0192.
- Plummer, D.T. 1987. An introduction practical laboratory. McGraw-Hill Book Company LTD., Bombay, New Delhi.
- Polan 1964: Polan, C.E., McNeill, J.J., and S. B. Tove. 1964. Biohydrogenation of unsaturated fatty acids by rumen bacteria. *J. Bacteriol.* 88: 1056–1064.
- Priolo, A., Bella, M., Lanza, M., Galofaro, V., Biondi, L., Barbagallo, D., Salem, H.B., and P. Pennisi. 2005. Carcass and meat quality of lambs fed fresh sulla (*Hedysarum coronarium* L.) with or without polyethylene glycol or concentrate. *Small Rum Res.* 59: 281-288.
- Puchala, R., Min, B. R., Goetsch, A. L., and T. Sahl. 2005. The effect of a condensed tannin-containing forage on methane emission by goats 1. *J. Anim. Sci.* 83(1): 182–186.
- R Versi 3.4.2. 2017. The R Project for statistical computing. (<http://www.r-project.com>).
- Rana, M. S., Tyagi, A., Hossain, S. A., and A. K. Tyagi. 2012. Effect of tanniniferous *Terminalia chebula* extract on rumen biohydrogenation, $\Delta 9$ -desaturase activity, CLA content and fatty acid composition in longissimus dorsimuscle of kids. *Meat Sci.* 90: 558–563.
- Rego, O.A., Alves, S.P., Antunes, L.M.S., Rosa, H.J.D., Alfaia, C.F.M., Prates, J.A.M., Cabrita, A.R.J., Fonseca, A.J.M., and R. J. B. Bessa, R.J.B. 2009. Rumen biohydrogenation-derived fatty acids in milk fat from grazing dairy cows supplemented with rapeseed, sunflower, or linseed oils. *J. Dairy Sci.* 92(9): 4530-4540.
- Rodríguez, R., Mota, M., Castrillo, C., and M. Fondevila. 2010. In vitro rumen fermentation of the tropical grass *Pennisetum purpureum* and mixtures with browse legumes: effects of tannin contents. *J Anim Physiol Anim Nutr.* 94:696–705.
- Rodríguez, R., Britos, A., Rodríguez-romero, N., and M. Fondevila. 2011. Effect of plant extracts from several tanniferous browse legumes on in vitro microbial fermentation of the tropical grass *Pennisetum purpureum*. *Anim. Feed Sci. Technol.* 168: 188–195.

- Salter, A. M. 2013. Dietary fatty acids and cardiovascular disease. *Animal*. 7: 163-171.
- SAS Institute Inc. 2008. SAS/STAT Software, Version 9.1. SAS Institute Inc., Cary, NC, USA.
- Scollan, N. D., Dannenberger, D., Nuernberg, K., Richardson, I., MacKintosh, S., Hocquette, J. F., and A. P. Moloney. 2014. Enhancing the nutritional and health value of beef lipids and their relationship with meat quality. *Meat Sci*. 97(3): 384–394.
- Shingfield, K. J., and R. J. W. Wallace. 2014. Synthesis of Conjugated Linoleic Acid in Ruminants and Humans, In: Sels, B., Philippaerts, A. (Eds.), *Conjugated Linoleic Acids and Conjugated Vegetable Oils*. RSC. 1-65.
- Schmidely, P., and D. Sauvant. 2008. Digestion of fatty acids in ruminants: A meta- analysis of flows and variation factors. C18 fatty acids. *Anima*. 2(8): 1203-1214.
- Sembiring, M., Baba, A.S., and D. Dahang. 2015. Availability of Browse Plants to Goats Fed with Napier Grass: Voluntary Feed Intake and Effects on Body Weight. *Intl. J. Sci. Res*. 6(5): 2319-7064.
- Sendow, C. J. B., Noviandi, C. T., and R. Utomo. 2017. Penambahan ubi kayu pada waktu berbeda dalam pakan basal jerami padi fermentasi sebagai upaya meningkatkan daya cerna secara in vitro. *Buletin Petrnak*. 41(4): 399-406.
- Smith, A.H., Zoetendal E, and R. I. Mackie. 2005. Bacterial mechanisms to overcome inhibitory effects of dietary tannins. *Microb. Ecol*. 50: 197-205.
- Soliva, C.R., Meile, L., Hindrichsen, I.K., Kreuzer, M., and A. Machmüller. 2004. Myristic acid supports the immediate inhibitory effect of lauric acid on ruminal methanogens and methane release. *Anaerobe* 10, 269–276.
- Soltan, Y. A., Morsy, A. S., Sallam, S. M. A., Lucas, R. C., Louvandini, H., Kreuzer, M., and A. L. Abdalla. 2013. Contribution of condensed tannins and mimosine to the methane mitigation caused by feeding *Leucaena leucocephala*. *Arch Anim Nutr*. 67(3): 169–184.
- Soltan, Y. A., Morsy, A. S., Lucas, R. C., and A. L. Abdalla. 2016. Potential of mimosine of *Leucaena leucocephala* for modulating ruminal nutrient degradability and methanogenesis. *Anim. Feed Sci. Technol*. 223(1): 20–31.
- Suhartanto, B., Utomo, R., Kustantinah, Budisatria, I. G. S., Yusiati, L. M., dan B. P. Widyobroto. 2014. Pengaruh penambahan formaldehid pada pembuatan *undegraded protein* dan tingkat suplementasinya pada pelet pakan lengkap terhadap aktivitas mikrobial rumen secara *in vitro*. *Buletin Peternak*. 38(3): 141-149.
- Szczechowiak, J., Pawlak, P., and A. Cieslak. 2016. Rumen fermentation, methane concentration and fatty acid proportion in the rumen and milk of

- dairy cows fed condensed tannin and/or fish-soybean oils blend. *Anim. Feed Sci. Technol.* 216: 93-107.
- Tan, H. Y., Sieo, C. C., Abdullah, N., Liang, J. B., Huang, X. D., and Y. W. Ho. 2011. Effects of condensed tannins from *Leucaena* on methane production, rumen fermentation and populations of methanogens and protozoa *in vitro*. *Anim. Feed Sci. Technol.* 169: 185–193.
- Tavendale M. H., Meagher, L. P., Pacheco, D., Walker, N., Attwood, G. T., and S. Sivakumaran. 2005. Methane production form *in vitro* rumen incubations with *Lotus pedunculatus* and *Medicago sativa*, and effects of extractable condensed tannin fractions on methanogenesis. *Anim. Feed Sci. Technol.* 123–124.
- Theodoridou, K., Aufrère, J., Niderkorn, V., Andueza, D., Le Morvan, A., Picard, F., and R. Baumont. 2011. *In vitro* study of the effects of condensed tannins in sainfoin on the digestive process in the rumen at two vegetation cycles. *Anim. Feed Sci. Technol.* 170: 147-159.
- Thomson, A.L., Humphries, D. J., Kliem, K.E., Dittmann, M. T., and C. K. Reynolds. 2017. Effects of replacing maize silage with lucerne silage and lucerne silage chop length on rumen function and milk fatty acid composition. *J. Dairy Sci.* 100: 1-12.
- Tilley, J.M.A. and R.A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crop. *J. British Grassl. Soc.* 18: 104 – 111.
- Tillman, A.D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdoesoekojo. 1983. Ilmu makanan ternak dasar. Gadjah Mada University Press: Yogyakarta.
- Toral, P. G., Hervás, G., Bichi, E., Belenguer, Á., and P. Frutos. 2011. Tannins as feed additives to modulate ruminal biohydrogenation: Effects on animal performance, milk fatty acid composition and ruminal fermentation in dairy ewes fed a diet containing sunflower oil. *Anim. Feed Sci. Technol.* 164(3–4): 199–206.
- Torres-Acosta, T., Alonso-Díaz, M., Hoste, H. Sandoval-Castro, C., and A. Aguilar-Caballero. 2008. Efectos negativos y positivos del consumo de forrajes ricos en taninos en la producción de caprinos. *Trop. Subtrop. Agroecosyst.* 9: 83-90.
- Tsiplakou, E., and G. Zervas. 2013. The effect of fish and soybean oil inclusion in goat diet on their milk and plasma fatty acid profile. *Livest. Sci.* 155(2–3): 236–243.
- Utomo, R. 2010. Modifikasi metode penetapan kecernaan *in vitro* bahan kering atau bahan organik. *Buletin Sintesis*. Yayasan Dharma Agrika Semarang. 5: 1-11.
- Van Soest P. 1994. Nutritional ecology of the ruminant, 2nd edition. Cornell University Press, Ithaca, NY, USA and London, UK.

- Vasta, V., Makkar, H. P. S., Mele, M., and A. Priolo. 2009. Ruminant biohydrogenation as affected by tannins in vitro. *Br. J. Nutr.* 102: 82–92.
- Vasta, V., Ya, D. R., Mele, M., Serra, A., Luciano, G., Lanza, M. and A. Priolo. 2010. Bacterial and Protozoal Communities and Fatty Acid Profile in the Rumen of Sheep Fed a Diet Containing Added Tannins. *Appl. Environ. Microbiol.* 76(8): 2549–2555.
- Vibart, R. E., S. P. Washburn, V. Fellner, M. H. Poore, J. T. Green Jr., and C. Brownie. 2007. Varying endophyte status and energy supplementation of fresh tall fescue in continuous culture. *Anim. Feed Sci. Technol.* 132:123–136.
- Waghorn, G.C., Ulyatt, M.J., John, A., and M. T. Fisher. 1987. The Effect of condensed tannins on the site of digestion of amino-acids and other nutrients in sheep fed on Lotus-corniculatus I. *Br. J. Nutr.* 57: 115-126.
- Wanapat, M. and S. Khampa. 2006. Effect of mineralized solid palm fat and feeding pattern on ruminal ecology and digestibility of nutrients in dairy steers fed on urea-treated rice straw. *Pak. J. Nutr.* 5: 319–324.
- Wanapat, M., Mapato, C., Pilajun, R., and W. Toburan. 2011. Effects of vegetable oil supplementation on feed intake, rumen fermentation, growth performance, and carcass characteristic of growing swamp buffaloes. *Livest. Sci.* 135: 32-37.
- Wencelová, M., Váradyová, Z., Mihaliková, K., Čobanová, K., Plachá, I., Pristaš, P., Jalč, D., and S. Kišidayová. 2015. Rumen fermentation pattern, lipid metabolism and the microbial community of sheep fed a high-concentrate diet supplemented with a mix of medicinal plants. *Small Rum. Res.* 125: 64–72.
- Whitney, T. R., and J. P. Muir. 2010. Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations 1. *J. Anim. Sci.* 88: 1492–1502.
- Williams, Y. J., S. Popovski, S. M. Rea, L. C. Skillman, A. F. Toovey, K. S. Northwood, and A. D. G. Wright. 2009. A vaccine against rumen methanogens can alter the composition of archaeal populations. *Appl. Environ. Microbiol.* 75:1860–1866.
- Whitford, M. F., Teather, R. M., and R.J. Forster. 2001. Phylogenetic analysis of methanogens from the bovine rumen. *BMC Microbiol.* 1: 1–5.
- Woodward, S. L., Waghorn, G. C., and N.A. Thomson. 2006. Supplementing dairy cows with oils to improve performance and reduce methane – does it work? *New Zealand Society of Anim. Prod. Online Archive.* 66: 176–181.
- Wu, O. A. Ohajuruka, D. L. and Palmquist: Ruminant synthesis, biohydrogenation, and digestibility of fatty acids by dairy cows. *J Dairy Sci.* 1991, 74, 3025–3034.

- Wu, D., Xu, L., Tang, S., He, Z., Tan, Z., Han, X., Zhou, C., Kang, J., and M. Wang. 2015. Supplementation of increasing amounts of linoleic acid to *Leymus chinensis* decrease methane production and improve fatty acid composition in vitro. *Eur. Lip. Sci. Technol.* 117(7): 945–953.
- Yang, S.Y., Ningrat, R.W.S., Eun, J-S and B.R. Min. 2016. Effects of Supplemental Virgin Coconut Oil and Condensed Tannin Extract from Pine Bark in Lactation Dairy Diets on Ruminal Fermentation in a Dual-Flow Continuous Culture System, *J Adv. Dairy Res.* 4: 160.
- Zhang, C. M., Guo, Y. Q., Yuan, Z. P., Wu, Y. M., Wang, J. K., Liu, J. X., and W. Y. Zhu. 2008. Effect of octadeca carbon fatty acids on microbial fermentation, methanogenesis and microbial flora in vitro. *Anim. Feed Sci. Technol.* 146: 259-269.