

DAFTAR PUSTAKA

Achache, H. and Revel A. (2006) Endometrial receptivity markers, the journey to successful embryo implantation. *Human Reproduction*: Vol.12, No.6 pp. 731–746.

Aghahosseini, M., Alleyassin, A., Arabahmadi, M., Ghasemi, M. and Sarvi, F. (2017) Effect of Increased Endometrial Thickness and Implantation Rate by Granulocyte Colony-Stimulating Factor on Unresponsive Thin Endometrium in Fresh In Vitro Fertilization Cycles: A Randomized Clinical Trial. *Obstetrics and Gynecology International*: Volume 2017, Article ID 3596079, 6 pages, <https://doi.org/10.1155/2017/3596079>

Al-Azemi, M., Devroey, P., Fatemi, H.M., Humaidan, P., Kolibianakis, E.M., Kyrou, D. And Van Vaerenbergh, I. (2012) Elevated Progesterone during Ovarian Stimulation for IVF. *Reprod. Biomed. Online*: 24: 382–388.

Alpha Scientists in Reproductive Medicine and ESHRE Special Interest Group of Embryology. Balaban, B., Brison, D., Calderón, G., Catt, J., Conaghan, J., Cowan, L., Ebner, T., Gardner, D., Hardarson, T., Lundin, K., Magli, M., Mortimer, D., Mortimer, S., Munné, S., Royere, D., Scott, L., Smits, J., Thornhill, A., Van, J. and Van E. (2011) The Istanbul consensus workshop on embryo assessment: proceedings of an expert meeting. *Human Reproduction*: Jun;26(6):1270-83. doi: 10.1093/humrep/der037. Epub 2011 Apr 18.

Akande, V.A., Fleming, C.F., Hunt, L.P., Keay, S.D. and Jenkins, J.M. (2002) Biological versus Chronological Ageing of Oocytes, Distinguishable by Raised FSH Levels in Relation to the Success of IVF Treatment. *Human reproduction*: 17(8): 2003–8.

Alboughar, M., Al-Inany, H.G., Mansour, R. and Serour, G.I. (2005) Optimizing GnRH Antagonist Administration: Metaanalysis of Fixed vs Flexible Protocol. *Reprod.Biomed.Online*, 10: 567–570.

Aittomäki, K., Bergh, C., Hazekamp, J., Loft, A., Nygren, K.G., Selbing, A., Söderström-Anttila, V. and Wennerholm, U.B. (2009) Children born after cryopreservation of embryos or oocytes: a systematic review of outcome data. *Human reproduction*: 2158-72.

Ashrafi, M. and Kiani, K. (2012) The Role of Low-Dose hCG1 in the Late Follicular Phase of Controlled Ovarian Hyper Stimulation (COH)

Protocols, 3–14, in: Friedler, S. (Ed.), *In vitro fertilization- innovative clinical and laboratory aspects*. Rijeka, Croatia: InTech.

Bai, H., Chen, X., Chen, Z.J., Deng, X., Ma, X., Legro, S.R., Li, H., Li, J., Liu, F., Liu, H., Li, Y., Qi, X., Ren, H., Shi, U., Sun, M., Sun, X., Sun, Y., Hao, C., Wang, B., Wang, Y., Wu, Q., Wei, D., Zhang, D., Zhang, H., Zhang, L., Wang, Z., Zhang, S., Zhang, Y., Zhou, Y., Zhu, Y. (2018) Transfer of Fresh versus Frozen Embryos in Ovulatory Women. *N Engl J Med*: 378:126-136.

Ball, G.D., Behr, B., Conaghan, J., Gibbons, W., Mayer, J, Pomeroy, K.O., Racowsky, C., Stern, J.E., Vernon, M., Winer, D. (2010) Standardization of grading embryo morphology. *Fertility and Sterility*: Aug;94(3):1152-3. doi: 10.1016/j.fertnstert.2010.05.042. Epub 2010 Jul 2.

Bakketeig, L.S., Jacobsen, G., Lie, R.T., Lyngstadaas, A., Ørstavik, K.H. and Tanbo, T., (2005) Birth defects in children conceived by ICSI compared with children conceived by other IVF-methods: a meta-analysis. *PubMed*: Jun;34(3):696-701.

Bardach, A., Blake, D., Farquhar, C. and Glujovsky, D. (2012) Cleavage stage versus blastocyst stage embryo transfer in assisted reproductive technology. *PubMed*: Jul:7.

Bhattacharya, S., Hamilton, M., Maheshwari, A., Pandey, S. and Shetty A. (2012) Obstetric and perinatal outcomes in singleton pregnancies resulting from the transfer of frozen thawed versus fresh embryos generated through in vitro fertilization treatment: a systematic review and meta-analysis. *Fertility and Sterility*: 98(2):368–77 e1–9.

Battista, G., Palomba, S. and Santagni, S. (2016) Risk of adverse pregnancy and perinatal outcomes after high technology infertility treatment: a comprehensive systematic review. *Reproductive Biology and Endocrinology*.

Bentov, Y. (2005) Congenital malformations in children born after IVF. *PubMed*: Dec ,144(12):852-8, 910.

Bergh, C., Forman, J., Gissler, M., Go, K., Henningsen, A., Nygren, S., Pinborg, A., Romundstad, L.B., Skjaerven, R., Tiitinen, A. and Wennerholm, W. (2013) Perinatal outcomes of children born after frozen-thawed embryo transfer: a Nordic cohort study from the CoNARTaS group. *Human Reproduction*.

Bontis, J. Kolibianakis, E.M., Tarlatzis, B.C. and Venetis, C.A. (2011) Significantly Lower Pregnancy Rates in the Presence of Progesterone

Elevation in Patients Treated in GnRH Antagonists and Gonadotropins: A Systematic Review and Meta-Analysis. *Curr. Pharm. Biotechnol*, 13(3).

Bosch, E., Crespo, J., Jenkins, J., Labarta, E., Pellicer, A., Remohí, J. and Simón, C. (2010) Circulating Progesterone Levels and Ongoing Pregnancy Rates in Controlled Ovarian Stimulation Cycles for in Vitro Fertilization: Analysis of over 4000 Cycles. *Human Reproduction*: 25(8): 2092–2100.

Bosch, E., Celada, P., Holtmann, N., Labarta, E., Mariani, G. and Remohí, J. (2017) Low serum progesterone on the day of embryo transfer is associated with a diminished ongoing pregnancy rate in oocyte donation cycles after artificial endometrial preparation: a prospective study. *Human Reproduction*: Volume 32, Issue 12, 1 December 2017, Pages 2437–2442.

Bossuyt, P.M., Limpens, J., Repping, S. and Wely, V.M. (2010) Predictive factors in in vitro fertilization (IVF): a systematic review and meta-analysis. *Human Reproduction*: 577-589.

Bourgain, C., Devroey, P., Fatemi, H. M., Haentjens, P., Kyrou, D., Popovic-Todorovic, B. and Van Landuyt, L. (2009) Does the Estradiol Level on the Day of Human Chorionic Gonadotrophin Administration Have an Impact on Pregnancy Rates in Patients Treated with Rec-FSH / GnRH Antagonist? *Human Reproduction*: 24(11): 2902–2909.

Broer, S.L., Broekmans, F.J., Hendriks, D. and Mol, BW. (2009) The role of antimullerian hormone in prediction of outcome after IVF: comparison with the antral follicle count. *Fertility and Sterility*: Vol. 91, No. 3, March 2009.

Bromer, J.G., Bugge, K.R., Levy, M.J. and Richter, K.S. (2006) Relationship between endometrial thickness and embryo implantation, based on 1,294 cycles of in vitro fertilization with transfer of two blastocyst-stage embryos. *Fertility and Sterility*: Presented at the 62nd Annual Meeting of the American Society for Reproductive Medicine, New Orleans, Louisiana, October 21–25.

Chand, L., Harris, E., Ponnampalam, P., Shelling, N. and Winship, M. (2006) Mutational Analysis of BMP15 and GDF9 as Candidate Genes for Premature Ovarian Failure. *Fertility and Sterility* 86: 1009–12.

Chaudhuri, A.R. and Chatterjee, S. (2013) Frozen embryo transfer: the present practice and beyond. *PubMed*: 24(2):125-30. doi: 10.1515/jbcpp-2012-0052.

Check, J.H., Choe, J.K., Fox, F., Nazari, A. and Swenson, K. (2001) Fresh embryo transfer is more effective than frozen for donor oocyte recipients but not for donors. *Human reproduction*: 16(7): 1403-8.

Chen, C.D., Chen, S.U., Chao, K.H., Chuang, C.C., Ho, H.N. and Yang, Y.S. (2003) Age is a better predictor of pregnancy potential than basal follicle-stimulating hormone levels in women undergoing in vitro fertilization. *Fertility and Sterility*: 79(1):63-8.

Child, T.J. Sylvestre, C. and Tan, S.L. (2002), Endometrial volume and thickness measurements predict pituitary suppression and non-suppression during IVF. *Human reproduction*: Dec;17(12):3110-3.

Chilcott, J. B., Dixon, S., Duenas, A., Ledger, W.L., Lenton, E.A., Nasiri, F., Sutcliffe, P. (2008) Cost-effectiveness analysis of different embryo transfer strategies in England *BJOG An International Journal of Obstetrics and Gynaecology*.

Cohlen, B. J., Groenewoud, E.R. and Macklon, N. S. (2012) BMC women's health, Cryo-thawed embryo transfer: natural versus artificial cycle. A non-inferiority trial. (*ANTARCTICA trial*), 12(1), 27.

Coomarasamy, A and Sharif, K.. (2012) *Assisted Reproduction Techniques: Challenges and Management Options*. Birmingham, United Kingdom: Wiley-Blackwell.

Daif, J. L., Jindal, S., Lieman, H. J., Pal, L., Polotsky, A. J., and Santoro, N. (2009) Serum Progesterone on the Day of Human Chorionic Gonadotropin Administration Predicts Clinical Pregnancy of Sibling Frozen Embryos. *Fertil. Steril*: 92(6): 1880–1885.

Danilidis, A., Tsakos, E. and Tosikas, A., (2014) Predictive value of anti-müllerian hormone, follicle-stimulating hormone and antral follicle count on the outcome of ovarian stimulation in women following GnRH-antagonist protocol for IVF/ET. Dec;290(6):1249-53.

Desai, N., J., Goldstein, J. and Rowland, D.(2000) Morphological evaluation of human embryos and derivation of an embryo quality scoring system specific for day 3 embryos: a preliminary study *Human Reproduction*: Volume 15, Issue 10, 1 October 2000, Pages 2190–2196, <https://doi.org/10.1093/humrep/15.10.2190>.

Diedrich, K., Ludwig, M. and Katalinic, A.(2001) Use of GnRH Antagonist in Ovarian Stimulation for ART Compared to the Long Protocol: A Meta-Analysis. *Arch Gynaecol Obstet*: 265: 175–182.

Djuwantono, T., Harlianto, H., Nusa, M., Permadi, W. and Ritonga, A. (2010) Embryo Quality: The Most Critical Factor for Pregnancy Rates after day-2, day-3, and day-5 of Embryo Transfer. *34(4)*: 2–6.

, L.E., , M.R., Holden, E.C., Moragianni, V.A., Penzias A.S. and Sneeringer, R. (2017) Thicker endometrial linings are associated with better IVF outcomes: a cohort of 6331 women. *Human Fertility*: Received 12 Nov 2015, Accepted 12 May 2017, Published online: 18 Jun 2017.

Doherty, L.F., Kayisli, U., Martin, J.R., Patrizio, P. and Sakkas, D. (2014) Fresh transfer outcome predicts the success of a subsequent frozen transfer utilizing blastocysts of the same cohort. *Reproductive biomedicine online*: 28(2):204–8.

Donker, D., Helmerhorst, F.M., Keirse, M.J. and Perquin, D.A. (2004) Perinatal outcome of singletons and twins after assisted conception: a systematic review of controlled studies. *BMJ*: 328:261 –5.

Dunietz, L., Nicole, M. and Zhang, Y. (2017) Assisted Reproductive Technology and Newborn Size in Singletons Resulting from Fresh and Cryopreserved Embryos Transfer. *PLOS ONE*: 12(1):e0169869. doi:10.1371/journal.pone.016986.

Edgar, D.H., Li, Z., Ledger, W., Sullivan, E.A. and Wang, Y.A. (2014) Clinical outcomes following cryopreservation of blastocysts by vitrification or slow freezing: a population-based cohort study. *Human reproduction*:2014;29(12):2794–801.

Elnashar, A.M. (2010) Progesterone Rise on the Day of HCG Administration (Premature Luteinization) in IVF: An Overdue Update. *J. Assist. Reprod. Genet*: 27(4): 149–155.

Evans, J., Hannan, N.J., Lutjen, P.J., Osianlis, T., Rombauts, L.J. and Vollenhoven, B.J. (2014) Fresh versus frozen embryo transfer: backing clinical decisions with scientific and clinical evidence. *Human reproduction*:20(6): 808–21. doi:10.1093/humup/dmu027.

Erwinanto, E. (2004) Hubungan Pertumbuhan Folikel, Kadar Estradiol dan Ketebalan Endometrium Hasil Induksi Ovulasi dalam Proses Fertilisasi *in Vitro*. Tesis PPDS 1 Obstetri Ginekologi FK Undip. Semarang.

Fritz, M.A. and Speroff, L., (2011), *Female Infertility: Clinical Gynecologic Endocrinology and Infertility*. Philadelphia: 1137–1190.

Chi, Y., A., Lathi, R., Liu, J. and Saravanabavanandhan, B. (2015) Frozen blastocyst embryo transfer using a supplemented natural cycle protocol

has a similar live birth rate compared to a programmed cycle protocol. *PubMed*, Jul32(7): 1057-62.

Gelbaya, T.A., Majumder, K. and Nardo, L.G. (2010), The use of anti-Müllerian hormone and antral follicle count to predict the potential of oocytes and embryos. *Eur J Obstet Gynecol Reprod Biol*: Jun; 150(2): 166-70.

Gissler, M., Granskog, H., Koivunen, R., Pelkonen, S., Nuojuua-Huttunen, S. and Suikkari, A.M. (2010) Perinatal outcome of children born after frozen and fresh embryo transfer: the Finnish cohort study 1995–2006. *Human Reproduction*: 25(4):914–23.

Granskog, C., Halttunen, M., Härkki, P., Tiitinen, A. and Vuoristo, P., (2001) Elective single embryo transfer: the value of cryopreservation. *Human Reproduction*: Volume 16, Issue 6, 1 June 2001, Pages 1140–1144.

Hochschild, Z.F., Mansour, R. and Nygren, K.G., (2011) International Committee for Monitoring Assisted Reproductive Technology (ICMART) world report: assisted reproductive technology. *Fertility and Sterility*: 2003, 95: 2209–2222.

Kolibianakis, E.M., Venetis, C.A., Bontis, J. and Tarlatzis, B.C. (2011) Significantly Lower Pregnancy Rates in the Presence of Progesterone Elevation in Patients Treated in GnRH Antagonists and Gonadotropins: A Systematic Review and Meta-Analysis. *Curr. Pharm. Biotechnol*: 13(3).

Martikainen, H., Nuojuua-Huttunen, S., Orava, M., Tapanainen, J.S., and Veleva, Z. (2013) Factors affecting the outcome of frozen-thawed embryo transfer. *PubMed*: 28(9): 2425-31.

Marjoribanks, J., Ozturk, O. and Patrizio, Z. (2009) From oocyte to baby: a clinical evaluation of the biological efficiency of in vitro fertilization. *Fertility and Sterility*: 91: 1061–106.

Marjoribanks, J., Ozturk, O. and Pandian, Z. (2013) Number of embryos for transfer following in vitro fertilisation or intra-cytoplasmic sperm injection. *PubMed*: Jul 29:7.

Matthews, C.D., Wang, J.X. and Yap, Y.Y., (2001) Frozen–thawed embryo transfer: influence of clinical factors on implantation rate and risk of multiple conception. *Human Reproduction*.

Muharam, R. and Soebijanto, S. (2009) Fertilisasi In Vitro Dan Transfer Embrio, 111–124, in: Samsulhadi dan Herndarto, H. (Eds.), Aplikasi

Klinis Induksi Ovulasi dan Stimulasi Ovarium. Bandung: Sagung Seto.

Palomba, S. Santagni, S. and Sala, G.B, (2015) Progesterone administration for luteal phase deficiency in human reproduction: an old or new issue. *PubMed*: Nov 19; 8(1): 77.

PERFITRI (2015) Arah Dan Kebijakan PERFITRI 2016-2019, 1–51. available at <http://iwww.ia-ivf.org/publication/documentation>.

Roque, V., Serra, S. and Solà, I. (2013) Fresh embryo transfer versus frozen embryo transfer in in vitro fertilization cycles: a systematic review and meta-analysis. *Fertility and Sterility*: January Volume 99, Issue 1, Pages 156–162.

Roos, A., Salumets, A. and Suikkari, A. (2006) Frozen embryo transfers : implications of clinical and embryological factors on the pregnancy outcome. *Pubmed*: 21(9), 2368–2374.

Salehnia, M. and Zavareh, S. (2013) The Effects of Progesterone on Oocyte Maturation and Embryo Development. *Fertility and Sterility*: 7(2): 74–81.

Sherbahn, R. (2013) High AMH Levels in Women Under Age 35 Undergoing IVF Are Correlated With High Live Birth Rates. Women With Very Low AMH Levels Have High Cancellation Rates but Reasonable Live Birth Rates. *American Society for Reproductive Medicine*: Boston.

Taati, R., Tarafdari, A. and Tehraninezhad, S. (2016) Analysis of ovarian reserve markers (AMH, FSH, AFC) in different age strata in IVF/ICSI patients. *Int J Reprod Biomed*: Aug; 14(8): 501-506.