

- Akinrefon, O. A. 1968. Production of extracellular enzymes by *Phytophthora palmivora* (Butl.) J. Gen. Microbiol. 51:67-74.
- Alconero, R., F. Albuquerque, N. Almeyda, & G. Santiago. 1972. *Phytophthora* foot rot of black pepper in Brazil and Puerto Rico. Phytopathol. 62:144-148.
- Anandaraj, M., 2000. Disease of black pepper. In Ravindran, P.N (Eds). 2000. Black pepper (*Piper nigrum*).Har-wood academic publisher. 239 – 267p.
- Andrison, D. 1996. The origin of *Phytophthora infestans* populations present in Europe in the 1840s: a critical review of historical and scientific evidence. Plant Pathol. 45: 1027-1035.
- Andriyani, N., D. Wahyuno, D. Manohara, & A.W. Gunawan. 2008. *Phytophthora capsici* penyebab busuk vanili di Indonesia. J. Bio. Indones. 5:227-234.
- Anonim. 1995. Survey Potensi Air dan Rencana Perbaikan Kualitas Prosesing Lada Putih di Bangka. Yayasan Dian Desa Bekerjasama dengan ADP/USAID.
- Anonim. 2008. Teknologi Budidaya Lada. Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian, Badan Penelitian dan Pengembangan Pertanian. Bogor.
- Anonim. 2011. Rekapitulasi data Organisme Pengganggu Tanaman (OPT) Tahun 2010. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.
- Anonim. 2013a. Pedoman Teknis Pembangunan Kebun Induk Lada Tahun 2014. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.
- Anonim. 2013b. Peningkatan produksi, produktivitas dan mutu tanaman rempah dan penyegar: Pedoman teknis pengembangan tanaman lada tahun 2014. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.
- Anonim. 2014. Statistik perkebunan Indonesia: 2013-2015 Lada. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.
- Anonim. 2016. Statistik Perkebunan Indonesia Komoditas Lada 2015-2017. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.
- Anonim. 2017. Varietas unggul lada Ciinten (Internet). <<http://perkebunan.litbang.Pertanian.go.id/?p=20515>>. (diakses tanggal 9 Juni 2018).
- Anonim. 2018. Data curah hujan bulan Februari (Internet). <<https://www.bmkg.go.id/iklim/informasi-hujan-bulanan.bmkg?p=analisis-curah-hujan-dan-sifat-hujan-bulan-februari-2018&ta q=&lang=ID>>. (diakses tanggal 3 Mei 2018).
- Appiah, A.A., J. Flood., P.D. Bridge & S.A. Archer. 2003. Inter and intraspecific morphometric variation and characterization of *Phytophthora* isolates from cocoa. Plant Pathol. 52:168-180.

- Aragaki, M. & J.Y. Uchida. 2001. Morphological distinction between *Phytophthora capsici* and *P. tropicalis* sp. nov. *Mycologia* 93:137-145.
- Asniah, Syair & T. A. S. Wahyuni. 2012. Survei kejadian penyakit busuk pangkal batang (*Phytophthora capsici*) tanaman lada (*Piper nigrum*. L) di Kabupaten Konawe Selatan. *J. Agroteknos.* 2 (3): 151 – 157.
- Babadoost, M & C. Pavon. 2013. Survival of Oospores of *Phytophthora capsici* in Soil. *Plant Dis.* 97 (11). 1478-1483p.
- Babadoost, M. 2000. Outbreak of *Phytophthora* foliar blight and fruit rot in processing pumpkin field in Illinois. *Plant Dis.* 84:1345.
- Babadoost, M. 2004. *Phytophthora* blight: A serious threat to cucurbit industries. *APSnet* feature, Apr-May. Online publication. American Phytopathological Society, St. Paul, MN.
- Babadoost, M. 2005. *Phytophthora* blight of cucurbits. The Plant Health Instructor. (Internet). <DOI:10.1094/PHI-I-2005-0429-01>. (diakses 10 Desember 2017).
- Bande, L.O.S. 2012. Epidemi penyakit busuk pangkal batang lada di Provinsi Sulawesi Tenggara. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Bande, L.O.S., B. Hadisutrisno, S. Somowiyarjo, & B.H. Sunarminto. 2011. Karakteristik *Phytophthora capsici* Isolat Sulawesi Tenggara. *Agriplus.* 21(1):75-82.
- Bande, L.O.S., B. Hadisutrisno, S. Somowiyarjo, & B.H. Sunarminto. 2014. Pola agihan dan intensitas penyakit busuk pangkal batang lada di Provinsi Sulawesi Tenggara. *J. Agroteknos.* 4(1): 58-65.
- Bande, L.O.S., B. Hadisutrisno, S. Somowiyarjo, & B.H. Sunarminto. 2015. Peran unsur cuaca terhadap peningkatan penyakit busuk pangkal batang lada di sentra produksi lada daerah sulawesi tenggara. *J. Manusia Dan Lingkungan.* 22 (2): 187-193.
- Bande, L.O.S., B. Hadisutrisno, S. Somowiyarjo, B.H. Sunarminto & A. Wahab. 2016. Korelasi sifat fisik dan kimia tanah dengan intensitas penyakit busuk pangkal batang tanaman lada. *J. Litri.* 22(2): 63 – 70.
- Benson, D.M., J.R. Sidebottom, & J. Moody. 2006. Control of *Phytophthora* root rot in field plantings of Fraser fir with fosetyl-Al and mefenozam. *Plant Health Progress.* <Doi:10.1094/PHP-2006-0331-01-RS>.
- Blair, J.E., M.D. Coffey, S.Y. Park, D.M. Geiser, & S. Kang. 2008. A multi-locus phylogeny for *Phytophthora* utilizing markers derived from complete genome sequences. *Fungal Genet. Biol.* 45: 266–277.
- Café-Filho, A. C., & J. M. Duniway. 1995a. Effect of location of drip irrigation emitters and position of *Phytophthora capsici* infections on roots on *Phytophthora* root rot of pepper. *Phytopathol.* 86:1364-1369.

- Café-Filho, A. C., & J. M. Duniway. 1995b. Dispersal of *Phytophthora capsici* and *P. parasitica* in furrow irrigated rows of bell pepper, tomato and squash. *Plant Pathol.* 44:1025-1032.
- Chaerani, S. Koerniati, & D. Manohara. 2013. Analisis keragaman genetic *Phytophthora capsici* Leonian asal lada (*Piper nigrum* L.) menggunakan penanda molekuler. *J. Littri.* 19 (1) : 23 – 32.
- De Waard, P.W.F. & I.S. Anunciado. 1999. *Piper nigrum* L. *Plant Resources of South East Asia* 13. Prosea, Bogor. 189-194p.
- Dewi, A.A., Ainurrasjid, & D. Saptadi. 2016. Identifikasi ketahanan tujuh genotip cabai rawit (*Capsicum frutescens* L.) terhadap *Phytophthora capsici* (penyebab penyakit busuk batang). *J. Prod. Tan.* 4 (3): 174-179.
- Drenth, A., & B. Sendall. 2001. *Practical guide to detection and identification of Phytophthora.* CRC for Tropical Plant Protection. Australia.
- Drenth, A., I. C.Q. Tas, & F. Govers. 1994. DNA fingerprinting uncovers a new sexually reproducing population of *Phytophthora infestans* in the Netherlands. *Europ.J. of Plant Pathol.* 100: 97-107.
- Elliott, C.G. & B. Glen. 1982. Sterol requirement of mating strains *Phytophthora.* *J. Gen. Microbiol.* 128: 859-863.
- Enzenbacher, T.B. & M.K. Hausbeck. 2012. An evaluation of cucurbits for susceptibility to cucurbitaceous and solanaceous *Phytophthora capsici* isolates. *Plant Dis.* 96: 1404-1414.
- Ersek, T., J.T. English, & J.E. Schoelz. 1995. Creation of species hybrids of *Phytophthora* with modified host ranges by zoospores fusion. *Phytopathol.* 85: 1343-1347.
- Erwin D. C. & O. K. Ribeiro. 1996. *Phytophthora Diseases Worldwide.* St Paul, MN: The American Phytopathological Society.
- Etxeberria, A., S. Mendarte, & S. Larregla. 2011. Thermal inactivation of *Phytophthora capsici* oospores. *Rev Iberoam Micol.* 28(2):83–90.
- Fauziyah, N., B. Hadisutrisno, & Suryanti. 2017. The roles of arbuscular mycorrhizal fungi in the intensity of the foot rot disease on pepper plant from the infected soil. *J. Degrad. Min. Land Manage (Internet).* 4(4): 937-943. <<https://doi.org/10.15243/idmlm.2017.044.937>>. (diakses tanggal 20 Juni 2018).
- Flier, W.G., V. D. Bosch, & L.J. Turkensteen. 2003. Stability of partial resistance in potato cultivars exposed to aggressive strains of *Phytophthora infestans*. *Plant Pathol.* 52: 326– 337.
- French-Monar, R. D., J. B. Jones, M. Ozores-Hampton, & P. D. Roberts. 2007. Survival of inoculum of *Phytophthora capsici* in soil through time under different soil treatments. *Plant Dis.* 91:593-598.

- George, S., K. V. V. Kumar & B. Prabhakara. 2015. Incidence of foot rot disease of black pepper (*Piper nigrum* L.) in Kodagu District of Karnataka. *Pest Management in Horticultural Ecosystems*. 21 (1): 115-116.
- Giannakopoulou, A., S. Schornack, T. O. Bozkurt, D. Haart, D. Ro, J. A. Faraldos, S. Kamoun, & P. E. O'Maille. 2014. Variation in capsidiol sensitivity between *Phytophthora infestans* and *Phytophthora capsici* is consistent with their host range. *PLOS One*. 9(9). doi:[10.1371/journal.pone.0107462](https://doi.org/10.1371/journal.pone.0107462).
- Ginting, K.H. 2010. Analisis faktor-faktor yang mempengaruhi produksi lada di Kabupaten Bangka Provinsi Kepulauan Bangka Belitung. Skripsi. Institut Pertanian Bogor. Bogor.
- Goodwin, S.B., L.S. Sujkowski, & F. We. 1995. Rapid evolution of pathogenicity within clonal lineages of the potato late blight disease fungus. *Phytopathology*. 85: 669 – 676.
- Granke, L. L., L. M. Quesada-Ocampo, & M.K. Hausbeck. 2011. Variation in phenotypic characteristics of *Phytophthora capsici* isolates from a worldwide collection. The American Phytopathological Society. *Plant Disease*. 95 (9). Doi:[10.1094/PDIS-03-11-0190](https://doi.org/10.1094/PDIS-03-11-0190). Di akses pada tanggal 7 Juni 2018.
- Groves, C. T. & J. B. Ristaino. 2000. Commercial fungicide formulations induce in vitro oospore formation and phenotypic change in mating type in *Phytophthora infestans*. *Phytopathology* 90 (11):1201-1208.
- Harutyunyan, S. R., Z. Zhao, T. Hartog, K. Bouwmeester, A. J. Minnaard, B. L. Feringa, & F. Govers. 2008. Biologically active *Phytophthora* mating hormone prepared by catalytic asymmetric total synthesis. *Proceedings of The National Academy of Sciences of The United States of America*. 105 (25): 8507–8512.
- Hausbeck, M.K. & K. H. Lamour. 2004. *Phytophthora capsici* on vegetable crops: research progress and management challenges. *Plant Dis*. 88:1292-1303.
- Hefler, V., M.R. Powelson, & K.B. Johnson. 2002. Oomycetes. The plant health instructor (Internet). <www.apsnet.org/education/LabExercises/oomycetes/Top.html>. (Diakses 10 Maret 2018).
- Hwang, B. K. & C. H. Kim. 1995. *Phytophthora* blight of pepper and its control in Korea. *Plant Dis*. 79:221-227.
- Islam, S.Z., M. Babadoost, K. N. Lambert, & A. Ndeme. 2004. Characterization of *Phytophthora capsici* isolates from processing pumpkin in Illinois. *Plant Dis*. 89:191-197.
- Kasim, R. & Prayitno, 1980. Penelitian isolat *Phytophthora* lada asal Lampung dan Bangka. *Pembr. L.P.T.I.* 37: 73-80.

- Katsura, K. 1968. *Phytophthora melonis* n. sp. of cucumber. Ann. Phytopathol. Soc. Jpn. 34:167.
- Ko, W.H. 1988. Hormonal heterothallism and homotalism in *Phytophthora*. Annu. Rev. Phytopathol. 26:57-73.
- Koç, E., A. S. Üstün, C. Islek, & Y.K. Arici. 2011. Defense responses in leaves of resistant and susceptible pepper (*Capsicum annum* L.) cultivars infected with different inoculum concentrations of *Phytophthora capsici* Leon. Scientia Horticulturae. 128: 434-442.
- Kolhe, S.R., P. Borole, & U. Patel. 2011. Extraction and evaluation of piperine from *Piper nigrum*. Int. J. of Applied Biology and Pharmaceutical Technology. 2(2):144-149.
- Kreisel, H. 1969. Grunzuge eines naturlichen system der pilze. Di dalam: Alexopoulos, C.J. Mims, C.W., & Blackwell, M. 1996. Introductory Mycology 4th Edition. John Wiley & Sons, Inc.
- Kreutzer, W. A., E. W. Bodine & L. W. Durrell. 1940. Cucurbit diseases and rot of tomato fruit caused by *Phytophthora capsici*. Phytopathology 30:972-976.
- Lamour, K. H., & M. K. Hausbeck. 2003. Effect of crop rotation on the survival of *Phytophthora capsici* in Michigan. Plant Dis. 87:841-845.
- Lolong, A.A. 2012. Inang alternatif *Phytophthora palmivora* penyebab penyakit busuk pucuk kelapa. B. Palma 13 (1): 1-6.
- Mafurah, J.J., H. Ma, M. Zhang, J. Xu, F. He, & T. Ye. 2015. A virulence essential CRN effector of *Phytophthora capsici* suppresses host defense and induces cell death in plant nucleus. Doi:10.1371/journal.pone.0127965. Diakses tanggal 18 Juni 2018.
- Manohara, D & M. Machmud. 1986. Mekanisme infeksi *Phytophthora palmivora* (Butl.) pada daun lada. Pembr. Litri.11 (3-4).
- Manohara, D & R. Kasim. 1996. Penyakit busuk pangkal batang dan pengendaliannya. Mon. Tan. Lada. 1: 115-129.
- Manohara, D. & D. Wahyuno. 2007. Sebaran tipe kawin *Phytophthora capsici* penyebab penyakit busuk pangkal batang lada di Indonesia. Prosiding Seminar Nasional Rempah. Bogor 21 Agustus 2007. 173-178.
- Manohara, D. & N. Sato. 1992. Physiological observation on *Phytophthora* isolates from black pepper. Indust. Crops. J. 4 (2): 14- 19.
- Manohara, D. 1988. Ekobiologi *Phytophthora palmivora* (Butl.) penyebab penyakit busuk pangkal batang lada (*Piper nigrum*). Disertasi. Institut Pertanian Bogor. Bogor.
- Manohara, D. 2007a. Bercak daun *Phytophthora* sebagai sumber inokulum penyakit busuk pangkal batang lada (*Piper nigrum* L.). Bul. Littro. 18 (2).
- Manohara, D. 2007b. Formation and pathogenicity variation of oospores of *Phytophthora capsici* infecting black pepper. Microbiology Indonesia. 1 (2) : 61-64.

- Manohara, D., D. Wahyuno & R. Noveriza. 2005. Penyakit busuk pangkal batang tanaman lada dan strategi pengendaliannya. *Perkembangan Teknologi Tanaman Rempah dan Obat*. 17 (2): 41–50.
- Manohara, D., D. Wahyuno & Sutrasman. 1993. Kajian tiga isolat *Phytophthora capsici* asal lada, cabe Jawa, dan sirih. Kongres XII dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia. Yogyakarta 6-8 September 1993. 942-947.
- Manohara, D., D. Wahyuno, & Sutrasman. 1995. Kajian tiga isolat *Phytophthora capsici* asal lada, cabe jawa dan sirih. Kongres XII dan Seminar Ilmiah Perhimpunan Fitopatologi Indonesia. Yogyakarta, 6-8 September 1993. 942-947p.
- Manohara, D., K. Mulya, A. Purwantara & D. Wahyuno. 2004a. *Phytophthora capsici* on black pepper in Indonesia. In Andre and Guest (Eds.). *Diversity and Management of Phytophthora in South East Asia*. ACIAR, Canberra.
- Manohara, D., K. Mulya, & D. Wahyuno. 2004b. Phytophthora disease on black pepper and the control measures. *Focus on Pepper*. 1: 37–49.
- Masago, H., M. Yoshikawa, M. Fukada, & N. Nakanishi. 1977. Selective inhibition of *Pythium* spp. from soils and plants. *Phytopathology* 67:425-428.
- Motulo, H. F. J. 2008. Keragaman genetik dan virulensi isolat *Phytophthora palmivora* asal kelapa dan asal kakao. Disertasi. Institut Pertanian Bogor. Bogor.
- Nguyen, V.L. 2015. Spread of *Phytophthora capsici* in black pepper (*Piper nigrum*) in Vietnam. *Engineering*. 7: 506 – 513.
- Noveriza, R. 1997. Pengaruh Suhu terhadap Pertumbuhan Sepuluh Isolat *Phytophthora capsici* dan Uji Patogenitasnya. Prosiding Kongres XIV dan Seminar Nasional PFI. PFI. Yogyakarta. 311-317p.
- Pinen, M.I. & W. Sipayung. 2005. Uji efektivitas jamur (*Gliocladium virens* dan *Trichoderma koningii*) pada berbagai tingkat dosis terhadap penyakit busuk pangkal batang (*Fusarium oxysporum* f.sp. *passiflorae*) pada tanaman markisa (*Passiflorae edulis* f. *edulis*) di lapangan. *J. Pen. Bid. Ilmu Pertanian*. 3(1): 11-14.
- Pongpisutta, R. & S. Sangchote. 2004. Morphological and host range variability in *Phytophthora palmivora* from Durian in Thailand. In: A. Drenth, D.I. Guest (Eds). *Diversity and Managements of Phytophthora in Southeast Asia*. Australian Centre for International Agricultural Research. Canberra. 53-58.
- Ribeiro, O. K., G. A. Zentmyer, & D. C. Erwin. 1976. The Influence of Qualitative and Quantitative Radiation on Reproduction and Spore Germination of Four *Phytophthora* Species. *Mycologia*. 68 (6): 1162-1173.
- Risfaheri & N. Nurdjannah. 2000. Pepper Prossessing – The Indonesian Scenario. In: Ravindran, P.N (Eds). 2000. *Black pepper (Piper nigrum)*. Har-wood academic publisher. 367-380p.

Ravindran, P.N (Eds). 2000. Black pepper (*Piper nigrum*). Har-wood academic publisher. 1-20p.

Rocha-Castro, A., J.P. Flores-Margez, M. Aguirre-Ramirez, S. Fernandez-Pavia, & Rodriguez-Alvarado. 2014. Traditional and Molecular Studies of the Plant Pathogen *Phytophthora capsici*: A Review. J. Plant Pathol Microb 5:250. <doi:10.4172/2157-7471.1000250>.

Rossmann, A.Y. & M.E. Palm. 2006. Why are *Phytophthora* and other *Oomycota* not true fungi. www.apsnet.org/education/IntroPlantPath/PathogenGroup/oomycetes/default.htm. (Internet). Diakses tanggal 12 Juli 2018.

Sabaratanam, S. 2018. *Phytophthora* Blight of Cucurbits & Peppers. British Columbia Ministry of Agriculture Abbotsford, B.C. <<https://www2.gov.bc.ca/assets/gov/farming-natural-resources-and-industry/agriculture-and-seafood/animal-and-crops/plant-health/phytophthora-capsiciss.pdf>>. (Internet). Diakses tanggal 12 Juli 2018.

Sajuti, R., N. Ilham, D. Sadra, K. Hastuti, S. Elizabeth & B. Parsetyo. 2002. Analisis Permintaan dan Penawaran Komoditas Lada dan Panili. Pusat Penelitian dan Pengembangan Sosial Ekonomi Pertanian.

Semangun, H. 2000. Penyakit-Penyakit Tanaman Perkebunan di Indonesia. Gadjah Mada University Press. Yogyakarta. 523-532p.

Shaffer, R.L. 1975. The major group of Basidiomycetes. Mycologia. 76:1-18. Dalam Alexopoulos, C.J. Mims, C.W., & Blackwell, M. 1996. Introductory Mycology 4th Edition. John Wiley & Sons, Inc.

Soepartono. 1953. Penyakit *foot-rot* pada lada. Teknik Pertanian. 2 (9): 302.

Stamps, D.J., G.M. Waterhouse, F.J. Newhook & G.S. Hall. 1990. Revised tabular key to the species of *Phytophthora*. Mycological Paper 162. Commonwealth Mycological Institute. Kew, Surrey, UK. 28p.

Suprpto & A. Yani. 2008. Teknologi Budidaya Lada. Agro Inovasi Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian Badan Penelitian dan Pengembangan Pertanian.

Sutarno & A. Andoko. 2005. Budi Daya Lada Si Raja Rempah-Rempah. PT Agro Media Pustaka. Jakarta.

Syamsudin. 2010. Perlakuan benih untuk pengendalian penyakit busuk *phytophthora*, peningkatan hasil dan mutu benih cabai merah (*Capsicum annum* L). Disertasi. Institut Pertanian Bogor. Bogor.

Thomas, L. M. & B. G. Naik. 2017. Survey for the incidence of foot rot of black pepper caused by *Phytophthora capsici* Leonian in Shivamogga and Chickmagalur districts of Karnataka State. Int. J. Pure App. Biosci. 5 (1): 293-298.

- Tjitrosoepomo, G. 2004. Taksonomi Tumbuhan (*Spermatophyta*). Gadjah Mada University Press. Yogyakarta. 119-213p.
- Truong, N.V., L. W. Burgess & E. C. Y. Liew. 2008. Prevalence and aetiology of *Phytophthora* foot rot of black pepper in Vietnam. *Australasian Plant Pathology*. 37: 431—442.
- Truong, N.V., L. W. Burgess & E. C. Y. Liew. 2009. Characterisation of *Phytophthora capsici* isolates from chilli in Vietnam. The 17th Biennial Australasian Plant Pathology Society. Adelaide.
- Wahyuno, D & D. Manohara. 1995. Pembentukan oospora *Phytophthora capsici* pada jaringan lada. *J. Hayati*. 2 (1).
- Wahyuno, D., D. Manohara & D. N. Susilowati. 2007a. Variasi morfologi dan virulensi *Phytophthora capsici* asal lada. *Bul. Plasma Nutfah*. Badan Litbang Pertanian. 13:63-70.
- Wahyuno, D., D. Manohara & K. Mulya. 2007b. Penyebaran dan Usaha Pengendalian Penyakit Busuk Pangkal Batang Lada di Bangka. *Prod. Seminar Nasional Rempah*. Bogor, 21 Agustus 2007. 152-161.
- Wahyuno, D., D. Manohara & D. N. Susilowati. 2010. Virulensi *Phytophthora capsici* asal lada terhadap *Piper* spp. *Bul. Plasma Nutfah*. 16(2).
- Wahyuno, D. 2009. Pengendalian terpadu busuk pangkal batang lada. *Perspektif*. 8 (1): 17—29.
- Wang, Z., D.B. Langston, A.S. Csinos, R.D. Gitaitis, & R.R. Walcott. 2009. Development of an improved isolation approach and simple sequence repeat markers to characterize *Phytophthora capsici* populations in irrigation ponds in southern Georgia. *Appl Environ Microbiol* 75: 5467-5473.
- Waterhouse, G.M. 1963. Key to the species of *Phytophthora* de Bary, *Mycological Papers* No. 92: Commonwealth Mycological Institute, Surrey, England.
- Widyastuti, R. D. 2005. Analisis perdagangan lada hitam Indonesia dan Amerika Serikat. Skripsi. Institut Pertanian Bogor. Bogor.
- Yin, J., K. L. Jackson, B. L. Candole, A. S. Csinos, D. B. Langston & P. Ji. 2012. Aggressiveness and diversity of *Phytophthora capsici* on vegetable crops in Georgia. *Ann. Appl. Biol*. 160:191-200.
- Zakia, A. 2017. Peningkatan pertumbuhan tanaman cabai dan pengendalian busuk *Phytophthora* melalui *biopriming* benih dengan Rizobakteri asal pertanaman cabai Jawa Timur. Tesis. . Institut Pertanian Bogor. Bogor.
- Zapata-Vázquez, A., M. Sánchez-Sánchez, A. del-Río-Robledo, H. Silos-Espino, C. Perales Segovia, S. Flores-Benítez, M. M. González-Chavira, & L. L. Valera-Montero. 2012. *Phytophthora capsici* epidemic dispersion on commercial pepper fields in

Zentmyer, G.A. 1983. The World of *Phytophthora*. APS. St Paul Minnesota.

Zhang, Y.L., Z.H. Gong, D.W. Li & W. Huang. 2009. Identification of *Phytophthora capsici* in Shaanxi province and screening of the fungicides against *Phytophthora* blight of pepper. Acta Agr. Boreali-Occidentalis Sin. 18: 336-340.

Zhu, W., L. L. Shen, Z.G. Fang, L.N. Yang, J.F. Zhang, D.L. Sun & J. Zhan. 2016. Increased frequency of self-fertile isolates in *Phytophthora infestans* may attribute to their higher fitness relative to the A1 isolates. Sci. Rep (Internet). 6: 29428. <doi: 10.1038/srep29428>. (diakses tanggal 6 Juni 2018).