

## DAFTAR PUSTAKA

- Ahmad, M.A., Ahmad Puad, N.A., and Bello, O.S., 2014, Kinetic, equilibrium and thermodynamic studies of synthetic dye removal using pomegranate peel activated carbon prepared by microwave-induced KOH activation, *Water Resour. Ind.*, 6, 18–35.
- Annadurai, G., 2002, Adsorption of basic dye on strongly chelating polymer: Batch kinetics studies, *Iran. Polym. J.*, 11, 237–244.
- Aravind, U.K., Mathew, J., and Aravindakumar, C.T., 2007, Transport studies of BSA, lysozyme and ovalbumin through chitosan/polystyrene sulfonate multilayer membrane, *J. Memb. Sci.*, 299, 146–155.
- Azlan, K., Wan Saime, W.N., and Lai Ken, L., 2009, Chitosan and chemically modified chitosan beads for acid dyes sorption, *J. Environ. Sci.*, 21, 296–302.
- Bao, S., Wu, D., Wang, Q., and Su, T., 2014, Functional elastic hydrogel as recyclable membrane for the adsorption and degradation of methylene blue, *PLoS One*, 9, 1–8.
- Batista, A.C.L., Villanueva, E.R., Amorim, R.V.S., Tavares, M.T., and Campos-Takaki, G.M., 2011, Chromium (VI) ion adsorption features of chitosan film and its chitosan/zeolite conjugate 13X film, *Molecules*, 16, 3569–3579.
- Bekri-Abbes, I., Bayouhd, S., and Baklouti, M., 2008, The removal of hardness of water using sulfonated waste plastic, *Desalination*, 222, 81–86.
- Bortoleto, G.G., Macarowscha, G.T., and Cadore, S., 2004, Determination of cadmium by flame-atomic absorption spectrometry after preconcentration on silica gel modified with cupferron, *J. Braz. Chem. Soc.*, 15, 313–317.
- Cahyaningrum, S.E., Santoso, S.J., and Agustini, R., 2011, Adsorpsi Ion Logam Zn(II) dan Cu(II) pada Kitosan Nano Bead dari Cangkang Udang Windu (Penaus Monodon), *J. Mns. Dan Lingkungan*, 18, 200–205.
- Caparkaya, D. and Cavas, L., 2008, Biosorption of methylene blue by a brown alga *Cystoseira barbatula* Ktzing, *Acta Chim. Slov.*, 55, 547–553.
- Chabane, L., Cheknane, B., Zermane, F., Bouras, O., and Baudu, M., 2017, Synthesis and characterization of reinforced hybrid porous beads: Application to the adsorption of malachite green in aqueous solution, *Chem. Eng. Res. Des.*, 120, 291–302.
- Chaukura, N., Mamba, B.B., and Mishra, S.B., 2017, Conversion of post consumer waste polystyrene into a high value adsorbent and its sorptive properties for Congo Red removal from aqueous solution, *J. Environ. Manage.*, 193, 280–289.

- Chen, L.H., Ang, X.M., Chan, C.C., Shailender, M., Neu, B., and Wong, W.C., 2012, Layer-by-layer (chitosan/polystyrene sulfonate) membrane-based fabry-perot interferometric fiber optic biosensor, *IEEE J. Sel. Top. Quantum Electron.*, 18, 1457–1464.
- Chen, P.H., Kuo, T.Y., Kuo, J.Y., Tseng, Y.P., Wang, D.M., Lai, J.Y., and Hsieh, H.J., 2010, Novel chitosan-pectin composite membranes with enhanced strength, hydrophilicity and controllable disintegration, *Carbohydr. Polym.*, 82, 1236–1242.
- Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review, *Bioresour. Technol.*, 97, 1061–1085.
- Crini, G. and Badot, P.M., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.
- Dahri, M.K., Kooh, M.R.R., and Lim, L.B.L., 2015, Application of Casuarina equisetifolia needle for the removal of methylene blue and malachite green dyes from aqueous solution, *Alexandria Eng. J.*, 54, 1253–1263.
- Das, D. and Pal, A., 2016, Adsolubilization phenomenon perceived in chitosan beads leading to a fast and enhanced malachite green removal, *Chem. Eng. J.*, 290, 371–380.
- Dotto, G.L., Moura, J.M., Cadaval, T.R.S., and Pinto, L.A.A., 2013, Application of chitosan films for the removal of food dyes from aqueous solutions by adsorption, *Chem. Eng. J.*, 214, 8–16.
- Du, L.N., Zhao, M., Li, G., Xu, F.C., Chen, W.H., and Zhao, Y.H., 2013, Biodegradation of malachite green by *Micrococcus* sp. strain BD15: Biodegradation pathway and enzyme analysis, *Int. Biodeterior. Biodegrad.*, 78, 108–116.
- Elabd, Y.A. and Napadensky, E., 2004, Sulfonation and characterization of poly(styrene-isobutylene-styrene) triblock copolymers at high ion-exchange capacities, *Polymer (Guildf.)*, 45, 3037–3043.
- Gehlot, G., Verma, S., Sharma, S., and Mehta, N., 2015, Adsorption Isotherm Studies in the Removal of Malachite Green Dye from Aqueous Solution by Using Coal Fly Ash, 3, 42–44.
- Guibal, E., Touraud, E., and Roussy, J., 2005, Chitosan interactions with metal ions and dyes: Dissolved-state vs. solid-state application, *World J. Microbiol. Biotechnol.*, 21, 913–920.
- Guo, R. and Wilson, L.D., 2012, Synthetically engineered chitosan-based materials and their sorption properties with methylene blue in aqueous solution, *J. Colloid Interface Sci.*, 388, 225–234.

- Gürses, A., Hassani, A., Kranşan, M., Açşl, Ö., and Karaca, S., 2014, Removal of methylene blue from aqueous solution using by untreated lignite as potential low-cost adsorbent: Kinetic, thermodynamic and equilibrium approach, *J. Water Process Eng.*, 2, 10–21.
- Hamdaoui, O., 2006, Batch study of liquid-phase adsorption of methylene blue using cedar sawdust and crushed brick, *J. Hazard. Mater.*, 135, 264–273.
- Hamdaoui, O. and Chiha, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran, *Acta Chim. Slov.*, 54, 407–418.
- Hameed, B.H., Mahmoud, D.K., and Ahmad, A.L., 2008, Equilibrium modeling and kinetic studies on the adsorption of basic dye by a low-cost adsorbent: Coconut (*Cocos nucifera*) bunch waste, *J. Hazard. Mater.*, 158, 65–72.
- Hamman, J.H., 2010, Chitosan based polyelectrolyte complexes as potential carrier materials in drug delivery systems, *Mar. Drugs*, 8, 1305–1322.
- Handayani, M. and Sulistyono, E., 2009, Uji Persamaan Langmuir Dan Freundlich Pada Penyerapan Limbah Chrom (VI) Oleh Zeolit, *Pros. Semin. Nas. Sains dan Teknol. Nukl. PTNBR - BATAN*, 130–136.
- Hastuti, B., Masykur, A., and Fariha, I., 2011, Modiikasi Kitosan Melalui Proses Swelling Dan Crosslinking Menggunakan Glutaraldehit Sebagai Pengadsorpsi Logam Cr (Vi) Pada Limbah Industri Batik, *J. Ekosains*, III, 14–21.
- Ho, Y.S., 2006, Review of second-order models for adsorption systems, *J. Hazard. Mater.*, 136, 681–689.
- Igberase, E. and Osifo, P., 2015, Equilibrium, kinetic, thermodynamic and desorption studies of cadmium and lead by polyaniline grafted cross-linked chitosan beads from aqueous solution, *J. Ind. Eng. Chem.*, 26, 340–347.
- Jain, R., Gupta, V.K., and Sikarwar, S., 2010, Adsorption and desorption studies on hazardous dye Naphthol Yellow S, *J. Hazard. Mater.*, 182, 749–756.
- Kamari, A., Ngah, W.S.W., Chong, M.Y., and Cheah, M.L., 2009, Sorption of acid dyes onto GLA and H<sub>2</sub>SO<sub>4</sub> cross-linked chitosan beads, *Desalination*, 249, 1180–1189.
- Kang, S., Zhao, Y., Wang, W., Zhang, T., Chen, T., Yi, H., et al., 2018, Removal of methylene blue from water with montmorillonite nanosheets/chitosan hydrogels as adsorbent, *Appl. Surf. Sci.*, 448, 203–211.
- Kannan, N. and Sundaram, M.M., 2001, Kinetics and mechanism of removal of methylene blue by adsorption on various carbons—a comparative study, *Dye. Pigment.*, 51, 25–40.
- Kizilay, E., Kayitmazer, A.B., and Dubin, P.L., 2011, Complexation and coacervation of polyelectrolytes with oppositely charged colloids, *Adv. Colloid Interface Sci.*, 167, 24–37.

- Kumar Dutta, P., Dutta, J., and Tripathi, V.S., 2004, Chitin and chitosan: Chemistry, properties and applications, *J. Sci. Ind. Res.*, 63, 20–31.
- Kyzas, G.Z. and Bikiaris, D.N., 2015, Recent modifications of chitosan for adsorption applications: A critical and systematic review, *Mar. Drugs*, 13, 312–337.
- Lewana, N.F., 2018, Sintesis film kompleks polielektrolit polistirena sulfonat-kitosan dari limbah styrofoam sebagai adsorben Cu(II) dan Ni(II), *Tesis*, Departemen Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta.
- Li, C., Hein, S., and Wang, K., 2013, Chitosan-Carrageenan Polyelectrolyte Complex for the Delivery of Protein Drugs, *ISRN Biomater.*, 2013, 1–6.
- Liang, C.Z., Sun, S.P., Li, F.Y., Ong, Y.K., and Chung, T.S., 2014, Treatment of highly concentrated wastewater containing multiple synthetic dyes by a combined process of coagulation/flocculation and nanofiltration, *J. Memb. Sci.*, 469, 306–315.
- Liu, X. and Zhang, L., 2015, Removal of phosphate anions using the modified chitosan beads: Adsorption kinetic, isotherm and mechanism studies, *Powder Technol.*, 277, 112–119.
- Mahdavinia, G.R. and Mosallanezhad, A., 2016, Facile and green rout to prepare magnetic and chitosan-crosslinked  $\kappa$ -carrageenan bionanocomposites for removal of methylene blue, *J. Water Process Eng.*, 10, 143–155.
- Mahmoud, M.E., Abdou, A.E.H., and Ahmed, S.B., 2016, Conversion of Waste Styrofoam into Engineered Adsorbents for Efficient Removal of Cadmium, Lead and Mercury from Water, *ACS Sustain. Chem. Eng.*, 4, 819–827.
- Miskolczi, N., Bartha, L., Deák, G., and Jóver, B., 2004, Thermal degradation of municipal plastic waste for production of fuel-like hydrocarbons, *Polym. Degrad. Stab.*, 86, 357–366.
- Ngadiwiyana, Ismiyarto, Gunawan, Purbowatiningrum, R.S., Prasetya, N.B.A., Kusworo, T.D., and Susanto, H., 2018, Sulfonated polystyrene and its characterization as a material of electrolyte polymer, *J. Phys. Conf. Ser.*, 1025.
- Ngah, W. S. W., Teong, L.C., and Hanafiah, M.A.K.M., 2011, Adsorption of dyes and heavy metal ions by chitosan composites: A review, *Carbohydr. Polym.*, 83, 1446–1456.
- Park, S.Y., Lee, B.I., Jung, S.T., and Park, H.J., 2001, Biopolymer composite films based on  $\kappa$ -carrageenan and chitosan, *Mater. Res. Bull.*, 36, 511–519.
- Plazinski, W., Rudzinski, W., and Plazinska, A., 2009, Theoretical models of sorption kinetics including a surface reaction mechanism: A review, *Adv. Colloid Interface Sci.*, 152, 2–13.
- Pourbaix, Marcel, and Pourbaix, A., 1991, Potential pH equilibrium diagrams for the system S-H<sub>2</sub>O from 25 to 150 °C: Influence of access of oxygen in sulphide solution, *Geochim. Cosmochim. Acta*, 56, 3157–3178.

- Rabea, E.I., Badawy, M.E.T., Stevens, C. V., Smagghe, G., and Steurbaut, W., 2003, Chitosan as antimicrobial agent: Applications and mode of action, *Biomacromolecules*, 4, 1457–1465.
- Rahimi, M. and Vadi, M., 2014, Langmuir, Freundlich and Temkin Adsorption Isotherms of Propranolol on Multi-Wall Carbon Nanotube, *J. Mod. Drug Discov. Drug Deliv. Res.*, 1–3.
- Ren, B., Xu, Y., Zhang, L., and Liu, Z., 2018, Carbon-doped graphitic carbon nitride as environment-benign adsorbent for methylene blue adsorption: Kinetics, isotherm and thermodynamics study, *J. Taiwan Inst. Chem. Eng.*, 88, 114–120.
- Riawati, P., 2016, Pembuatan Manik Kitosan/k-Karaginan sebagai Adsorben Biru Metilena, *Tesis*, Departemen Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta
- Rida, K., Bouraoui, S., and Hadnine, S., 2013, Adsorption of methylene blue from aqueous solution by kaolin and zeolite, *Appl. Clay Sci.*, 83-84, 99–105.
- Rinaudo, M., 2006, Chitin and chitosan: Properties and applications, *Prog. Polym. Sci.*, 31, 603–632.
- Rong, X., Qiu, F., Qin, J., Yan, J., Zhao, H., and Yang, D., 2014, Removal of malachite green from the contaminated water using a water-soluble melamine/maleic anhydride sorbent, *J. Ind. Eng. Chem.*, 20, 3808–3814.
- Sadeek, S.A., Negm, N.A., Hefni, H.H.H., and Abdel Wahab, M.M., 2015, Metal adsorption by agricultural biosorbents: Adsorption isotherm, kinetic and biosorbents chemical structures, *Int. J. Biol. Macromol.*, 81, 400–409.
- Samiey, B. and Ashoori, F., 2012, Adsorptive removal of methylene blue by agar: Effects of NaCl and ethanol, *Chem. Cent. J.*, 6, 1–13.
- Sankalia, M.G., Mashru, R.C., Sankalia, J.M., and Sutariya, V.B., 2007, Reversed chitosan-alginate polyelectrolyte complex for stability improvement of alpha-amylase: Optimization and physicochemical characterization, *Eur. J. Pharm. Biopharm.*, 65, 215–232.
- Schiffman, J.D. and Schauer, C.L., 2007, Cross-linking chitosan nanofibers, *Biomacromolecules*, 8, 594–601.
- Shahryari, Z., Goharrizi, A.S., and Azadi, M., 2010, Experimental study of methylene blue adsorption from aqueous solutions onto carbon nano tubes, *Int. J. Water Resour. Environ. Eng.*, 2, 16–28.
- Slyusareva, E., Gerasimova, M., Plotnikov, A. and Sizykh, A., 2014, Spectral study of fluorone dyes adsorption on chitosan-based polyelectrolyte complexes, *J. Colloid Interface Sci.*, 417, 80–87.
- Srivastava, S., Sinha, R., and Roy, D., 2004, Toxicological effects of malachite green, *Aquat. Toxicol.*, 66, 319–329.

- Sulkowski, W.W., Nowak, K., Sulkowska, A., Wolinska, A., dan Mikula, B., 2009, Study of The Sulfonation of Expanded Polystyrene Waste and of Properties of The Products Obtained, *Pure Appl. Chem.*, 12(81), 2417-2424.
- Tanasale, M., Killay, A., and Laratmase, M., 2012, Kitosan dari Limbah Kulit Kepiting Rajungan (*Portunus sanguinolentus* L.) sebagai Adsorben Zat Warna Biru Metilena, *J. Natur Indones.*, 14, 165–171.
- Tuny, M. T., 2013, Adsorpsi Desorpsi Metilen Biru Pada Membran Kompleks Polielektrolit (PEC) KitosanPektin, *Tesis*, Jurusan Ilmu Kimia, Universitas Gadjah Mada, Yogyakarta
- Vadi, M., Abbasi, M., Zakeri, M., and Yazdi, B.J., 2011, Application of the Freundlich , Langmuir , Temkin and Harkins-Jura Adsorption Isotherms for Some Amino Acids and Amino Acids Complexation with Manganese Ion (II) on Carbon Nanotube, *Int. Proc. Chem. Biol. Environ. Eng.*, 2, 117–119.
- Wang, L., Zhang, J., and Wang, A., 2011, Fast removal of methylene blue from aqueous solution by adsorption onto chitosan-g-poly (acrylic acid)/attapulgit composite, *Desalination*, 266, 33–39.
- Zhao, Q., An, Q.F., Ji, Y., Qian, J., and Gao, C., 2011, Polyelectrolyte complex membranes for pervaporation, nanofiltration and fuel cell applications, *J. Memb. Sci.*, 379, 19–45.
- Zheng, P.Y., Ye, C.C., Wang, X.S., Chen, K.F., An, Q.F., Lee, K.R., and Gao, C.J., 2016, Poly(sodium vinylsulfonate)/chitosan membranes with sulfonate ionic cross-linking and free sulfate groups: Preparation and application in alcohol dehydration, *J. Memb. Sci.*, 510, 220–228.