

REFERENCES

- Ahmed, M.H.M., Muraza, O., Yoshioka, M., and Yokoi, T., 2017, Effect of multi-step desilication and dealumination treatments on the performance of hierarchical EU-1 zeolite for converting methanol to olefins, *Microporous Mesoporous Mater.*, 241, 79–88.
- Almutairi, S.M.T., Mezari, B., Filonenko, G.A., Magusin, P.C.M.M., Rigutto, M.S., Pidko, E.A., and Hensen, E.J.M., 2013, Influence of extraframework aluminum on the brønsted acidity and catalytic reactivity of faujasite zeolite, *ChemCatChem*, 5, 452–466.
- Balat, M., 2006, Biomass energy and biochemical conversion processing for fuels and chemicals, *Energy Sources, Part A Recover Util. Environ. Eff.*, 28, 517–525.
- Balat, M., Balat, M., Kirtay, E., and Balat, H., 2009, Main routes for the thermo-conversion of biomass into fuels and chemicals. Part 1: Pyrolysis systems, *Energy Convers. Manag.*, 50, 3147–3157.
- Baran, R., Millot, Y., Onfroy, T., Krafft, J., and Dzwigaj, S., 2012, Influence of the nitric acid treatment on Al removal, framework composition and acidity of BEA zeolite investigated by XRD, FTIR, and NMR, *Microporous Mesoporous Mater.*, 163, 122–130.
- Bertero, M., De La Puente, G., and Sedran, U., 2012, Fuels from bio-oils: Bio-oil production from different residual sources, characterization and thermal conditioning, *Fuel*, 95, 263–271.
- Bertrand-Drira, C., Cheng, X. wei, Cacciaguerra, T., Trens, P., Melinte, G., Ersen, O., et al., 2014, Mesoporous mordenites obtained by desilication: Mechanistic considerations and evaluation in catalytic oligomerization of pentene, *Microporous Mesoporous Mater.*, 213, 142–149.
- Boveri, M., Márquez-Álvarez, C., Laborde, M.Á., and Sastre, E., 2006, Steam and acid dealumination of mordenite characterization and influence on the catalytic performance in linear alkylbenzene synthesis, *Catal. Today*, 114, 217–225.
- Bu, Q., Lei, H., Zacher, A.H., Wang, L., Ren, S., Liang, J., et al., 2012, A review of catalytic hydrodeoxygenation of lignin-derived phenols from biomass pyrolysis, *Bioresour. Technol.*, 124, 470–477.
- Bui, V.N., Laurenti, D., Afanasiev, P., and Geantet, C., 2011, Hydrodeoxygenation of guaiacol with CoMo catalysts. Part I: Promoting effect of cobalt on HDO selectivity and activity, *Appl. Catal. B Environ.*, 101, 239–245.

- Bykova, M. V., Ermakov, D.Y., Khromova, S.A., Smirnov, A.A., Lebedev, M.Y., and Yakovlev, V.A., 2014, Stabilized Ni-based catalysts for bio-oil hydrotreatment: Reactivity studies using guaiacol, *Catal. Today*, 220–222, 21–31.
- Byrappa, K. and Kumar, B.V.S., 2007, Characterization of zeolites by infrared spectroscopy, *Asian J. Chem.*, 19, 4933–4935.
- de Caprariis, B., De Filippis, P., Petrullo, A., and Scarsella, M., 2017, Hydrothermal liquefaction of biomass: Influence of temperature and biomass composition on the bio-oil production, *Fuel*, 208, 618–625.
- Chang, J., Danuthai, T., Dewiyanti, S., Wang, C., and Borgna, A., 2013, Hydrodeoxygenation of guaiacol over carbon-supported metal catalysts, *ChemCatChem*, 5, 3041–3049.
- Chaouati, N., Soualah, A., Hussein, I., Comparot, J.-D., and Pinard, L., 2016, Formation of weak and strong Brønsted acid sites during alkaline treatment on MOR zeolite, *Appl. Catal. A Gen.*, 526, 95–104.
- Chung, K., 2008, Dealumination of mordenites with acetic acid and their catalytic activity in the alkylation of cumene, *Microporous Mesoporous Mater.*, 11, 544–550.
- Coumans, A.E. and Hensen, E.J.M., 2017, A model compound (methyl oleate, oleic acid, triolein) study of triglycerides hydrodeoxygenation over alumina-supported NiMo sulfide, *Appl. Catal. B Environ.*, 201, 290–301.
- Coumans, A.E. and Hensen, E.J.M., 2017, A real support effect on the hydrodeoxygenation of methyl oleate by sulfided NiMo catalysts, *Catal. Today*, 298, 181–189.
- Dang, Q., Luo, Z., Zhang, J., Wang, J., Chen, W., and Yang, Y., 2013, The effect of reaction temperature on catalytic upgrading of bio-oil in ethanol, *ICMREE 2013 - Proc. 2013 Int. Conf. Mater. Renew. Energy Environ.*, 1, 282–286.
- Demirbaş, A., 2001, Biomass resource facilities and biomass conversion processing for fuels and chemicals, *Energy Convers. Manag.*, 42, 1357–1378.
- Gackowski, M., Tarach, K., Kuterasiński, Ł., Podobiński, J., Jarczewski, S., Kuśtrowski, P., and Datka, J., 2018, Hierarchical zeolites Y obtained by desilication: Porosity, acidity, and catalytic properties, *Microporous Mesoporous Mater.*, 263, 282–288.
- Gao, X., Tang, Z., Lu, G., Cao, G., Li, D., and Tan, Z., 2010, Butene catalytic cracking to ethylene and propylene on mesoporous ZSM-5 by desilication, *Solid State Sci.*, 12, 1278–1282.

- Giudici, R., Kouwenhoven, H.W., and Prins, R., 2000, Comparison of nitric and oxalic acid in the dealumination of mordenite, *Appl. Catal. A Gen.*, 203, 101–110.
- Giudicianni, P., Cardone, G., and Ragucci, R., 2013, Cellulose, hemicellulose and lignin slow steam pyrolysis: Thermal decomposition of biomass components mixtures, *J. Anal. Appl. Pyrolysis*, 100, 213–222.
- Gonçalves, V.O.O., Ciotonea, C., Arrii-Clacens, S., Guignard, N., Roudaut, C., Rousseau, J., et al., 2017, Effect of the support on the hydrodeoxygenation of *m*-cresol over molybdenum oxide based catalysts, *Appl. Catal. B Environ.*, 214, 57–66.
- González, M.D., Cesteros, Y., and Salagre, P., 2011, Comparison of dealumination of zeolites beta, mordenite and ZSM-5 by treatment with acid under microwave irradiation, *Microporous Mesoporous Mater.*, 144, 162–170.
- González, M.D., Cesteros, Y., Salagre, P., Medina, F., and Sueiras, J.E., 2009, Effect of microwaves in the dealumination of mordenite on its surface and acidic properties, *Microporous Mesoporous Mater.*, 118, 341–347.
- Góra-Marek, K., Tarach, K., Tekla, J., Olejniczak, Z., Kuśtrowski, P., Liu, L., et al., 2014, Hierarchical mordenite dedicated to the fluid catalytic cracking process: Catalytic performance regarding textural and acidic properties, *J. Phys. Chem. C*, 118, 28043–28054.
- Groen, J.C., Sano, T., Moulijn, J.A., and Pérez-Ramírez, J., 2007, Alkaline-mediated mesoporous mordenite zeolites for acid-catalyzed conversions, *J. Catal.*, 251, 21–27.
- He, Z. and Wang, X., 2012, Hydrodeoxygenation of model compounds and catalytic systems for pyrolysis bio-oils upgrading, *Catal. Sustain. Energy*, 1, 28–52.
- Hosseini, M., Zanjanchi, M.A., Ghalami-Choobar, B., and Golmojdeh, H., 2015, Ultrasound-assisted dealumination of zeolite Y, *J. Chem. Sci.*, 127, 25–31.
- Huang, S., Liu, X., Yu, L., Miao, S., Liu, Z., Zhang, S., and Xie, S., 2014, Preparation of hierarchical mordenite zeolites by sequential steaming-acid leaching-alkaline treatment, *Microporous Mesoporous Mater.*, 191, 18–26.
- Huber, G.W., Iborra, S., and Corma, A., 2006, Synthesis of transportation fuels from biomass: Chemistry, catalysts, and engineering, *Chem. Rev.*, 106, 4044–4098.
- Jha, B. and Singh, D.N., 2011, a Review on synthesis, characterization and industrial applications of flyash zeolites, *J. Mater. Educ.*, 33, 65–132.

- Kan, T., Strezov, V., and Evans, T.J., 2016, Lignocellulosic biomass pyrolysis: A review of product properties and effects of pyrolysis parameters, *Renew. Sustain. Energy Rev.*, 57, 126–1140.
- Koohsaryan, E. and Anbia, M., 2016, Nanosized and hierarchical zeolites : A short review, *Chinese J. Catal.*, 37, 447–467.
- Kruk, M. and Jaroniec, M., 2001, Gas adsorption characterization of ordered organic - inorganic nanocomposite materials, *Chem. Mater.*, 13, 3169–3183.
- Kumar, A., Kumar, N., Baredar, P., and Shukla, A., 2015, A review on biomass energy resources, potential, conversion, and policy in India, *Renew. Sustain. Energy Rev.*, 45, 530–539.
- van laak, A.N.C., Gosselink, R.W., Sagala, S.L., Meeldijk, J.D., de Jongh, P.E., and de Jong, K.P., 2010, Alkaline treatment on commercially available aluminum rich mordenite, *Appl. Catal. A Gen.*, 382, 65–72.
- Li, X., Chen, G., Liu, C., Ma, W., Yan, B., and Zhang, J., 2017, Hydrodeoxygenation of lignin-derived bio-oil using molecular sieves supported metal catalysts : A critical review, *Renew. Sustain. Energy Rev.*, 71, 296–308.
- Liu, J., Cui, L., Wang, L., Ni, X., Zhang, S., and Jin, Y., 2014, Alkaline – acid treated mordenite and beta zeolites featuring mesoporous dimensional uniformity, *Mater. Lett.*, 132, 78–81.
- Lup, A.N.K., Abnisa, F., Daud, W.M.A.W., and Aroua, M.K., 2017, A review on reactivity and stability of heterogeneous metal catalysts for deoxygenation of bio-oil model compounds, *J. Ind. Eng. Chem.*, 56, 1–34.
- Lutz, W., 2014, Zeolite Y : Synthesis, modification, and properties — a case revisited, *Adv. Mater. Sci. Eng.*, 2014, 1–20.
- Marathe, P.S., Oudenhoven, S.R.G., Heerspink, P.W., Kersten, S.R.A., and Westerhof, R.J.M., 2017, Fast pyrolysis of cellulose in vacuum : The effect of potassium salts on the primary reactions, *Chem. Eng. J.*, 329, 187–197.
- Mihalcik, D.J., Mullen, C.A., and Boateng, A.A., 2011, Screening acidic zeolites for catalytic fast pyrolysis of biomass and its components, *J. Anal. Appl. Pyrolysis*, 92, 224–232.
- Mohan, D., Pittman, C.U., and Steele, P.H., 2006, Pyrolysis of wood/biomass for bio-oil: A critical review, *Energy and Fuels*, 20, 848–889.
- Mora-Vergara, I.D., Hernández Moscoso, L., Gaigneaux, E.M., Giraldo, S.A., and Baldovino-Medrano, V.G., 2018, Hydrodeoxygenation of guaiacol using

- NiMo and CoMo catalysts supported on alumina modified with potassium, *Catal. Today*, 302, 125–135.
- Mortensen, P.M., Grunwaldt, J.D., Jensen, P.A., Knudsen, K.G., and Jensen, A.D., 2011, A review of catalytic upgrading of bio-oil to engine fuels, *Appl. Catal. A Gen.*, 407, 1–19.
- Munnik, P., De Jongh, P.E., and De Jong, K.P., 2015, Recent developments in the synthesis of supported catalysts, *Chem. Rev.*, 115, 6687–6718.
- No, S.Y., 2014, Application of bio-oils from lignocellulosic biomass to transportation, heat and power generation - A review, *Renew. Sustain. Energy Rev.*, 40, 1108–1125.
- Nolte, M.W. and Shanks, B.H., 2017, A perspective on catalytic strategies for deoxygenation in biomass pyrolysis, *Energy Technol.*, 5, 7–18.
- Parapat, R.Y., Saputra, O.H.I., Ang, A.P., Schwarze, M., and Schomäcker, R., 2014, Support effect in the preparation of supported metal catalysts *via* microemulsion, *RSC Adv.*, 4, 50955–50963.
- Patel, M. and Kumar, A., 2016, Production of renewable diesel through the hydroprocessing of lignocellulosic biomass-derived bio-oil: A review, *Renew. Sustain. Energy Rev.*, 58, 1293–1307.
- Paul, S. and Dutta, A., 2018, Challenges and opportunities of lignocellulosic biomass for anaerobic digestion, *Resour. Conserv. Recycl.*, 130, 164–174.
- Payra, P. and Dutta, P.K., 2004, Zeolites: A Primer, *ChemInform*, 35, 1–19.
- Pongsendana, M., Trisunaryanti, W., Artanti, F.W., Falah, I.I., and Sutarno, 2017, Hydrocracking of waste lubricant into gasoline fraction over CoMo catalyst supported on mesoporous carbon from bovine bone gelatin, *Korean J. Chem. Eng.*, 34, 2591–2596.
- Popov, A., Kondratieva, E., Mariey, L., Goupil, J.M., El Fallah, J., Gilson, J.P., et al., 2013, Bio-oil hydrodeoxygenation: Adsorption of phenolic compounds on sulfided (Co)Mo catalysts, *J. Catal.*, 297, 176–186.
- Prasomsri, T., Nimmanwudipong, T., and Román-Leshkov, Y., 2013, Effective hydrodeoxygenation of biomass-derived oxygenates into unsaturated hydrocarbons by MoO₃ using low H₂ pressures, *Energy Environ. Sci.*, 6, 1732–1738.
- Ryymin, E.M., Honkela, M.L., Viljava, T.R., and Krause, A.O.I., 2009, Insight to sulfur species in the hydrodeoxygenation of aliphatic esters over sulfided NiMo/γ-Al₂O₃ catalyst, *Appl. Catal. A Gen.*, 358, 42–48.

- Saidur, R., Abdelaziz, E.A., Demirbas, A., Hossain, M.S., and Mekhilef, S., 2011, A review on biomass as a fuel for boilers, *Renew. Sustain. Energy Rev.*, 15, 2262–2289.
- Shetty, M., Murugappan, K., Prasomsri, T., Green, W.H., and Román-Leshkov, Y., 2015, Reactivity and stability investigation of supported molybdenum oxide catalysts for the hydrodeoxygenation (HDO) of *m*-cresol, *J. Catal.*, 331, 86–97.
- Shirazi, L., Jamshidi, E., and Ghasemi, M.R., 2008, The effect of Si/Al ratio of ZSM-5 zeolite on its morphology, acidity, and crystal size, *Cryst. Res. Technol.*, 43, 1300–1306.
- Shu, S., Husain, S., and Koros, W.J., 2007, Sonication-assisted dealumination of zeolite a with thionyl chloride, *Ind. Eng. Chem. Res.*, 46, 767–772.
- Silaghi, M., Chizallet, C., and Raybaud, P., 2014, Challenges on molecular aspects of dealumination and desilication of zeolites, *Microporous Mesoporous Mater.*, 191, 82–96.
- Silvestre-albero, A.M., Manuel, J., and Silvestre-albero, J., 2012, Low-pressure hysteresis in adsorption: An artifact?, *J. Phys. Chem. C*, 116, 16652–16655.
- Suslick, K.S., 1990, Sonochemistry, *Science*, 247, 1439–1445.
- Tao, Y., Kanoh, H., Abrams, L., and Kaneko, K., 2006, Mesopore-modified zeolites : Preparation, characterization, and applications, *Chem. Rev.*, 106, 896–910.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J., and Sing, K.S.W., 2015, Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC technical report), *Pure Appl. Chem.*, 87, 1051–1069.
- Viswanadham, N. and Kumar, M., 2006, Effect of dealumination severity on the pore size distribution of mordenite, *Microporous Mesoporous Mater.*, 92, 31–37.
- Vu, X., Eckelt, R., Armbruster, U., and Martin, A., 2014, High-temperature synthesis of ordered mesoporous aluminosilicates from ZSM-5 nanoseeds with improved acidic properties, *Nanomaterials*, 4, 712–725.
- Wang, H., Male, J., and Wang, Y., 2013, Recent advances in hydrotreating of pyrolysis bio-oil and its oxygen-containing model compounds, *ACS Catal.*, 3, 1047–1070.
- Wang, W., Tan, S., Wu, K., Zhu, G., Liu, Y., Tan, L., et al., 2018, Hydrodeoxygenation of *p*-cresol as a model compound for bio-oil on MoS₂:

Effects of water and benzothiophene on the activity and structure of catalyst, *Fuel*, 214, 480–488.

Xiu, S. and Shahbazi, A., 2012, Bio-oil production and upgrading research: A review, *Renew. Sustain. Energy Rev.*, 16, 4406–4414.

Xue, H., Huang, X., Zhan, E., Ma, M., and Shen, W., 2013, Selective dealumination of mordenite for enhancing its stability in dimethyl ether carbonylation, *Catal. Commun.*, 37, 75–79.

Yang, H., Yao, J., Chen, G., Ma, W., Yan, B., and Qi, Y., 2014, Overview of upgrading of pyrolysis oil of biomass, *Energy Procedia*, 61, 1306–1309.

Yu, Y., Li, X., Su, L., Zhang, Y., Wang, Y., and Zhang, H., 2012, The role of shape selectivity in catalytic fast pyrolysis of lignin with zeolite catalysts, *Appl. Catal. A Gen.*, 447–448, 115–123.

Zhang, Q., Chang, J., Wang, T., and Xu, Y., 2007, Review of biomass pyrolysis oil properties and upgrading research, *Energy Convers. Manag.*, 48, 87–92.

Zhu, X., Lobban, L.L., Mallinson, R.G., and Resasco, D.E., 2011, Bifunctional transalkylation and hydrodeoxygenation of anisole over a Pt/HBeta catalyst, *J. Catal.*, 281, 21–29.