

## DAFTAR PUSTAKA

- Adams. 2006. Data analisis and reporting. In : Dorak, M.T. (Ed). Real time PCR. Taylor & Francis Group. Newcastle. United Kingdom. Pp: 40-62
- Anonim. 2009. Mengenal PCR (Polymerase Chain Reaction). <http://sciencebiotech.net/tag/polymerase-chain-reaction/> [23 Juni 2018]
- Arya, M., Shergill, I.S., Williamson, M., Gommersall, L. Arya, N., and Patel, N. R. H., 2005. Basic principle of real-time quantitative PCR, Expert Review of Molecular Diagnostic, 5(2), 1-11
- Bacon, C.W. and Hilton, D.M. 2007. *Bacterial Endophytes: The Endophytic Niche, its ccupants, and its Utility*. S.S. Gnanamanickam (ed.). Berlin: Plant-Associated Bacteria. Springer hal. 155-194.
- Bermingham, N., and Luetlich, K. 2003. Polymerase Chain Reaction and it's Application, Current Diagn. Path. 9. Pp : 159-164
- Bio-Rad, 2006. Real-time PCR application guide. Bio-Rad Laboratories, Inc, USA
- Borah, P., 2011. Primer Designing for PCR. Departement of Microbiology, College of Veteranary Science, Assam Agricultural University, Guwahati, India, ISSN : 2229-6026
- Broeders, S. I, Huber. L, Grohmann. G.Berbend. I, Tavernierse. M, Mazzaraf. N, Roosensa. D, Morisset. 2014. Guidelines for validation of qualitative real-time PCR methods. Trends in Food Science & Technology. 37: 115-126
- Buckley D, Schmidt TM. 2003. Diversity and dynamics of microbial communities in soils from agro-ecosystems. *Environ Microbiol* 5: 441-452.
- Corkill G, Raphley R. 2008. The manipulation of Nucleic acids: Basic tools and Techniques, Edited by Walker J and Raphley R. In: Molecular Biomethods Handbook, 2 nd Edition. Humana Press: 3-15.
- Couillerot, O., Bouffaud, M.-L., Baudoin, E., Muller, D., Caballero-Mellado, J., and Moenne-Loccoz, Y. 2010. Development of areal-time PCR method to quantify the PGPR strain *Azospirillumlipoferum* CRT1 on maize seedlings. *Soil Biology & Biochemistry*, 42(12), 2298–2305
- Dauphin LA, Hutchins RJ, Bost LA, Bowen MD. 2009. Evaluation of automated and manual commercial DNA extraction methods for recovery of *Brucella* DNA from suspensions and spiked swabs. *J of Clinical Microbiology* 47(12): 3920-3926

- De Fretes., C. Ria, S. Yekti, A. P. Tri, N. N. Donny, W. 2018. Diversity of Endophytic Bacteria in Sweet Sorghum (*Sorghum bicolor* (L.) Moench) and their Potential for Promoting Plant Growth. *Indian Journal of Science and Technology*. 11(11)
- Dewi, A. R. 2016. Optimalisasi Metode Ekstraksi dan Purifikasi DNA Mikrobia dari Tanah Budidaya Sorghum Manis (*Sorghum bicolor* (L.) Moench). Skripsi. Program Sarjana Universitas Gadjah Mada. Yogyakarta
- Doi T, Abe J, Shiotsu F, Morita S. 2011. Study on rhizosphere bacterial community in lowland rice grown with organic fertilizers by using PCRdenaturing gradient gel electrophoresis. *Plant Root*. 5:5-16.
- Dorak T M. 2006. Real time PCR. Newcastle (GB): Taylor and Francis group.
- Duca D, Lorv J, Patten CL, Rose D, Glick BR. 2014. Indole-3-acetic acid in plant-microbe Interactions. *Antonie Van Leeuwenhoek*. 106(1):85–125 enhancing crop productivity. *Trends Biotechnol*. 7:39-43.
- Erlich, H. A. 1989. PCR Technology : Principles and Application for DNA amplification. Stockton Press. New York
- Fajardo, V., Gonzales, I., Martin, I., Rojas, M., Hernandez, P.E., Garcia, T. dkk., 2010. A review of current PCR-based methodologies for autentification of meats from game animal species. *Trends in Food Science and Technologies*. 21, 408-421
- Faleiro, A., Pereira, T., Espindula, E., Brod, F., and Arisi, A. 2013. Real time PCR detection targeting nifA gene of plant growth promoting bacteria *Azospirillum brasilense* strain FP2 in maize roots. *Symbiosis*, 61(3), 125–133
- Fan, B., Chen, X. H., Budiharjo, A., Bleiss, W., Vater, J., and Borriss, R. 2011. Efficient colonization of plant roots by the plant growth promoting bacterium *Bacillus amyloliquefaciens* FZB42, engineered to express green fluorescent protein. *Journal of Biotechnology*, 151(4), 303–311.
- Fraga, D., Stahlberg, A., Bar. 2008. Unit 10,3 : Real time PCR . John Willey & Sons, Inc. Ohio
- Govindasamy, V., Raina, S.K., George, P. et al. 2017. Functional and phylogenetic diversity of cultivable rhizobacterial endophytes of sorghum [*Sorghum bicolor* (L.) Moench]. *Antonie van Leeuwenhoek*. 110: 925.
- Gremion, F, Chatzinotas, A, Harms, H (2003) Comparative 16S rDNA and 16S rRNA sequence analysis indicates that Actinobacteria might be a dominant

part of the metabolically active bacteria in heavy metal-contaminated birk and rhizosphere soil. *Environ Microbiol* 5: 896–907

Gutierrez-Lucas, L.R., J.J. Montor-Antonio, and N.M. Cortez-Lopez. 2014. Strategies for extraction, purification and amplification of metagenomic DNA from soil growing sugarcane. *Advances in Biological Chemistry*. 4 : 81-289

Hardjowigeno, S. 1993. *Genesis dan Klasifikasi Tanah, Survey Tanah dan Evaluasi Kemampuan Lahan*. Fakultas Pascasarjana IPB. Bogor.

Hardjowigeno, S., 1993. *Klasifikasi Tanah Dan Pedogenesis*. Akademika Pressindo, Jakarta. hal. 320

Huang, X. F., J.M. Chaparro, K. F. Reardon, R. Zhang, Q. Shen, J. M. Vivanco. 2014. Rhizosphere interaction : root exudates, microbes, and microbial communities. *Botany* 92: 267-275

Janssen PH. (2006). Identifying the dominant soil bacterial taxa in libraries of 16S rRNA and 16S rRNA genes. *Appl Environ Microbiol* 72: 1719–1728.

Joshi, M., and Deshpande, J. D. Polymerase Chain Reaction: Methods, Principles, and Application. *International Journal of Biomedical Research*. 5 : 81-97

Kartahadimaja, J., R.Wentasari., dan R.N.Sesanti. 2010. Pertumbuhan dan produksi Polong Segar Edamame Varietas Rioko pada Empat jenis Pupuk. *Agrovigor* Volume 3 No. 2. ISSN 1979-5777.

Kubista, M., Stahlberg, A., Bar, T. 2001. Lights-up probe based real-time Q-PCR . In : Raghavachari, R., Tan, W. (Eds). *Genomic and Proteomic Technologies*. Proceedings of SPIE. 4264: 53-58

Lacey J (1973) Actinomycetes in soils, composts and fodders. In: Sykes G, Skinner FA (eds) *Actinomycetales: characteristics and practical importance*. Academic, New York, pp 231–251

Lacey J (1973) Actinomycetes in soils, composts and fodders. In: Sykes G, Skinner FA (eds) *Actinomycetales: characteristics and practical importance*. Academic, New York, pp 231–251

Larsen, J., P. J., Lopez, M.N . Rincon, C. E. G. Esquivel. 2015. Biotic interactions in the rhizosphere in relation to plant and soil nutrient dynamics. *Journal of Soil Science and Plant Nutrition* 15: 449-463

Lavecchia, A. M. Curci, K. Jangid, W. B. Whitman, P. Ricciuti, S. Pascazio, C. Crecchio. 2015. Microbial 16S gene-based composition of a sorghum cropped rhizosphere soil under different fertilization managements. *Biology and fertility of Soils*. 51 : 661-672

- Lemuz, E, Nicasio-Collazo L. A, Castaneda-Priego R. 2012. Hysteresis in Pressure-Driven DNA Denaturation. *PLoS ONE* 7(4)
- Li W, Fu L, Niu B, Wu S, Wooley J. 2012. Ultrafast clustering algorithms for metagenomic sequence analysis. *Brief Bioinform.* 13:656–668
- Liu, F. C., Xing, S. J., Ma, H. L., Du, Z. Y., & Ma, B. Y. 2013. Plant growth-promoting rhizobacteria affect the growth and nutrient uptake of *Fraxinus americana* container seedlings. *Current Opinion in Biotechnol* 14:303–310
- Mao, DP., Q. Zhou, C. Y. Chen and Z. X. Quan. 2012. Coverage Evaluation Of Universal Bacterial Primers Using The Metagenomic Datasets. *BMC Microbiology.* 12:66.
- Marras, S. A. E. 2006. Selection of fluorophore and quencher pairs for Fluorescent Nucleic Acid Hybridization Probes. In : V. V. Didenko, Methods in Molecular Biology : Fluorescent Energy transfer Nucleic Acid Probes : Design and Protocols. Humana Press Inc. Totowa, NJ.
- Marras, S. A. E., Tyagi, S., and Kramer, F. R. 2006. Real-time Assay with molecular Beacons and other fluorescent Nucleic Acid Hybridization Probes. *Clinica Chimica Acta.* 363. Pp 48-60
- Miller, D.N., J.E. Bryant, E.L. Madsen, and W.C. Ghiorse. 1999. Evaluation and optimization of DNA extraction and purification procedure for soil and 49 sediment samples. *Applied and Environmental Microbiology.* 65(11) : 4715-4724.
- Monteiro, R. A., Schmidt, M. A., de Baura, V. A., Balsanelli, E., Wassem, R., and Yates, M. G. 2008. Early colonization pattern of maize (*Zea mays* L. Poales, Poaceae) roots by *Herbaspirillum seropedicae* (Burkholderiales, Oxalobacteraceae). *Genetics and Molecular Biology*, 31(4), 932–937
- Navarro, E., Serrano-Heras, G., Catano, M.J. and Solera, J. 2015. Real-time PCR Detection Chemistry. *Clinica Chimica Acta.* 439. Pp 231-250
- Ogunkanmi AL, Oboh B, Onifade B, Ogundipe AA, Taiwo IA, Ogundipe OT. 2008. An improved method of extracting genomic DNA from preserved tissues of *Capsicum annuum* for PCR amplification. *EurAsia J BioSci* 2:115–119.
- Osborne CA, Galic M, Sangwan P, Janssen PH (2005) PCR-generated artifact from 16S rRNA gene-specific primers. *FEMS Microbiol Lett* 248:183–187
- Pereira, T. P., Fernanda, P. A., Pamella, D.A., Fabio, C.A.B., and Anna, C.M.A. 2014. Real-Time PCR Quantification of the Plant Growth Promoting

Bacteria *Herbaspirillum seropedicae* Strain SmR1 in Maize Roots.  
*Molecular Biotechnology*, 56: 660–670

Pestana, E. A. 2010. Early , Rapid, and Sensitive Vetenerary Molecular Diagnostics  
Real-time PCR Application. Springer Science and Bussiness Media B.V.  
Dordrectht

Rao, N. S. 1994. Mikrobiologi tanah dan pertumbuhan Tanaman Edisi Kedua.  
Universitas Indonesia Press, Jakarta.

Rashid, S., Charles, T. C., and Glick, B. R. 2012. Isolation and characterization of  
new plant growth-promoting bacterial endophytes. *Applied Soil Ecology*, 61:  
217–224

Rastogi, G., J.J. Tech, G.L. Coaker., J, H. Leveau. 2010. A PCR-based toolbox for  
the culture in-dependent quantification of total bacterial abundances in plant  
environment. *Journal of microbiological methods*. 83(2): 127-132

Sambrook J, Russel DW. 2001. *Molecular Cloning: A Laboratory Manual, Third  
Edition*. New York: Cold-Spring Harbor Laboratory Pr.

Santhanam,R. Van T.L, Arne W., Jay G., Youngjoo O., Ian T.B. 2015. Native root-  
associated bacteria rescue a plant from a sudden-wilt disease that emerged  
during continuous cropping. *PNAS*: 112 (36)

Schloss PD. Handelsman J. 2005. Introducing DOTUR, a computer program for  
defining operational taxonomic units and estimating species richness. *Appl.  
Environ. Microbiol.* 71:1501–1506.

Sensen, C. W. 2002. Essensial Genomics and Bioinformatics . willey – VCH.  
Weinheim

Shipley, G.L. 2007. Quantitative Real-Time Q-PCR : A very short course.  
Departement of Integrative Biology and Pharmaciology University of Texas  
Health Science Centre. Houston, Texas

Sirappa, MP. 2003. Prospek pengembangan sorgum di Indonesia sebagai komoditas  
alternatif untuk pangan, pakan, dan industri. *Jurnal Litbang Pertanian*. 22  
(4) : 133-140.Sorensen, 1997).

Spaepen, S., Vanderleyden, J. & Remans, R. 2007. Indol – 3- acetic acid in  
microbial and microorganism-plant signaling. *FEMS microbiology review*.  
10: 1-24

- Stoica, E. 2009. Application of T-RFLP Analysis to the Study of the Coastal Black Sea Bacterioplankton. *Romanian Biotechnological Letters* 14 (5): 4710 – 4719.
- Suryani, R. 2016. Isolasi dan Keanekaragaman Bakteri Endofit Sorgum Manis [(*Sorghum bicolor* (L.) Moench.]. Thesis. Fakultas Biologi, Universitas Gadjah Mada, Yogyakarta.
- Tabri F, Zubachtirodin. 2013. Budi Daya Tanaman Sorgum. Di dalam: Sumarno, Damardjati D S, Syam M dan Hermanto, editor. *Sorgum Inovasi Teknologi dan Pengembangan*. Jakarta (ID): IAAD Press. hlm 175-187.
- Tilak, KVBR, Ranganayaki N, Pal KK, De R, Saxena AK, Nautiyal CS, Mittal S, Tripathi AK, Johri BN. 2005. Diversity of plant growth and soil health supporting bacteria. *Curr Sci*. 89:136-150.
- Torsvik V, Goksoyr J, Daae FI. 1990. High diversity in DNA of soil bacteria. *Appl. Environ. Microbiol.* 56:782–787.
- Zhou, J., M.A. Bruns, and J.M. Tiedje. 1996. DNA recovery from soil of diverse composition. *Applied and Environmental Microbiology*. 62(2) : 316-322.