

DAFTAR PUSTAKA

- Allen, P.J., 2013. Creatine Metabolism And Psychiatric Disorders: Does Creatine Supplementation Have Therapeutic Value?. *Neurosci Biobehav Rev.* 36: 1442–1462.
- Arya, A., Aggarwal, S., Yadav, H.N., 2010. Review Article: Pathogenesis Of Diabetic Nephropathy. *IJPPS.* 2: 24–29.
- Asdie, A.H., 2000. *Patogenesis dan Terapi Diabetes Mellitus Tipe 2*. Medika Fakultas Kedokteran UGM, Yogyakarta, hal 1-10.
- Baynest, H.W., 2015. Classification, Pathophysiology, Diagnosis and Management of Diabetes Mellitus. *J Diabetes Metab.* 06.
- Bevc, S., Hojs, R., Ekart, R., Završnik, M., Gorenjak, M., Puklavec, L., 2012. Simple Cystatin C Formula For Estimation Of Glomerular Filtration Rate In Overweight Patients With Diabetes Mellitus Type 2 And Chronic Kidney Disease. *Exp Diabetes Res* 2012.
- Brunzel, N., 2013. *Fundamentals of Urine & Body Fluid Analysis*, 3rd ed. Elsevier, Missouri, hal 71-90.
- Cao, Z., Cooper, M.E., 2011. Pathogenesis Of Diabetic Nephropathy. *J Diab Inv.* 2: 243–247.
- Chew, J.S.C., Saleem, M., Florkowski, C.M., George, P.M., 2008. Cystatin C: A Paradigm Of Evidence Based Laboratory Medicine. *Clin Biochem Rev.* 29: 47–62.
- Chida, S., Fujita, Y., Ogawa, A., Hayashi, A., Ichikawa, R., Kamata, Y., Takeuchi, A., Takano, K., Shichiri, M., 2016. Levels Of Albuminuria And Risk Of Developing Macroalbuminuria In Type 2 Diabetes: Historical Cohort Study. *Sci Rep.* 6: 1–8.
- Dabla, P.K., 2010. Renal Function In Diabetic Nephropathy. *World J Diabetes* 1 48.
- Dahlan, M., 2016. *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*, 4th ed. Epidemiologi Indonesia, Jakarta.

- Edelstein, C., 2010. Biomarker of Kidney Disease. Elsevier, Amerika Serikat.
- Effendi, A.T., Waspadji, S., 2011. Aspek biomolecular diabetes mellitus II. Badan Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Fatimah, R.N., 2015. Diabetes Melitus Tipe 2. *J Majority*. 4: 93–101.
- Fauziyati, A., 2015. Jurnal Kedokteran dan Kesehatan Indonesia. *JKKI*. 7: 52–58.
- Fontela, P.C., Winkelmann, R., Nedel Ott, J., Prestes Uggeri, D., 2014. Estimated Glomerular Filtration Rate In Patients With Type 2 Diabetes Mellitus. *Rev Assoc Med BRA*. 60: 531–537.
- Giunti, S., Barit, D., Cooper, M.E., 2006. Mechanisms Of Diabetic Nephropathy: Role Of Hypertension. *Hypertension*. 48: 519–526.
- Gross, J., De Azevedo, M., Silveiro, S., Canani, L., Caramori, M., Zelmanovitz, T., 2005. Diabetic Nephropathy : Diagnosis And Treatment. *Diabetes Care*. 28: 164–176.
- Hahr, A.J., Molitch, M.E., 2015. Management Of Diabetes Mellitus In Patients With Chronic Kidney Disease. *Clin Diab Endocrin*. 1: 2.
- Harita, N., Hayashi, T., Sato, K., Nakamura, Y., Yoneda, T., Endo, G., Kambe, H., 2009. Lower Serum Creatinine Is a New Risk Factor of Type 2 Diabetes. *Diabetes Care*. 32: 424–426.
- Hojis, R., Bevc, S., Ekart, R., Gorenjak, M., Puklavac, L., 2006. Serum Cystatin C As An Endogenous Marker Of Renal Function In Patients With Mild To Moderate Impairment Of Kidney Function. *Nephrol Dial Transpl*. 1855–1862.
- Inker, L.A., Schmid, C.H., Tighiouart, H., Eckfeldt, J.H., Feldman, H.I., Greene, T., Kusek, J.W., Manzi, J., Van Lente, F., Zhang, Y.L., Coresh, J., Levey, A.S., 2012. Estimating Glomerular Filtration Rate from Serum Creatinine and Cystatin C. *N. Engl J Med*. 367: 20–29.
- Jakmunee, J.J., Udnan, Y.U., Morrison, R.M., Beckett, R.B., Mckinnon, I.M., Grudpan, K.G., 2003. A Low-Cost Light-Scattering Detector for the Flow-Injection Nephelometric Determination of Sulfate. *Anal Sci*. 19: 1495–1498.
- Kasper, D., Braunwald, E., Fauci, A., Hauser, S., Longo, D., 2005. *Harrison's Manual of Medicine*, 16th ed. McGraw-Hill Professional Publishing, Blacklick, USA.
- KDIGO, 2013. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease, Kidney International Supplements.
- Kemenkes RI, 2014. Situasi dan Analisis Diabetes. Pus. Data dan Inf. Kementerian. Kesehat. RI.
- Kharroubi, A.T., Darwish, H.M., 2015. Diabetes mellitus: The epidemic of the century. *World J Diabetes*. 6: 850–867.
- Kowall, B., Rathmann, W., 2013. Hba1c For Diagnosis Of Type 2 Diabetes. Is There An Optimal Cut Point To Assess High Risk Of Diabetes Complications, And How Well Does The 6.5% Cutoff Perform?. *Diabetes Metab Syndr Obes*. 6: 477–491.
- Lee, H.S., Rhee, H., Seong, E.Y., Lee, D.W., Lee, S.B., Kwak, I.S., 2014. Comparison Of Glomerular Filtration Rates Calculated By Different Serum

- Cystatin C-Based Equations In Patients With Chronic Kidney Disease. *Kidney Res Clin Pr.* 33: 45–51.
- Levey, A., Inker, L., Coresh, J., 2014. GFR Estimation: From Physiology to Public Health. *Am J Kidney Dis.* 63: 820–834.
- Lim, A.K.H., 2014. Diabetic nephropathy – Complications and treatment. *Int J Nephron.* 7: 361–381.
- Lopes, M.B., Araujo, L.Q., Passos, M.T., Nishida, S.K., Kirsztajn, G.M., Cendoroglo, M.S., Sesso, R.C., 2013. Estimation Of Glomerular Filtration Rate From Serum Creatinine And Cystatin C In Octogenarians And Nonagenarians. *BMC Nephrol.* 14: 265.
- Marshall, S.M., 2014. Natural history and clinical characteristics of CKD in type 1 and type 2 diabetes mellitus. *Adv. Chronic Kidney Dis.* 21: 267–272.
- McFarlane, P., Gilbert, R.E., MacCallum, L., Senior, P., 2013. Chronic Kidney Disease in Diabetes. *Can J Diabetes.* 37: S129–S136.
- Mihardja, L., Soetrisno, U., Soegondo, S., 2014. Prevalence and clinical profile of diabetes mellitus in productive aged urban Indonesians. *J. Diabetes Investig.* 5: 507–512.
- Motawi, T.K., Shehata, N.I., ElNokeety, M.M., El-Emady, Y.F., 2018. Potential serum biomarkers for early detection of diabetic nephropathy. *Diab Res Clin* 136: 150–158.
- Myers, G.L., Miller, W.G., Coresh, J., Fleming, J., Greenberg, N., Greene, T., Hostetter, T., Levey, A.S., Panteghini, M., Welch, M., Eckfeldt, J.H., 2006. Recommendations for improving serum creatinine measurement: A report from the Laboratory Working Group of the National Kidney Disease Education Program. *Clin. Chem.* 52: 5–18.
- Pei, X., Bao, L., Xu, Z., Yan, C., He, J., Zhu, B., Wu, J., Zhao, W., 2013. Diagnostic value of cystatin C and glomerular filtration rate formulae in Chinese nonelderly and elderly populations. *J Nephrol.* 26: 476–484.
- Perkeni, 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2015*. PB Perkeni, Jakarta.
- Roche, 2011. Tina-quant Cystatin C Particle-enhanced turbidimetric immunoassay (PETIA) For the quantitative determination of cystatin C in human serum and plasma 1–6.
- Safaei-Asl, A., Enshaei, M., Heydarzadeh, A., Maleknejad, S., 2016. Correlation between cystatin C-based formulas, Schwartz formula and urinary creatinine clearance for glomerular filtration rate estimation in children with kidney disease. *J Ren Inj Prev.* 5: 157–161.
- Sari, Hisyam, 2014. Hubungan Antara Diabetes mellitus tipe II dengan kejadian Gagal Ginjal kronik Di Rumah sakit PKU Muhammadiyah Yogyakarta Periode januari 2011- oktober 2012. *JKKI* 6 No. 1, 11–18.
- Savaj, S., Shoushtarizadeh, T., Abbasi, M.A., 2009. Estimation of Glomerular Filtration Rate With Creatinine Based Versus Cystatin C Based Equations in Kidney Transplant Recipients. *IJKD* 3: 234–238.
- Shaw, J.E., Sicree, R.A., Zimmet, P.Z., 2010. Global estimates of the prevalence

- of diabetes for 2010 and 2030. *J Diab Res*. 87: 4–14.
- Shima, T.S., Khatun, A., Yeasmin, F., Ferdousi, S., Kirtania, K., Sultana, N., 2011. Cystatin C: A Better Predictor of Kidney Function in Diabetic Patients. *Bangladesh J Med Biochem*. 4: 16–20.
- Solin, A.L., Siregar, R.S., Ramayani, O.R., Siregar, B., Ali, M., 2017. Comparison of Estimated Glomerular Filtration Rate between Cystatin C and Creatinine in Children with Chronic Kidney Disease. *JOJ* 3: 3–8.
- Stevens, L.A., Shastri, S., Levey, A.S., 2014. Assessment of Renal Function.
- Strasinger, S., Di Lorenzo, M., 2008. *Urinalysis and Body Fluids*, 5th ed. F.A Davis Company, Philadelphia.
- Sutanegara, D., 2000. The epidemiology and management of diabetes mellitus in Indonesia. *Diab Res Clin*. 50: S9–S16.
- Syaifudin, M., Alatas, Z., 1996. Studi antropometrik manusia jawa dalam rangka penyusunan manusia acuan indonesia 20–21.
- Teo, B.W., Koh, Y.Y., Toh, Q.C., Li, J., Sinha, A.K., Shuter, B., Sethi, S., Lee, E.J.C., 2014. Performance of the CKD-EPI creatinine-cystatin C glomerular filtration rate estimation equations in a multiethnic Asian population. *Singapore Med J*. 55: 656–659.
- Toth-Manikowski, S., Atta, M.G., 2015. Diabetic kidney disease: Pathophysiology and therapeutic targets. *J Diab Res* 2015.
- Verdiansah, 2016. Pemeriksaan Fungsi Ginjal. *CDK* 43, 148–154.
- Waspadji, S., 1999. Penatalaksanaan Diabetes Mellitus Terpadu Sebagai Panduan Penatalaksanaan Diabetes Mellitus bagi Dokter maupun Edukator: Diabetes mellitus: mekanisme dasar dan pengelolaannya yang rasional. Balai Penerbit FK UI, Jakarta.
- Werner, K., Pihlsgård, M., Elmståhl, S., Legrand, H., Nyman, U., Christensson, A., 2017. Combining Cystatin C and Creatinine Yields a Reliable Glomerular Filtration Rate Estimation in Older Adults in Contrast to β -Trace Protein and β 2-Microglobulin. *Nephron* 137, 29–37.
- WHO, 2000. WHO Technical Report Series OBESITY: PREVENTING AND MANAGING THE GLOBAL EPIDEMIC Report of a WHO Consultation. WHO Library Cataloguing-in-Publication Data, Geneva, Switzerland.
- Yamanouchi, M., Hoshino, J., Ubara, Y., Takaichi, K., Kinowaki, K., Fujii, T., Ohashi, K., Mise, K., Toyama, T., Hara, A., Kitagawa, K., Shimizu, M., Furuichi, K., Wada, T., 2018. Value of adding the renal pathological score to the kidney failure risk equation in advanced diabetic nephropathy. *PLoS One* 13, 1–13.
- Yaturu, S., 2011. Obesity and type 2 diabetes. *JDM* 01, 79–95.
- Zhu, Y., Ye, X., Zhu, B., Pei, X., Wei, L., Wu, J., Zhao, W., 2014. Comparisons between the 2012 New CKD-EPI (Chronic Kidney Disease Epidemiology Collaboration) Equations and Other Four Approved Equations. *J Nephrol* 9, 1–10.