



DAFTAR PUSTAKA

1. Gan M, Neill A, Haller M. Type 1 diabetes : Current concepts in epidemiology, pathophysiology, clinical care, and research. *Curr Probl Pediatr Adolesc Heal Care*. 2012;42(10):269–91.
2. Yati N, Marzuki A, Moelyo A, Soesanti F, Faizi M, Tridjaja B. *Diagnosis dan Tata Laksana Diabetes Melitus Tipe-1 pada Anak dan Remaja*. Unit Kerja Koord Endokrinol Ikat Dr Anak Indones. 2017;
3. Wiegand S, Raile K, Reinehr T, Hofer S, Nake A, Rabl W, et al. Daily insulin requirement of children and adolescents with type 1 diabetes : effect of age , gender , body mass index and mode of therapy. *Eur J Endocrinol*. 2008;158:543–9.
4. Valente F, Gomes M, Dib S. Obesity in the natural history of type 1 diabetes mellitus : causes and consequences. *Type 1 Diabetes - Complicat Pathog Altern Treat*. 2008;(10):181–98.
5. Jones A, Hattersley A. The clinical utility of C-peptide measurement in the care of patients with diabetes. *Diabet Med*. 2013;30:803–17.
6. Craig M, Jones T, Silink M, Jing Y. Diabetes care , glycemic control , and complications in children with type 1 diabetes from Asia and the Western Pacific Region. *J Diabetes Complications*. 2007;21:280–7.
7. Dehghan M, Akhtar N, Merchant A. Childhood obesity , prevalence and prevention. *Nutr J*. 2005;4(24):1–8.
8. Batubara J, Tridjaja B, Pulungan A, Soesanti F, Rustama D, Subardja D, et al. *Buku Ajar Endokrinologi Anak*. I. Badan Penerbit IDAI; 2010. Badan Penerbit IDAI. Jakarta, 2010.
9. Chiang J, Kirkman M, Laffel L, Peters A. Type 1 diabetes through the life span: a position statement of the american diabetes association. *Diabetes Care*. 2014;37(7):2034–54.
10. Maria C, Craig J, Dana D, Naby B, Anju S, Kim D. Definition, epidemiology, and classification of diabetes in children and adolescents. *Pediatr Diabetes*. 2014;15:4–17.
11. Pulungan A. Increasing incidence of DM type 1 in Indonesia. *Int J Pediatr Endocrinol*. 2013;2013(Suppl 1):O12.
12. Haller M, Atkinson M, Schatz D. Type 1 diabetes mellitus: etiology, presentation, and management. *Pediatr Clin N Am*. 2005;52(6):1553–78.



13. Craig M, Hattersley A, Donaghue K. Global IDF/ ISPAD guideline for diabetes in childhood and adolescence. ISPAD; 2009. Bab 1. Definition, epidemiology and classification.
14. Kawasaki E. Type 1 Diabetes and Autoimmunity. Clin Pediatr Endocrinol. 2014;23(4):99–105.
15. Jennifer C, Michael H, Annette Z, Mikael K, Johnny L, Maria C. ISPAD Clinical practice consensus guidelines 2014 compendium phases of type 1 diabetes in children and adolescents. Pediatr Diabetes. 2014;15(20):18–25.
16. Jacob B, Thomas D, Larry D, Przemyslawa J, Tatsuhiko U, Ragnar H. Insulin treatment in children and adolescents with diabetes. Pediatr Diabetes. 2009;10(9):82–99.
17. Carmel S, Ellen A, Sheridan W. ISPAD Clinical Practice Consensus Guidelines 2009 Compendium Nutritional management in children and adolescents with diabetes. Pediatr Diabetes. 2009;10(12):100–17.
18. Robertson K, Adolfsson P, Scheiner G, Hanas R, Riddell M. Exercise in children and adolescents with diabetes. Pediatr Diabetes. 2009;10:154–68.
19. Kordonouria O, Maguire A, Knip M, Schober E, Lorini R, Holl R, et al. Other complications and associated conditions with diabetes in children and adolescents. Pediatr Diabetes. 2009;10(12):204–10.
20. M R, Pihoker C, Donaghue K, Hanas R, Swift P, Klingensmith G. Assessment and monitoring of glycemic control in children and adolescents with diabetes. Pediatr Diabetes. 2009;10(12):408–18.
21. Louraki M, Karayianni C, Kanaka-gantenbein C, Katsalouli M, Karavanaki K. Peripheral neuropathy in children with type 1 diabetes. Diabetes Metab J. 2012 Oct;38(4):281–9.
22. Burg FD, Ingelfinger JR, Polin RA, Gershon AA. Current Pediatric Therapy. 18th ed. Elsevier Inc.; 2006.
23. Kostovski M, Simeonovski V, Mironska K, Tasic V, Gucev Z. Metabolic profiles in obese children and adolescents with insulin resistance. Open Acces Maced J Med Sci. 2018;1–8.
24. Phelan H, King B, Anderson D, Crock P, Lopez P, Smart C. Young children with type 1 diabetes can achieve glycemic targets without hypoglycemia: Results of a novel intensive diabetes management program. Pediatr Diabetes. 2018;(August 2017):1–7.



25. Ng M, Fleming T, Robinson M, Thomson B, Graetz N. Global, regional and national prevalence of overweight and obesity in children and adults 1980-2013: A systematic analysis. *Lancet*. 2014;384(9945):766–81.
26. Candler TP, Mahmoud O, Lynn RM, Majbar AA, Barrett TG, Shield JPH. Continuing rise of type 2 diabetes incidence in children and young people in the UK. *Diabet Med*. 2018;0–2.
27. Lentferink Y, Elst M, Knibbe C, Vorst M. Predictors of insulin resistance in patients with obesity. *J Obes*. 2017;21(4):280–90.
28. Kahn SE, Cooper ME, Del Prato S. Pathophysiology and treatment of type 2 diabetes: Perspectives on the past, present, and future. *Lancet*. 2014;383(9922):1068–83.
29. Kramer S. Childhood Diabetes Type 1 and 2: General Pathophysiology, Treatment and Comparison of Diabetes Education, Treatment, and Treatment Goals between the United States and Europe and Hypothesized Outcomes. *JCCC Honor J*. 2017;7(2).
30. Leighton E, Sainsbury C, Jones G. A practical review of C-peptide testing in diabetes. *Diabetes Ther*. 2017;8(3):475–87.
31. Wijaya A, Aditiawati, Saleh I. Akurasi pemeriksaan HbA1c dalam mendeteksi gangguan toleransi glukosa pada anak dan remaja obes dengan riwayat orang tua DM Tipe 2. *Sari Pediatr*. 2015;17(1):17–20.
32. Plamper M, Gohlke B, Woelfle J, Konrad K, Rohrer T, Hofer S, et al. Interaction of pubertal development and metabolic control in adolescents with type 1 diabetes mellitus. *J Diabetes Res*. 2017;1–8.
33. Stahl-Pehe A, Landwehr S, Lange K, Bächle C, Castillo K, Yossa R, et al. Impact of quality of life (QoL) on glycemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study. *Pediatr Diabetes*. 2017;18(8):808–16.
34. Clarke W, Jones T, Rewers A, Dunger D, Klingensmith GJ. Assessment and management of hypoglycemia in children and adolescents with diabetes. *Pediatr Diabetes* [Internet]. 2009 Sep [cited 2014 Apr 8];10:134–45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19754624>
35. Wolfsdorf J, Craig ME, Daneman D, Dunger D, Edge J, Lee W, et al. ISPAD Clinical Practice Consensus Guidelines 2009 Compendium Diabetic ketoacidosis in children and adolescents with diabetes. *Pediatr Diabetes*. 2009;10(12):118–33.



36. Andreasson R, Ekelund C, Landin-Olsson M, Nilsson C. HbA1c levels in children with type 1 diabetes and correlation to diabetic retinopathy. *Pediatr Endocrinol Metab.* 2018;1–6.
37. Donaghue KC, Francesco C, Daniela T, Jeremy A, Knut D-J. ISPAD Clinical Practice Consensus Guidelines 2009 Compendium Microvascular and macrovascular complications associated with diabetes in children and adolescents. *Pediatr Diabetes.* 2009;10(5):195–203.
38. Andrade C, Alves C. Influence of socioeconomic and psychological factors in glycemic control in young children with type 1 diabetes mellitus. *J Pediatr.* 2018;1–6.
39. Gupta OT, MacKenzie M, Burris A, Jenkins BB, Collins N, Shade M, et al. Camp-based multi-component intervention for families of young children with type 1 diabetes: A pilot and feasibility study. *Pediatr Diabetes.* 2017;(September):1–8.
40. Boogerd EA, Damhuis AMA, van Alfen-van der Velden JAAEM, Steeghs MCCH, Noordam C, Verhaak CM, et al. Assessment of psychosocial problems in children with type 1 diabetes and their families: The added value of using standardised questionnaires in addition to clinical estimations of nurses and paediatricians. *J Clin Nurs.* 2015;24(15–16):2143–51.
41. Lawes T, Franklin V, Farmer G. HbA1c tracking and bio-psychosocial determinants of glycaemic control in children and adolescents with type 1 diabetes: Retrospective cohort study and multilevel analysis. *Pediatr Diabetes.* 2014;15(5):372–83.
42. Szybowska A, Groele L, Wysocka-Mincewicz M, Mazur A, Lisowicz L, Ben-Skowronek I, et al. Factors associated with preservation of c-peptide levels at the diagnosis of type 1 diabetes. *J Diabetes Complications.* 2018;5–9.
43. Zeitler P, Fu J, Tandon N, Nadeau K, Urakami T. Type 2 diabetes in the child and adolescent. *Pediatr Diabetes.* 2014;15(20):26–46.
44. Enander R, Adolfsson P, Bergdahl T, Forsander G, Ludvigsson J, Hanas R. Beta cell function after intensive subcutaneous insulin therapy or intravenous insulin infusion at onset of T1D in children without ketoacidosis. *Pediatr Diabetes.* 2018;1–14.
45. Roshandel D, Gubitosi-klug R, Bull SB, Canty AJ, Pezzolesi MG, King GL, et al. Meta-genome-wide association studies identify a locus on chromosome 1 and multiple variants in the MHC region for serum C-peptide in type 1 diabetes. *Diabetologia.* 2018;61:1098–111.



46. Nielens N, Pollé O, Robert A, Lysy PA. Integration of routine parameters of glycemic variability in a simple screening method for partial remission in children with type 1 diabetes. *J Diabetes Res.* 2018;1–9.
47. Ludvigsson J, Carlsson A, Forsander G, Ivarsson S, Kockum I, Lernmark A, et al. C-peptide in the classification of diabetes in children and adolescents. *Pediatr Diabetes.* 2012;13(1):45–50.
48. Levesque C. Management of diabetes in children and adolescents. *Nurs Clin N Am.* 2017;52(4):589–603.
49. Urakami T. New insights into the pharmacological treatment of pediatric patients with type 2 diabetes. *Clin Pediatr Endocrinol.* 2018;27(1):1–8.
50. Katz LEL, Bacha F, Gidding SS, Weinstock RS, El L, Libman I, et al. Lipid profiles, inflammatory markers, and insulin therapy in youth with type 2 diabetes. *J Pediatr.* 2017;196:208–16.
51. Silver B, Ramaiya K, Andrew SB, Fredrick O, Bajaj S, Kalra S, et al. EADSG Guidelines : Insulin Therapy in Diabetes. *Diabetes Ther.* 2018;9(2):449–92.
52. Danne T, Nimri R, Battelino T, Bergenstal RM, Close KL, Devries JH, et al. International consensus on use of continuous glucose monitoring. *Diabetes Care.* 2017;40(December):1631–40.
53. Nadella S, Indyk JA, Kamboj MK. Management of diabetes mellitus in children and adolescents : engaging in physical activity. *Transl Pediatr.* 2017;1(3):215–24.
54. Morimoto N, Kasuga C, Tanaka A, Kamachi K, Ai M, Urayama KY, et al. Association between dietary fibre:carbohydrate intake ratio and insulin resistance in Japanese adults without type 2 diabetes. *Br J Nutr.* 2018;119(6):620–8.
55. Turton JL, Raab R, Rooney KB. Low-carbohydrate diets for type 1 diabetes mellitus: A systematic review. *PLoS One.* 2018;13(3):1–16.
56. Association A diabetes. Children and adolescents: standards of medical care in diabetes—2018. *Diabetes Care.* 2018;41(Supplement 1):S126–36.
57. Bjerregaard LG, Jensen BW, Ängquist L, Osler M, Sørensen TIA, Baker JL. Change in overweight from childhood to early adulthood and risk of type 2 diabetes. *N Engl J Med.* 2018;378(14):1302–12.
58. Amutha A, Mohan R, Venkatesan U, Ranjani H, Unnikrishnan R, Narayan KMV, et al. Incidence of complications in young-onset diabetes : Comparing type 2 with type 1 (the young diab study). *Diabetes Res Clin Pract.* 2017;123:1–8.



59. Geloneck MM, Forbes BJ, Shaffer J, Binenbaum G. Ocular complications in children with diabetes mellitus. *Ophthalmology*. 2016;122(12):2457–64.
60. Zhang J, Wang Y, Li L, Zhang R, Guo R, Li H, et al. Diabetic retinopathy may predict the renal outcomes of patients with diabetic nephropathy. *Ren Fail*. 2018;40(1):243–51.
61. Bjornstad P, Nehus E, El L, Bacha F, Libman IM, Mckay S, et al. Insulin sensitivity and diabetic kidney disease in children and adolescents with type 2 diabetes: An observational analysis of data from the TODAY clinical trial. *AJKD*. 2018;71(January):65–74.
62. Koskinen J, Magnussen CG, Sinaiko A, Woo J, Urbina E, Jacobs DR, et al. Childhood age and associations between childhood metabolic syndrome and adult risk for metabolic syndrome, type 2 diabetes mellitus and carotid intima media thickness: The international childhood cardiovascular cohort consortium. *J Am Heart Assoc*. 2017;6(8):1–16.
63. Lentferink YE, Elst MAJ, Knibbe CAJ, Van Der Vorst MMJ. Predictors of insulin resistance in children versus adolescents with obesity. *Hindawi J Obes*. 2017;1–7.
64. Lien AS, Tsai J, Lee J, Wu M, Jiang Y, Yen H. A systematic review and meta-analysis of the effect of lifestyle modification on metabolic control in overweight children. *Hindawi evidence-based Complement Altern Med*. 2017;1–12.