

DAFTAR PUSTAKA

- Akter, S., I Majumder, T., Karim, R., Ferdous, Z., & Sikde, M. 2015. Analgesic activities of *Geodorum densiflorum*, *Diospyros blancoi*, *Baccaurea ramiflora* and *Trichosanthes dioica*. *Journal of Pharmacognosy and Phytochemistry*; 4(3): 209-214.
- Angiosperm Phylogeny Group (APG II).2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II, *Botanical Journal of the Linnean Society*, 141: 399– 436.
- Awokmukwu, D., Nyananyo B., Okeke C.U.,& Chiedozie U. 2015. Identification of The Genus *Phyllanthus* (Phyllanthaceae) in Southern Nigeria using Comparative Systematic Morphological and Anatomical studies of the Vegetative Organs. *Journal of Plant Science*, 3 : 137-149.
- Backer, C.A, Van den Brink, B. 1963. *Flora of Java (Spermatophytes Only)*. Wolter-Noordhoff, NVP : Groningen.
- Botstein D, White RL, Skolnick M and Davis RW.1980.Construction of genetic linkage map in man using restriction fragment length polymorphisms. *Am J Hum Genet* 32:314-331.
- Chesnokov, Yu.V & Artemyeva, A.M. 2015. Evaluation of the measure of polymorphism Information of Genetic Diversity. *Agricultural Biology V*. 50 : 571-578
- Cronquist, A., 1981. *An Integrated System of Classification of Flowering Plants*. New York, Columbia University Press.
- Davis, P.H & Heywood, V.H..1973. *Principle of Angiosperm Taxonomy*. Krieger publishing Co., New York. 110-121.
- Dogari, B., Duran, A. & Hakki, E. E. 2007: Phylogenetik analysis of *Jurinea* (Asteraceae) species from Turkey based on ISSR amplification. *Annal Botanical Fennici* 44: 353-358.
- Dwari, S. & Mondal, A.K. 2011. Systematics studies (Morphology anatomy and physiology) of economically viable grass *Brachiaria mutica* (Forsskil) Stapf in eastern India. *African Journal Plant. Science*, 5: 296-304.
- Dwngchi, S. 2014. Genetic Variation Ma Fai Monkey (*B. Polyneura*) based on ISSR. *Kasetsart University Thailand (unpublished)*.

- Ellison, A.M., & Gotelli N.J. 2001. Evolutionary Ecology of Carnivorous plants. *Trends in Ecology and Evolution* 16 : 623-629.
- Engels, J. M. 1983. A systematic description of cacao clones. I. The discriminative value of quantitative characteristics. *Euphytica*, 32: 377-385.
- Everitt, B. 1980. *Cluster Analysis*, 2d ed. New York: John Wiley & Sons.
- Gagliardi, Karina., Albiero A.L.M & de Souza L.A. 2013. Comparative Fruit Development in Some Euphorbiaceae and Phyllanthaceae. *Plant Systematic and Evolution*.
- Haegens, R.M.A.P. 2000. Taxonomy, Phylogeny, and Biogeography of *Baccaurea*, *Distichirhops*, and *NothoBaccaurea* (Euphorbiaceae). *Blumea Suppl.* 12: 1–216.
- Hartati D. 2006. Keragaman genetik Sengon (*Albazia falcataria* L. Fosberg) melalui DNA marker. Pusat Penelitian dan Pengembangan Hutan Tanaman (P3HT). Yogyakarta.
- Heaton H.J., Whitkus R., & Gomez-Pompa A. 1999. Extreme ecological and phenotypic differences in the tropical tree chicozapote (*Manilkara zapota* (L.)P. Royen) are not matched by genetic divergence : a random amplified polymorphic DNA (RAPD) analysis. *Mol. Bio.* 8(3): 627-632.
- Heni, A.S. & Zaharah, T. A. 2015. Efektivitas antibakteri ekstrak kulit batang belimbing hutan (*Baccaurea angulata* Merr.) terhadap *Staphylococcus aureus* dan *Escherichia Coli*. *Jurnal Kimia Khatulistiwa* . 4(1) : 128-139.
- Khaled, K.A.M; El-Demardash I.S., & Amer E.A.M. 2011. Genetik Polymorphism among Some Sugarcane Germplasm Collections as revealed by RAPD and ISSR analyses. *Life Science Journal* . 12(3):159-167.
- Kochummen, K.M. 1998. *Baccaurea*. The IUCN Red List of Threatened Species 1998:e.T31841A9664377.
<http://dx.doi.org/10.2305/IUCN.UK.1998.RLTS.T31841A9664377.en>.
diakses pada tanggal 21 Juni 2016.
- Lu, H., Jiang W, Ghiassi M., Lee S., & Nitin, M. 2012. Classification of *Camellia* (*Theaceae*) Species using Leaf Architecture variation and Pattern Recognition Technique. *PLoS ONE* 7: 29704.
- Munawaroh, E. 2001. Potensi *Baccaurea* spp. Sebagai Penghasil Buah-buahan dan Usaha Pelestariannya di Kebun Raya Bogor. *Prosiding Seminar Hari*

Cinta Puspa dan satwa Nasional. Pusat Konservasi Tumbuhan, Kebun Raya Bogor, Lembaga Ilmu Pengetahuan Indonesia, Bogor

- Ng, W.L. & Tan, S.G. 2015. Inter-Simple Sequence Repeat (ISSR) Markers: Are We Doing It Right?. *ASM Science Journal*, 9(1), 30–39.
- Nickelsen, K. 2006. *The Construction of Eighteenth- Century Botanical Illustration*. The Netherlands, Springer : 120-121.
- Nolan, Casey, Noyes, A., Bennet, A., Hunter, R. & Hunter, K.L. 2010. Inter Simple Sequence Repeats (ISSR) Reveal genetik Variation Among Mid-Atlantic Population of Threatened *Amaranthus pumilus* and Phylogenetik Relationships. *Castanea*. 75(4) : 506-516.
- Noorcahyati & Arifin,Z. 2010 . Etnobotani Tumbuhan Berkhasiat Obat Etnis Dayak Meratus Loksado Kalimantan Selatan dan Upaya Konservasi di KHDTK Samboja. Balai Penelitian Teknologi Konservasi Sumber Daya Alam (Balitek KSDA) Samboja
- Pahlevani, A. 2007. Notes on some species of genus *Euphorbia* in Iran. *Rostaniha*, Vol. 8 (2):89-101
- Poerba YS, & Martanti D. 2008. Keragaman genetik berdasarkan marka random amplified polimorphic DNA pada *Amorphophallus muelleri* Bluem di Jawa. *Biodiversitas*. 9: 245-249.
- Reddy, P.M., N. Sarla, & E.A Siddiq. 2002. Inter Simple Sequence Repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica* 128 :9-17.
- Rohlf F.J. 1970. Adaptive hierarchical clustering schemes. *Syst. Zool.* 18: 58-82.
- Romeida, A., Sutjahjo, S.H., Purwito, A., Sukma, D., & Rustikawati. 2012. *genetik Variations of Spathoglottis plicata* Blume. Orchid Mutants Based on ISSR Markers. *Jurnal Agronomi Indonesia* 40 (3) : 218 - 224
- Romesburg HC 1984. *Cluster Analysis for Researchers*. Lifetime Learning Publications, Belmont, CA.
- Salma, I., Rukayah, A. & Masrom, H. 1994. Genetic diversity of the genus *Baccaurea* in Peninsular Malaysia. Proceeding of The First National Congress on Genetics, *Genetics Society of Malaysia*. 136-138.
- Sambrook, J., Fritsh, E.F & Maniatis T. 1989. *Molecular Cloning*. Cold Spring Harbor Laboratory Press. New York.

- Samuel, R., Hoffman P., Wurdack K.J., Davis C.C., Barfuss M.H.J. & Chase M.W. 2005. Molecular phylogenetic analysis of Phyllanthaceae evidence from plastid matK and Nuclear PHYC sequences. *American Journal of Botany* 92(1): 132-141.
- Sastrapradja, S. D. & M.A. Rifai. 1972. Exploration and conservation of the undeveloped genetic resources in Indonesia forests. *In report on the LIPI-MAB Workshop on Natural Resources III-B*, Jakarta.
- Senapati, S.K., Rout G.R., & Aparajita S. 2010. Study of relationship among twelve Phyllanthus species with the use of molecular marker. *Czech J. Genet. Plant Breed.*, 46(3): 135–141
- Singh, G. 1999. *Plant Systematics*. New Hampshire: Science Publisher, Inc
- Slik, F., & Webb, C. 2013. *Baccaurea racemosa* (Reinw. ex Bl.) Mull.Arg., in DC. Prodr. Asian Plant diakses pada alamat : http://www.asianplant.net/Phyllanthaceae/Baccaurea_racemosa.htm
- Simpson, M.G. 2006. *Plant Systematics*. Elsevier Academic Press, San Diego. Pp: 477-484.
- Sokal, R.R. & Sneath, P.H.A. 1963. *Principle of Numerical Taxonomy*. W.H. Freeman Co., San Fransisco.
- Stevens, J. 2002. *Applied Multivariate statistic for the social science*. Mahwah NJ : Lawrence Erlbaum Associates.
- Subositi, D., Mujahid, R., & Widyastuti, Y. 2015. Keragaman Genetik Dringo (*Acorus calamus* L.). Berdasarkan Inter-Simple Sequence Repeats (ISSR). *Buletin Kebun Raya*, 18 (2) : 125-134.
- Suryatini, K.Y. 2011. Analisis keragaman genetik jarak pagar (*Jatropha curcas* L) dengan metode ISSR. Tesis. Universitas Udayana. Denpasar.
- The Herbarium Catalogue, Royal Botanic Gardens, Kew. *Published on the Internet* <http://www.kew.org/herbcat>
- The Plant List. 2013. *Baccaurea* spesies (version 1.1). *Published on the Internet* <http://www.theplantlist.org>
- Tingey, S.V., & del Tufo. J.P. 1993. Genetic analysis with random amplified polymorphic DNA markers. *Plant Physiol.* 101: 349-352.

- Tjitrosoepomo, Gembong 2009. *Penerapan Morfologi dan Peristilahannya dalam Mencandra Tumbuhan. Morfologi Tumbuhan*. Yogyakarta: Gadjah Mada University Press. 254-263.
- Tjitrosoepomo, G. 1993. *Taksonomi Umum, Dasar-Dasar Taksonomi Tumbuhan*. Gajah Mada University Press. Yogyakarta
- Uji, T. 2007. Keanekaragaman Jenis Buah-Buahan Asli Indonesia dan Potensinya. *B I O D I V E R S I T A S*, 8(2): 157-167.
- Vijayan, K. 2005. Inter Simple Sequence Repeat (ISSR) Polymorphism and Its Application in Mulberry Genome Analysis. *International Journal Indust. Entomol.* 10(2): 79~86.
- Whitmore, T.C. 1980. Potentially economic species of South-East Asia Forest. *Bio Indonesia*, 7: 65 – 74.
- Wijayanti, R. 2007. “Karakterisasi, Klasifikasi dan Hubungan Kekerbatan Berdasarkan Ciri Vegetatif Berbagai Kultivar Pisang Kepok (*Musa paradisiaca* L) di Kebun Plasma Nutfah Pisang Giwangan, Yogyakarta”. FMIPA Universitas Negeri Yogyakarta.
- Williams, J.G., A.R. Kubelik, K.J. Livak, J.A. Rafalsky, and S.V. Tingev. 1990. DNA plolymorphism amplified by arbitrary primers are useful as genetic markers. *Nucleic Acid Research* 18 (22): 6531-6535.
- Wurdack, K.J., Hoffman P., Samuel R., deBruijn A., van der Bank M., & Chase M.W. 2004. Molecular phylogenetic analysis of Phyllanthaceae (Phyllanthoideae pro parte, Euphorbiaceae sensu lato) using plastid rbcL DNA sequences. *American Journal of Botany* 91(11): 1882-1900.
- Zhao, K., Zhou, M., Chen, L., Zhang , D., & Robert, G.W. 2007. genetik diversity and Discrimination of *chimonanthus praecox* (L) Link germplasm using ISSR and RAPD markers. *HortScience*, 42: 1144-1148.