



DAFTAR PUSTAKA

- Abdullah, A., N. K. N. Ismail, T. A. A. Kadir, J. M. Zain, N. A. Jusoh & N. M. Ali 2007. Agarwood Grade Determination System Using Image Processing Technique. In *Proceedings of the International Conference on Electrical Engineering and Informatics Institut Teknologi Bandung Indonesia*.
- Agrios, G. N. 2004. *Plant Pathology* 5rd ed. United States of America: Elsevier Academic Press.
- Akhsan, N., D. Mardji & M. Sutisna. 2015. Response of *Aquilaria microcarpa* to two species of *Fusarium* under two different cultivation systems. *Journal of Tropical Forest Science* 27(4): 447-455.
- Ali, N. A. M., N. Ismail & M. N. Taib 2012. Analysis of Agarwood oil (*Aquilaria Malaccensis*) based on GC-MS data. In *Signal Processing and its Applications (CSPA), 2012 IEEE 8th International Colloquium on*, 470-473: IEEE.
- Anonim. 2013. *RAL Classic Colour Chart*. <http://www.e-paint.co.uk>, (Diakses 6 November 2017).
- Anonim. 2015. *Badan Pusat Statistik Provinsi Kepulauan Bangka Belitung Dalam Angka 2015*. Pangkalpinang: BPS Provinsi Kepulauan Bangka Belitung.
- Azzarina, A. B., R. Mohamed, S. Y. Lee & M. Nazre. 2016a. Temporal and Spatial Expression of Terpene Synthase Genes Associated With Agarwood Formation in *Aquilaria malaccensis* Lam. *New Zealand Journal of Forestry Science* 46(1).
- Azzarina, A. B., R. Mohamed, S. Y. Lee & M. Nazre. 2016b. Temporal and Spatial Expression of Terpene Synthase Genes Associated with Agarwood Formation in *Aquilaria malaccensis* Lam. *New Zealand Journal of Forestry Science* 46(12): 1-13.
- Barker, K. R. & W. W. Weeks. 1991. Relationships Between Soil and Levels of Meloidogyne incognita and Tobacco Yield and Quality *Journal of Nematology* 23(1): 82-90.
- Barnett, H. L. & B. B. Hunter. 1998. *Illustrated Genera of Imperfect Fungi*. St. Paul, Minnesota: The American Phytopathological Society.
- Bonanomi, G., V. Antignani, M. Capodilupo & F. Scala. 2010. Identifying the characteristics of organic soil amendments that suppress soilborne plant diseases. *Soil Biology and Biochemistry* 42(2): 136-144.
- Bonugli-Santos, R. C., G. A. Vieira, C. Collins, T. C. Fernandes, M. A. Marin-Morales, P. Murray & L. D. Sette. 2016. Enhanced textile dye decolorization by marine-derived basidiomycete Peniophora sp. CBMAI 1063 using integrated statistical design. *Environ Sci Pollut Res Int* 23(9): 8659-8668.
- Cenis, J. L. 1992. Rapid extraction of fungal DNA for PCR amplification. *Nucleic Acids Res* 20(9): 2380.
- Chen, H., Y. Yang, J. Xue, J. Wei, Z. Zhang & H. Chen. 2011. Comparison of compositions and antimicrobial activities of essential oils from chemically stimulated agarwood, wild agarwood and healthy *Aquilaria sinensis* (Lour.) Gilg trees. *Molecules* 16(6): 4884-4896.



- Cui, J., C. Wang, S. Guo, L. Yang, P. Xiao & M. Wang. 2013. Evaluation of fungus-induced agilawood from Aquilaria sinensis in China. *Symbiosis* 60(1): 37-44.
- Dahham, S., Y. Tabana, D. Sandai, M. Ahmed & A. Majid. 2016. In Vitro Anti-Cancer and Anti-Angiogenic Activity of Essential Oils Extracts from Agarwood (Aquilaria crassna). *Med Aromat Plants* 5(256): 2167-0412.1000.
- Dahham, S. S., Y. M. Tabana, M. B. K. Ahamed & A. M. A. Majid. 2015. In vivo anti-inflammatory activity of β -caryophyllene, evaluated by molecular imaging. *Molecules & Medicinal Chemistry* 1.
- Dou, D. & J.-M. Zhou. 2012. Phytopathogen Effectors Subverting Host Immunity: Different Foes, Similar Battleground. *Cell Host Microbe* 12: 484-495.
- Faizal, A., R. R. Esyanti, E. N. Aulianisa, Iriawati, E. Santoso & M. Turjaman. 2016. Formation of agarwood from Aquilaria malaccensis in response to inoculation of local strains of Fusarium solani. *Trees* 31(1): 189-197.
- Faizal, A., R. R. Esyanti, E. N. Aulianisa, E. Santoso & M. Turjaman. 2017. Formation of agarwood from Aquilaria malaccensis in response to inoculation of local strains of Fusarium solani. *Trees*: 1-9.
- Fujimaki, R., A. Kawasaki, Y. Fuji & N. Kaneko. 2008. The influence of topography on the stream N concentration in the Tanzawa Mountains, Southern Kanto District, Japan. *J. For Res* 13: 380-385.
- Gao, Z. H., J. H. Wei, Y. Yang, Z. Zhang & W. T. Zhao. 2012. Selection and validation of reference genes for studying stress-related agarwood formation of Aquilaria sinensis. *Plant Cell Rep* 31(9): 1759-1768.
- Gunasekera, S. P., A. D. Kinghorn, G. A. Cordell & N. R. Farnsworth. 1981. Plant anticancer agents. XIX. Constituents of Aquilaria malaccensis. *Journal of natural products* 44(5): 569-572.
- Hashim, Y. Z. H.-Y., N. I. Ismail & P. Abbas. 2014a. Analysis of chemical compounds of agarwood oil from different species by gas chromatography mass spectrometry (GCMS). *IIUM Engineering Journal* 15(1).
- Hashim, Y. Z. H.-Y., A. Phirdaous & A. Azura. 2014b. Screening of anticancer activity from agarwood essential oil. *Pharmacognosy research* 6(3): 191.
- Ibrahim, A., S. Al-Rawi, A. A. Majid, N. A. Rahman, K. Abo-Salah & M. Ab Kadir. 2011. Separation and Fractionation of Aquilaria Malaccensis Oil Using Supercritical Fluid Extraction and tThe Cytotoxic Properties of the Extracted Oil. *Procedia Food Science* 1: 1953-1959.
- Ishihara, M., Y. Masatsugu & K. Uneyama. 1992. Preparation of (-)-Guaia-1(10),11-dien-15,2-olide and (-)-2a-Hydroxyguaia-1(10),11-dien-15-oic Acid, Fragrant Sesquiterpenes in Agarwood (*Aquilaria agallocha* Roxb.). *Tetrahedron* 48(47): 10265-10276.
- Ishihara, M., T. Tsuneya & K. Uneyama. 1993. Fragrant Sesquiterpenes from Agarwood. *Phytocemistry* 33(5): 1147-1155.
- Ismail, N., M. A. N. Azah, M. Jamil, M. H. F. Rahiman, S. N. Tajuddin & M. N. Taib. 2013. Analysis of High Quality Agarwood oil Chemical Compounds By Menas SPMEGC-MS and Z-Score Technique. *Malaysian Journal of Analytical Sciences* 17(3): 403-413.



- Jong, P. L., P. Tsan & R. Mohamed. 2014. Gas chromatography-mass spectrometry analysis of agarwood extracts from mature and juvenile Aquilaria malaccensis. *International Journal of Agriculture and Biology* 16(3): 644-648.
- Juan-Abgona, R. V., N. Katsuno, K. Kageyama & M. Hyakumachi. 1996. Isolation and identification of hypovirulent Rhizoctonia spp. from soil. *Ptant Pathotogy* 45: 896-904.
- Karlinaasari, L., N. Indahsuary, H. Kusumo, E. Santoso, M. Turjaman & D. Nandika. 2015. Sonic and ultrasonic waves in agarwood trees (Aquilaria microcarpa) inoculated with Fusarium solani. *Journal of Tropical Forest Science*: 351-356.
- Kosmiatin, M., A. Husni & I. Mariska. 2005. Perkecambahan dan Perbanyakan Gaharu secara In Vitro. *Jurnal Agro Biogen* 1(2): 62-67.
- Kuc, J. 1995. Phytoalexins, Stress Metabolism, and Disease Resistance in Plants. *Annu. Rev. Phytopathol* 33: 275-297.
- Kumeta, Y. & M. Ito. 2010. Characterization of δ-guaiene synthases from cultured cells of Aquilaria, responsible for the formation of the sesquiterpenes in agarwood. *Plant Physiology* 154(4): 1998-2007.
- Kurosaki, F. & F. Taura. 2015. Transcriptional activation of sesquiterpene biosynthetic enzyme δ-guaiene synthase gene in cell cultures of Aquilaria microcarpa overexpressing cam1 and rac2 encoding calmodulin and Rac GTPase. *Plant Gene* 2: 25-28.
- Lancaster, C. & E. Espinoza. 2012. Evaluating agarwood products for 2-(2-phenylethyl) chromones using direct analysis in real time time-of-flight mass spectrometry. *Rapid Communications in Mass Spectrometry* 26(23): 2649-2656.
- Leksonowati, A. 2016a. Interaksi Antara Biak Suspensi Sel Gaharu (Aquilaria Malaccensis Lam.) Dan Fusarium Sp. Dalam Menghasilkan Senyawa Seskuiterpena. Bogor Agricultural University (IPB).
- Leksonowati, A. 2016b. Interaksi Antara Biak Suspensi Sel Gaharu (*Aquilaria malaccensis*) dan *Fusarium* spp. dalam Menghasilkan Senyawa Seskuiterpena. Bogor-Jawa Barat: Institut Pertanian Bogor.
- Leslie, J. F. & B. A. Summerell. 2006. *The Fusarium Laboratory Manual*. Victoria: Blackwell Publishing 388p.
- Li, W., G. Liao, W.-H. Dong, F.-D. Kong, P. Wang, H. Wang, W.-L. Mei & H.-F. Dai. 2016. Sesquiterpenoids from Chinese Agarwood Induced by Artificial Holing. *Molecules* 21(3): 274.
- Liao, Y., J. Wei, Y. Xu & Z. Zhang. 2015. Cloning, expression and characterization of COI1 gene (AsCOI1) from Aquilaria sinensis (Lour.) Gilg. *Acta Pharmaceutica Sinica B* 5(5): 473-481.
- Machado, K. M. G., D. R. Matheus & V. L. R. Bononi. 2005. Ligninolytic Enzymes Production and Remazol Brilliant Blue R Decolorization by Tropical Brazilian Basidiomycetes Fungi. *Brazilian Journals of Microbiology* 36: 246-252.
- Mohamed, R., P. L. Jong & I. N. Irdayu. 2014. Succession patterns of fungi associated to wound-induced agarwood in wild Aquilaria malaccensis revealed from quantitative PCR assay. *World Journal of Microbiology and Biotechnology* 30(9): 2427-2436.



- Mohamed, R., M. T. Wong & R. Halis. 2013. Microscopic observation of Gaharuwood from Aquilaria malaccensis. *Pertanika Journal of Tropical Agricultural Science* 36(1): 43-50.
- Novriyanti, E. & E. Santosa. 2011. the role of phenolics in agarwood formation of Aquilaria crassna Pierre ex Lecomte AND Aquilaria microcarpa Baill Trees. *Indonesian Journal of Forestry Research* 8(2): 101-113.
- Nurbaya, T. Kuswinanti, Baharuddin, A. Rosmana & S. Millang. 2014. Tentative Identification of Fungal Isolates Assosiated With *Aquillaria* spp. From Remaining Forest Areas in Nunukan Regency, North Kalimantan.
- Okudera, Y. & M. Ito. 2009. Production of agarwood fragrant constituents in Aquilaria calli and cell suspension cultures. *Plant Biotechnology* 26(3): 307-315.
- Okugawa, H., R. Ueda, K. Matsumoto, K. Kawanishi & K. Kato. 2000. Effects of sesquiterpenoids from "Oriental incenses" on acetic acid-induced writhing and D2 and 5-HT2A receptors in rat brain. *Phytomedicine* 7(5): 417-422.
- Qi, S.-Y., M.-L. He, L.-D. Lin, C.-H. Zhang, L.-J. Hu & H.-Z. Zhang. 2005. Production of 2-(2-phenylethyl) chromones in cell suspension cultures of Aquilaria sinensis. *Plant cell, tissue and organ culture* 83(2): 217-221.
- Rahayu, D., W. P. Rahayu, H. N. Lioe, D. Herawati, W. Broto & S. Ambarwati. 2015. Pengaruh Suhu dan Kelembaban Terhadap Pertumbuhan *Fusarium verticillioides* BIO 957 dan Produksi Fumonisin B1. *Agritech* 35(2): 156-163.
- Sangareswari, M., K. T. Parthiban, S. U. Kanna, L. Karthiba & D. Saravanakumar. 2016. Fungal Microbes Associated with Agarwood Formation. *American Journal of Plant Sciences* 7(10): 1445.
- Santoso, S. E., L. Soesanto & T. A. D. Haryanto. 2007. Penekanan Hayati Penyakit Moler Pada Bawang Merah dengan *Trichoderma harzianum*, *Trichoderma koningii*, dan *Pseudomonas fluorescens* P60. *J. HPT Tropika* 7(1): 53-61.
- Semangun, H. 2006. *Pengantar Ilmu Penyakit Tumbuhan*. Yogyakarta: Gadjah Mada University Press.
- Sen, S., M. Dehingia, N. C. Talukdar & M. Khan. 2017. Chemometric analysis reveals links in the formation of fragrant bio-molecules during agarwood (Aquilaria malaccensis) and fungal interactions. *Scientific Reports* 7.
- Shankar, S. & S. Nill. 2015. Effect of metal ions and redox mediators on decolorization of synthetic dyes by crude laccase from a novel white rot fungus Peniophora sp.(NFCCI-2131). *Applied biochemistry and biotechnology* 175(1): 635-647.
- Siallagan, B. 2008. Uji Virulensi Beberapa Isolat *Fusarium oxysporum* f.sp. *cubense*. In *Fakultas Pertanian* Yogyakarta: Universitas Gadjah Mada.
- Siburian, R., U. Siregar, I. Siregar & I. Wahyudi. 2013. Identification of anatomical characteristics of Aquilaria microcarpa in its interaction with Fusarium solani. *Biotropia* 20(2): 104-111.
- Siburian, R. H. 2014. *Proses Pembentukan Gaharu*. Bogor-Jawa Barat: Forda Press.
- Sonaji, R. & R. H. Praptana. 2013. Interaksi Nitrogen dengan Insidensi Penyakit Tungro dan Pengendaliannya Secara Terpadu pada Tanaman Padi. *Iptek Tanaman Pangan* 8(2): 80-89.



- Supriyanto, A. Priyatmojo & T. Arwiyanto. 2009. Screening of PGPF for Controlling Soft Rot Disease of Aloe on Peat Land. *Jurnal Perlindungan Tanaman Indonesia* 15(2): 71-82.
- Sutejo, A. M., A. Priyatmojo & A. Wibowo. 2008. Identifikasi Morfologi Beberapa Spesies Jamur *Fusarium*. *Jurnal Perlindungan Tanaman Indonesia* 14(1): 7-13.
- Takemoto, H., M. Ito, T. Shiraki, T. Yagura & G. Honda. 2008. Sedative effects of vapor inhalation of agarwood oil and spikenard extract and identification of their active components. *Journal of natural medicines* 62(1): 41-46.
- Tamuli, P., P. Baruah & R. Samanta. 2011. Enzyme activities of agarwood (*Aquilaria malaccensis* Lamk.) stem under pathogenesis. *Journal of Spices and Aromatic Crops* 17(3).
- Tian, J.-J., X.-X. Gao, W.-M. Zhang, L. Wang & L.-H. Qu. 2013. Molecular identification of endophytic fungi from *Aquilaria sinensis* and artificial agarwood induced by pinholes-infusion technique. *African Journal of Biotechnology* 12(21).
- Toruan-Mathius, N., J. Situmorang, D. Rachmawati & Anida. 2008. Compatibility Studies of Interspecific In Vitro Micrografting of Agarwood (*Aquilaria malaccensis* Lamk.). *Biotropia* 15(2): 95-109.
- Trinh, D. K., D. T. Quyen, T. T. Do & N. M. Nghiem. 2013a. Purification and Characterization of a Novel Detergent and Organic Solvent-Resistant Endo-Beta-1,4-Glucanase From a Newly Isolated Basidiomycete *Peniophora* sp. NDVN01. *Turkish Jorunal of Biology* 37: 377-384.
- Trinh, D. K., D. T. Quyen, T. T. Do, T. T. H. Nguyen & N. M. Nghiem. 2013b. Optimization of Culture Conditions and Medium Components for Carboxymethyl Cellulase (CMCase) Production by a Novel Basidiomycete Strain *Peniophora* sp. NDVN01. *Iranian Journal of Biotechnology* 11(4): 251-259.
- Wardatutthoyyibah, R. S. Wulandari & H. Darwati. 2015. Penambahan Auksin dan Sitokinin Terhadap Pertumbuhan Tunas dan Akar Gaharu (*Aquilaria malaccensis* Lamk) secara In Vitro. *Jurnal Hutan Lestari* 3(1): 43-50.
- Wen-Jian, Z., J. Peng-Fei, D. Wen-Hua, D. Hao-Fu & M. Wen-Li. 2014. Metabolites from the endophytic fungus HP-1 of Chinese eaglewood. *Chinese journal of natural medicines* 12(2): 151-153.
- Wetwitayaklung, P., N. Thavanapong & J. Charoenteeraboon. 2009. Chemical constituents and antimicrobial activity of essential oil and extracts of heartwood of *Aquilaria crassna* obtained from water distillation and supercritical fluid carbon dioxide extraction. *Silpakorn University Science and Technology Journal* 3(1): 25-33.
- White, T. J., T. Bruns, S. Lee & J. Taylor. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. *PCR protocols: a guide to methods and applications* 18(1): 315-322.
- Widyastuti, S. M. 2007. *Peran Trichoderma spp. dalam Revitalisasi Kehutanan di Indonesia*. Yogyakarta: Gadjah Mada University Press.
- Wiley, J. & Sons. 1960. *Introductory Mycology*. United States of America: New York London Inc.



- Wu, B., J. G. Lee, C. J. Lim, S. D. Jia, S. W. Kwon, G. S. Hwang & J. H. Park. 2012. Sesquiterpenoids and 2-(2-Phenylethyl)-4H-chromen-4-one (= 2-(2-Phenylethyl)-4H-1-benzopyran-4-one) Derivatives from Aquilaria malaccensis Agarwood. *Helvetica Chimica Acta* 95(4): 636-642.
- Xia, B., J. Li, D. Yang, W. Mei, L. Ding & Y. Zhou. 2014. A rapid and highly specific method to evaluate the presence of 2-(2-phenylethyl) chromones in agarwood by supercritical fluid chromatography-mass spectrometry. *Eur J Mass Spectrom (Chichester)* 20(5): 395-402.
- Xu, Y.-H., Y. Xin, J.-H. Wei, X.-L. Zhang, Z. Zhang, Z.-H. Gao & S. Chun. 2013a. Cloning and expression analysis on 3-hydroxy-3-methylglutaryl-coenzyme A reductase from Aquilaria sinensis. *Chinese Herbal Medicines* 5(3): 182-188.
- Xu, Y., J. Liu, L. Liang, X. Yang, Z. Zhang, Z. Gao, C. Sui & J. Wei. 2014. Molecular cloning and characterization of three cDNAs encoding 1-deoxy-d-xylulose-5-phosphate synthase in Aquilaria sinensis (Lour.) Gilg. *Plant physiology and biochemistry* 82: 133-141.
- Xu, Y., Z. Zhang, M. Wang, J. Wei, H. Chen, Z. Gao, C. Sui, H. Luo, X. Zhang & Y. Yang. 2013b. Identification of genes related to agarwood formation: transcriptome analysis of healthy and wounded tissues of Aquilaria sinensis. *BMC genomics* 14(1): 227.
- Xu, Y. H., X. Yang, Z. Zhang, L. Liang & J. H. Wei. 2013c. [Cloning and expression analysis of HMG-CoA reductase from Aquilaria sinensis (Lour.) Gilg]. *Yao Xue Xue Bao* 48(6): 953-959.
- Yagura, T., M. Ito, F. Kiuchi, G. Honda & Y. Shimada. 2003. Four new 2-(2-phenylethyl)chromone derivatives from withered wood of Aquilaria sinensis. *Chem Pharm Bull (Tokyo)* 51(5): 560-564.
- Yang, L., L.-R. Qiao, J.-J. Zhang, J.-G. Dai & S.-X. Guo. 2012a. Two new sesquiterpene derivatives from Chinese eaglewood. *Journal of Asian natural products research* 14(11): 1054-1058.
- Yang, L., L. Qiao, D. Xie, Y. Yuan, N. Chen, J. Dai & S. Guo. 2012b. 2-(2-Phenylethyl) chromones from Chinese eaglewood. *Phytochemistry* 76: 92-97.
- Yu, L. M. 1995. Elicitins from *Phytophthora* and basic resistance in tobacco. *Proc. Natl. Acad. Sci. USA* 92: 4088-4094.
- Yusoff, N. A. M., S. N. Tajuddin, A. Hisyam & N. A. M. Omar. 2015. Agarwood essential Oil: Study on Optimum Parameter and Chemical Compounds of Hydrodistillation Extraction. *Journal of Applied Science and Agriculture* 10(5): 1-5.
- Zhang, Y., H.-X. Liu, W.-S. Li, M.-H. Tao, Q.-L. Pan, Z.-H. Sun, W. Ye, H.-H. Li & W.-M. Zhang. 2017. 2-(2-Phenylethyl)chromones from Endophytic Fungal Strain Botryosphaeria rhodina A13 from Aquilaria sinensis. *Chinese Herbal Medicines* 9(1): 58-62.
- Zhang, Z., X.-M. Han, J.-H. Wei, J. Xue, Y. Yang, L. Liang, X.-J. Li, Q.-m. Guo, Y.-H. Xu & Z.-H. Gao. 2014. Compositions and Antifungal Activities of Essential Oils From Agarwood of *Aquilaria sinensis* (Lour.) Gilg Induced by *Lasiodiplodia theobromae* (Pat.) Griffon. & Maubl. *Journal of the Brazilian Chemical Society* 25(1): 20-26.