



UNIVERSITAS  
GADJAH MADA

PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM

INFORMASI GEOGRAFIS DI PULAU ROTE

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

## DAFTAR PUSTAKA

- Alaert, G. & Santika, S.S. 1987. *Metode Penelitian Air*. Surabaya: Usaha Nasional.
- Alikodra, H.S. 1990. *Pengelolaan Satwa Liar Jilid I*. Bogor: Departemen Pendidikan dan Kebudayaan Direktorat Jendral Pendidikan Tinggi, Pusat antar Universitas Ilmu Hayati, IPB.
- Anderson, J.R., Hardy, E.E., Roach, J.T., Witmer, R.E., & Peck, D.L. 1976. A Land Use and Land Cover Classification System for Use with Remote Sensor Data. *Geological Survey Professional Paper*, 964: 41.
- Ariyanto, A.C. 2015. Mapping of Possible Corridors for Javan Leopard (*Panthera pardus melas*) Between Gunung Merapi and Gunung Merbabu National Parks, Indonesia. *Tesis*. UGM and ITC.
- Asdak, C. 2002. *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta: Gadjah Mada University Press.
- Asian Turtle Trade Working Group. 2000. *The IUCN Red List of Threatened Species 2016: Chelodina mccordi*. IUCN Red List of Threatened Species.
- Auliya, M. 2007. *Buku Panduan Identifikasi Kura-kura di Brunei Darussalam, Indonesia, Malaysia, Papua Nugini, Filipina, Singapura, dan Timor Leste*. Petaling Jaya: TRAFFIC Southeast Asia.
- Badan Pusat Statistik Kabupaten Rote Ndao 2016. *Kabupaten Rote Ndao dalam Angka 2016. Ba'a*.
- Baker, F.S. 1950. *Principles of Silviculture*. New York: Mc Graw-Hill Book Co.
- Barker, R. & King, D.J. 2012. Blanding's Turtle (*Emydoidea blandingii*) Potential Habitat Mapping using Aerial Orthophotographic Imagery and Object Based Classification. *Remote Sensing*, 4(1): 194–219.
- Barret, E.C. & Curtis, L.F. 1999. *Introduction to Environmental Remote Sensing*. 4th ed. London: Stanley Thornes Ltd.
- de Bei, R., Fuentes, S., Gillham, M., Tyerman, S., Edwards, E., Bianchini, N., Smith, J., & Collins, C. 2016. VitiCanopy: A Free Computer App to Estimate Canopy Vigor and Porosity for Grapevine. *Sensors*, 16(4).
- Beven, K.J. & Kirkby, M.J. 1979. *Physically Based, Variable Contribution Area Model of Basin Hydrology*. *Hydrological Sciences Bulletin*, .
- Brivio, P.A., Giardino, C., & Zilioli, E. 2001. Determination of Chlorophyll Concentration Changes in Lake Garda Using an Image-based Radiative Transfer Code for Landsat TM Images. *International Journal of Remote Sensing*, 22(2–3): 487–502.
- Chander, G. & Markham, B. 2009. Revised Landsat 5 TM Radiometric Calibration Procedures and Post Calibration Dynamic Ranges. *IEEE Transactions on Geoscience and Remote Sensing*, 41(11): 2674–2677.
- Convention on International Trade in Endangered Species (CITES) 2016. *Appendices I, II, and III*.
- Corsi, F., de Leeuw, J., & Skidmore, A.K. 2000. Modelling Species Distribution with GIS. L. Boitani & T.K. Fuller, ed., *Research Techniques in Animal Ecology Controversies and Consequences*. New York: Colombia University Press, hal.389–434.
- Cross, M.D. 2016. *Eastern Box Turtles (Terrapene c. carolina) in the Oak Openings Region of Northwestern Ohio*. Bowling Green State University.
- Curran, P.J. 1985. *Principle of Remote Sensing*. London: Longman Inc.
- Danoedoro, P. 1996. *Pengolahan Citra Digital: Teori dan Aplikasinya dalam Bidang Penginderaan Jauh*. Yogyakarta: Fakultas Geografi UGM.
- Danoedoro, P. 2008. Membangun Sistem Klasifikasi Penggunaan Lahan Multiguna Berbasis



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

UNIVERSITAS  
GADJAH MADA  
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Penginderaan Jauh dan Sistem Informasi Geografis untuk Pengelolaan Lingkungan. *Fora Tematik Sumberdaya Alam Darat (SDAD)*. Yogyakarta: PUSPICS Fakultas Geografi UGM, hal.1–21.

- Danoedoro, P. 2012. *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.
- Danoedoro, P., Phinn, S., & McDonald, G. 2004. Developing A Versatile Land-Use Information System Based on Satellite Imagery for Local Planning in Indonesia Phase I : Establishment of Classification Scheme. *GISDECO 2004: 7th Seventh International on GIS in Developing Countries*, (May): 10–12.
- Das, I. 2010. *A Field Guide to the Reptiles of South-East Asia*. London: New Holland Publishers.
- Dekker, A.G. 1993. *Detection of Optical Water Quality Parameters for Eutrophic Waters by High Resolution Remote Sensing*. Universiteit Amsterdam.
- Dewa, R.P. 2014. *Pengaruh Koreksi Radiometrik Citra dan Jumlah Strata Vegetasi terhadap Nilai Akurasi Kerapatan Kanopi Vegetasi Menggunakan Beberapa Transformasi Indeks Vegetasi pada Citra Landsat-8 OLI (Operasion Land Imager)*. Universitas Gadjah Mada.
- Effendi, H. 2003. *Telaah Kualitas Air bagi Pengelolaan Sumber Daya dan Lingkungan Perairan*. Yogyakarta: Kanisius.
- Eisemberg, C.C., Costa, B.G., Guterres, E.C., & Reynolds, S.J. 2014. *Assessment of Chelodina mccordi Current Status and Community Awareness Along the Lake Iralalaro, Timor-Leste*. Charles Darwin University.
- Endarwin, W., Ul-Hasanah, A., Vazquez, R.I., & Kusrini, M.D. 2005. Studi Pendahuluan: Keberadaan Kura-kura Rote (*Chelodina mccordi*, Rhodin 1994) di Pulau Rote, Nusa Tenggara Timur. *Media Konservasi*, 10(2): 51 – 57.
- Environmental System Research Institute (ESRI) 1990. *Understanding GIS : The ARC/INFO Method*. California: ESRI Press.
- Ercolano, E. 2008. *Aquatic and Terrestrial Habitat Use of the Australian Freshwater Turtle, Chelodina expansa*. Berri.
- Franklin, J. 2009. *Mapping Species Distribution: Spatial Inference and Prediction*. New York: Cambridge University Press.
- Gao, B.C. & Kaufman, Y.J. 2003. Water Vapor Retrievals using Moderate Resolution Imaging Spectroradiometer (MODIS) Near-infrared Channels. *Journal of Geophysical Research*, 108(D13).
- Gao, B.C. 1996. NDWI A Normalized Difference Water Index for Remote Sensing of Vegetation Liquid Water From Space. *Remote Sensing Environment*, 58(April 1995): 257–266.
- Georges, A., Adams, M., & McCord, W. 2002. Electrophoretic Delineation of Species Boundaries within the Genus *Chelodina* (Testudines: Chelidae) of Australia, New Guinea and Indonesia. *Zoological Journal of the Linnean Society*, 134(4): 401–422.
- Graves, B.M. & Anderson, S.H. 1987. *Habitat Suitability Index Models: Snapping Turtle*. U.S. Fish and Wildlife Service Biological Reports, Washington.
- Haboudane, D., Miller, J.R., Tremblay, N., Zarco-Tejada, P.J., & Dextraze, L. 2002. Integrated Narrow-band Vegetation Indices for Prediction of Crop Chlorophyll Content for Application to Precision Agriculture. *Remote Sensing of Environment*, 81(2–3): 416–426.
- Hellweger, F.L., Schlosser, P., Lall, U., & Weissel, J.K. 2004. Use of Satellite Imagery for Water Quality Studies in New York Harbor. *Estuarine, Coastal and Shelf Science*, 61(3): 437–448.
- Hoffer, R.M. 1978. Biological and Physical Considerations in Applying Computer-aided Analysis Technique to Remote Sensor Data. *Remote Sensing: The Quantitative*



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Approach. New York: McGraw-Hill International Book Company, hal.231–241.

Holme, A.M., Burnside, D.G., & Mitchell, A.A. 1987. The Development of a System for Monitoring Trend in Range Condition in the Arid Shrublands of Western Australia. *Australian Rangeland Journal*, 9: 14–20.

Imam, E. & Tesfamichael, G.Y. 2013. Use of Remote Sensing, GIS, and Analytical Hierarchy Process (AHP) in Wildlife Habitat Suitability Analysis. *Journal of Materials and Environmental Science*, 4(3): 460–467.

Imron, M.A., Pudyatmoko, S., & Murdyatmaka, W. 2012. *Pengembangan Pendekatan Habitat Suitability Index Map untuk Prediksi Persebaran Banteng (Bos javanicus d'Alton 1832) di Taman Nasional Alas Purwo*. Yogyakarta.

Indriyanto 2006. *Ekologi Hutan*. Jakarta: PT. Bumi Aksara.

International Union for Conservation of Nature (IUCN) 2001. *IUCN Red List Categories and Criteria. Version 3.1*.

International Union for Conservation of Nature (IUCN) 2016. *The IUCN Red List of Threatened Species. Version 2016-2*.

Iskandar, D.T. 2000. *Kura-kura dan Buaya Indonesia dan Papua Nugini*. 1st ed. Bandung: Institut Teknologi Bandung.

Jaelani, L.M., Limehuwey, R., Kurniadin, N., Pamungkas, A., Koenhardono, E.S., & Sulisetyono, A. 2016. Estimation of TSS and Chl-a Concentration from Landsat-8 OLI: The Effect of Atmosphere and Retrieval Algorithm. *IPTEK, The Journal for Technology and Science*, 27(1): 16–23.

Jaelani, L.M., Setiawan, F., Wibowo, H., & Apip 2015. Pemetaan Distribusi Spasial Konsentrasi Klorofil-a dengan Landsat-8 di Danau Matano dan Danau Towuti, Sulawesi Selatan. *Prosiding Pertemuan Ilmiah Tahunan XX*, (2): 456–463.

James, G., Witten, D., Hastie, T. & Tibshirani, R., 2013. *An Introduction to Statistical Learning*. New York: Springer.

Jensen, J.R. 2005. *Introductory Digital Image Processing: A Remote Sensing Perspective*. 3rd ed. New York: Pearson Education Inc.

Ke, Y., Im, J., Lee, J., Gong, H., & Ryu, Y. 2015. Remote Sensing of Environment Characteristics of Landsat 8 OLI-derived NDVI by Comparison with Multiple Satellite Sensors and In-situ Observations. *Remote Sensing of Environment*, 164: 298–313.

Keputusan Presiden Nomor 43 Tahun 1978 tentang Pengesahan Convention on International Trade in Fauna and Flora.

Khare, S. & Ghosh, S.K. 2016. Satellite Remote Sensing Technologies for Biodiversity Monitoring and Its Conservation. *International Journal of Advanced Earth Science and Engineering*, 5(1): 375–389.

Kuchling, G., Rhodin, A.G.J., Barrondo, B.R., & Trainor, C.R. 2007. A New Subspecies of the Snakeneck Turtle *Chelodina mccordi* from Timor-Leste (East Timor) (Testudines : Chelidae). *Chelonian Conservation and Biology*, 6(2): 213–222.

Kutner, M., Nachtsheim, C., Neter, J., & Li, W. 2005. *Applied Linear Regression Models*. 5th ed. New York: McGraw-Hill Irwin.

de Leeuw, J., Ottichilo, W.K., Toxopeus, A.G., & Prins, H.H.T. 2002. Application of Remote Sensing and Geographic Information Systems in Wildlife Mapping and Modelling. A. Skidmore, ed., *Environmental Modelling with GIS and Remote Sensing*. London and New York: Taylor & Francis, hal.121–144.

Lillesand, T.M., Kiefer, R.W., & Chipman, J.W. 2004. *Remote Sensing and Image Interpretation*. 5th ed. New York: John Wiley & Sons, Inc.

Longley, P.A., Goodchild, M.F., Maguire, D.J., & Rhind, D.W. 2005. *Geographical Information Systems and Science*. 2nd ed. West Sussex: John Wiley & Sons, Ltd.

Lonita, B.I., Prasetyo, Y., & Hani'ah 2015. Analisis Perubahan Luas dan Kerapatan Hutan



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

UNIVERSITAS GADJAH MADA

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Menggunakan Algoritma NDVI (Normalized Difference Vegetation Index) dan EVI (Enhanced Vegetation Index) pada Citra Landsat 7 ETM+ Tahun 2006, 2009, dan 2012 (Studi Kasus: Kabupaten kendal, Provinsi Jawa Tengah). *Jurnal Geodesi Undip*, 4(3): 112–120.

- Mackey, B., Lindenmayer, D., Gill, M., McCarthy, M., & Lindesay, J. 2002. *Wildlife, Fire, and Future Climate: A Forest Ecosystem Analysis*. 1st ed. Victoria: CSIRO Publishing.
- Markle, C.E. & Chow-Fraser, P. 2016. An Integrative Approach to Regional Mapping of Suitable Habitat for the Blanding's Turtle (*Emydoidea blandingii*) on Islands in Georgian Bay, Lake Huron. *Global Ecology and Conservation*, 6: 219–231.
- McCord, W.P., Joseph-Ouni, M., & Hagen, C. 2007. A New Subspecies of *Chelodina mccordi* (Testudines: Chelidae) from Eastern Rote Island, Indonesia. *Reptilia (GB)*, 52: 58–61.
- McCord, W.P. & Thomson, S. 2002. A New Species of *Chelodina* (Testudines: Pleurodira: Chelidae) from Northern Australia. *Journal of Herpetology*, 36(2): 255–267.
- McCoy, R.M. 2005. *Field Methods in Remote Sensing*. New York: The Guilford Press.
- McFeeters, S.K. 1996. Normalized Difference Water Index (NDWI) in the Delineation of Open Water Features. *International Journal of Remote Sensing*, 17: 1425–1432.
- Moore, I.D., Lewis, A. & Gallant, J.C. 1993. Terrain Attributes: Estimation Methods and Scale Effects. A.J. Jakeman, & A. McAleer, ed., *Modelling Change in Environmental Systems*. Chichester: John Wiley & Sons, hal.189–214.
- Morreale, S.J. & Gibbons, J.W. 1986. *Habitat Suitability Index Models: Slider Turtle*. U.S. Fish and Wildlife Service Biological Reports, Washington.
- Morrison, M.L., Marcot, B.G., & Mannan, R.W. 2006. *Wildlife-Habitat Relationships Concepts and Applications*. 3rd ed. Washington: Island Press.
- Mui, A.B. 2015. A Multi-Temporal Remote Sensing Approach to Freshwater Turtle Conservation. *Disertasi*. University of Toronto.
- Mysterud, A. & Ims, R.A. 1998. Functional Responses in Habitat Use: Availability Influences Relative Use in Trade-Off Situations. *Ecology*, 79(4): 1435–1441.
- National Aeronautics and Space Administration (NASA) 1998. *Landsat 7 Science Data Users Handbook*.
- Nurandani, P. 2014. Pengolahan Data Penginderaan Jauh untuk Pemetaan Total Suspended Solid (TSS) di Danau Rawa Pening Provinsi. *Seminar Nasional Penginderaan Jauh 2014*. Bogor: IPB, hal.722–731.
- Odum, E.P. 1993. *Dasar-dasar Ekologi*. Edisi Keti ed. Yogyakarta: Gadjah Mada University Press.
- Patra, P.P., Dubey, S.K., Trivedi, R.K., Suhu, S.K., & Rout, S.K. 2016. Estimation of Chlorophyll-a Concentration and Trophic States for an Inland Lake from Landsat-8 OLI Data: A Case Nalban Lake of East Kalkota Wetland, India. *Preprints*, 18.
- Paul, O.V. De 2007. Wildlife Habitat Suitability Mapping using Remote Sensing and Geographical Information Science. *African Journal of Ecology*, 46: 432–434.
- Pemerintah Kabupaten Rote Ndao. *Website Resmi Pemerintah Kabupaten Rote Ndao*. Tersedia di [www.rotendaokab.go.id](http://www.rotendaokab.go.id).
- Peraturan Menteri Lingkungan Hidup dan Kehutanan P.20/MENLHK/SETJEN/KUM.1/6/2018 tentang Jenis Tumbuhan dan Satwa yang Dilindungi. Indonesia: Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia.
- Peraturan Menteri Lingkungan Hidup Nomor 28 Tahun 2009 tentang Daya Tampung Beban Pencemaran Air Danau dan/atau Waduk. Indonesia: Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia.
- Peraturan Menteri Kehutanan P.57/MENHUT-II/2008 tentang Arahan Strategis Konservasi Spesies Nasional 2008-2018. Indonesia: Menteri Kehutanan Republik Indonesia.



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Peraturan Pemerintah Nomor 10 Tahun 2000 tentang Tingkat Ketelitian Peta untuk Penataan Ruang Wilayah. Indonesia: Pemerintah Republik Indonesia.

Peraturan Pemerintah Nomor 7 Tahun 1999 tentang Pengawetan Jenis Tumbuhan dan Satwa. Indonesia: Pemerintah Republik Indonesia.

Peraturan Pemerintah Nomor 8 Tahun 1999 tentang Pemanfaatan Jenis Tumbuhan dan Satwa Liar. Indonesia: Pemerintah Republik Indonesia.

Peraturan Pemerintah Nomor 82 Tahun 2001 tentang Pengelolaan Kualitas Air dan Pengendalian. Indonesia: Pemerintah Republik Indonesia.

Putra, R.M., Semedi, B., Zainul, M.A., & Budhiman, S. 2014. Analisa Sedimen Tersuspensi (Total Suspended Matter) di Perairan Timur Sidoarjo Menggunakan Citra Satelit. *Seminar Nasional Penginderaan Jauh 2014*, 444–454.

Qin, Z., Karnieli, A., & Berliner, P. 2001. A Mono-window Algorithm for Retrieving Land Surface Temperature from Landsat TM Data and Its Application to the Israel-Egypt Border Region. *International Journal of Remote Sensing*, 22(18): 3719–3746.

Ray, N. & Burgman, M.A. 2006. Subjective Uncertainties in Habitat Suitability Maps. *Ecological Modelling*, 195(3–4): 172–186.

Rhodin, A.G.J. 1994. Chelid Turtles of the Australian Archipelago: II. A New Species of *Chelodina* from Roti Island, Indonesia. *Breviora*, 498: 1–31.

Rhodin, A.G.J., Ibarrondo, B.R., & Kuchling, G. 2008. *Chelodina mccordi* Rhodin 1994 - Roti Island Snake-necked Turtle, McCord's Snake-necked Turtle, Kura-kura Rote. *Chelonian Research Monographs*, 5(April 1993): 008.1--008.8.

Riyanto, A. & Mumpuni 2003. *Metode Survei dan Pemantauan Populasi Satwa Seri Ketiga Kura-Kura*. Cibinong: Puslit-Biologi LIPI.

Rouse, J.W., Haas, R.H., Schell, J.A., Deering, D.W., & Harlan, J.C. 1974. Monitoring the Vernal Advancements and Retrogradation of Natural Vegetation. *NASA/GSFC, Final Report, Greenbelt, MD, USA*, (September 1972): 1–137.

Rozenstein, O., Qin, Z., Derimian, Y., & Karnieli, A. 2014. Derivation of Land Surface Temperature for Landsat-8 TIRS Using a Split Window Algorithm. *Sensors*, 14(4): 5768–5780.

Rusman, D. 2016. Prediksi Kehadiran Badak Sumatera (*Dicerorhinus sumatrensis*) dan Analisis Struktur Lanskap Habitatnya di Taman Nasional Bukit Barisan Selatan. *Tesis*. Universitas Gadjah Mada.

Sastrawijaya, A.T. 2009. *Pencemaran Lingkungan*. 3th ed. Jakarta: PT. Rineka Cipta.

Schreuder, H.T., Ernst, R. & Ramirez-Maldonado, H. 2004. *Statistical Techniques for Sampling and Monitoring Natural Resources*. Agriculture, Rocky Mountain Research Station, Fort Collins.

Seburn, D.C. 2013. Effectiveness of Crab Nets to Survey for Freshwater Turtles in Eastern Ontario, Canada. *Herpetology Notes*, 6: 549–551.

Shepherd, C.R. & Ibarrondo, B. 2005. *The Trade of the Roti Island Snake-necked Turtle Chelodina mccordi*, Indonesia. Petaling Jaya: TRAFFIC Southeast Asia.

Singh, R., Joshi, P.K., Kumar, M., Dash, P.P., & Joshi, B.D. 2009. Development of Tiger Habitat Suitability Model Using Geospatial Tools - A Case Study in Achankmar Wildlife Sanctuary (AMWLS), Chhattisgarh India. *Environmental Monitoring and Assessment*, 155(1–4): 555–567.

Smith, M.D. & Burger, L.W.J. 2003. Multi-resolution Approach to Wildlife Habitat Modeling using Remotely Sensed Imagery. *Proceedings of SPIE*, 5153: 34–43.

Sobrino, J.A., Jimenez-Munoz, J.C. & Paolini, L. 2004. Land Surface Temperature Retrieval from LANDSAT TM 5. *Remote Sensing of Environment*, 90(2004): 434–440.

Song, C., Woodcock, C.E., Seto, K.C., Lenney, M.P., & Macomber, S.A. 2001. Classification and Change Detection Using Landsat TM data: When and How to Correct Atmospheric



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Effects? *Remote Sensing of Environment*, 75(2): 230–244.

- Sørensen, R., Zinko, U., & Seibert, J. 2006. On the Calculation of the Topographic Wetness Index: Evaluation of Different Methods Based on Field Observations. *Hydrology and Earth System Sciences*, 10(1): 101–112.
- Spencer, R. & Thompson, M.B. 2006. Experimental Analysis of the Impact of Foxes on Freshwater Turtle Populations. *Conservation Biology*, 19: 845–854.
- van Steenis, C.G.G.J. 2006. *Flora Pegunungan Jawa (The Mountain Flora of Java)*. Bogor: Pusat Penelitian Biologi-LIPI.
- Sterrett, S.C., Smith, L.L., Schweitzer, S.H., & Maerz, J.C. 2010. An Assessment of Two Methods for Sampling River Turtle Assemblages. *Herpetological Conservation and Biology*, 5(3): 490–497.
- Stevens, S.D., Page, D. & Prescott, D.R.C. 2010. *Habitat Suitability Index for the Northern Leopard Frog in Alberta: Model Derivation and Validation*. Edmonton.
- Stickler, M. & Southwort, J. 2008. Application of Multi-scale Spatial and Spectral Analysis for Predicting Primate Occurrence and Habitat Association in Kibale National Park Uganda. *Journal Remote Sensing of Environment*, 112: 2170–2186.
- Stratmann, T.S.M., Barrett, K., & Floyd, T.M. 2016. Locating Suitable Habitat for a Rare Species: Evaluation of a Species Distribution Model for Bog Turtles (*Glyptemys muhlenbergii*) in the Southeastern United States. *Herpetological Conservation and Biology*, 11(1): 199–213.
- Sulistyo, B., Gunawan, T., & Danoedoro, P. 2013. Pemodelan Persentase Tajuk di Atas DAS Merawu yang Diturunkan dari Berbagai Indeks Vegetasi Data Penginderaan Jauh. *Forum Geografi*, 27(1): 23–32.
- Sutanto 1986. *Penginderaan Jauh Jilid 1*. Yogyakarta: Gadjah Mada University Press.
- Sutanto 1987. *Penginderaan Jauh Jilid 2*. Yogyakarta: Gadjah Mada University Press.
- Turner, W., Spector, S., Gardiner, N., Fladeland, M., Sterling, E., & Steininger, M. 2003. Remote Sensing for Biodiversity Science and Conservation. *TRENDS in Ecology and Evolution*, 18(6): 306–314.
- Uhmann, T.V., Kenkel, N.C., & Baydack, R.K. 2001. Development of a Habitat Suitability Index Model for Burrowing Owls in the Eastern Canadian Prairies. *Journal of Raptor Research*, 35(4): 378–384.
- Undang-Undang Nomor 4 Tahun 2011 tentang Informasi Geospasial. Indonesia: Dewan Perwakilan Rakyat Republik Indonesia.
- Undang-Undang Nomor 5 Tahun 1990 tentang Konservasi Sumberdaya Alam Hayati dan Ekosistemnya. Indonesia: Dewan Perwakilan Rakyat Republik Indonesia.
- UNESCO/WHO/UNEP 1992. *Water Quality Assessments*. London: Chapman and Hall Ltd.
- United States Fish and Wildlife Service. 1981. *Standard for the Development of Habitat Suitability Index Models*.
- United States Geological Survey (USGS) 2010. *Landsat Update*.
- United States Geological Survey (USGS) 2015a. *Landsat 8 (L8) Data Users Handbook. Earth Resources Observation and Science (EROS) Center*.
- United States Geological Survey (USGS) 2015b. *Landsat 8 OLI (Operational Land Imager) and TIRS (Thermal Infrared Sensor)*.
- Wainwright, J. & Mulligan, M. 2004. *Environmental Modelling: Finding Simplicity in Complexity*. New York: John Wiley & Sons Inc.
- Wang, K., Franklin, S.E., Guo, X., & Cattet, M. 2010. Remote Sensing of Ecology, Biodiversity and Conservation: A Review from the Perspective of Remote Sensing Specialists. *Sensors*, 10: 9647–9667.
- Wang, Y.H., Yang, K.C., Bridgman, C.L., & Lin, L.-K. 2008. Habitat Suitability Modelling to Correlate Gene Flow with Landscape Connectivity. *Landscape Ecology*, 23(8): 989–



**PEMODELAN SPASIAL KESESUAIAN HABITAT KURA-KURA AIR TAWAR MENGGUNAKAN CITRA LANDSAT-8 DAN SISTEM INFORMASI GEOGRAFIS DI PULAU ROTE**

KURNIA LATIFIANA, Prof. Dr. Hartono, DEA., DESS.; Drs. Projo Danoedoro, M.Sc., Ph.D.

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>  
1000.

- Weier, J. & Herring, D. 2000. *Measuring Vegetation (NDVI and EVI)*. NASA Earth Observatory.
- Wetzel, R.G. 2001. *Limnology: Lake and River Ecosystems*. 3rd ed. San Diego: Academic Press.
- Xu, H. 2006. Modification of Normalized Difference Water Index (NDWI) to Enhance Open Water Features in Remotely Sensed Imagery. *International Journal of Remote Sensing*, 27(14): 3025–3033.
- Zhang, C. & Han, M.I.N. 2015. Mapping Chlorophyll-a Concentration in Laizhou Bay Using Landsat 8 OLI Data. *E-proceedings of the 36th IAHR World Congress*. The Hague, hal.1–6.
- Zug, G.R., Vitt, L.J., & Caldwell, J.P. 1993. *Herpetology An Introductory Biology of Amphibians and Reptiles*. 2nd ed. San Diego: Academic Press.