

DAFTAR PUSTAKA

- Abuye, C., Berhane, Y., (2007). The goitre rate, its association with reproductive failure, and the knowledge of iodine deficiency disorders (IDD) among women in Ethiopia : Cross-section community based study, *BMC public health*, 7, 1–7.
- Adib-hajbaghery, M., Faraji, M., (2016). Comparison of effect between group discussion and educational booklet on Iranian nursing students ' attitude and practice toward patient privacy, *Journal of Educational Evaluation for Health Professions*, 8, 1–8.
- Aligol, M., Nasirdeh, M., Bakhtiari M.H., Eslami, A.A., 2014. The effects of education on promoting knowledge, beliefs and preventive behaviors on brucellosis among women: applying a health belief model. *Jundishapur Journal of Health Sciences*, 6(2), 343–349.
- Amalia, L., Permatasari, I. I., Khomsan, A., Riyadi, H. *et al.*, (2015). Pengetahuan, sikap, dan praktek gizi ibu terkait iodium dan pemilihan jenis garam rumah tangga di wilayah pegunungan cianjur, *Jurnal Gizi dan Pangan*, 10(2), 133–140.
- AMC Cancer Research Center, (1994). *Beyond the Brochure: alternative approaches to effective health communication*. Colorado: AMC Cancer Research Center.
- Anggorodi, R., (2010). Kampanye dan penggunaan garam beryodium di Desa Leuwiliang, Jawa Barat, *Jurnal Kesehatan Masyarakat Nasional*, 5(1), pp. 17–22.
- Arias, A., Scott, R., Peters, O. A., McClain, E. *et.al.*, (2016). Educational outcomes of small group discussion versus traditional lecture format in dental students' learning and skills acquisition, *Journal of dental education*, 80(4), 459–65.
- Aruna, R. T., Sarojani, J. K., Bharati, P., Uma, S. H., (2013). Impact of education intervention on knowledge regarding iodine deficiency disorders, *Karnataka Agric J Sci*, 26(1), 31–34.
- Azer, S. A., (2009). What makes a great lecture? Use of lectures in a hybrid PBL curriculum, *Kaohsiung Journal of Medical Sciences*. Elsevier, 25(3), pp. 109–115.
- Azwar, S., (2005). *Sikap Manusia: Teori dan Pengukurannya*. Yogyakarta: Pustaka Pelajar.
- Badan Penelitian dan Pengembangan Kesehatan (Badan Litbangkes) Kementerian Kesehatan, (2007). *Riset Kesehatan Dasar (Riskesdas) 2007*. Jakarta: Badan Litbangkes, Kementerian Kesehatan.
- Badan Penelitian dan Pengembangan Kesehatan (Badan Litbangkes) Kementerian Kesehatan, (2013). *Riset Kesehatan Dasar (Riskesdas) 2013*, Jakarta: Badan Penelitian dan Pengembangan Kesehatan (Badan Litbangkes) Kementerian Kesehatan.

- BPS, (2016). Statistik daerah 2016 Kecamatan Sawangan. Magelang: BPS Kabupaten Magelang.
- Biran, A, Schmidt, WP, Wright R, Jones, T, et al., 2009. The effect of a soap promotion and hygiene education campaign on handwashing behaviour in rural India: a cluster randomised trial. *Tropical Medicine and International Health*. (14):10: 1303–1314.
- Brantsæter, A. L., Abel, M. H., Haugen, M., Meltzer, H. M., (2013). Risk of suboptimal iodine intake in pregnant norwegian women, *Nutrients*, 5, 424–440.
- Caldwell, K. L., Pan, Y., Mortensen, M. E., Makhmudov, A., et al., (2013). Iodine status in pregnant women in the National Children’s Study and in U.S. women (15-44 years), National Health and Nutrition Examination Survey 2005-2010, *Thyroid*, 23(8), 927–37.
- Callaghan RN. 1999. Health beliefs and their influence on United Kingdom nurses’ health-related behaviours. *Journal of Advance Nursing*, 29(1):28-35.
- Caniza, M. A., Maron, G., Moore, E. J., Quintana, Y., et al., (2007). Effective hand hygiene education with the use of flipcharts in a hospital in El Salvador, *Journal of Hospital Infection*, 65, 58–64.
- Chan, W. P., (2009). Assessment of medical students’ knowledge retention in a diagnostic radiology course: Lecture attendees versus absentees, *Annals of the Academy of Medicine Singapore*, 38(3), 237–239.
- Charlton, K., Yeatman, H., Lucas, C., Axford, S., et al., (2012). Poor knowledge and practices related to iodine nutrition during pregnancy and lactation in Australian women: pre- and post-iodine fortification’, *Nutrients*, 4,1317–1327.
- Cranley, L.A., G Cummings, G.G., McGrath, J.P., Tot F., et al., (2017). Facilitation roles and characteristics associated with research use by healthcare professionals : a scoping review. *BMJ*,7:1–18.
- Combet, E., Bouga, M., Pan, B., Lean, M. E. J., et al., (2015). Iodine and pregnancy - A UK cross-sectional survey of dietary intake, knowledge and awareness, *British Journal of Nutrition*, 114(1), 108–117.
- DiPiro, J. T., (2009). Why do we still lecture?, *American Journal of Pharmaceutical Education*, 73(8), 1.
- Diyeni, D. S., (2010). *Perbedaan peningkatan pengetahuan dan sikap wanita tentang menopause antara cara belajar aktif diskusi kelompok dengan leaflet dibanding metode ceramah dengan leaflet di Kompleks Solobaru*. Tesis. S2 Kedokteran Keluarga. Solo: Universitas Sebelas Maret.
- Djamarah, B., Zain, A., (2006). *Strategi Belajar Mengajar*. Jakarta: Rineka Cipta.
- Dwiriani, C.M., Rimbawan, Hardinsyah, Riyadi H., et al., (2011). Pengaruh pemberian zat multi gizi mikro dan pendidikan gizi terhadap pengetahuan gizi, pemenuhan zat gizi dan status besi remaja putri. *Jurnal Gizi dan Pangan*, 6(3): 171-177.

- Dyer, K., J., Fearon K., C., H., Buckner, K., Richardson, R., A., Diet and colorectal cancer risk: Evaluation of a nutrition education leaflet. *Health Education Journal*. 2005. 64(3):247-255.
- Effendi, N., (1995). *Perawatan kesehatan masyarakat*. Jakarta: EGC.
- Ekhtiari, Y. S., Majlessi, F., Foroushani Rahimi, A., Shakibazadeh, E., (2014). Effect of a Self-care Educational Program Based on the Health Belief Model on Reducing Low Birth Weight Among Pregnant Iranian Women, *International journal of preventive medicine*, 5(1), 76.
- Elmani, S., Charlton, K. E., Flood, V. M., Mullan, J., (2014). Limited knowledge about folic acid and iodine nutrition in pregnant women reflected in supplementation practices, *Nutrition and Dietetics*, 71(4), 236–244.
- Ewles, L., Simnett, I., (1994). *Promosi kesehatan petunjuk praktis*. Yogyakarta: UGM Press.
- Gani, H. A., Istiaji, E., Kusuma, A. I., (2014). Perbedaan aktivitas leaflet dan poster produk Komisi Penanggulangan AIDS Kabupaten Jember dalam perilaku pencegahan HIV/AIDS, *IKESMA*, 10(1), 31–48.
- Garnweidner-Holme, L., Aakre, I., Lilleengen, A. M., Brantsæter, A. L., *et al.*, (2017). Knowledge about iodine in pregnant and lactating women in the Oslo area, Norway, *Nutrients*, 9(5), 1–11.
- Ge, P., Zhang, Z., Wang, Y., Cao, Y., Xi, J., (2013). Iodine status in vulnerable groups Hinxia Hui autonomous prefecture, China, *Eastern Journal of Medicine*, 18(2), 68–71.
- Glanz, K., Rimer, B. K., Viswanath, K., (2008). *Health Education, theory, Research and Practice*. San Fransisco: Jossey Bass.
- Guilford, Frucher, B. (1978). *Fundamental statistics in psychology and education*. Tokyo: Mc Graw-Hill Kogakusha, Ltd.
- Hafezimoghadam, P., Farahmand, S., Farsi, D., Zare, M., *et al.*, (2013). A comparative study of lecture and discussion methods in the education of basic life support and advanced cardiovascular life support for medical students, *Turkiye Acil Tip Dergisi - Tr J Emerg Med*, 13(2), 59–63.
- Handayani, S., Emilia, O., Wahyuni, B., (2009). Efektivitas metode diskusi kelompok dengan dan tanpa fasilitator pada peningkatan pengetahuan, sikap dan motivasi remaja tentang perilaku seks pranikah, *Berita Kedokteran Masyarakat*, 25(3), 133–141.
- Harada, T., Wada, K., Tsuji, F., Krejci, M., *et al.*, 2016. Intervention study using a leaflet entitled ‘three benefits of “go to bed early! get up early! and intake nutritionally rich breakfast!” a message for athletes’ to improve the soccer performance of university soccer team. *Sleep and Biological Rhythms*, 14 (Supplement 1), 65–74.
- Hardjana, A., (2000). *Audit komunikasi: teori dan praktek*. Jakarta: Grasindo.
- Hill, G. ., Arnett, D., Mauk, E. (2008). Breast-feeding intentions among low-income pregnant and lactating women, *American Journal of Health*

Behavior, 32, 125–136.

- Hartono, B. (2010). *Promosi kesehatan di puskesmas dan rumah sakit*. Jakarta: Rineka Cipta
- Hofman, R., Schiffers, P. A. W. H., Richardus, J. H., Raat, H., *et al.*, (2013). Increasing girls knowledge about human papillomavirus vaccination with a pre-test and a national leaflet: a quasi-experimental study, *BMC public health*, 13(611), 1–7.
- Huggins, C. M., Stamatel, J. P., (2015). An exploratory study comparing the effectiveness of lecturing versus team-based learning, *Teaching Sociology*, 43(3), 227–235.
- Hyden C, Kahn R, Bonuck K. Bottle-weaning intervention tools: the “how” and “why” of a WIC-based educational flipchart, parent brochure, and website. *Health Promot Pract*, 2012;4(1):57-80.
- Indriana, D., (2011). *Ragam alat bantu media pengajaran*. Yogyakarta: DIVA Press.
- Iodine Global Network, (2010). Iodine deficiency during pregnancy, *IDD Newsletter*, 37(3), 1–20.
- Iodine Global Network, (2014). Brazil’ s iodized salt program builds on its success, *IDD Newsletter*, 1–20.
- Iodine Global Network (2016). Lebanon rallies to fight IDD, *IDD Newsletter*, 44(2), 1–20.
- Iodine Global Network, (IGN), (2016) The Iodine Global Network (IGN) Meeting London 2016. London: Iodine Global Network (IGN), 1–24.
- Iodine Global Network (IGN), (2017). Iodine intakes are borderline adequate in war-torn Yemen, *IDD Newsletter*, 45(3).
- Jeihooni, A., Hidarnia, A., Kashfi, S. M., Ghasemi, *et al.*, (2016). A health promotion program based on the health belief model regarding women’s osteoporosis, *International Journal of Musculoskeletal Pain Prevention*, 1(1), 7–16.
- Jeihooni, A., Arameshfard, S., Hatami, M., Mansourina, M., *et al.*, 2018. The effect of educational program based on health belief about HIV/AIDS among high school students. *Int J Pediatr*, 6(3), 7285–7296.
- Jooste, Zimmerman., (2008). Progress towards eliminating iodine deficiency in South Africa, *A Afr J Clin Nutr*, 21(1), 8–14.
- Joshi, K. P., Padugupati, S., Robins, M., (2018). Assessment of educational outcomes of small group discussion versus traditional lecture format among undergraduate medical students, *International Journal of Community Medicine and Public Health*, 5(7), 2766–2769.
- Kaplan, R., Saccuzzo, D., (1989). *Psychological Testing: Principles, Applications, and Issues*. California: Brooks/Cole Publishing Company.
- Kawamata, M., Kawasumi, R., Tsuji, F., Taniwaki, N., Kawada, T., (2017). Effects of reading a picture leaflet on rhythm for enhancement of morning-typed life in Japanese infants, *Psychology*, 8, 1621–1641.

- Khajedaluae, M., Rajabian, R. Seyyednozadi, M., (2013). Education achievements and goiter size ten years after iodized salt consuming, *International Journal of Preventive Medicine*, 4(8), 876–880.
- Khattak, R. M., Khattak, M. N. K., Ittermann, T. dan Völzke, H., (2017). Factors affecting sustainable iodine deficiency elimination in Pakistan: A global perspective, *Journal of Epidemiology*, 27(6), 249–257.
- Kim, B. K., Jeong, J., Seok, K., Lee, A. S., *et al.*, (2014). Current Iodine Nutrition Status and Awareness of Iodine Deficiency in Tuguegarao, Philippines, *International Journal of Endocrinology*, 2014.
- Kumorowulan, S., Nurcahyani, Y. D., Soejono, S. K., Sadewo, A. H., (2013). Pengaruh iodium terhadap perubahan fungsi tiroid dan status iodium, *Media Gizi Mikro Indonesia*, 5(1), 17–29.
- Kwang, N., Mahayudin, T., Yien, H. L., Abdul, A. K., *et al.*, (2016). Effect of an educational intervention on knowledge of human papillomavirus vaccination among pre-university students in Malaysia, *Asian Pacific Journal of Cancer Prevention*, 17, 267–274.
- Lathifah, M. A., Ilham, M., Wibowo, A., (2015). Perbandingan Metode CBIA dan FGD dalam Peningkatan Pengetahuan dan Ketepatan Caregiver dalam Upaya Swamedikasi Demam pada Anak Abstrak, *Pharm Sci Res*, 2(2), 89–100.
- Lee, C., Duffy, S. A., Louzon, S. A., Waltje, A. H., *et al.*, (2014). The impact of sun solutions educational interventions on select Health Belief Model construct, *Workplace Health and Safety*, 62(2), 70–79.
- Longvah, T., Toteja, G. S., Upadhyay, A., (2013). Iodine content in bread, milk and the retention of inherent iodine in commonly used Indian recipes, *Food Chemistry*. Elsevier Ltd, 136(2), 384–388.
- Ludlow, R., Panton, F., (2000). *The Essence of Effective Communication*. Yogyakarta: Andi.
- Martiyana, C., (2016). *Penerapan model pemberdayaan masyarakat untuk penanggulangan Gangguan Akibat Kekurangan Iodium (GAKI)*. Magelang: Balai Litbang GAKI Magelang.
- Mehran, L., Nazeri, P., Delshad, H., Mirmiran, P., *et al.*, (2012). Does a text messaging intervention improve knowledge, attitudes and practice regarding iodine deficiency and iodized salt consumption?, *Public Health Nutrition*, 15(12), 2320–2325.
- Mirmiran, P., Nazeri, P., Amiri, P., Mehran, L., *et al.*, (2013). Iodine nutrition status and knowledge, attitude, and behavior in Tehranian women following 2 decades without public education, *Journal of Nutrition Education and Behavior*. Elsevier Inc., 45(5), 412–419.
- Morris, M., Smith, C. F., Boxell, E., Wardle, J., *et al.*, (2016). Quantitative evaluation of an information leaflet to increase prompt help-seeking for gynaecological cancer symptoms, *BMC Public Health*. BMC Public Health, 1–9.

- Mualifah, L., 2015. Pengaruh pendidikan kesehatan dengan metode diskusi kelompok dan ceramah terhadap pengetahuan, sikap pra remaja menghadapi menarche. 2015. Tesis. S2 Keperawatan. Yogyakarta: Universitas Gadjah Mada.
- Murti, B., (2006). *Desain dan Ukuran Sampel untuk Penelitian Kuantitatif dan Kualitatif di Bidang Kesehatan*. Yogyakarta: Gadjah Mada University Press.
- Naghashpour, M., Shakerinejad, G., Lourizadeh, M. R., Hajinajaf, S., *et.al.*, (2014). Nutrition education based on health belief model improves dietary calcium intake among female students of junior high schools, *Journal of Health, Population and Nutrition*, 32(3), 420–429.
- Nasution, Z., (1990). *Prinsip-Prinsip Komunikasi untuk Penyuluhan*. Jakarta: Lembaga Penerbit FEUI.
- Nakade, M., Krejci, M., Saito, K., Wada, K., *et al.*, (2015). Intervention using a leaflet to promote a morning-typed life in 2- to 6-year-old Japanese children and their parents, *International Journal of Psychological Studies*, 7(2), 1–17.
- Nkhoma, K., Seymour, J., Arthur, A. (2015). An educational intervention to reduce pain and improve pain management for Malawian people living With HIV / AIDS and their family carers : a randomized controlled trial, *Journal of Pain and Symptom Management*. Elsevier Inc, 50(1), 80–90.e4.
- Notoatmodjo, S., (2005). *Promosi kesehatan, teori dan aplikasi*. Jakarta: Rineka Cipta.
- Notosiswoyo, M., (2014). Penggunaan VCD dan leaflet untuk peningkatan pengetahuan, sikap, dan perilaku siswa dalam pencegahan kecelakaan sepeda motor, *Jurnal Kesehatan Masyarakat Nasional*, 8(8), 373–379.
- Nunnally, J., Brenstein, I., (1994) *Psychometric theory (3rd ed.)*. New York: McGraw-Hill.
- O’Kane, S. M., Pourshahidi, L. K., Farren, K. M., Mulhern, M. S., *et al.*, (2016). Iodine knowledge is positively associated with dietary iodine intake among women of childbearing age in the UK and Ireland, *British Journal of Nutrition*, 116(10), 1728–1735.
- Ouyang, J., He, W., Zheng, K., Chen, G., (2016). Impact of an information leaflet on knowledge of Hepatocellular Carcinoma and Hepatitis B among Chinese youth, *Asian Pacific Journal of Cancer Prevention*, 17, 439–443.
- Peyman, N., Pourhaji, F. (2015). The effects of educational program based on The Health Belief Model on the oral health behaviors of elementary school students, *Modern Care Journal*, 12(2), 74–78.
- Raleigh, M. F., Wilson, G. A., Moss, D. A., Reineke-Piper, K. A., *et.al.*, (2018). Same content, different methods: Comparing lecture, engaged classroom, and simulation, *Family Medicine*, 50(2), 100–105.
- Ramzenkhani, A., Akrami, F., Heidarzabeh, M., Mohammadi, G., (2013). Comparison of the impact of two educational methods (lecture and group

- discussion) on knowledge, attitude and behaviour intention, and practice of the urban pregnant women; normal vaginal delivery or caesarean?, *HealthMED*, 7(5),1651–1656.
- RAN-GAKY, (2004). Rencana aksi nasional kesinambungan program penanggulangan GAKY, pp. 1–17.
- Rostami, R., Beiranvend, A., Nourooz-Zadeh, J., (2012). Nutritional iodine status in gestation and its relation to geographic features in Urmia County of northwest Iran, *Food and Nutrition Bulletin*, 33(4), 267–272.
- Sakiyah, M., Muharyani, P. W., Sakit, R., Jakarta, F., *et al.*, (2015). Perbedaan efektivitas metode diskusi dan ceramah terhadap pengetahuan pekerja tentang alat pelindung diri (APD) di bengkel las kelurahan bukit lama Palembang, *Jurnal Keperawatan Sriwijaya*, 2(2), 115–123.
- Santoso, B, 2004. *Efektivitas pendidikan kesehatan gigi antara metode ceramah dengan metode diskusi terhadap pengetahuan sikap dan keterampilan pramurukti dalam meningkatkan kebersihan gigi dan mulut Usila: Kajian di Panti Wreda Elim dan Panti Wreda Pengayoman Semarang*. Tesis. S2 Ilmu Kedokteran Gigi. Yogyakarta: Universitas Gadjah Mada.
- Sembiring, N. R. S, 2015. *Efektivitas metode diskusi dan ceramah dalam meningkatkan pengetahuan dan sikap remaja tentang HIV/AIDS di SMP N 10 Kota Pematangsiantar*. Tesis. FKM. Medan: Universitas Sumatera Utara.
- Setyani, A., Latifah, L., Martiyana, C. dan Riyanto, S., (2017). Model analysis, design, development, implementation, evaluation (ADDIE) untuk pengembangan media edukasi penanggulangan gangguan akibat kekurangan iodium (GAKI), *Media*, 8(2), 103–116.
- Setyani, A., Sudargo, T., Tetra Dewi, F. S. (2014). Metode komunikasi persuasif sebagai upaya meningkatkan sikap wanita usia subur tentang GAKI, *Media Gizi Mikro Indonesia*, 5(2), 97–110.
- Shahnazi, H., Sharifirad, G., Hajimiri, K., Hassanzadeh, A., (2014). Effect of mother' s education based on Health Belief Model (HBM) on 3-6 years old children' s dental plaque index, *Bulletin of Environment, Pharmacology and Life Sciences*, 3(9), 183–188.
- Shahnazi, H., Sabooteh, S., Sharifirad, G., Mirkarimi, K *et al.*, (2015). The impact of education intervention on the Health Belief Model constructs regarding anxiety of nulliparous pregnant women. *Journal of Education and Health Promotion*, 4(1), 1-8.
- Shojaei, S., Farhadloo, R., Aein, A., Vahedian, M., (2016). Effects of the Health Belief Model (HBM) -Based Educational Program on the Nutritional Knowledge and Behaviors of CABG Patients, *The Journal of Tehran University Heart Center*, 11(4), 181–186.
- Silalahio, V., Aritonang, E., Ashar, T., (2016). Potensi pendidikan gizi dalam meningkatkan asupan gizi pada remaja putri yang anemia di Kota Medan. *Kemas*, 11(2):96-102.

- Smith, S. G., Raine, R., Obichere, A., Wolf, M. S., *et al.*, (2015). The effect of a supplementary (“ gist-based ”) information leaflet on colorectal cancer knowledge and screening intention : a randomized controlled trial, *J Behav Med*, 38, 261–272.
- Soeharyo, H., Margawati, A., Setyawan, H. (2002). Aspek sosio-kultural pada program penanggulangan GAKY, *Jurnal GAKY Indonesia*, 1(1), 41–48.
- Solhi, M., Zadeh, D. S., Seraj, B., Zadeh, S. F., (2010). The application of the health belief model in oral health education, *Iranian Journal of Public Health*, 39(4), 114–119.
- Souza, D., Maria, T., Moreira, M., Souza, E., *et al.*, (2016). Effectiveness of Educational Technology in Promoting Quality of Life and Treatment Adherence in Hypertensive People, *Plos One*, 1–10.
- Sudjana, N., (2002). *Dasar-Dasar Proses Belajar Mengajar*, Bandung: Sinar Baru Algesindo.
- Sudo, N., (2011). Developing an Alcohol Education Leaflet for Pregnant Women Using Qualitative and Quantitative Data, *Clinical Medicine Insights: Women’s Health*, 4, 17–23.
- Sudo, N., (2011). Characteristics of educational leaflets that attract pregnant women’, *Health Service Insights*, 4, 1–10.
- Suratman, S., Ross, K. E., Edwards, J. W. (2016). The effectiveness of an educational intervention to improve knowledge and perceptions for reducing organophosphate pesticide exposure among Indonesian and South Australian migrant farmworkers, *Risk Management and Healthcare Policy*, 9:1–12.
- Suryosubroto., (2002). *Proses belajar mengajar di sekolah*. Jakarta: Rineka Cipta.
- Tabrizi, A., Pourfeizi, H. H., Aslani, H., Elmi, A., M., *et.al.*, (2016). Effect of small group discussion in residency education versus conventional education’, *Research and Development in Medical Education*, 5(1), 47–49.
- Takeuchi, S., Horiuchi, S., (2016). Randomised controlled trial using smartphone website vs leaflet to support antenatal perineal massage practice for pregnant women, *Women and Birth*. Australian College of Midwives, 29(5), 430–435.
- Tarkang, E. E., Zotor, F. B., (2015). Application of the Health Belief Model (HBM) in HIV prevention: A Literature Review, *Central African Journal of Public Health*, 1(1), 1–8.
- Thaha, A. R., Dachlan, D. M., Jafar, N., (2002). Analisis faktor risiko coastal goiter, *Jurnal GAKY Indonesia (Indonesia Journal of IDD)*, 1(1), 9–20.
- Thomas, J., Harden, A., (2008). Methods for the thematic synthesis of qualitative research in systematic reviews, *BMC Medical Research Methodology*, 8(1), 45.
- Watson-johnson, L. C., Bhagatwala, J., Reyes-garcia, C., Mason, M., *et.al.*, (2013). Refinement of an educational toolkit to promote cervical cancer screening among hispanic immigrant women in rural Southern Georgia, *J*

Health Care Poor Underserved, 23(4), 1–7.

- Workie, S. B., Abebe, Y. G., Gelaye, A. A., Mekonen, T. C. (2017). Assessing the status of iodine deficiency disorder (IDD) and associated factors in Wolaita and Dawro Zones School Adolescents, southern Ethiopia, *BMC research notes*. BioMed Central, 10(1), 156.
- World Health Organization [WHO], (2007). *Assessment of iodine deficiency disorders and monitoring their elimination*. France: WHO.
- World Health Organization [WHO], (2012). *Health education: theoretical concepts, effective strategies and core competencies*. Cairo: WHO.
- Yusup, P., M., (1990). *Komunikasi Pendidikan dan Komunikasi Instruksional*. Bandung:Remaja Rosdakarya.
- Zimmerman, M., Newton, N., Frumin, L., Wittet, S., (1996). *Developing health and family planning materials for low literate audiences: a guide*. Program for Appropriate Technology in Health (PATH).
- Zimmermann, M. B., (2012). The Effects of Iodine Deficiency in Pregnancy and Infancy', *Pediatric and Perinatal Epidemiology*, 26(Suppl.1), 108–117.