

## DAFTAR PUSTAKA

- Amir, M., Kumar, H., and Khan, S.A., 2008, Synthesis and pharmacological evaluation of pyrazoline derivatives as new anti-inflammatory and analgesic agents, *Bioorg. Med. Chem.*, 18(3), 918-922.
- Andrea, S.D., Zheng, Z.B., DenBleyker, K., Fung-Tomc, J.C., Yang, H., and Clark, J., 2005, Synthesis and antibacterial activity of dihydro-1,2-oxazine and 2-pyrazoline oxazolidinones: novel analogs of linezolid, *Bioorg. Med. Chem.*, 15, 2834-2839.
- Babu, V.H., Sridevi, C.H., Joseph, A., and Srinivasan, K.K., 2007, Synthesis and biological evaluation of some novel pyrazolines, *Indian J. Pharm. Sci.*, 69(3), 470-473.
- Baser, M., Ansari, F. L., and Ashraf, Z., 2013, Synthesis, In Vitro Antibacterial and Antifungal Activity of Some *N*-acetylated and non-acylated Pyrazolines, *J. Pharm. Sci.*, 26(1), 67-73.
- Bhuiyan., M.M.H., Hossain, M.I., Mahmud M.D.M., and Al-Amin, M., 2011, Microwave-assisted Efficient Synthesis of Chalcones as Probes for Antimicrobial Activities, *J. Chem.*, 3(2), 2465-2479.
- Budavari, S., 1996, *The Merck Index, An Encyclopedia of Chemicals, Drugs, and Biological*. 12th Edition, Merck & Co Inc., New Jersey.
- Cianci, J., Baell, J.B., Flynn, B.L., Gable, R.W., Mould, J.A., Paul, D., and Harvey, A.J., 2008, Synthesis and Biological Evaluation of Chalcones as Inhibitors of The Voltagegated Potassium Channel Kv1.3, *Bioorg. Med. Chem. Lett.*, 18, 2055-2061.
- Costa, D., Marques, A.P., Reis, R.L., Lima, J.L., and Fernandes, E., 2006, Inhibition of Human Neutrophil Oxidative Burst by Pyrazoline Derivatives, *Free Radic. Biol. Med.*, 40, 632-40.
- Dipankaar, B., Panneerselvam, P., and Asish, B., 2012, Synthesis, Characterization and Evaluation of Analgesic, Anti-Inflammatory Ulcerogenic Potential of Some 2-Pyrazoline Derivatives, *Der. Pharma. Chemica.*, 4(4), 1678-1688.
- Divekar, K., Shivakumar, S., and Murugan, V., 2014, Synthesis, Characterization and Anticancer Activity of Some Novel Pyrazoline Derivatives, *Int. J. Pharm. Phytopharmacol*, 3(6), 447-450.
- Hastuti, N., 2017, Sintesis Senyawa N-hidrogen Pirazolina dari Bahan Dasar *p*-anisaldehida dan 2,4-dihidroksiasetofenon serta Uji Sitotoksitasnya terhadap Beberapa Sel Kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Holick, M.F., MacLaughlin, J.A., Clark, M.B., and Holock, S.A., 1980, Photosynthesis of Previtamin D3 in Human Skin and The Physiologic Consequences, *Science*, 210, 203-205.
- Hurrell, R. 2003. Influence of vegetable protein sources on trace element and mineral bioavailability. *J. Nutr.*, 133 (9), 2973–2977.
- Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., Robledo, S., Vélez, I.D., Upegui, Y., Nogueras, M., and Cobo, J., 2013, Synthesis of Novel Analogs of 2-pyrazoline Obtained from (7-chloroquinolin-4-yl) amino Chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252-262.
- Isnindar, Wahdaningsih, S., and Pratiwi, D., 2011, The Test of Antioxidant Activity From Bawang Mekah Leaves (*Eleutherine Americana* Merr.) Using DPPH (2,2-Diphenyl-1-Picrylhydrazyl) Method, *Trad. Med. J.*, 18(1), 9-16.
- Kedare, S.B., and Singh, R.P., 2011, Genesis and Development of DPPH Method of Antioxidant Assay : Review, *J. Food Sci. Technol.*, 48, 412-422.
- Kim, B.T., Joong, O.K., Chul, J., and Hwang, K.J., 2008, Synthesis of Dihydroxylated Chalcone Derivatives with Diverse Substitution Patterns and Their Radical Scavenging Ability toward DPPH Free Radical, *Bull. Korean Chem. Soc.*, 29(6), 1125-1130.
- Kucukguzel, G., and Rollas, S., 2002, Synthesis, characterization of novel coupling products and 4-Arylhidrazono-2-pyrazoline-5-ones as potential antimycobacterial agents, *Farmaco.*, 57(7), 583-587.
- Kumar, A., Varadaraj, B.G., and Singla, R.K., 2013, Synthesis and Evaluation of Antioxidant Activity of Novel 3,5-disubstituted-2-pyrazolines, *Bull. Fac. Pharm.*, 51, 167-173.
- Kumar, S.K., Hager, E., Pettit, C., Gurulingappa, H., Davidson, N.E., and Khan, S.R., 2003, Design, Synthesis and Evolution of Novel Boronicchalcone Derivatives as Antitumor Agents, *J. Med. Chem.*, 46, 2813–2815.
- Kusumaningsih, T., 2000, Derivatisasi Anetol Hasil Isolasi Minyak Adas, *J. Teknosains.*, 13(2), 247-261.
- Manna, F., Chimenti, F., Fioravanti, R., Bolasco, A., Secci, D., Chimenti, P., Ferlini, C., and Scambia G., 2005, Synthesis of Some Pyrazole Derivatives and Preliminary Investigation of Their Affinity Binding to P-glycoprotein, *Bioorg. Med. Chem.*, 15, 4632-4635.
- Mansur, J.S., Breder, M.N.R., Mansur, M.C.A., and Azulay, R.D., 1986, Determinação do fator de proteção solar por espectrofotometria, *An. Bras. Dermatol.*, 61, 121-124.

- Matts, P., Alard, V., Brown, M.W., and Wolber, R., 2006, The COLIPA in vitro UV A Methode: A Standard and reproducable measure of Sunscreen UV A Protection, *Int. J. Cosmet. Sci.*, 32(1), 35-46.
- McMurry, J., 2010, *Organic Chemistry*, 8th Edition, Brooks/Cole Publishing Company, California.
- Meo, F.D., Lemaur, V., Cornil, J., Lazzaroni, R., Duroux, J.L., Olivier, Y., and Trouillas, P., 2013, Free Radical Scavenging by Natural Polyphenols: Atom Versus Electron Transfer, *J. Phys. Chem.*, 117, 2082-2092.
- Molyneux, P., 2004, The Use of Stable Free Radical Diphenylpicrylhydrazin (DPPH) for Estimating Antioxidant Activity, *J.Sci. Tech.*, 2, 211-219.
- Narsinghani, T., Sharma, M.C., and Bhargav, S., 2013, Synthesis, Docking Studies and Antioxidant Activity of Some Chalcone and Aurone Derivatives, *Med. Chem. Res.*, 22, 4059-4068.
- Nugroho, A.E., 2007, Penetapan aktivitas antioksidan dehidrozingeron melalui penangkapan radikal hidroksi dengan metode deoksiribosa, *Majalah Farmasi Indonesia*, 17 (3), 116-122.
- Oroh, E. dan Harun, E.S., 2001, Tabir Surya (Sunscreen), *Period. Dermatol. Venereol.*, 13, 36-44.
- Palaska, E., Aytemir, M., Uzbay, T., and Erol, D., Synthesis and antidepressant activities of some 3,5-diphenyl-2-pyrazolines, *Eur. J. Med. Chem.*, 36(6), 539-543.
- Parrish, J., Jaenicke, K., and Anderson, R., 1982, Erythema and Melanogenesis Action Spectra of Normal Human Skin, *J. Photochem. Photobiol.*, 36, 187-191.
- Patil, C.B., Mahajan, S.K., and Katti, S.A., 2009, Chalcone: A Versatile Molecule, *J. Pharm. Sci. Res.*, 1(13), 11-12.
- Phaniendra, A., Jestadi, D.B., and Periyasamy, L., 2015, Free Radicals: Properties, Sources, Target, and Their Implication in Various Diseases, *Ind. J. Clin. Biochem.*, 30(1), 11-26.
- Pinasti, K.R., 2016, Sintesis *N*-Asetil Pirazolina Berbahan Dasar 2,4-dihidroksiasetofenon dan *p*-anisaldehida serta sitotoksitasnya terhadap beberapa sel kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Prakosa, A.H., Pamungkas, I.D., dan Ikhsan, D., 2013, Pengaruh Waktu Pada Penyulingan Minyak Adas (Fennel Oil) Dari Biji Daun Adas Dengan Metode Uap dan Air, *J. Food Tech. Ind.*, 2(2), 14-17.

- Prasad, Y.R., Rani, V.J., and Rao, A.S., 2013, *In vitro* Antioxidant Activity and Scavenging Effects of Some Synthesized 4'-Aminochalcones, *Asian J. Chem.*, 25(1), 52-58.
- Radhakrishnan, S., Shimmon, R., Conn, C., and Baker, A., 2015, Design, Synthesis and Biological Evaluation of Hydroxy Substitued Amino Chalcone Compounds for Antityrosinase Activity in B16 Cells, *Bioorg. Chem.*, 62, 117-123.
- Rahman, M.A., 2011, Chalcone: A Valuable Insight into The Recent Advances and Potential Pharmacological Activities, *Chem. Sci. J.*, 29, 1-16.
- Riset Kesehatan Dasar (Riskesdas), 2013, *Badan Penelitian Kesehatan Kementerian RI 2013*, Departemen Kesehatan RI, Jakarta.
- Rita, A., Tania, S.U., Heri, H., Albana, A.M., dan Rini, R., 2009, Produksi antioksidan dari daun simpur (*Dillenia indica*) menggunakan metode ekstraksi tekanan tinggi dengan sirkulasi pelarut, *Prosiding Seminar Nasional Teknik Kimia Indonesia*, 19-20 Oktober 2009, Bandung.
- Rodrigo, N.C., Santos, D.T., and Meireles, M.A.A., (2011), Non-thermal Stabilization Mechanism of Anthocyanins in Model and Food Systems-an Overview, *Food Res. Int.* 44(2), 499-509.
- Rohdiana, D., 2001, Aktivitas Daya Tangkap Radikal Polifenol Dalam Daun Teh, *Majalah Jurnal Indonesia*, 12(1), 53-58.
- Setha, B., Gaspersz, F., Fidors, A.P.S., Rahman, S., and Mailda, M.N., 2013, Potential of Seweed *Padina sp.* As a Source of Antioxidant, *Int. J. Sci. Tech. Res.*, 26, 221-224.
- Sharma, M., Sharma, S., Buddhiraja, A., Saxena, A.K., Nepali, K., and Bedi, P.M.S., 2014, Synthesis and Cytotoxicity Studies of 3,5-diaryl *N*-acetylpyrazoline-istain Hybrids, *Med. Chem. Res.*, 23, 4337-4344.
- Sharshira, E.M., and Hamada, N.M.M., 2011, Synthesis and In Vitro Antimicrobial Activity of Some Pyrazolyl-1-Carboxamide Derivatives, *J. Mol. Biol.*, 16, 7736-7754.
- Silverstein, R.M., Webster, F.X., and Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compound*, John Wiley & Son Inc., New York.
- Singh, P., Negi, J.S., Singh, K., Pant, G.J., Rawat, M.S.M., and Joshi, G.C., 2012, Synthesis and Structure Deopendent Photophysical Properties of Novel 2-pyrazolines, *J. Struc. Mech.*, 162, 1977-1980.

- Soeratri, W., 2001, *Studi Proteksi Radiasi UV Sinar Matahari Tahap 1 : Studi Efektivitas Protaktor Kimia*, Lembaga Penelitian Universitas Airlangga, Surabaya.
- Soeratri, W., Hadinoto, I., dan Anastasia, T., 1993, Penentuan Nilai SPF In-Vitro Sediaan Krim Tabir Matahari Etilheksil-pmetoksisinamat dan Oksibenson, *Majalah Farmasi Airlangga*, 17-25.
- Sohn, M., Herzog, B., Osterwalder, U., and Imanidis, G., 2016, Calculation of the Sun Protection Factor of Sunscreens with Different Vehicles Using Measured Film Thickness Distribution-Comparison with the SPF *In Vitro*, *J. Photochem. Photobiol. B.*, 159, 74-81.
- Styaningrum, R.W., 2016, Sintesis Turunan Kalkon dan Uji Aktivitasnya Sebagai Senyawa Tabir Surya, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Sulpizio, C., Roller, A., Giester, G., and Rompel, A., 2016, Synthesis, structure, and antioxidant activity of methoxy- and hydroxyl-substituted 2'-aminochalcones, *Monatsh Chem.*, 147, 1747-1757.
- Susanti, E.V.H., 2016, Sintesis Senyawa Khalkon dan Flavon dari Vanilin Sebagai Antioksidan dan Antibakteri, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Suslick, K., and Price, G., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 29, 295-326.
- Taufikkurohmah, T., 2005, Synthesis of *p*-Methoxy-Cynamil-*p*-Methoxycinamate from Ethyl *p*-Methoxycinamate was Isolated from Dried *Rizhome Kaempferia galanga L* as Sunscreen Compound, *Indo. J. Chem.*, 5(3), 193-197.
- Tiwari, B., Pratapwar, A.S., Tapas, A.R., Butle, S.R., and Vatkar, B.S., 2010, Synthesis and Antimicrobial Activity of Some Chalcone Derivatives, *Int. J. Chem. Tech. Res.*, 2(1), 499-503.
- Trenggono, R.I.S., Latifah, F., dan Djajadisastra, J., 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Gramedia Pustaka Utama, Jakarta.
- Venkatachalam, H., Nayak, Y., and Jayashree, B.S., 2012, Synthesis, Characterization and Antioxidant Activities of Synthetic Chalcones and Flavones, *APCBEE Procedia*, 3, 209-213.
- Wahyuningsih, T.D., Kurniawan, Y.S., and Pinasti, K.R., 2018, Synthesis and Biological Assay of Hydroxy Chalcone and *N*-acetyl Pyrazoline Derivatives as Sunscreen and Antioxidant Agents, *unpublish result*.

- Wati, A., 2016, Sintesi *N*-asetil Pirazolina Berbahan Dasar Veratraldehida dan 2-Hidroksiasetofenon Serta Selektivitasnya Terhadap Beberapa Sel Kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Wibowo, A.R., 2017, Sintesis Senyawa *N*-Hidrogen Pirazolina Berbahan Dasar Asetofenon dan *p*-anisaldehida serta Sitotoksitasnya terhadap Beberapa Sel Kanker, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Wilkinson, J.B., and Moore, R.J., 1982, *Harry's Cosmeticology*, 7th Edition, Chemical Publishing Company, New York.
- Wu, C.Q., Chen, F., Wang, X., Kim, H.J., He, G.Q., Halezitlin, V., and Huang, G., 2009, Antioxidant Constituents in Feverfer (*Tanacetum parthenium*) Extract and Their Chromatographic Quantification, *Food Chem.*, 96, 220-227.
- Yadav, R.C., Sharma, P.K., and Singh, J., 2013, Synthesis and Biological Activity of 4"-substituted-2-(4'-formyl-3'-phenylpyrazole)-4-phenyl thiazole, *J. Chem. Pharm. Res.*, 5, 78-84.
- Yuswantina, R., 2009, Uji Aktivitas Penangkap Radikal dari Ekstrak Petroleum Eter, Etil Asetat dan Etanol Rhizoma Binabong (*Anredera cordifolia* (Tenor) Steen) dengan Metode DPPH, *Skripsi*, Fakultas Pertanian UNS, Surakarta.
- Zangade, S., Mokle, S., Vibhute, A., and Vibhute, Y., 2011, an Efficient and Operationally Simple Synthesis of Some New Chalcone by Using Grinding Technique, *Chem. Sci. J.*, 13, 1-6.
- Zuhra, C.F., Tarigan, J., dan Sihotang, J., 2008, Aktivitas Antioksidan Senyawa Flavonoid dari Daun Katuk (*Sauropus androgynus* (L) Merr.), *J. Biologi Sumatra*, 3 (1), 7-10.