

DAFTAR PUSTAKA

- Agarwal, G., Pradeep, P.V., Aggarwal, V., Yip, C.-H., Cheung, P.S.Y., 2007. Spectrum of Breast Cancer in Asian Women. *World Journal of Surgery*, 31, pp.1031–1040.
- Ardiana, Negara, H.W., Sutisna, M. 2013. Analisis Faktor Risiko Reproduksi yang Berhubungan dengan Kejadian Kanker Payudara pada Wanita. *Jurnal Keperawatan Padjajaran*, 1(2), pp.107–111.
- CDC. 2015. *What is breast cancer*. [ONLINE] Available from: URL: https://www.cdc.gov/cancer/breast/basic_info/what-is-breast-cancer.htm (diakses tanggal 6 Mei 2018).
- Brandt, J., Garne, J.P., Tengrup, I., Manjer, Jonas., 2015. Age at diagnosis in relation to survival following breast cancer: a cohort study. *World Journal of Surgical Oncology*, 13, pp.33.
- Chen, F., Zhou, J., Xue, Y., Yang, S., Xiong, M., Li, Y. *et al.*, 2014. A single nucleotide polymorphism of the TNRC9 gene associated with breast cancer risk in Chinese Han women. *Genetics and Molecular Research*, 13(1), pp.182–187.
- Chen, Y., Shi, C., Guo, Q., 2016. TNRC9 rs12443621 and FGFR2 rs2981582 polymorphisms and breast cancer risk. *World Journal of Surgical Oncology*, 14, pp.50.
- Cowper-Sallari, R., Zhang, X., Wright, J. B., Bailey, S. D., Cole, M. D., Eekhout, J. *et al.*, 2012. Breast cancer risk-associated SNPs modulate the affinity of chromatin for FOXA1 and alter gene expression. *Nature Genetics*, 44(11), pp.1191–1198.
- Dittmer, S., Kovacs, Z., Yuan, S.H., Siszler, G., Kogl, M., Summer, H. *et al.*, 2011. TOX3 is a neuronal survival factor that induces transcription depending on the presence of CITED1 or phosphorylated CREB in the transcriptionally active complex. *Journal of Cell Science*, 124, pp.252–260.
- Easton, D.F., Pooley, K.A., Dunning, A.M., Pharoah, P.D.P., Thompson, D., Ballinger, D.G. *et al.*, 2007. Genome-wide association study identifies novel breast cancer susceptibility loci. *Nature*, 447(7148), pp.1087– 1093.
- Elematore, I., Gonzalez-Hormazabal, P., Reyes, J.M., Blanco, R., Bravo, T., Peralta, O. *et al.*, 2014. Association of genetic variants at TOX3, 2q35 and 8q24 with the risk of familial and early-onset breast cancer in a South-American population. *Molecular Biology Reports*, 41, pp.3715-3722.
- Gabriel, C. A., Domchek, S. M. (2010). Breast cancer in young women. *Breast Cancer Research : BCR*, 12(5), pp.212.
- Gudmundsdottir, E.T., Barkardottir, R.B., Arason, A., Gunnarsson, H., Amundadottir, L.T., Agnarsson, B.A. *et al.*, 2012. The risk allele of SNP

- rs3803662 and the mRNA level of its closest genes TOX3 and LOC643714 predict adverse outcome for breast cancer patients. *BMC Cancer*, 12, pp.621.
- Han, C.C., Yue, L.L., Yang, Y., Jian, B.Y., Ma, L.W., Liu, J.C., 2016. TOX3 protein expression is correlated with pathological characteristics in breast cancer. *Oncology Letters*, 11, pp.1762–1768.
- Han, Y.J., Zhang, J., Zheng, Y., Huo, D., Olopade, O.I., 2016. Genetic and Epigenetic Regulation of TOX3 Expression in Breast Cancer. *PLoS One*, 11(11).
- Harlid, S., Ivarsson, M.I.L., Butt, S., Grzybowska, E., Eyfjörd, J.E., Lenner, P. *et al.*, 2012. Combined effect of low-penetrant SNPs on breast cancer risk. *British Journal of Cancer*, 106(2), pp.389–396.
- Harris, J.R, editors. 2014. *Diseases of the breast*. 5th ed., Philadelphia: Wolters Kluwer Health.
- He, X., Yao, G., Li, F., Li, M., Yang, X., 2014. Risk-Association of Five SNPs in TOX3/LOC643714 with Breast Cancer in Southern China. *International Journal of Molecular Sciences*, 15, pp.2130–2141.
- Hutter, C. M., Young, A. M., Ochs-Balcom, H. M., Carty, C. L., Wang, T., Chen, C. T. L. *et al.*, 2011. Replication of breast cancer GWAS susceptibility loci in the Women’s Health Initiative African American SHARe study. *Cancer Epidemiology, Biomarkers & Prevention : A Publication of the American Association for Cancer Research, Cosponsored by the American Society of Preventive Oncology*, 20(9), pp.1950–1959.
- John Hopkins Pathology. 2012. Types of breast cancer. [ONLINE] Available at: <http://pathology.jhu.edu/breast/types.php>. [Accessed 6 May 2018].
- Karp, G.C., 2013. *Cell and Molecular Biology: Concepts and Experiments*. 7th ed. United State of America: John Wiley and Sons, Inc.
- Kim, H.C., Lee, J.Y., Sung, H., Choi, J.Y., Park, S.K., Lee, K.M. *et al.*, 2012. A genome-wide association study identifies a breast cancer risk variant in ERBB4 at 2q34: results from the Seoul Breast Cancer Study. *Breast Cancer Research*, 14(2), R56.
- King, R.J.B., Robins, M.W., 2006. *Cancer Biology*. 3rd edn. Edinburgh: Pearson Education Limited.
- Klauber-DeMore, N., 2006. Tumor Biology of Breast Cancer in Young Women. *Breast Disease*, 23, pp.9–15.
- Latif, A., Hadfield, K.D., Roberts, S.A., Shenton, A., Lalloo, F., Black, G.C.M. *et al.*, 2010. Breast cancer susceptibility variants alter risks in familial disease. *Journal of Medical Genetics*, 47, pp.126–131.
- Li, L., Zhou, X., Huang, Z., Liu, Z., Song, M., Guo, Z., 2009. TNRC9/LOC643714 polymorphisms are not associated with breast cancer risk in Chinese women. *European Journal of Cancer Prevention*, 18(4), pp.285–290.
- Liang, J., Chen, P., Hu, Z., Shen, H., Wang, F., Chen, L. *et al.*, 2010. Genetic variants in trinucleotide repeat-containing 9 (TNRC9) are associated with risk of estrogen receptor positive breast cancer in a Chinese population. *Breast Cancer Research and Treatment*, 124(1), pp.237–241.

- Margolis, R.L., Abraham, M.R., Gatchell, S.B., Li, S.-H., Kidwai, A.S., Breschel, T.S. *et al.*, 1997. cDNAs with long CAG trinucleotide repeats from human brain. *Human Genetics*, 100, pp.114-122.
- Mavaddat, N., Antoniou, A.C., Easton, D.F., Garcia-Closas, M., 2010. Genetic susceptibility to breast cancer. *Molecular Oncology*, 4(3), pp.174–191.
- Mazhar, A., Jamil, F., Bashir, Q., Ahmad, M.S., Masood, M., Tanvir, I. *et al.*, 2016. Genetic variants in FGFR2 and TNRC9 genes are associated with breast cancer risk in Pakistani women. *Molecular Medicine Reports*, 14(4), pp.3443–3451.
- Mizoo, T., Taira, N., Nishiyama, K., Nogami, T., Iwamoto, T., Motoki, T. *et al.*, 2013. Effects of lifestyle and single nucleotide polymorphisms on breast cancer risk: a case–control study in Japanese women. *BMC Cancer*, 13, pp.565.
- O’Flaherty, E., Kaye, J., 2003. TOX defines a conserved subfamily of HMG-box proteins. *BMC Genomics*, 4, pp.13.
- Peto, J., Collins, N., Barfoot, R., Seal, S., Warren, W., Rahman, N. *et al.*, 1999. Prevalence of BRCA1 and BRCA2 Gene Mutations in Patients With Early-Onset Breast Cancer. *Journal of the National Cancer Institute*, 91(11), pp. 943–949.
- Purnomosari, D., Pals, G., Wahyono, A., Aryandono, T., Manuaba, T. W., Haryono, S. J., & van Diest, P. J. (2007). BRCA1 and BRCA2 germline mutation analysis in the Indonesian population. *Breast Cancer Research and Treatment*, 106(2), pp.297–304.
- Pusdatin. 2016. *InfoDatin Bulan Peduli Kanker Payudara*. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI. [ONLINE] diakses melalui: URL: http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/InfoDatin%20Bulan%20Peduli%20Kanker%20Payudara_2016.pdf (diakses tanggal 10 April 2018).
- Rahmawati, Y., Setyawati, Y., Widodo, Irianiwati, W., Ghozali, A., Purnomosari, D., 2018. Molecular Subtypes of Indonesian Breast Carcinomas - Lack of Association with Patient Age and Tumor Size. *Asian Pacific Journal of Cancer Prevention : APJCP*, 19(1), pp.161–166.
- Ruiz-Narváez, E.A., Rosenberg, L., Cozier, Y.C., Cupples, L.A., Adams-Campbell, L.L., Palmer, J.R., 2010. Polymorphisms in the TOX3/LOC643714 Locus and Risk of Breast Cancer in African-American Women. *Cancer Epidemiology Biomarkers & Prevention*, 19(5), pp.1320–1327.
- Seksenyan, A., Kadavallore, A., Walts, A.E., de la Torre, B., Berel, D., Strom, S.P. *et al.*, 2015. TOX3 is expressed in mammary ER+ epithelial cells and regulates ER target genes in luminal breast cancer. *BMC Cancer*, 15, pp.22.
- Shan, J., Mahfoudh, W., Dsouza, S. P., Hassen, E., Bouaouina, N., Abdelhak, S. *et al.*, 2012. Genome-Wide Association Studies (GWAS) breast cancer susceptibility loci in Arabs: susceptibility and prognostic implications in Tunisians. *Breast Cancer Research and Treatment*, 135(3), pp.715-724.

- Shan, J., DSouza, S.P., Bakhru, S., Al-Azwani, E.K., Ascierto, M.L., Sastry, K.S. *et al.*, 2013. TNRC9 Downregulates BRCA1 Expression and Promotes Breast Cancer Aggressiveness. *Cancer Research*, 73(9), pp.2840–2849.
- Shi, M., O'Brien, K. M., Sandler, D. P., Taylor, J. A., Zaykin, D. V., Weinberg, C. R., 2017. Previous GWAS Hits in Relation to Young-onset Breast Cancer. *Breast Cancer Research and Treatment*, 161(2), pp.333–344.
- Sinaga, E.S., Ahmad, R.A., Hutajulu, S.H., 2017. Analisis ketahanan hidup 5 tahun pada pasien kanker payudara di RS Sardjito provinsi Yogyakarta, Indonesia. *Berita Kedokteran Masyarakat*, 33(2), pp.67-72.
- Slattery, M.L., Baumgartner, K.B., Giuliano, A.R., Byers, T., Herrick, J.S., Wolff, R.K., 2011. Replication of five GWAS-identified loci and breast cancer risk among Hispanic and non-Hispanic white women living in the Southwestern United States. *Breast Cancer Research and Treatment*, 129(2), pp.531–539.
- Smid, M., Wang, Y., Klijin, J.G., Sieuwerts, A.M., Zhang, Y., Atkins, D. *et al.*, 2006. Genes Associated With Breast Cancer Metastatic to Bone. *Journal of Clinical Oncology*, 24(15), pp.2261-2267.
- Stacey, S.N., Manolescu, A., Sulem, P., Rafnar, T., Gudmundsson, J., Gudjonsson, S.A. *et al.*, 2007. Common variants on chromosomes 2q35 and 16q12 confer susceptibility to estrogen receptor–positive breast cancer. *Nature Genetics*, 39(7), pp.865–869.
- Stratton, M.R. & Rahman, N., 2008. The emerging landscape of breast cancer susceptibility. *Nature Genetics*, 40(1), pp.17–22.
- Tang, J., Li, H., Luo, J., Mei, H., Peng, L., Li, X., 2016. TOX3 rs3803662 C > T polymorphism contributes to breast cancer susceptibility in the Chinese population: evidence from 12,800 cases and 11,550 controls, *International Journal of Clinical and Experimental Pathology*, 9(10), pp.10398-10405.
- Teo, S.Y., Chuwa, E., Latha, S., Lew, Y.L., Tan, Y.Y., 2014. Young Breast Cancer in a Specialised Breast Unit in Singapore: Clinical, Radiological and Pathological Factors, *Annals Academy of Medicine Singapore*, 43(2), pp.79-85.
- ThermoFisher Scientific. *n.d.* *How TaqMan SNP Genotyping Assays Work*. [ONLINE] Available from: URL: <https://www.thermoFisher.com/id/en/home/life-science/pcr/real-time-pcr/real-time-pcr-learning-center/genotyping-analysis-real-time-pcr-information/how-taqman-snp-genotyping-assays-work.html> (diakses tanggal 31 Juli 2018).
- Torre, L.A., Bray, F., Siegel, R.L., Ferlay, J., Lortet-Tieulent, J., Jemal, A., 2015. Global cancer statistics, 2012. *CA: A Cancer Journal for Clinicians*, 65(2), pp.87–108.
- Udler, M.S., Ahmed, S., Healey, C.S., Meyer, K., Struwing, J., Maranian, M. *et al.*, 2010. Fine scale mapping of the breast cancer 16q12 locus. *Human Molecular Genetics*, 19(12), pp.2507–2515.
- Ueda, T., Yoshida, M., 2010. HMGB proteins and transcriptional regulation. *Biochimica et Biophysica Acta*, 1799(1-2), pp.114–118.

- Voduc, K.D., Cheang, M.C., Tyldesley, S., Gelmon, K., Nielsen, T.O., Kennecke, H., 2010. Breast Cancer Subtypes and the Risk of Local and Regional Relapse. *Journal of Clinical Oncology*, 28(10), pp.1684-1691.
- Youlten, D.R., Cramb, S.M., Yip, C.H., Baade, P.D., 2014. Incidence and mortality of female breast cancer in the Asia-Pacific region. *Cancer Biology & Medicine*, 11(2), pp.101–115.
- Yuan, S.H., Qiu, Z., Ghosh, A., 2009. TOX3 regulates calcium-dependent transcription in neurons. *Proceedings of the National Academy of Sciences*, 106(8), pp.2909–2914.
- Zhang, L., Long, X., 2015. Association of three SNPs in TOX3 and breast cancer risk: Evidence from 97275 cases and 128686 controls. *Scientific Reports*, 5, pp.127