

## DAFTAR PUSTAKA

- Bae, G.Y., Min, B.G., Jeong, Y.G., Lee, S.C., Jang, J.H., and Koo, G.H., 2009, Superhydrophobicity of cotton fabrics treated with silica nanoparticles and water-repellent agent, *J. Colloid Interface Sci.*, 337, 170–175.
- Barthlott, W. and Neinhuis, C., 1997, Purity of the sacred lotus, or escape from contamination in biological surfaces, *Planta*, 202, 1–8.
- Bhushan B., Nosonovsky M., and Jung Y., 2008, *Lotus Effect: Roughness-Induced Superhydrophobic Surfaces. In: Nanotribology and Nanomechanics*, Springer, Berlin
- Brassard, J., Sarkar, D.K., and Perron, J., 2012, Fluorine Based Superhydrophobic Coatings, *App. Sci.*, 2, 453-464.
- Bravo, J., Zhai, L., Wu, Z., Cohen, R.E., and Rubner, M.F., 2007, Transparent superhydrophobic films based on silica nanoparticles, *Langmuir*, 23, 7293-7298.
- Brinker, C.J., 1988, Hydrolysis and Condensation of Silicates ; Effects on Structure, *J. non-cryst. Solids*, 100, 31-50.
- Broda, M., Mazela, B., and Radka, K., Methyltrimethoxysilane as a stabilizing agent for archaeological waterlogged wood differing in the degree of degradation, *J. CulHer*, 3435, 11-21.
- Budunoglu, H., Yildirim, A., and Bayindir, M., 2012, Flexible and mechanically stable antireflective coatings from nanoporous organically modified silica colloids, *J.Mater.Chem.*, 22, 9671 – 9677.
- Buvailo, A., Xing, Y., Keuleyan, S., Prakash, V., Eftekhari-Bafrooei, A., and Borguet, E., 2010, *J. Chem.Educ.*, 87, 1403-1407.
- Cai, S., Zhang Y., Zhang, H., Yan, H., Haibing, and Jiang, B., 2014, Sol gel preparation of hydrophobic silica antireflective coatings with low reflective index by base/acid two step catalysis, *Appl. Mater. Interface*, 6, 11470 – 11475.
- Cassie, A. B. D. and Baxter, S., 1944, Wettability of porous surfaces, *Trans faraday Soc.*, 40, 546 – 551.

- Duraes, L., Maia, A., and Portugal, A., 2015, Effect of Additive on the Properties of Silica Based Aerogels Synthesized from Methyltrimethoxysilane (MTMS), *J. Supercrit. Fluids*, 106, 85-92.
- Ebert, D., and Bhushan, B., 2012, Durable Lotus-effect surface with hierarchical structure using micro and nanosized hydrophobic silica particles, *J. Colloid Interf. Sci.*, 368, 584-591.
- Fei, T., Chen, H., and Lin, J., 2014, Transparent Superhydrophobic Films Possessing High Thermal Stability and Improved Moisture Resistance From The Deposition of MTMS-based Aerogels, *Colloids and Surf. A: Physicochem. Eng. Aspects*, 443, 255-264.
- Feng, L., Li, S., Li Y., Li H., Zhang L., Zhai J., Song Y., Liu B., Jiang L., and Zhu D., 2002, Super-Hydrophobic surfaces : from natural to artificial, *Adv. Mater.*, 24, 1857-1860.
- Gennes, P.D., 1985, Wetting: Statics and Dynamics, *Rev. Mod. Phys.*, 3, 827-863.
- Guo, Z., Liu, W., and Su, B., 2011, Superhydrophobic Surface: From Natural to Biomimetic to Functional, *J. Colloid Interface Sci.*, 353, 335-355.
- He Bo, Lee, J. and Patankar, N.A., 2004, Contact angle hysteresis on rough hydrophobic surfaces, *Colloids Surf., A: Physicochemical and Engineering Aspect*, 248, 1-3.
- Hegde, N.D. and Rao, A.V., 2006, Organic modification of TEOS based silica aerogels using hexadecyltrimethoxysilane as hydrophobic reagent, *Appl. Surf. Sci.*, 253, 1566-1572.
- Jiaqiang, Jin, Y., Deng, Y., Zuo, W., Zhao, X., Han, D., Peng, Q., and Zhang, Z., 2018, Wetting Models and Working Mechanisms of Typical Surfaces Existing in Nature and Their Application on Superhydrophobic Surfaces: A Review, *Adv. Mater. Interfaces*, 5, 1-39.
- Kijlstra J, Reihns K, and Klami A, 2001, Roughness and Topology of Ultra-Hydrophobic surfaces, *Colloids and Surfaces A: Physicochem. Eng. Aspects*, 206, 521-529.
- Kulinich, S.A., and Farzaneh, M., Hydrophobic Properties of Surface Coated with Fluoroalkylsiloxane and Alkylsiloxane Monolayers, 2004, *Surf. Sci.*, 573, 379-390.

- Kumar, D., Wu, X., Fu, Q., Ho, J.W.C., Kanhere, P.D., Li, L., and Chen, Z., 2015, Hydrophobic Sol–Gel Coatings Based on Polydimethylsiloxane for Self-Cleaning Applications, *Mater. Des.*, 86, 855–862.
- Lathe, S.S., Imai, H., Ganesan, V., Kappenstein, C., and Rao, A.V., 2010, Optically transparent superhydrophobic TEOS – derived silica films by surface silylation method, *J. Sol – Gel Sci. Technology*, 53, 208-215.
- Levkin, P.A., Svec, F., and Frechet, J.M.J, 2009, Porous polymer coatings: a versatile approach to superhydrophobic surfaces, *Adv. Funct. Mater.*, 19, 199-1998.
- Mahadik, S. A., Parale, V., Vatkara R.S., Mahadik, D. B., Kavale, M. S., Wagh, P. B., Gupta, S., and Gurav, J., 2013, Superhydrophobic silica coating by dip coating method, *Appl. Surf. Sci.*, 277, 67-72.
- Mahltig, B. and Bottcher, H., 2003, Modified silica sol coating for water repellent textiles, *J. Sol-Gel Sci. Technol.*, 27, 43-52.
- Manatunga, D.C., de Silva, R.M., and de Silva, K.M.N., 2016, Double layer approach to create durable superhydrophobicity on cotton fabric using nano silica and auxiliary non fluorinated materials, *Appl. Surf. Sci.*, 360, 777-788.
- Marczak, J., Kagol, M., Psarski M., and Celichowski, G., 2016, Modification of epoxy resin, silicon, and glass surfaces with alkyl- or fluoroalkylsilane for hydrophobic properties, *Appl. Surf. Sci.*, 380, 91-100.
- Myshkin, N.K., Grigoriev, A.Y., Chizhik, S.A., Choi, K.Y., and Petokovets, M.I., 2003, Surface Roughness and Texture Analysis in Microscale, *Wear*, 254, 1001-1009.
- Nakajima, A., Hashimoto, K., and Watanabe, T., 2001, Invited Review: Recent Studies on Super-Hydrophobic Films, *Chemical Monthly*, 132, 31-41.
- Newcombe, G. and Ralston, J., 1992, wetting dynamics studies on silica surface of varied hydrophobicity, *Langmuir*, 8, 190-196.
- Nosonovsky, M. and Bhushan, B., 2007, Hierarchical Roughness Makes Superhydrophobic Surfaces Stable, *Microelectronic Eng.*, 84, 382–386.
- Pisal, A.A. and Rao, V., 2016, Comparative studies on the physical properties of TEOS, TMOS, and Na<sub>2</sub>SiO<sub>3</sub> based silica aerogel by ambient pressure drying method, *J. Porous Mat.*, 6, 1547-1556.

- Prusty, A., Gogoi, N., Jassal, M., and Agrawal, A.A., 2010, Synthesis and characterization of non-fluorinated copolymer emulsions for hydrophobic finishing of cotton textiles, *IJFTR*, 35, 264-271.
- Puetz, J. and Aegerter, M.A., 2004, *Sol-gel Technology for Glass Producers and Users : Dip coating technique*, Business Media, New York.
- Ramzan, M., Ahmed, E., Niaz, N.A., Rana, A.M., Bhatti, A.S., Khalid, N.R., and Nadeem, M.Y., 2015, AFM Applications to Study The Morphology of HfO<sub>2</sub> Multilayer Thin Films, *Superlattices Microstruct.*, 82, 399-405.
- Schrader, M.E., and Loeb, G.I., 1992, *Modern Approaches to Wettability: Theory and Applications*, Plenum Press, New York.
- Schondelmaier, D., Cramm S., Klingeler R., Morenzin, J., Zilkens, and Eberhardt, W., 2002, Orientation and self-assembly of hydrophobic fluoroalkylsilanes, *Langmuir*, 18, 6242 – 6245.
- Shang, H.M., Wang, Y., Limmer, S.J., Chou, T.P., Takahashi, K., and Cao, G.Z., 2005, Optically transparent superhydrophobic silica-based films, *Thin Solid Films*, 472, 37-43.
- Shi, Y.L., Feng, X.J., Yang, W., Wang, Y.S., and Wu, D.Q., 2011, Large yellow spot mosquitos favor humid conditions and display superhydrophobic properties on their wings and legs, *Chin. Sci. Bull.*, 56, 1241–1245.
- Spataru, C. I., Purcar, V., Ghiurea, M., Somoghi, R., and Donescu, D., 2013, Superhydrophobic surfaces obtained from bilayer hybrids and silica nanoparticles, *J. Optoelectron Adv. M*, 15, 1438 – 1444.
- Stalder, A.F., Kulik G., Sage, G., Barbieri, G., and Hoffmann P., 2006, A snake-based approach to accurate determination of both contact points and contact angles, *Colloids Surf.*, 286, 92 – 103.
- Tian, P. and Guo, Z., 2017, Bioinspired silica based superhydrophobic materials, *Appl. Surf. Sci.*, 426, 1-18.
- Ul Haq, E., Zaidi, S.F.A., Zubair, M., Karim, M.R.A., Padmanabhan, S.K., and Licciulli, A., 2017, Hydrophobic silica aerogel glass-fibre composite with higher strength and thermal insulation based on methyltrimethoxysilane (MTMS) precursor, *J. En. Build.*, 151, 494-500
- Wanielista, M.P., Kersten, R., and Eaglin, R., 1996, *Hydrology : Water Quantity and Quality Control Second Edition*, Wiley, New York.

- Wagner P, Furstner R, Barthlott W, and Neinhuis C, 2003, Quantitative Assessment to the Structural Basis of Water Repellency in Natural and Technical Surfaces, *J. Exper. Botany*, 54, 1295–1303.
- Wenzel, R.N., 1936, Resistance of solid surfaces to wetting by water, *J. Ind. Eng. Chem.*, 28, 988-994.
- Wu, Y., Jia, S., Wang, S., Qing, Y., Yan, N., Wang, Q., and Meng, T., 2017, A Facile and Novel Emulsion for Efficient and Convenient Fabrication of Durable Superhydrophobic Materials, *Chem. Eng. J.*, 328, 186-196.
- Xu, J., Liu, Y., Du, W., Lei, W., Si, X., Zhou, T., Lin, J., and Peng, L., 2017, Superhydrophobic silica antireflective coating with high transmittance via one step sol gel process, *Thin Solid Films*, 631, 193 – 199.
- Xu, L., Zhuang, W., Xu, B. and Cai, Z., 2011, Fabrication of superhydrophobic cotton fabrics by silica hydrosol and hydrophobitation, *Appl. Surf. Sci.*, 257, 5491 – 5498.
- Xu, W., Zhao, Z., Liu, M., and Chen, K., 2015, Morphological and hydrophobic of PVDF flat membrane with silane coupling agent grafting via plasma flow for VMD of ethanol-water mixture, *J. Membrane Sci.*, 491, 110 – 120.
- Xue, C.H., Jia, S., Zhang, J., and Ma, J., 2010, Large-area fabrication of superhydrophobic surfaces for practical applications : an overview, *Sci. Technol. Adv. Mater.*, 11, 1-15.
- Yan, H., Yuanhao, W., and Hongxing, Y., 2017, TEOS/Silane coupling agent composed double layers structure : A novel super-hydrophilic coating with controllable water contact angle value, *J. Appl. Energy*, 185, 2209 – 2216
- Yan, H., Zhang, J., Yuanhao, W., An, Z., and Hongxing, W., 2016, The super-hydrophobic IR-reflectivity TiO<sub>2</sub> coated hollow glass microspheres synthesized by soft-chemistry method, *J. Phys. Chem. Solids*, 98, 43-49.
- Yoshimitsu, Z., Nakajima A., Watanabe T., and Hashimoto, K., 2002, Effects of surface on the hydrophobicity and sliding behavior of water droplets, *Langmuir*, 18, 5818 – 5822.
- Yu, H., Liang, X., Wang, J., Wang M., and Yang, S., 2015, Preparation and Characterization of Hydrophobic Silica Aerogel Sphere Products by Coprecursor Method, *Solid State Sci.*, 48, 155-162.



Zhang, X.P., Lan, P.J., Lu, Y.H., Li, J., Xu, H., Zhang, J., Lee, Y., Rhee, J.Y., Choy, K.L., and Song, W.J., 2014, Multifunctional antireflection coatings based on novel hollow silica-silica nanocomposites, *Appl. Mater. Interfaces*, 6, 1415–1423.