

## DAFTAR PUSTAKA

- Al Bulushi, I., Poole, S., Deeth, H. C., and Dykes, G. A., 2009, Biogenic amines in fish: Roles in intoxication, spoilage, and nitrosamine formation-A review, *Crit. Rev. Food Sci. Nutr.*, 49(4), 369-377.
- Ali, M.Y., Sharif, I., Adhikari, R., and Faruque, O., 2010, Post mortem variation in Total Volatile Base Nitrogen and Trimethylamine Nitrogen between Galda (*Macrobrachium rosenbergii*) and Bagda (*Penaeus monodon*), *Univ. j. zool. Rajshahi. Univ.*, 28(1), 7-10.
- Almeida, J.C., Perassolo, M.S., Camargo, J.L., Bragagnolo, N., and Gross, J.L., 2006, Fatty acid composition and cholesterol content of beef and chicken meat in Southern Brazil, *Braz. J. Pharm. Sci.*, 42(1), 109-117.
- Al-rubaie, L.A.A.R., and Mhessn, R.J., 2012, Synthesis and Characterization of Azo Dye Para Red and New Derivatives, *Coden Ecjhao E- J. Chem.*, 9(1), 465-470.
- Anonim, 1960, n-Butylamine In: Hygienic guide series, *Am. Ind. Hyg. Assoc. J.*, 21(1), 532-533.
- Anonim, 1991, Diethylamine In: Documentation of the threshold limit values and biological exposure indices 6th ed. Cincinnati, OH: *American Conference of Governmental Industrial Hygienists*, 460-461.
- Anonim, 1995, *Validation of Analytical Procedures: Text and Methodology*, European Medicines Agency, 381(1), 95.
- Anonim, 1998, *FDA and EPA guidance levels. In: Fish and fishery products hazards and controls guide* (2nd ed.) (pp. 245-248). Washington, DC: Department of Health and Human Services, Public Health Service, Food and Drug Administration, Center for Food Safety and Applied Nutrition, Office of Seafood (Appendix 5).
- Anonim, 2017, Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2017, *Badan Pusat Statistik Indonesia*, Jakarta.
- Anslyn, E.V., and Dougherty, D.A., 2006, *Modern Physical Organic Chemistry*, University Science Books, California.
- Asiri, M.A., Baghaffar, G.A., Al-Harby, A.M., and Zayed, M.A.M., 2009, Synthesis of Some Vanillin Derivatives and their Use as an Optical Sensor for the Detection of Volatile Organic Compounds, *JKAU. Sci.*, 21(1), 117-128.
- Bamfield, P., 2001, *Chromic Phenomena: The Technological Applications of Colour Chemistry*, The Royal Society of Chemistry, Cambridge.

- Bamfield, P., and Hutching, M.G., 2010, *Chromic Phenomena: Technological Application of Colour Chemistry*, The Royal Society of Chemistry, Cambridge.
- Bao, X., and Zhou, Y., 2010, Synthesis and Recognition Properties of a Class of Simple Colorimetric Anion Chemosensors Containing OH and CONH Groups, *Sens. Actuators B.*, 147(2), 434-441.
- Bao, X., Zhou, Y., and Song, B., 2012, Recognition and Sensing Properties of A Quinazolinyllaminothiourea-based Anion Receptor in Non Aqueous and Aqueous CH<sub>3</sub>CN-DMSO Medium, *Sens. Actuators B.*, 171-172(1), 550-555.
- Bardocz, S., 1995, Polyamines in food and their consequences for food quality and human health, *Trends Food Sci. Tech.*, 6(1), 341-346.
- Baston, O., Barna, O., and Vasile, A., 2010, Freshness Evaluation Of Chicken Meat Using Microbiota and Biogenic Amine Index, *Food Environ Saf.*, 9(2), 61-66.
- Benkerroum, N., 2016, Biogenic Amines in Dairy Products: Origin, Incidence, and Control Means, *Compr. Rev. Food. Sci. F.*, 15(1), 801-826.
- Brink, B.T., Damink, C., Joosten, H. M.L. J., and Huis in 't Veld, J. H. J., 1990, Occurrence and formation of biologically active amines in foods, *Int. J. Food Microbiol.*, 11(1), 73-84.
- Chambers, S.J., Wickham M.S., Regoli, M., Bertelli, E., Gunning, P.A., and Nicoletti, C., 2004, Rapid in vivo transport of proteins from digested allergen across pre-sensitized gut, *Biochem. Biophys. Res. Commun.*, 325(1), 1258-1263.
- Chang, L.Y., Chuang, M.Y., Zan, H.W., Meng, H.F., Lu, C.J., Yeh, P.H., and Chen, J.N., 2017, One-Minute Fish Freshness Evaluation by Testing the Volatile Amine Gas with an Ultrasensitive Porous-Electrode-Capped Organic Gas Sensor System, *ACS Sens.*, 2(1), 531-539.
- Haghbeen, K., and Tan, E.W., 1998, Facile Synthesis of Catechol Azo Dyes, *J. Org. Chem.*, 63(1), 4503-4505.
- Halasz, A., Barath, A., Simon Sarkadi, L., and Holzapfel, W.H., 1994, Biogenic amines and their production by micro-organisms in food, *Trends Food Sci. Technol.*, 5(1), 42-49.
- Hamilidian, K., Irandoust, M., Rafiee, E., and Joshaghani, M., 2012, Synthesis, Characterization, and Tautomeric Properties of Some Azo-azomethine Compounds, *Z. Naturforsch.*, 67b(1), 159-164.

- Hernandez-Jover, T., Izquierdo-Pulido, M., Veciana-Nogues, M.T., Marine-Font, A., and Vidal-Carou, M.C., 1997, Biogenic amine and polyamine contents in meat and meat products, *J. Agric Food Chem.*, 45(6), 2098–2102.
- Huang, W., Yu, X., Lin, H. and Lin, H., 2011, A Colorimetric Sensor for The Recognition of Biologically Important Anions, *J. Incl. Phenom. Macrocycl. Chem.*, 69(1), 69-74.
- Ivanov, G.Y., Ivanova, I.F., Slavchev, A.K., and Vassilev, K.P., 2015, Biogenic Amines and Their Role as Index of Freshness in Chicken Meat, *J.A.L.S.I.*, 3(2), 55-62.
- Kim, Y.H., Choi, M.G., Im, H.G., Ahn, S., Shim, I.W., and Chang, S.K., 2012, Chromogenic Signaling of Water Content in Organic Solvent by Hydrazine-Acetate Complexes, *Dye Pigm.*, 92(1), 1199-1203.
- Kovacs, A., Simon-Sarkadi, L., and Ganzler, K., 1999, Determination of biogenic amines by capillary electrophoresis, *J. Chromatogr. A.*, 836(1), 305-313.
- Kusmawan, W.H., 2007, *Sintesis 2-Alili-6-Metoksi-4-Feniliminometil Fenol dari Vanilin dan Penggunaannya sebagai Indikator Asam-Basa*, Skripsi, Jurusan Kimia Fakultas MIPA Univesitas Gadjah Mada (UGM), Yogyakarta.
- Lin, C.I., Selvi, S., Fang, J.M., Chou, P.T., Lai, C., and Chen, Y.M., 2007, Pyreno[2,1-b]pyrrole and Bis(pyrenol[2,1-b]pyrrole) as Selective Chemosensors of Fluoride Ion: A Mechanistic Study, *J. Org. Chem.*, 72(9), 3537-3542.
- Liu, Q., Fu, Y.P., Chen, P., Wei, T.B., and Zhang, Y.M., 2013, Rational Design, Green Synthesis of Reaction-Based Dual-Channel Chemosensors for Cyanide Anion, *Tetrahedron Lett.*, 54(1), 5031-5034.
- Liu, Z.H., Devaraj, S., Yang, C.R., and Yen, Y.P., 2012., A New Selective Chromogenic and Fluorogenic Sensor for Citrate Ion, *Sens. Actuators B*, 174(1), 555-562.
- Maijala, R., and Eerola, S, 1993, Contaminant lactic acid bacteria of dry sausages produce histamine and tyramine, *Meat Sci.*, 35(1), 387-395.
- Marangoni, F., Corsello, G., Cricelli, C., Ferrara, N., Ghiselli, A., Lucchin, L., and Poli, A., 2015, Role of poultry meat in a balanced diet aimed at maintaining health and wellbeing: an Italian consensus document, *Food. Nutr. Res.*, 59(1), 27606.
- Merino, E., 2011, Synthesis of azobenzenes: the coloured pieces of molecular materials, *Chem. Soc. Rev.*, 40(1), 3835-3853.

- Min, J.S., Lee, O.K., Jang, A., Lee, M., and Kim, Y., 2004, Production of Biogenic Amines by Microflora Inoculated in Meats, *Anim. Sci.*, 17(10), 1472-1478.
- Min, J.S., Lee, S.O., Jang, A., Jo, C., Park, C.S., and Lee, M., 2007, Relationship between the Concentration of Biogenic Amines and Volatile Basic Nitrogen in Fresh Beef, Pork, and Chicken Meat, *Asian-Aust. J. Anim. Sci.*, 20(8), 1278-1284.
- Mohr, G.J., 2005, Covalent Bond Formation as An Analytical Tool to Optically Detect Neutral and Anionic Analytes, *Sens. Actuators B.*, 107(1), 2-13.
- Mountney, G.J., 1989, *Poultry Product Technology*, Food Product Press, New York.
- Naila, A., Flint, S., Fletcher, G., Bremer, P., and Meerdink, G., 2010, Control of Biogenic amines in Food—Existing and Emerging Approaches, *J. Food Sci.*, 75(7), 139-150.
- Nourmohammadian, F, Gholami, M.D., and Abdi, A.A., 2015, Determination of Vaporous Aliphatic Amines by Colorimetric Responses of a Molecular Receptor Based on Azobenzothiazole-Polyene Dye, *I.E.E.E. Sens. J.*, 15(11), 6485-6490.
- Onal, A., 2007, A review: current analytical methods for the determination of biogenic amines in foods, *Food Chem.*, 103(4), 1475–1486.
- Patel, H.M., and Dixit, B.C., 2014, Synthesis, characterization and dyeing assessment of novel acid azo dyes and mordent acid azo dyes based on 2-hydroxy-4-methoxybenzophenone-5- sulfonic acid on wool and silk fabrics, *J. Saudi. Chem. Soc.*, 18(1), 507-512.
- Patel, R., and Shaoo, S., 2015, Effect of Solvent on Azo-Hydrazone Tautomerism of 2-Hydroxy-5-(4-nitrophenylazo)benzaldehyde, *Dissertation*, National Institute Of Technology, Rourkela.
- Peng, M., Guo, Y., Yang, X., Wang, L. and An, J., 2013, A Highly Selective Ratiometric and Colorimetric Chemosensor for Cyanide Detection, *Dyes Pigm.*, 98(1), 327-332.
- Prestiani, A.E., and Purwono, B., 2017, Styrene and Azo-Styrene Based Colorimetric Sensors for Highly Selective Detection of Cyanide, *Indones. J. Chem.*, 17(2), 238-247.
- Purwono, B. and Mahardiani, C., 2009, Synthesis of Azo Compounds Derivative from Eugenol and Its Application as A Titration Indicator, *Indones. J. Chem.*, 09(1), 95-98.

- Radchatawedchakoon, W., Sangsuwan, W., Kruanetr, S., and Sakee, U., 2014, Synthesis and evaluation of simple naked-eye colorimetric chemosensors for anions based on azo dye thiosemicarbazones, *Spectrochim. Acta A.*, 121(1), 306-312.
- Reena, V., Suganya, S., and Velmathi, S., 2013, Synthesis and Anion Binding Studies of Azo-Schiff Bases: Selective Colorimetric Fluoride and Acetate Ion Sensors, *J. Fluor Chem.*, 153(1), 89-95.
- Reichardt, C., 1994, Solvatochromic Dyes as Solvent Polarity Indicator, *Chem. Rev.*, 94(1), 2319-2358.
- Rochart, S., 2010, *Metal-Based Chemosensors for Important Bioanalytes*, Ecole Polytechnique Federale De Lausanne, Lausanne.
- Sagratin, G., Fernández-Franzón, M., Berardinis, F.D., Font, G., Vittori, S., and Mañes, J., 2012, Simultaneous determination of eight underivatized biogenic amines in fish by solid phase extraction and liquid chromatography–tandem mass spectrometry, *Food Chem.*, 132(1), 537-543.
- Sari, N., 2014, Sintesis Senyawa Turunan Azo, Imina, Azo-Imina, Dan Kalkon-Imina dari Vanilin Sebagai Sensor Kolorimetri Anion, *Tesis*, FMIPA : Universitas Gadjah Mada, Yogyakarta.
- Satheshkumar, A., Mossalamy, E.H., Manivannan, R., Parthiban, C., Al-Harbi, L. M., Kosa, S., and Elango, K.P., 2014, Anion Induced Azo Hydrazone Tautomerism for the Selective Colorimetric Sensing of Fluoride Ion, *Spectrochim. Acta A.*, 128(1), 798-805.
- Shalaby, A. R., 1996, Significance of biogenic amines to food safety and human health, *Food Res. Int.*, 29(1), 675-690.
- Shao, J., 2011, Acenaphthenequinone Based Simple Colorimetric Anion Sensor with Only One Binding Site, *J. Incl. Phenom. Macrocycl. Chem.*, 70(1), 91-95.
- Silverman L., Whittenberger J.L, and Muller, J., 1946, Physiological response of man to ammonia in low concentrations, *J. Ind. Hyg.Toxicol.*, 31(1), 74-78.
- Smyth, H.F.Jr., Carpenter, C.P., and Weil, C.S., 1951, Range-finding toxicity data: list IV, *AMA. Arch. Ind. Hyg. Occup. Med.*, 4(1), 119-122.
- Steiner, M.S., Meier, R.J., Duerkop, A., and Wolfbeis, O.S., 2010, Chromogenic Sensing of Biogenic amines Using a Chameleon Probe and the Red

- Green-Blue Readout of Digital Camera Images, *Anal. Chem.*, 82(1), 8402–8405.
- Suganya, S., and Velmathi, S., 2013, Simple azo-based salicylaldimine as colorimetric and fluorescent probe for detecting anions in semi-aqueous medium, *J. Mol. Recognit.*, 26(1), 259-267.
- Supratman, U., 2010, *Elusidasi Struktur Senyawa Organik*, Widya Padjadjaran, Bandung.
- Tavallali, H., Deilamy-Rad, G., Parhami, A., and Mousavi, P.Z., 2013, A Novel Development of Dithizone as A dual-Analyte Colorimetric Chemosensor: Detection and Determination of Cyanide and Cobalt (II) Ions In Dimethyl Sulfoxide/Water Media With Biological Applications, *J. Photochem. Photobiol.*, 42(2), 415-420.
- Til, H.P., Falke, H.E., Prinsen, M.K., and Willems, M.I., 1997, Acute and subacute toxicity of tyramine, spermidine, spermine, putrescine and cadaverine in rats, *Food Chem. Toxicol.*, 35(3-4), 337-348.
- Urmila, K., Li, H., Chen, Q., Hui, Z., and Zhao, J., 2015, Quantifying of Total Volatile Basic Nitrogen (TVB-N) Content in Chicken Using a Colorimetric Sensor Array and Nonlinear Regression Tool, *Anal. Methods.*, 7(13), 5682-5688.
- Vidal-Carou, M.C., Latorre-Moratalla, M.L., and Bover-Cid, S., 2009, *Handbook of Processed Meats and Poultry Analysis*, Taylor & Francis Group, Broken Sound Parkway N.W, Boca Raton, 665(1).
- Vidal-Carou, M.C., Latorre-Moratalla, M.L., Bosch-Fusté, J., Lavizzari, T., Bover-Cid, S., and Veciana-Nogués, M.T., 2009, Validation of an ultra high pressure liquid chromatographic method for the determination of biologically active amines in food, *J. Chromatogr. A.*, 1216(1), 7715-7720.
- Windholz, M., 1983, *The Merck Index*, Tenth Edition, Merck & CO., Inc., New York, 9734.
- Woyewoda, A.D., Shaw, S.J., Ke, P.J., and Burns, B.G., 1986, *Recommended Laboratory Methods for Assessment of Fish Quality*, University of Nova Scotia, Halifax.
- Xu, Z., Chen, X., Kim, H. N., and Yoon, J., 2010, Sensor for the Optical Detection of Cyanide Ion, *Chem. Soc. Rev.*, 39(1), 127-137.
- Zarei, M., and Jarrahpour, A., 2011, Green and efficient synthesis of azo Schiff bases, *I.J.S.T. A3.*, 235-242.