

DAFTAR PUSTAKA

- Ahmed, S.A., 2011, Batch and Fixed-Bed Column Techniques for Removal of Cu(II) and Fe(III) Using Carbohydrate Natural Polymer Modified Complexing Agents, *Carbohydr. Polym.*, 83, 1470–1478.
- Alarifi, A., dan Hanafi, H.A., 2010, Adsorption of Cesium, Thallium, Strontium, and Cobalt Radionuclides Using Activated Carbon, *J. At. Mol. Sci.*, 10, 1-9.
- Allwar, A., 2013, Porous Structure of Activated Carbon Derived from Oil Palm Empty Fruit Bunch by Phosphoric Acid under Nitrogen and Carbon Dioxide, *Inter. J. Res. Chem. Envi.*, 3(2), 62-68.
- Ariyani, A., 2011, Pembuatan Komposit Magnet Oksida Besi Karbon Aktif sebagai Adsorben Cs dan Sr, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Atkins, P.W., 1999, *Kimia Fisika*, (diterjemahkan oleh: Kartohadiprodjo, I.I.), 2nd Ed., Erlangga, Jakarta.
- Ayuni, P. S., Yuningrat, W., dan Andriani, K. Y., 2016, Adsorpsi-Desorpsi Zat Warna Azo Jenis Remazol Black Menggunakan Membran Polielektrolit (PEC) Kitosan-Pektin, *J. Sci. Tech.*, 5 (1), 716- 727.
- Badi, M.Y., Azari, A., Pasalari, H., Esrafil, A., and Farzadkia, 2018, Modification of Activated Carbon with Magnetic Fe₃O₄ Nanoparticle Composite for Removal of Ceftriaxone from Aquatic Solutions, *J. Mol. Liq.*, 261, 146-154
- Bologoun, C.K., Tchakala, I., Medokponou, M., Bawa, M.L. and Sohounhloue, D. C., 2016, Influence of Pre-treatment with Soda (NaOH) on The Structural Characteristics of Activated Carbon Prepared by Chemical Means with H₃PO₄ from Rice Bran, *Am. J. Phys. Chem.*, 5(2), 35-44.
- Boudrahem, F., Soualah, A., and Aissani-Benissad, F., 2011, Carbon Developed from Coffee Residue Activated with Phosphoric Acid and Zinc Chloride, *J. Chem. Eng. Data*, 56, 1946–1955.
- Castro, C.S., Guerreiro, M.C., Goncalves, M, Oliveira, L.C.A., and Anastacia, A.S., 2009, Activated Carbon/Iron Oxide Composites for The Removal of Atrazine from Aqueous Medium. *J. Hazardous. Mat.*, 164, 609–614.
- Chegrouche, S., Mellah, A., and Barkat, M., 2009, Removal of Strontium from Aqueous Solutions by Adsorption onto Activated Carbon: Kinetic and Thermodynamic Studies., *J. Desalination.*, 235, 306–318.

- Deng, J., Xiong, T., Wang, H., Zheng, A., and Wang, Y., 2016, Effects of Cellulose, Hemicellulose, and Lignin on the Structure and Morphology of Porous Carbons, *ACS Sustainable Chem. Eng.*, 4(7), 3750–3756.
- Do, D.D., 1998, *Adsorption Analysis: Equilibria and Kinetics*, England, Imperial College Press, London.
- Fisher, T., Hajaligol, M., Waymack, B., and Kellog, D., 2002, Preparation and Characterization of Activated Carbon from Cashew Nut Shell, *J. Anal. App. Pyrol.*, 62, 331-349.
- Fisli, A., Ariyani, A., Wardiyati, S., dan Yusuf, S., 2012, Adsorben Magnetik Nanokompisit Fe₃O₄-Karbon Aktif untuk Menyerap Thorium, *Indo. J. Sains.Mat.*, 13(3), 192-197.
- Freedman, B., 1995, *Environmental Ecology*, 2nd Ed., Academic Press, London.
- Gautam, R.K., Mudhoo, A., Lofrano, G., and Chattopadhyaya, M.C., 2014, Biomass-Derived Biosorbents for Metal Ions Sequestration: Adsorbent Modification and Activation Methods and Adsorbent Regeneration, *J. Envi. Chem. Eng.* 2, 239–259.
- Gorgievski, M., Bozic, D., Stankovic, V., Strbac, N., and Serbula, S., 2013, Kinetics, Equilibrium, and Mechanism of Cu²⁺, Ni²⁺, and Zn²⁺ Ions Biosorption Using Wheat Straw, *J. Ecol. Eng.*, 58, 113–122.
- Hermiati, E., Mangunwidjaja, D., Sunarti, T. C., Suparno, O. dan Prasetya, B., 2010, Pemanfaatan Biomassa Lignoselulosa Ampas Tebu untuk Produksi Bioetanol, *J. Litbang Pertanian*, 4, 29.
- Ho, Y.S., Porter, J.F., And Mckay, G., 2002, Equilibrium Isotherm Studies For The Sorption Of Divalen Metal Ions Onto Peatcopper, Nickel, And Lead Single Component System, *J. Water. Air. Soil. Pollut.*, 141, 1-33.
- Horikawa, T., Kitakaze, Y., Sekida, T., Hayashi, J. and Katoh, M., 2010, Characteristics and humidity control capacity of activated carbon from bamboo, *J. Bioresour. Technol.*, 101, 3964–3969.
- Hu, C., Gao, Z., and Yang, X., 2006, Fabrication and Magnetic Properties of Fe₃O₄ Octahedral, *J. Chem. Phys. Lett.*, 429, 513-517.
- Hu, Y., Chen, Y., and Chen, Q., 2005, Synthesis and Stimuli-Responsive Properties of Chitosan/Poly (acrylic acid) Hollow Nanospheres. *Polym.*, 46, 12703-12710.
- Hughes, M.N., and Poole, R.K., 1984, *Metals And Microorganism*, Chapman and Hall, London.

- Hussain, I., Li, Y., Qi, J., Li, J., Sun, X., Shen, J., Han, W., and Wang, L., 2018, Synthesis of Magnetic Yolk-Shell Mesoporous Carbon Architecture for The Effective Adsorption of Sulfamethazine Drug, *J. Matter. Chem. A.*, 255, 110-118.
- Jain, G., 2012, Removal of Copper and Zinc from Wastewater Using Chitosan, *Thesis*, Department of Chemical Engineering, National Institute of Technology, India.
- Juang, R.S., Yei, C.Y., Liao, C.S., Lin, K.S., Lu, H.C., Wang, S.F., and Sun, A.C., 2018, Synthesis of Magnetic Fe₃O₄/Activated Carbon Nanocomposites with High Surface Area as Recoverable Adsorbents, *J. Chem. Eng.*, 1-10
- Kok, T., 2009, Penentuan Model dan Kapasitas Adsorpsi Ion Kadmium Oleh Zeolit Alam Hasil Kalsinasi, *Prosiding Seminar Nasional Kimia*, Surabaya.
- Krishnan, K.A., Sreejalekshmi, K.G., and Baiju, R. S., 2011, Nickel(II) Adsorption onto Biomass Based Activated Carbon Obtained from Sugarcane Bagasse Pith, *J. Biosour. Technol.*, 102, 10239-10247.
- Kwon, J.H., Wilson, L.D., and Sammynaiken, R., 2014, Synthesis and Characterization of Magnetite and Activated Carbonbinary Composites, *J. Synthesis. Metals.*, 197, 8- 17
- Kyzas, G.Z., and Deliyanni, E.A., 2013, Mercury(II) Removal With Modified Magnetic Chitosan Adsorbents, *J. Mol.*, 18, 6193-6214.
- Lagergren, S., 1989, Zur Theorie der Sogenannten Adsorption Geloster Stoffe. Kungliga Svenska Vetenskaps akademiens, *Handlingar*, 24, 1-39.
- Li, H., Dong, L., Silva, E. B., Oliveira, L.M., Chen, Y., and Ma, L.Q., 2017, Mechanisms of Metal Sorption by Biochars: Biochar Characteristics and Modifications, *Chemosphere*, 176, 466-478.
- Li, Y., Zhang, X., Yang, R., Li, G., and Hu, C., 2015, The Role of H₃PO₄ in The Preparation of Activated Carbon from NaOH-Treated Rice Husk Residu, *J. RSC Adv.*, 5, 32626-32636.
- Mall, I.D., Srivastava, V.C., and Agarwal, N.K. 2006, Removal of Orange-G and Senyawa organik Dyes by Adsorption onto Bagase Fly Ash – Kinetic Study and Equilibrium Isotherm Analyses. *Dyes and Pigments*. 69, 210-223.
- Marsh, H., and Reinoso, F.R., 2005, *Activated Carbon*, Elsevier, Oxford..
- Meng, J., Yang, G., Yan, L.M., and Wang, X., 2005, Synthesis and Characterization of Magnetic Nanometer Pigmen Fe₃O₄, *Dyes Pigments.*, 66, 109-113.

- Mohadi, R., Saputra, A., Hidayati, N., dan Lesbani, A., 2013, Studi Interaksi Ion Logam Mn^{2+} dengan Selulosa dari Serbuk Kayu, *Indo. J. Chem.*, 8(1), 1-8.
- Muflikhah, Rusdiarso, B., Putra, R.G.E., dan Nuryono, 2017, Modification of Silica Coated on Iron Sand Magnetic Material with Chitosan for Adsorption of Au(III), *Indo. J. Chem.*, 17, 264-273.
- Muherei, M.A. And Junin, R., 2009, Equilibrium Adsorption Isotherm Of Anionic, Nonionic Surfactans And Their Mixtures to Shale And Sandstone, *Modern Applied Science.*, 3, 158-167.
- Navarro, R.R., Sumi, K., Fujii, N., and Matsumura, M., 1996, Mercury Removal From Wastewater Using, *Wat. Res.*, 30, 2488–2494.
- Ofomaja, A.E., Naidoo, E.B., and Modise, S.J., 2010, Dynamic Studies and PseudoSecond Order Modeling of Copper(II) Biosorption onto Pine Cone Powder, *Desalination*, 251, 112-122.
- Oliveira, L.C.A., Rios, R.V.R.A., Fabris, J.D., Garg, V., Sapag, K., and Lago, R.M., 2002, Activated Carbon/Iron Oxide Magnetic Composites for The Absorption of Contaminants in Water, *Carbon*, 40, 2177-2183.
- Onodera, M., Kirishima, A., Nagao, S., Takamiya, K., Ohtsuki, T., Akiyama, D., and Sato, N., 2017, Desorption of aRadioactive Cesium by Seawater from The Suspended Particles in River Water, *Chemosphere.*, 185, 806-815
- Oscik, J., and Cooper, I.L., 1982, *Adsorption*, Ellis Horwood Limited, England.
- Palar, H., 2008, *Pencemaran dan Toksikologi Logam Berat*, PT. Rineka Cipta, Jakarta.
- Pang, Y.L., Lim, S., Ong, H.C., and Chong, W.T., 2013, Research Progress on Iron Oxide-based Magnetic Materials: Synthesis Techniques and Photocatalytic Applications, *Ceram. Int.*, 22, 179–189.
- Powell, J.K., Brown, L.P., Byrne, H.R., Gajda, T., Hefter, G., Sjoberg, S., and Wanner, H., 2007, Chemical Speciation of Environmentally Significant Metals with Inorganic Ligands, *J. Pure Appl. Chem.*, 79, 895-950.
- Rattanachueskul, N., Saning, A., Kaowphong, S., Chumha, N., and Chuenchom, L., 2017, Magnetic Carbon Composites with a Hierarchical Structure for Adsorption of Tetracycline, Prepared from Sugarcane Bagasse Via Hydrothermal Carbonization Coupled with Simple Heat Treatment Process, *J.Bioresour.Technol.*, 226, 164-172.
- Santosa, S.J., dan Muzakky, 2002, Kinetika adsorpsi Logam Berat (Krom, Tembaga dan Uranium) oleh Magnetit dalam Tanah Gambut , *Laporan Penelitian*, Yogyakarta.

- Sehaqui, H., Schaufelberger, L., Michen, B., and Zimmermann, T., 2017, Humic Acid Desorption from a Positively Charged Nanocellulose Surface, *J. Colloid. Inter. Sci.*, 504, 500-506.
- Sembiring, M.T., dan Sinaga, T.S., 2003, *Arang Aktif (Pengenalan dan Proses Pembuatannya)*, Sumatera Utara: Fakultas Teknik, Universitas Sumatera Utara.
- Sinaga, R.S., Purwonugroho, D., dan Darjito., 2015, Adsorpsi Seng(II) Oleh Biomassa *Azolla Microphylla* Diesterifikasi dengan Asam Sitrat: Kajian Desorpsi Menggunakan Larutan HCl, *J. Chem. Stud.*, 1(1), 629-635.
- Siyasukh, A., Chimupala, Y., and Tonanon, N., 2018, Preparation of Magnetic Hierarchical Porous Carbon Spheres with Graphitic Features for High Methyl Orange Adsorption Capacity, *Carbon*, 134, 207-22.
- Smičiklas, I., Dimović, S., Plečaš, I., and Mitrić, M., 2006, Removal of Co^{2+} from Aqueous Solutions by Hydroxyapatite, *Water Res.*, 40, 2267–2274.
- Soccol, C., Vandenberghe, L.P., Medeiros, A.B., Karp, S.G., Buckeridge, M., Ramos, L., Pitarelo, A.P., Ferreira-Leitao, V., Gottschalk, L.M.F., Ferrara, M.A., Bon, E.P.D., Moraes, L.M.P., Araujo, J.D., and Torres, F.A.G., 2010, Bioresource Technology Bioethanol from Lignocelluloses: Status and Perspectives in Brazil, *Bioresour. Technol.*, 101, 4820–4825.
- Stum, W., Dan Morgan, J.J., 1996, *Aquatic Chemistry: Chemical Equilibria And Rates In Natural Water*, 3rd Ed., John Wiley & Sons, Inc, New York.
- Sulungbudi, G.T., dan Mujamilah, R., 2006, Variasi komposisi Fe(II)/Fe(III) pada proses sintesis *Spion* dengan metode presipitasi, *Indo. J. Sains. Mat.*, 8, 31-34.
- Surbakti, A., Sukendi, dan Taer, E., 2016, Komposit Karbon AKtif dari Serbuk Gaergaji Kayu Karet dan Nanomagnetik Fe_3O_4 +PVDF Sebagai Bahan Penyerap Limbah Cair Berbasis Logam Berat, *Dinamika Lingkungan Indonesia*, 3,1, 42-47.
- Taer, E., Rahmi, A, Z., dan Iwantono, 2013, *Penyediaan dan Karakterisasi Karbon Aktif Monolit Tanpa Perekat dari Ampas Tebu untuk Penyerapan Logam Berat Besi (Fe)*, Seminar Nasional.
- Tahir, H., Sultan, M., Akhtar, N., Hameed, U., and Abid, T., 2016, Application of Natural and Modified Sugarcane Bagasse for the Removal of Dye from Aqueous Solution, *J. Saudi. Chem. Soc.*, 20, 115-121.
- Teja, A.S., and Koh, P., 2009, Synthesis, Properties, and Applications of Magnetic Iron Oxide Nanoparticles. *Prog Crystal Growth and Characterization of Mat*, 55, 22-45.

- Teng, H., and Hsu, L.Y., 2000, Influence of Different Chemical Reagent on the Preparation of Activated Carbon from Bituminous Coal, *Fuel Process. Technol.*, 64, 1-3, 155-156.
- Umaningrum, D., Santosa, U. T., Nurmasari, R., and Yunus, R., 2010, Adsorption Kinetics Of Pb(II), Cd(II) And Cr(III) On Adsorbent Produced By Protected-Crosslinking Of Humic Acid-Chitosan, *Indo. J. Chem.*, 10 (1), 80 – 87.
- Wang, J., Zhou, J., Li, Z., Liu, Q., and Yang, P., 2010, Design of Magnetic and Fluorescent Mg–Al Layered Double Hydroxides by Introducing Fe₃O₄ Nanoparticles and Eu³⁺ Ions for Intercalation of Glycine, *Mater. Res. Bull.*, 45, 640–645
- Wang J, Wei L, Ma Y, Li K, Li M, Ma N, Feng K, and Wang Y, 2013. Pb²⁺ Adsorption Onto Collagen/Cellulose Hydrogel Beads From Aqueous Solution: Kinetic, Isothermal, and Thermodynamic Analyses. *Desalination and Water Treatment*, 53 (6), 1-12.
- Wang, H., Liu, Y., Ifthikar, J., Shi, L., Khan, A., Chen, Z., and Chen, Z., 2018, Towards a Better Understanding on Mercury Adsorption by Magnetic Bioadsorbents with γ -Fe₂O₃ from Pinewood Sawdust Derived Hydrochar: Influence of Atmosphere in Heat Treatment, *J. Bioresour. Technol.*, 256, 269-276.
- Wijayanti R. 2009. Arang Aktif dari Ampas Tebu Sebagai Adsorben Pada Pemurnian Minyak Goreng Bekas, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor.
- Xiao, L., Ma, W., Han, M., and Cheng, Z., 2011, The Influence of Ferric Iron in Calcined Nano-Mg/Al Hydrotalcite on Adsorption of Cr (VI) from Aqueous Solution, *J. Hazard. Mater.*, 186, 690–698.
- Yao, S., Zhang, J., Shen, D., Xiao, R., Gu, S., Zhao, M., and Liang, J., 2016, Removal of Pb(II) from Water by The Activated Carbon Modified by Nitric Acid Under Microwave Heating, *J. Colloid. Inter. Sci.*, 463, 118-127.
- Zhou, Z., Liu, Y.G., Liu, S.B., Liu, H.Y., Zeng, G.M., Tan, X.F., Yang, C.P., Ding, Y., Yan, Z.L., and Cai, X.X., 2017, Sorption Performance and Mechanisms of Arsenic(V) Removal by Magnetic Gelatin-Modified Biochar, *J. Chem. Eng.*, 314, 223-231.