UNIVERSITAS
GADJAH MADA
Uji Kinerja Sensor Quartz Crystal Microbalance (QCM) dimodifikasi Polyacrylamide (PAM) sebagai Sensor Amonia
SULIS SETYAWATI WINI, Dr. Ahmad Kusumaatmaja M.Sc; Dr. Eng Kuwat Triyana, M.Si
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Cai, Q.,Baojian, X., Lin, Y., Zengfeng, D., Shanluo, H. dan Xiaowei, D., 2015, 1-Dodecanethiol Based Highly Stable Self-Assembled Monolayers for Germanium Passivation, *Applied Surface Science*, 353, 890-901.

Hussain,Y., Jacqueline, K., dan Christine, G., 2005, OTS Adsorption: A Dynamic QCM Study, *Colloids and Surface A*, 262, 81–86.

Jessica, B.S., Liam P.K., dan Marcia C.H., 2017, An LC-MS Approach to Quantitative Measurement of Ammonia Isotopologues, *Scientific Report*,7,10304.

Jia,Y., Hui, Y.,Yumei, Z., Fengchun, D. dan Zhe, L., 2016, Cellulose Acetate Nanofibers Coated Layer-By-Layer With Polyethylenimine and Graphene Oxide on a Quartz Crystal Microbalance for Use as a Highly Sensitive Amonia Sensor, *Colloids and Surfaces B,* 148, 263-269.

Jia, Y.,Yan, C., Yu, H.,Chen, L. dan Dong, F., 2014, One-step Fabrication of Ammonia Sensor by Electrospinning PS- b -PMA Nanofibers on Quartz Crystal, *Sensor and Actuatr B: Chemical*,203, 459-464.

Love, J. C., Estroff, L. A., Kriebel, J.K., Nuzzo, R. G. dan Whitesides, G. M.,2005, Self-Assembled Monolayers of Thiolates on Metals as a Form of Nanotechnology, *Chemical Reviews,* 105,1103−1169.

Matsuguchi, M., dan Yoshito, K.,2008, Poly(Acrylamide) Derivatives for QCM-Based Hcl Gas Sensor Applications, *Sensor Actuator B*,130, 842-847.

Ogimoto,Y., Roman, S., Naoki, T. dan Shunuchi, W., 2015, Detection of Amonia in Human Breath Using Quartz Cystal Microbalance sensors with Functionalized Mesoporus SiO_2 Nanoparticle Film, *Sensors and Actator B:Chemical*,215,42-436.

O'Sullivan, C.K., dan G.G. Guilbault, 1999, Commercial Quartz Crystal Microbalances – Theory and Applications, *Biosensors & Bioelectronics,*14, 633-670.

Olthuis,W.,Bjorn, T. dan Albert, V.D.B.,2005, Amonia Sensors and Their Applications—a review, *Sensors and Actuators B*, 107, 666-677.s

Pohanish,P dan Richard.,2012, *Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens*, Waltham : Elsevier.

UNIVERSITAS
GADJAH MADA
Uji Kinerja Sensor Quartz Crystal Microbalance (QCM) dimodifikasi Polyacrylamide (PAM) sebagai Sensor Amonia
SULIS SETYAWATI WINI, Dr. Ahmad Kusumaatmaja M.Sc; Dr. Eng Kuwat Triyana, M.Si
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Pradhana, Aldy., 2018, *Uji Sensitivitas dan Selektivitas Quartz Crystal Microbalance (QCM) Dimodifikasi Polyacrylamide (PAM) sebagai Sensor Formalin*, skripsi, tidak diterbitkan, Fakultas MIPA,Universitas Gadjah Mada: Yogyakarta.

Si, P., John, M., Alexei, K., Jens, D. dan Preben, J.M., 2007, Polymer Coated Quartz Crystal Microbalance Sensors For Detection Of Volatile Organic Compounds In Gas Mixtures, *Analytica Chimica Acta,* 597,223–230.

Sohrabi, M., Li, Z., Kai, Z., Adnan, A,. dan Ming, Q.W., 2014, Volatile Organic Compounds as Novel Markers for the Detection of Bacterial Infections, *Clinical Microbiology*, 3:3

Wang, X., Jian, Z. dan Ziqiang, Z., 2006, Amonia Sensing Characteristics of Zno Nanowires Studied by Quartz Crystal Microbalance, *Applied Surface Science*, 252, 2404–2411.

Wang, C dan Sahay, P., 2009, Breath Analysis Using Laser Spectroscopic Techniques: Breath Biomarkers, Spectral Fingerprints, and Detection Limits, *Sensors*, 9,8230-8262.