

BAB VI

KEPUSTAKAAN

- ADA. 2015. Classification and diagnosis of diabetes. *Diabetes Care*, 38 Suppl, S8-s16.
- Arnold, L. W., Wang, Z. 2014. The HbA1c and all-cause mortality relationship in patients with type 2 diabetes is J-shaped: a meta-analysis of observational studies. *RDS*, 11, 138-52.
- Astin, J. A. 1998. Why patients use alternative medicine: Results of a national study. *JAMA*, 279, 1548-1553.
- Astin, J. A., Shapiro, S. L., Eisenberg, D. M., Forys, K. L. 2003. Mind-Body Medicine: State of the Science, Implications for Practice. *JABFM*, 16, 131-147.
- Aviles, J. M., Whelan, S. E., Hernke, D. A., Williams, B. A., Kenny, K. E., O'Fallon, W. M., Kopecky, S. L. 2001. Intercessory Prayer and Cardiovascular Disease Progression in a Coronary Care Unit Population: A Randomized Controlled Trial. *Mayo Clin. Proc.*, 76, 1192-1198.
- Bell, L. M., Watts, K., Siafarikas, A., Thompson, A., Ratnam, N., Bulsara, M., Finn, J., O'Driscoll, G., Green, D. J., Jones, T. W., Davis, E. A. 2007. Exercise Alone Reduces Insulin Resistance in Obese Children Independently of Changes in Body Composition. *JCEM*, 92, 4230-4235.
- Bjorntorp, P. 1991. Visceral fat accumulation: the missing link between psychosocial factors and cardiovascular disease? *J Intern Med*, 230, 195-201.
- Bjorntorp, P. 1997. Body fat distribution, insulin resistance, and metabolic diseases. *Nutrition*, 13, 795-803.
- Boccia, M, Piccardi, L, Guariglia, P. 2015. The Meditative Mind: A Comprehensive Meta-Analysis of MRI Studies BioMed Research International, 419808
- Brussaard, H. E., Leuven, J. A. G., Frölich, M., Kluft, C., Krans, H. M. J. 1997. Short-term oestrogen replacement therapy improves insulin resistance, lipids and fibrinolysis in postmenopausal women with NIDDM. *Diabetologia*, 40, 843-849.
- Butler, A. E., Janson, J., Bonner-Weir, S., Ritzel, R., Rizza, R. A., Butler, P. C. 2003. Beta-cell deficit and increased beta-cell apoptosis in humans with type 2 diabetes. *Diabetes*, 52, 102-10.
- Chen, L., Magliano, D. J., Zimmet, P. Z. 2011. The worldwide epidemiology of type 2 diabetes mellitus--present and future perspectives. *NRENDO*, 8, 228-36.
- Chen, N., Xia, X., Qin, L., Luo, L., Han, S., Wang, G., Zhang, R., Wan, Z. 2016. Effects of 8-Week Hatha Yoga Training on Metabolic and Inflammatory Markers in Healthy, Female Chinese Subjects: A Randomized Clinical Trial. *BMRI*, 2016, 12.
- Colagiuri, S. 2010. Diabetes: therapeutic options. *Diabetes Obes Metab*, 12, 463-73.

- Devaka, F. 2006. Ayurvedic Management of Diabetes. *In: Dunning, T. (ed.) Complementary Therapies and the Management of Diabetes and Vascular Disease*. 1 ed. Cippenham, Wiltshire, Great Britain: John Wiley & Sons Ltd.
- Dharma, A. D. 2006. Pengaruh latihan pasrah diri terhadap kontrol gula darah pada penderita diabetes melitus tipe 2 dengan gejala depresi. Post-Graduate Thesis, Gadjah Mada University.
- Dossey, L. 1997. *Healing Word-Kata-Kata yang Menyembuhkan; Kekuatan Doa & Penyembuhan*, Jakarta, PT Gramedia Pustaka Utama
- Egede, L. E., Ye, X., Zheng, D., Silverstein, M. D. 2002. The Prevalence and Pattern of Complementary and Alternative Medicine Use in Individuals With Diabetes. *Diabetes Care*, 25, 324-329.
- Ernst, E., Rand, J. I., Stevinson, C. 1998. Complementary therapies for depression: An overview. *Arch Gen Psychiat*, 55, 1026-1032.
- Facchini, F. S., Hua, N., Abbasi, F., Reaven, G. M. 2001. Insulin Resistance as a Predictor of Age-Related Diseases. *JCEM*, 86, 3574-3578.
- Faul, F., Erdfelder, E., Buchner, A., Lang, A. G. 2009. Statistical power analyses using G*Power 3.1: tests for correlation and regression analyses. *BRM*, 41, 1149-1160.
- Faul, F., Erdfelder, E., Lang, A. G., Buchner, A. 2007. G*Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behav Res Methods*, 39, 175-191.
- Garvey, W. T., Olefsky, J. M., Griffin, J., Hamman, R. F., Kolterman, O. G. 1985. The effect of insulin treatment on insulin secretion and insulin action in type II diabetes mellitus. *Diabetes*, 34, 222-34.
- Gast, K. B., Tjeerdema, N., Stijnen, T., Smit, J. W. A., Dekkers, O. M. 2012. Insulin Resistance and Risk of Incident Cardiovascular Events in Adults without Diabetes: Meta-Analysis. *PLOS ONE*, 7, e52036.
- Gayoso-Diz, P., Otero-Gonzalez, A., Rodriguez-Alvarez, M. X., Gude, F., Cadarso-Suarez, C., García, F., De Francisco, A. 2011. Insulin resistance index (HOMA-IR) levels in a general adult population: Curves percentile by gender and age. The EPIRCE study. *Diab Res Clin Pract*, 94, 146-155.
- Gonzalez, E. L., Johansson, S., Wallander, M. A., Rodriguez, L. A. 2009. Trends in the prevalence and incidence of diabetes in the UK: 1996-2005. *JECH*, 63, 332-6.
- Grundy, S. M., Brewer, H. B., Jr., Cleeman, J. I., Smith, S. C., Jr., Lenfant, C. 2004. Definition of metabolic syndrome: Report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition. *Circulation*, 109, 433-8.
- Hidayat, N. 2008. Pengaruh latihan pasrah diri terhadap kualitas hidup pada penderita diabetes melitus tipe 2 dengan gejala depresi. Post Graduate Thesis, Gadjah Mada University.
- Hirschler, V., Roque, M. I., Calcagno, M. L., Gonzalez, C., Aranda, C. 2007. Maternal waist circumference and the prediction of children's metabolic syndrome. *Arch Pediatr Adolesc Med*, 161, 1205-10.

- Hotamisligil, G. S. 2000. Molecular mechanisms of insulin resistance and the role of the adipocyte. *Int J Obes Relat Metab Disord*, 24 Suppl 4, S23-7.
- Isaac, R., Boura-Halfon, S., Gurevitch, D., Shainskaya, A., Levkovitz, Y., Zick, Y. 2013. Selective Serotonin Reuptake Inhibitors (SSRIs) Inhibit Insulin Secretion and Action in Pancreatic β Cells. *JBC Chemistry*, 288, 5682-5693.
- Jastreboff, A. M., Sinha, R., Lacadie, C., Small, D. M., Sherwin, R. S., Potenza, M. N. 2013. Neural Correlates of Stress- and Food Cue-Induced Food Craving in Obesity. *Association with insulin levels*, 36, 394-402.
- Kahn, S. E. 2001. Clinical review 135: The importance of beta-cell failure in the development and progression of type 2 diabetes. *JCEM*, 86, 4047-58.
- Kawakami, N., Araki, S., Takatsuka, N., Shimizu, H., Ishibashi, H. 1999a. Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men. *JECH*, 53, 359-363.
- Kawakami, N., Takatsuka, N., Shimizu, H., Ishibashi, H. 1999b. Depressive symptoms and occurrence of type 2 diabetes among Japanese men. *Diabetes Care*, 22, 1071-1076.
- Keskin, M., Kurtoglu, S., Kendirci, M., Atabek, M. E., Yazici, C. 2005. Homeostasis model assessment is more reliable than the fasting glucose/insulin ratio and quantitative insulin sensitivity check index for assessing insulin resistance among obese children and adolescents. *Pediatrics*, 115, e500-3.
- Ketema, E. B., Kibret, K. T. 2015. Correlation of fasting and postprandial plasma glucose with HbA1c in assessing glycemic control; systematic review and meta-analysis. *Arch Public Health*, 73, 43.
- Kisch, E. S. 1985. Stressful events and the onset of diabetes mellitus. *Isr J Med Sci*, 21, 356-8.
- Kloppel, G., Lohr, M., Habich, K., Oberholzer, M., Heitz, P. U. 1985. Islet diagramology and the diagramogenesis of type 1 and type 2 diabetes mellitus revisited. *Surv Synth Diagramol Res*, 4, 110-25.
- Koithan, M. 2009. The Inner Healer: Mind-body Strategies for Health. *JNP*, 5, 374-375.
- Kurl, S., Zaccardi, F., Onaemo, V. N., Jae, S. Y., Kauhanen, J., Ronkainen, K., Laukkanen, J. A. 2015. Association between HOMA-IR, fasting insulin and fasting glucose with coronary heart disease mortality in nondiabetic men: a 20-year observational study. *Acta Diabetol*, 52, 183-6.
- Kurnianingrum, N. M. A. 2015. Pengaruh Kombinasi Latihan Pasrah Diri Dan Fluoxetin Dibandingkan Dengan Fluoxetin Tunggal Terhadap Perubahan Kadar Endothelin-1 : Studi Pada Penderita Diabetes Melitus Tipe 2 Dengan Simtom Depresi. Post Graduate Thesis, Gadjah Mada University.
- Kusbandono, S. 2015. Pengaruh kombinasi latihan pasrah diri dan fluoxetin dibandingkan dengan fluoxetin tunggal terhadap perubahan kadar high sensitivity c-reactive protein: Studi pada penderita diabetes melitus tipe 2 dengan simtom depresi. Post Graduate Thesis, Gadjah Mada University.
- Lee, J. M. 2006. Insulin resistance in children and adolescents. *Rev Endocr Metab Disord*, 7, 141-147.

- Levkovitz, Y., Ben-Shushan, G., Hershkovitz, A., Isaac, R., Gil-Ad, I., Shvartsman, D., Ronen, D., Weizman, A., Zick, Y. 2007. Antidepressants induce cellular insulin resistance by activation of IRS-1 kinases. *Mol Cell Neurosci*, 36, 305-12.
- Li, W. L., Zheng, H. C., Bukuru, J., De Kimpe, N. 2004. Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus. *J Ethnopharmacol*, 92, 1-21.
- Lorig, K. R., Ritter, P. L., Laurent, D. D., Fries, J. F. 2004. Long-Term Randomized Controlled Trials of Tailored-Print and Small-Group Arthritis Self-Management Interventions. *Med Care*, 42, 346-354.
- Matthews, D. R., Hosker, J. P., Rudenski, A. S., Naylor, B. A., Treacher, D. F., Turner, R. C. 1985. Homeostasis model assessment: insulin resistance and beta-cell function from fasting plasma glucose and insulin concentrations in man. *Diabetologia*, 28, 412-9.
- McIntyre, R. S., Soczynska, J. K., Konarski, J. Z., Kennedy, S. H. 2006. The effect of antidepressants on glucose homeostasis and insulin sensitivity: synthesis and mechanisms. *Expert Opinion on Drug Safety*, 5, 157-168.
- Mishra, S. B., Rao, C. V., Ojha, S. K., Vijayakumar, M., Verma, A. 2009. An Analytical Review of Plants for Anti Diabetic Activity with Their Phytoconstituent & Mechanism of Action. *IJPSR*, 1, 29-46.
- Misra, A., Khurana, L., Vikram, N. K., Goel, A., Wasir, J. S. 2007. Metabolic syndrome in children: current issues and South Asian perspective. *Nutrition*, 23, 895-910.
- Mooy, J. M., de Vries, H., Grootenhuys, P. A., Bouter, L. M., Heine, R. J. 2000. Major stressful life events in relation to prevalence of undetected type 2 diabetes: the Hoorn Study. *Diabetes Care*, 23, 197-201.
- Mosley, M. 2012. UKPDS Follow-Up: Early HbA1c Reductions Linked to a Decrease in MI, All-Cause Mortality. Value-Based Care in Cardiometabolic Health. Cardiometabolic Health ed. Cranbury: Engage Healthcare Communication, LLC.
- Muin, N. 2015. Pengaruh Latihan Pasrah Diri (LPD) Ditambah Fluoxetin Dibanding Fluoxetin terhadap Penurunan Kadar Fruktosamin Penderita Pengidap Diabetes Melitus Tipe 2 dengan Simtom Depresi. Post Graduate Thesis, Gadjah Mada University.
- NeeSinha, P. M., Gandhi, A., Mondal, S., Jain, A., Biswas, R. Effect of Yoga on HOMA-IR and atherogenic lipid profile parameters of Mets syndrome in early postmenopausal women. Proceedings of The Physiological Society, 2016 Dublin, Ireland. The Physiological Society, PCB212.
- Nidhi, R., Padmalatha, V., Nagarathna, R., Ram, A. 2012. Effect of a yoga program on glucose metabolism and blood lipid levels in adolescent girls with polycystic ovary syndrome. *Int J Gynecol Obstet*, 118, 37-41.
- Novianto, D. 2006. Pengaruh latihan pasrah diri terhadap kontrol tekanan darah penderita diabetes melitus tipe 2 dengan hipertensi dan gejala depresi. Post Graduate Thesis, Gadjah Mada University.

- Pastucha, D., Filipcikova, R., Cajka, V., Horakova, D., Radova, L., Reich, P., Sovova, E. 2012. Effect of Yoga Exercise on Metabolic and Homeostatic Parameters of Insulin Resistance. *AMM*, 12/1, 35-39
- Pawa, M. 2006. Complementary Therapy Use. *In: Dunning, T. (ed.) Complementary Therapies and the Management of Diabetes and Vascular Disease*. 1 ed. Cippenham, Wiltshire, Great Britain: John Wiley & Sons Ltd.
- Ray, A., Walford, G. A., Mannstadt, M. 2011. Diabetes. *In: Sabatine, M. S. (ed.) Pocket Medicine: The Massachusetts General Hospital Handbook of Internal Medicine*. 4th ed. Philadelphia: Lippincot Williams & Wilkins.
- Roder, M. E., Porte, D., Jr., Schwartz, R. S., Kahn, S. E. 1998. Disproportionately elevated proinsulin levels reflect the degree of impaired B cell secretory capacity in patients with noninsulin-dependent diabetes mellitus. *J Clin Endocrinol Metab*, 83, 604-8.
- Rothman, D. L., Magnusson, I., Cline, G., Gerard, D., Kahn, C. R., Shulman, R. G., Shulman, G. I. 1995. Decreased muscle glucose transport/phosphorylation is an early defect in the diagenogenesis of non-insulin-dependent diabetes mellitus. *PNAS*, 92, 983-987.
- Rudiansyah, M. 2008. Pengaruh latihan pasrah diri terhadap kadar C-Reactive Protein pada penderita Diabetes Mellitus tipe 2 dengan gejala depresi. Post Graduate Thesis, Gadjah Mada University.
- Ryan, T. P. 2013. Sample Size Determination and Power, Canada, John Wiley & Sons, Inc.
- Sahay, B. K. Yoga and Diabetes in Proceedings. *In: Kapur, A., ed. Novo Nordisk Diabetes Update 94 1994 Bombay*. Health Care Communications, 159-168.
- Sari, W. 2016. Pengaruh Kombinasi Latihan Pasrah Diri Dan Fluoxetin Dibandingkan Dengan Fluoxetin Tunggal Terhadap Perubahan Kadar Oksida Nitrit : Studi Pada Penderita Diabetes Melitus Tipe 2 Dengan Simtom Depresi. Yogyakarta: Gadjah Mada University.
- Savage, D. B., Petersen, K. F., Shulman, G. I. 2005. Mechanisms of insulin resistance in humans and possible links with inflammation. *Hypertension*, 45, 828-33.
- Shaw, J. E., Sicree, R. A., Zimmet, P. Z. 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract*, 87, 4-14.
- Siswanto, A., Siregar, A. K. 2016. An Update on the Treatment of Depression in Diabetic Patients: Introducing “Latihan Pasrah Diri (LPD)”. 33rd World Congress of Internal Medicine. Nusa Dua, Bali, Indonesia.
- Soelistijo, S. A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, Y. A., Purnamasari, D., Soetedjo, N. N., Saraswati, M. R., Dwipayana, M. P., Yuwono, A., Sasiarini, L., Sugiarto, Sucipto, K. W., Zufry, H. 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015, Jakarta, PB. PERKENI.
- Srinivasan, S., Ambler, G. R., Baur, L. A., Garnett, S. P., Tepsa, M., Yap, F., Ward, G. M., Cowell, C. T. 2006. Randomized, Controlled Trial of

- Metformin for Obesity and Insulin Resistance in Children and Adolescents: Improvement in Body Composition and Fasting Insulin. *JCEM*, 91, 2074-2080.
- Stenström, U., Göth, A., Carlsson, C., Andersson, P.-O. 2003. Stress management training as related to glycemic control and mood in adults with Type 1 diabetes mellitus. *Diabetes Res Clin Pract*, 60, 147-152.
- Sun, G.-C., Lovejoy, J. C., Gillham, S., Putiri, A., Sasagawa, M., Bradley, R. 2010. Effects of Qigong on Glucose Control in Type 2 Diabetes. *A randomized controlled pilot study*, 33, e8-e8.
- Surwit, R. S., van Tilburg, M. A. L., Zucker, N., McCaskill, C. C., Parekh, P., Feinglos, M. N., Edwards, C. L., Williams, P., Lane, J. D. 2002. Stress Management Improves Long-Term Glycemic Control in Type 2 Diabetes. *Diabetes Care*, 25, 30-34.
- Svensson, E., Baggesen, L. M., Johnsen, S. P., Pedersen, L., Nørrelund, H., Buhl, E. S., Haase, C. L., Thomsen, R. W. 2017a. Early Glycemic Control and Magnitude of HbA1c Reduction Predict Cardiovascular Events and Mortality: Population-Based Cohort Study of 24,752 Metformin Initiators. *Diabetes Care*, 40, 800-807.
- Svensson, E., Baggesen, L. M., Johnsen, S. P., Pedersen, L., Nørrelund, H., Buhl, E. S., Haase, C. L., Thomsen, R. W. 2017b. Early Glycemic Control and Magnitude of HbA_{1c} Reduction Predict Cardiovascular Events and Mortality: Population-Based Cohort Study of 24,752 Metformin Initiators. *Diabetes Care*, 40, 800-807.
- Tabata, S., Yoshimitsu, S., Hamachi, T., Abe, H., Ohnaka, K., Kono, S. 2009. Waist circumference and insulin resistance: a cross-sectional study of Japanese men. *BMC Endocr Disord*, 9, 1.
- Therlund, G. M., Dahlquist, G., Hansson, K., Ivarsson, S. A., Ludvigsson, J., Sjöblad, S., Hägglöf, B. 1995. Psychological Stress and the Onset of IDDM in Children: A case-control study. *Diabetes Care*, 18, 1323-1329.
- Vickers, A. 1996. *Massage and Aromatherapy: A Guide for Health Professionals*, London, Chapman and Hall.
- Wardani, D. A. K., Huriyati, E., Mustikaningtyas, Hastuti, J. 2015. Obesitas, body image, dan perasaan stres pada mahasiswa di Daerah Istimewa Yogyakarta. *JGKI*, 11, 161-169.
- Weyer, C., Bogardus, C., Mott, D. M., Pratley, R. E. 1999. The natural history of insulin secretory dysfunction and insulin resistance in the diagenesis of type 2 diabetes mellitus. *JCI*, 104, 787-794.
- WHO 2002. *WHO Traditional Medicine Strategy 2002–2005*. Geneva: WHO.
- Widodo, T. 2008. Pengaruh latihan pasrah diri terhadap angka leukosit pada penderita diabetes melitus tipe 2 dengan gejala depresi. Post Graduate Thesis, Gadjah Mada University.
- Xue, C. C., O'Brian, K. A. 2006. Chinese Medicine Treatment of Diabetes. *In: Dunning, T. (ed.) Complementary Therapies and the Management of Diabetes and Vascular Disease*. 1 ed. Cippenham, Wiltshire, Great Britain: John Wiley & Sons Ltd.

- Yan, Y.-X., Xiao, H.-B., Wang, S.-S., Zhao, J., He, Y., Wang, W., Dong, J. 2016. Investigation of the Relationship Between Chronic Stress and Insulin Resistance in a Chinese Population. *J Epidemiol*, 26, 355-360.
- Yoda, K., Inaba, M., Hamamoto, K., Yoda, M., Tsuda, A., Mori, K., Yamada, S., Emoto, M., Koyama, H., Imanishi, Y. 2014. Association Between Glycemic Control and Morning Blood Pressure Surge With Vascular Endothelial Dysfunction in Type 2 Diabetic Patients. *Diabetes Care*, 37, 644-650.
- Zalaquett, C. P., McGraw, A. 2000. Clinician's Complete Reference to Complementary/Alternative Medicine, New York, Mosby.
- Zhang, X., Li, J., Zheng, S., Luo, Q., Zhou, C., Wang, C. 2017. Fasting insulin, insulin resistance, and risk of cardiovascular or all-cause mortality in non-diabetic adults: a meta-analysis. *Biosci Rep*, 37.