



TABLE OF CONTENT

FINAL PROJECT	i
DECLARATION	iii
DEDICATION	iv
PREFACE.....	v
TABLE OF CONTENT	vi
LIST OF TABLES	ix
LIST OF FIGURES	x
ABSTRACT	xi
INTISARI	xii
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Problems	2
1.3 Research Objectives	2
1.4 Research Scopes	3
1.5 Research Benefits	3
1.6 Research Authenticity	4
CHAPTER 2 LITERATURE REVIEW	5
2.1 Airport	5
2.2 Airport Configuration and Components.....	5
2.2.1 Airside area	6
2.2.2 Landside Area	7
2.3 Pavement	7
2.4 Rigid Pavement	8
2.5 Aircraft Characteristic	9
2.5.1 Aircraft Weight	10
2.5.2 Aircraft Dimension	11
2.5.3 Landing Gear Configuration	11
2.5.4 Capacity	11



2.5.5	Runway Length	11
2.6	ACN-PCN Number	13
CHAPTER 3 THEORETICAL BASIS		14
3.1	Aircraft Movement	14
3.1.1	Aircraft Wheel Load	14
3.1.2	Landing Gear Configuration	15
3.1.3	Tire Pressure	17
3.2	FAA Method for Rigid Pavement Design	17
3.3	ACN-PCN Method	23
3.3.1	Definition of ACN	23
3.3.2	Definition of PCN	23
3.3.3	Determination of ACN Value	23
3.3.4	Determination of PCN Value	24
3.3.5	Reporting PCN Value	27
3.4	Stress and Deflection due to Loads	29
3.5	Frictional Stress	32
3.6	Curling Stress/Warping Stress.....	33
3.7	Rigid Pavement Jointing.....	35
3.7.1	Joint Categories	35
3.7.2	Joint Spacing.....	36
3.7.3	Special Jointing Considerations.....	39
3.7.4	Jointing Steel	40
CHAPTER 4 RESEARCH METHOD		42
4.1	Research Flow Chart	42
4.2	Research Location and Period	43
4.3	Technical Data.....	44
4.4	Research Equipment.....	45
4.5	Research Process	45
CHAPTER 5 DESIGN AND CALCULATION RESULTS.....		47
5.1	Data Analysis.....	47
5.1.1	Design Aircraft	47



5.1.2 Air Traffic Analysis	48
5.1.3 Pavement Structure Data.....	53
5.2 Rigid Pavement Design using FAA Method	53
5.3 ACN-PCN Method	65
5.4 Stress and Deflection due to Loads Occured on the Pavement	67
5.5 Rigid Pavement Jointing	72
5.5.1 Jointing Type	72
5.5.2 Tie Bar and Dowel Dimension	74
CHAPTER 6 CONCLUSION AND RECOMMENDATIONS	76
6.1 Conclusion.....	76
6.2 Recommendations	77
REFERENCES.....	78
APPENDIX	79



LIST OF TABLES

Table 1.1 Preceeding research.....	4
Table 2.1 Conditions where no subbase needed	9
Table 3.1 Aircraft Landing Gear Configuration Conversion	16
Table 3.2 Standard Subgrade Support Conditions for Rigid Pavement ACN Calculation.....	24
Table 3.3 Pavement Code for Reporting PCN	28
Table 3.4 Tire Pressure Codes for Reporting PCN	29
Table 3.5 Recommended Maximum Joint Spacing	36
Table 3.6 Dimensions and Spacing of Steel Dowels	41
Table 5.1 Aircraft Movement Data in Soekarno-Hatta International Airport from 2012-2016.....	48
Table 5.2 Aircraft percentage according aircraft type during 2016	49
Table 5.3 Aircraft movement growth forecast for the upcoming 20 years	51
Table 5.4 Average annual departure for each aircraft during 2017-2036.....	52
Table 5.5 Wheel load calculation for each aircraft	55
Table 5.6 Converted annual aircraft departure.....	58
Table 5.7 Calculation of EAD.....	58
Table 5.8 Pavement thickness conversion factor	61
Table 5.9 Calculation result of stress and deflection occured on the pavement surface	71
Table 5.10 Calculation result warping stress occured on the pavement surface.....	71



LIST OF FIGURES

Figure 2.1 Flexible Pavement (a) and Rigid Pavement (b)	8
Figure 3.1 Granular subbase effect on subgrade modulus (<i>Source: FAA AC No. 150/5320-6C</i>)	20
Figure 3.2 Stabilized subbase effect on subgrade modulus	21
Figure 3.3 Slab Thickness Graphic for Rigid Pavement Design using Boeing B-777-300ER	22
Figure 3.4 Rigid pavement ACN value determination for Boeing B-777-300ER.....	26
Figure 3.5 Joint Types (<i>Source: FAA AC No: 150/5320-6D</i>)	38
Figure 4.1 Research Flowchart	43
Figure 4.2 Map of Soekarno-Hatta International Airport	44
Figure 5.1 Boeing B-777-300ER)	47
Figure 5.2 Aircraft growth chart in Soekarno-Hatta International Airport during 2012-2016	50
Figure 5.3 Rigid Pavement Structure in Soekarno-Hatta International Airport.....	53
Figure 5.4 Stabilized subbase effect on subgrade modulus.....	62
Figure 5.5 Slab Thickness Graphic for Rigid Pavement Design using Boeing B-777-300ER	62
Figure 5.6 Rigid Pavement Structure in Taxiway using Boeing B-777-300ER as design aircraft	64
Figure 5.7 Rigid pavement ACN value determination for Boeing B-777-300ER	66
Figure 5.8 Curling Stress Correction Factor	70
Figure 5.9 Expansion Joint Detail (in mm)	73
Figure 5.10 Contraction Joint Detail (in mm)	73
Figure 5.11 Construction Joint Detail (in mm)	74
Figure 5.12 Thickened Edge Expansion Joint (in mm)	74