

DAFTAR PUSTAKA

- American Diabetes Association, 2014, Modifiable Risk Factors and Non-Modifiable Risk Factors that Can Contribute to A Person's Overall Likelihood of Developing Type 2 Diabetes, <http://professional.diabetes.org>, 15 Mei 2018.
- American Diabetes Association, 2015, Standards of Medical Care in Diabetes, *Diabetes Care*, **38**(1), 1-87.
- Anderson D.J., Podgorny K., Berrios-Torres S.I., Bratzler D.W., Dellinger E.P., Greene L., *et al.*, 2014, Strategies to Prevent Surgical Site Infections in Acute Care Hospitals: 2014 Update, *Infect Control Hosp Epidemiol*, **35**(6), 605-627.
- Anonim, 2018, Drug Interaction Report, https://www.drugs.com/interactions-check.php?drug_list=167-0%2C300-0%2C487-0%2C705-0%2C862-0%2C1335-0%2C1874-0%2C2105-0%2C2288-0%2C1912-14126%2C1146-676&professional=1&types%5B%5D=major, 1 Mei 2018.
- Antonelli, D., Atar, S., Freedberg, N.A., Rosenfeld, T., 2005, Torsade De Pointes in Patients on Chronic Amiodarone Treatment: Contributing Factors and Drug Interactions, *Isr Med Assoc J*, **7**, 163-165.
- Backonja M., & Glanzman R.L., 2003, Gabapentin Dosing for Neuropathic Pain: Evidence From Randomized Placebo-Controlled Clinical Trials, *Clin. Ther.*, **25**(1), 81-104.
- Baron, R., Binder, A., Attal, N., Casale, R., Dickenson, A.H., & Treede, R-D., 2016, Narrative Review: Neuropathic Low Back Pain in Clinical Practice, *Eur. J. Pain*, **20**, 861-873.
- Becker, T., Moldoveanu, A., Cukierman, T., & Gerstein, H.C., 2007, Clinical Outcomes Associated with The Use of Subcutaneous Insulin-by-Glucose Sliding scales to Manage Hyperglycemia in Hospitalized Patients with Pneumonia, *Diabetes Res Clin Pract*, **78**, 392-397.
- Bob, W., & Ines, K., 2009, Development of An Evidence-based Checklist for the Detection of Drug-related Problems in Type 2 Diabetes Melitus, *Pharm. World Sci.*, **31**, 580-595.
- Bratzler D.W., Dellinger E.P., Olsen K.M., Perl T.M., Auwaerter P.G., Bolon M.K., *et al.*, 2013, Clinical Practice Guidelines for Antimicrobial Prophylaxis in Surgery, *Am J Health Syst Pharm.*, **70**(3), 195-283.
- Brunner & Suddart, 2003, *Keperawatan Medical Bedah*, EGC, Jakarta.
- Chang, S.A., 2012, Smoking and Type 2 Diabetes Melitus, *Diabetes Metab J*, **36**(6), 399-403.
- Charles F.L., Lora L.A., Morton P.G., 2011, *Drug Information Handbook*, 20th ed. Lexi Comp., USA.

- Cho, N.H., Chan, J.C., Jang, H.C., Lim, S., Kim, H.L., Choi, S.H., 2009, Cigarette Smoking is An Independent Risk Factor for Type 2 Diabetes: A Four-Year Community-Based Prospective Study, *Clin Endocrinol (Oxf)*, **71**(5), 679-685.
- Cipolle, R.J., Strand, L.M., Morley, P.C., 2012, *Pharmaceutical Care Practice: The Patient-Centered Approach to Medication Management*, 3rd Edition, McGrawHill, New York.
- Clement, S., Braithwaite, S.S., Magee, M.F., Ahmann, A., Smith, E.P., Schafer, R.G., *et al.*, 2004, Management of Diabetes and Hyperglycemia in Hospitals, *Diabetes Care*, **27**, 553-591.
- Cramer, J.A., Benedict, A., Muszbek, N., Keskinaslan, A., Khan, Z., 2008, The Significance of Compliance and Persistence in The Treatment of Diabetes, Hypertension and Dyslipidaemia: A Review, *Int J Clin Pract*, **62**(1), 76–87.
- Danaei, G., Finucane, M.M., Lu Y., Singh, G.M., Cowan, M.J., Paciorek, C.J. *et al.*, 2011, National, Regional, and Global Trends in Fasting Plasma Glucose and Diabetes Prevalence Since 1980: Systematic Analysis of Health Examination Surveys and Epidemiological Studies with 370 Country-years and 2.7 Million Participants, *Lancet*, **378** (9785), 31–40.
- Dipiro, J.T., 2015, Infectious Diseases: Antimicrobial Selection Regimen, dalam Dipiro, J.T., Dipiro, C.V., Schwinghammer, T.L., Wells, B.G., (Eds.), *Pharmacotherapy Handbook Ninth Edition*, 313-322, McGraw-Hill Education, New York.
- Dipiro, J.T. & Schwinghammer, T.L., 2015, Gastrointestinal Disorders: Gastroesophageal Reflux Disease, dalam Dipiro, J.T., Dipiro, C.V., Schwinghammer, T.L., Wells, B.G., (Eds.), *Pharmacotherapy Handbook Ninth Edition*, 206-212, McGraw-Hill Education, New York.
- Ernst, F.R. & Grizzle, A.J., 2001, Drug-Related Morbidity and Mortality: Updating The Cost-of-Illness Model, *J Am Pharm Assoc*, **41**(2), 192–199.
- Hakim, B.H., Abdullah, A.Z., Hanis, M., 2009, Analisis Faktor Risiko Diabetes Melitus Tipe 2 di Puskesmas Tanrutedong Sidenreng Rappang, *Jurnal Kedokteran Indonesia*, **35**(4), 228.
- Houlden, R., Capes, S., Clement, M., Miller, D., 2013, In-hospital Management of Diabetes, *Can J Diabetes*, **37**, 77-81.
- Huang, D.J., Xie, L.Z., Qiu, Y., 2016, Analysis of Factors Affecting The Length of Hospital Stay for Patients with Diabetes, *Exp Clin Endocrinol Diabetes*, **124**(1), 5-10.
- Huri, H.Z. & Wee, H.F., 2013, Drug Related Problems in Type 2 Diabetes Patients with Hypertension: A Cross-Sectional Retrospective Study, *BMC Endocr. Disord.*, **13**, 2.

- Iglay, K., Hannachi, H., Joseph, H.P., Xu, J., Li, X., Engel, S.S., *et al.*, 2016, Prevalence and Co-prevalence of Comorbidities among Patients with Type 2 Diabetes Melitus, *Current Medical Research and Opinion*, **32**(7), 1243-1252
- Kautzky-Willer, A., Harreiter, J., Pacini, G., 2016, Sex and Gender Differences in Risk, Pathophysiology and Complications of Type 2 Diabetes Melitus, *Endocrine Reviews*, **37**(3), 278–316.
- Kaysin, A. & Viera, A.J., 2016, Community-Acquired Pneumonia in Adults: Diagnosis and Management, *Am. Fam. Physician.*, **94**(9), 698-706.
- Kwok, C.S., Arthur, A.K., Anibueze, C.I., Singh, S., Cavallazzi, R., Loke, Y.K., 2012, Risk of Clostridium Difficile Infection with Acid Suppressing Drugs and Antibiotics: Meta-Analysis. *Am J Gastroenterol.*, **107**(7), 1011-1019.
- Leendertse, A.J., Egberts, A.C.G., Stoker, L.J., Van Den Bemt PMLA, HARM Study Group, 2008, Frequency of and Risk Factors for Preventable Medication-Related Hospital Admissions in The Netherlands, *Arch Intern Med*, **168**(17), 1890–1896.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., Lwanga, S.K., 1990, *Adequacy of Sample Size in Health Studies*, John Wiley & Sons, Chichester.
- Lemos, T.E., Nunes, S., Teixeira, F., Reis, F., 2011, Regular Physical Exercise Training Assists in Preventing Type 2 Diabetes Development: Focus on It's Antioxidant and Anti-Inflamantory Properties, *Biomed Central Cardiovascular Diabetology*, **10**(2), 1–15.
- Maedler, K., Schumann, D.M., Schulthess, F., Oberholzer, J., Bosco, D., Berney, T., *et al.*, 2006, Aging Correlates with Decreased Beta-Cell Proliferative Capacity and Enhanced Sensitivity to Apoptosis: A Potential Role for Fas and Pancreatic Duodenal Homeobox-1, *Diabetes*, **55**(9), 2455-2462.
- Mathers, C.D. & Loncar, D., 2006, Projections of Global Mortality and Burden of Disease from 2002 to 2030, *PLoS Med.*, **3**, 2011-2030.
- Moghissi, E.S., Korytkowski, M.T., DiNardo, M., Einhorn, D., Hellman, R., Hirsch, I.B., *et al.*, 2009, American Association of Clinical Endocrinologists and American Diabetes Association Consensus Statement on Inpatient Glycemic Control, *Endocr Pract*, **15**, 353-369.
- National Institute for Health and Care Excellence (NICE), 2014, Pneumonia in Adults: Diagnosis and Management, <http://www.nice.org.uk/guidance/cg191>, 10 Juli 2018.
- Obialo, C.I., Ofili, E.O., Mirza, T., 2002, Hyperkalemia in Congestive Heart Failure Patients Aged 63 To 85 Years with Subclinical Renal Disease, *Am J Cardiol*, **90**, 663-665.
- Perazella, M.A. & Mahnensmith, R.L., 1997, Hyperkalemia in The Elderly: Drugs Exacerbate Impaired Potassium Homeostasis, *J Gen Intern Med*, **12**, 646-656.

- Perkumpulan Endokrinologi Indonesia, 2015, Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia, PB. PERKENI, Jakarta.
- Rackoff, A., Agrawal, A., Hila, A., Mainie, I., Tutuian, R., Castell, D.O., 2005, Histamine-2 Receptor Antagonists at Night Improve Gastroesophageal Reflux Disease Symptoms for Patients on Proton Pump Inhibitor Therapy, *ISDE*, 18, 370–373.
- Schwinghammer, T.L., 2015, Endocrinologic Disorders: Diabetes Melitus, dalam Dipiro, J.T., Dipiro, C.V., Schwinghammer, T.L., Wells, B.G., (Eds.), *Pharmacotherapy Handbook Ninth Edition*, 161-175, McGraw-Hill Education, New York.
- Umpierrez, G.E., Maynard, G., 2006, Glycemic Chaos (Not Glycemic Control) Still The Rule for Inpatient Care: How Do We Stop The Insanity?, *J Hosp Med*, 1, 141-144.
- Umpierrez, G.E., Palacio, A., Smiley, D., 2007a, *Sliding scale* Insulin Use: Myth or Insanity?, *Am J Med*, 120, 563-567.
- Umpierrez, G.E., Smiley, D., Zisman, A., Prieto, L.M., Palacio, A., Ceron, M., *et al.*, 2007b, Randomized Study Of Basal-Bolus Insulin Therapy in The Inpatient Management of Patients with Type 2 Diabetes (RABBIT 2 Trial), *Diabetes Care*, 30, 2181-2186.
- Umpierrez, G.E., Smiley, D., Jacobs, S., Peng, L., Temponi, A., Mulligan, P., *et al.*, 2011, Randomized Study of Basal-Bolus Insulin Therapy in The Inpatient Management of Patients with Type 2 Diabetes Undergoing General Surgery (RABBIT 2 Surgery), *Diabetes Care*, 34, 256-261.
- Wesorick, D., O'Malley, C., Rushakoff, R., Larsen, K., Magee, M., 2008, Management of Diabetes and Hyperglycemia in The Hospital: A Practical Guide to Subcutaneous Insulin Use in The Non-Critically Ill, Adult Patient, *J Hosp Med*, 3(5), 17-28.
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H., 2004, Global Prevalence of Diabetes Estimates for The Year 2000 and Projections for 2030, *Diabetes Care* 27 (5), 1047–1053.
- World Health Organization, 2013, Fact Sheet Diabetes, <http://www.who.int/mediacentre/factsheets/fs312/en/>, 8 September 2017.
- World Health Organization, 2016, *Global Guidelines For The Prevention Of Surgical Site Infection*, WHO Document Production Services, Geneva.
- Yamreudeewong, W., DeBisschop, M., Martin, L., Lower, D., 2003, Potentially Significant Drug Interactions of Class III Antiarrhythmic Drugs, *Drug Saf*, 26, 421-438.
- Yasin, N.M., Widyastuti, H.T., Dewi, E.K., 2008, Kajian Interaksi Obat pada Pasien Gagal Jantung Kongestif di RS Dr. Sardjito Yogyakarta Tahun 2005, 4(1).