

DAFTAR PUSTAKA

- Agriansyah, A. 2013. Perakitan dan Pemetaan Gen ketahanan terhadap *Powdery Mildew* dengan Penanda *Sequence Characterized Amplified Region* pada Melon (*Cucumis melo* L.) kultivar Tacapa. *Tesis*. Fakultas Biologi UGM. Yogyakarta.
- Alexopoulos, C.J. and Mims, C.W. 1979. *Introducing Mycology*. John Wiley and Sons. New York. Pp 292-300.
- Al-Mughni, E.W. 2015. Kestabilan Karakter Fenotip dan Deteksi Gen Ketahanan terhadap Jamur Tepung pada Melon (*Cucumis melo*. L "Meloni") dengan *Sequence Characterized Amplified Region*. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Amalia, R. 2016. Adaptasi dan Kestabilan Karakter Fenotip Melon (*Cucumis melo* L. 'Meloni') Hasil Persilangan 'SL-3' dengan 'PI 371795'. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Aristya, G. R. 2006. Skrining dan Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) terhadap *Powdery Mildew* (Jamur tepung). *Skripsi*. Fakultas Biologi UGM. Yogyakarta. Pp: 1, 7-8.
- Aristya, G.R. 2009. Pewarisan dan Pemetaan Penanda *Sequence Characterized Amplified Region* [(*Podospaera xanthii* (Castag.) Braun et Shiskoff)] pada Tanaman Melon (*Cucumis melo* L.). *Tesis*. Fakultas Biologi UGM. Yogyakarta.
- Aristya, G.R., dan Daryono, B.S. 2013. Pengembangan dan pewarisan sifat ketahanan penyakit *Powdery Mildew* pada tanaman melon (*Cucumis melo* L.) Var. Tacapa. *Jurnal Penelitian dan Pengembangan Pemerintah Daerah DIY*, 7(7): 47-52.
- Arnholdt-Schmitt, B., Girao, L. C., Llamoca-Zarate, R. M., and Campos, F. A. P. 2001. Genome characterization of *Opuntia ficus-indica*: A simple and efficient micromethod. *Journal of Professional Association for Cactus Development (J.PACD)*, 4: 57-65.
- Azrai, M. 2005. Ulasan pemanfaatan marka molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen*, 1(1): 26-37.
- Bautista, R., Crespillo and Claros, M.G. 2002. Identification of Olive-tree cultivars with SCAR markers. *Euphytica*, 129: 33-41.
- Bornet, B., Antoine, E., Francoise, S., and Le-Baut, C.M. 2005. Development of sequence characterized amplified region markers from intersimple sequence repeat fingerprints for the molecular detection of toxic Phytoplankton *Alexandrium catenella* (Dinophyceae) and *Pseudo-Nitzschia pseudodelicatissima* (Bacillariophyceae) from French Coastal Water. *Journal of Phycology*, 41(3): 704-711.
- Buditjahjono, N.E. 2007. *Menanam Melon di Lahan Sempit*. Karunia. Surabaya.
- Cheah, L. H., Page, B.B.C., and Cox, J.K. 1996. Epidemiology of Powdery mildew (*Spaerotheca fuliginea*) of Squash. *New Zealand Institute for Crop and Food Research Ltd*: 147-151.
- Cho, S.E., Choi, I. Y., Han, K.S. and Shin, H.D. 2017. First record of *Podospaera xanthii* on *Peperomia tetragona*. *Australasian Plant Pathology*, 12:31.

- Crowder, L.V. 1986. *Genetika Tumbuhan*. Gadjah Mada University Press. Yogyakarta. Hal: 366-367.
- Daryono, B. S., Aristya, G.R., and Kasiamdari, R.S. 2011. Development of random amplified polymorphism DNA markers linked to Powdery Mildew resistance gene in Melon. *Indonesian Journal of Biotechnology*, 16(2): 76-82.
- Daryono, B.S. dan Maryanto, S.D. 2017. *Keanekaragaman dan Potensi Sumber Daya Genetik Melon*. Gadjah Mada University Press. Yogyakarta. Hal: 1-3, 8-12, 76-81.
- Davis, A.R., Levi, A., Wehner, T. and Pitrat, M. 2001. PI 525088-PMR, a melon race 1 *powdery mildew* resistant watermelon line. *Hort Science*, 41(7): 1527-1528.
- Dellaporta, S.L., Wood, J. and Hicks, J.B. 1983. A plant DNA mini preparation: Version II. *Plant Molecular Biology Reporter*, 1: 19-21.
- Eckardt, N.A. 2004. Aminotransferases confer "Enzymatic Resistance" to downy mildew in melon. *Journal of Experimental Botany*, 54 (384):1069-1074.
- Fatmawati, A and Daryono, B. S. 2016. Detection of powdery mildew (*Podosphaera xanthii* (Castag.) Braun et Shiskoff) resistance gene in melon (*Cucumis melo* L.) cultivar Tacapa Green Black. *Bioengineering and Bioscience*, 4(4): 51-55.
- Fukino, N., Kunihiya, M., and Matsumoto, S. 2004. Characterization of recombinant inbred lines derived from crosses in melon (*Cucumis melo* L.). 'PMAR NO.5'X'Harukei No.3'. *Breeding science*, 3(54):141-145.
- Gariyban, L and Avashia, N. 2013. Polymerase Chain Reaction. *Journal of Investigative Dermatology*, 133: 1-4.
- Ginting, W. S. B. 2015. Kestabilan Karakter Fenotip dan Deteksi Gen Ketahanan terhadap Jamur Tepung pada Melon (*Cucumis melo* L.) kultivar Tacapa Silver. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Hindarwati. 2006. *Panduan Pengujian Individual Kebaruan, Keceragaman, dan Kestabilan: Melon (Cucumis melo L.)*. Departemen Pertanian Republik Indonesia: Pusat Perlindungan Varietas Tanaman. Jakarta. Hal: 8.
- Ilag, L.L. 1978. Mungbean diseases in the Philipines. *Proceeding Internasional Mungbean*: 154-156.
- IPGRI. 2003. *Minimum Descriptors for Cucurbita spp., Cucumber, Melon, and Watermelon*. European Cooperative Programme for Riset Genetic Resource. P 9.
- Ishak, M.A. 2016. Kestabilan Karakter Fenotip Melon (*Cucumis melo* L. 'Sun Lady') Hasil Budidaya di Dusun Jamusan, Prambanan D.I. Yogyakarta. *Seminar*. Fakultas Biologi UGM. Yogyakarta.
- Kasiamdari, R.S., Riefani, M.K., and Daryono, B.S. 2016. The occurrence and identification of powdery mildew on melon in Java, Indonesia. *AIP Conference Proceedings*.
- Kementrian Pertanian RI. 2016. *Statistik Pertanian 2016*. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian Republik Indonesia. Jakarta. Hal: 152-153.

- Kosack, K.E.H. and Jones, J.D.G. 1996. Resistance gene-dependent plant defense Responses. *The Plant Cell*, 8:1773-1791.
- Kryndushkin D.S, Alexandrov I.M, Ter-Avanesyan M.D and Kushnirov V.V. 2003. Yeast prion aggregates are formed by small Sup35 polymers fragmented by Hsp10. *Journal of Biological Chemistry*, 278 (49): 49636.
- Kuzuya, M., Yashiro, K., Tomita, K., and Ezura, H. 2006. Powdery mildew (*Podosphaera xantii*) resistance in melon is categorized into two types based on inhibition of the infection processes. *Journal of Experimental Botany*, 57 (9): 2093-2100.
- Listiawan, D. A. 2009. Deteksi Gen Pengkode Sifat Ketahanan terhadap Powdery Mildew (*Podhospaera xanthii* (Castag.) Braun et Shishkoff) pada Melon (*Cucumis melo* L.) dengan Penanda Molekular SCARs. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Long, R.L. 2005. *Improving Fruit Soluble Solids Content in Melon (Cucumis melo L.) (Reticulatus group) in the Australian Production System*. Thesis document. School of biological and environmental science Faculty of Arts Health and Science Central Queensland University. Rockhampton.
- Mangoendidjojo, W. 2003. *Dasar-Dasar Pemuliaan Tanaman*. Kanisius. Yogyakarta. Hal: 1-4.
- Mangoendidjojo, W. 2010. *Dasar-Dasar Pemuliaan Tanaman*. Kanisius. Yogyakarta. Hal: 30-34.
- Merck. 1999. *Chemical Reagents*. Merck and Co., Inc. New York.
- Moore and Landecker, E. 2000. *Fundamental of the Fungi*. Prentice-Hall. Inc. New York
- Newton, C.R. and Graham, A. 1994. *PCR*. Bios Scientific Publisher. London.
- Novianto, A. 2016. Pewarisan dan Kestabilan Karakter Fenotip Melon (*Cucumis melo* L. 'Meloni') Hasil Budidaya di Dusun Jamusan, Sleman, D.I.yogyakarta. *Seminar*. Fakultas Biologi UGM. Yogyakarta.
- Nugraha, R. 2011. Deteksi Gen Ketahanan terhadap Powdery Mildew dan *Cucumber Mosaic Virus* pada Melon (*Cucumis melo* L.) kultivar Melodi Gama-1 dan Gama Melon Basket. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Nugroho, E.D., dan Rahayu, D.A. 2017. *Pengantar (Teori & Aplikasi) Bioteknologi*. Deepublish. Yogyakarta. Hal: 216.
- Nugroho, L.H., Purnomo dan Issirep, S. 2012. *Struktur dan Perkembangan Tumbuhan*. Penebar Swadaya. Jakarta.
- Ocamb, C.M. 2005. Cantaloupe (*Cucumis melo* L.)-Powdery Mildew. <http://plant-disease.ippc.orst.edu/disease.cfm?RecordID=236> Diakses tanggal 28 Januari 2018.
- Paran, I and Michelmore. 1993. Development of reliable PCR-based markers linked to Downy Mildew resistance gene in Lettuce. *Theor.Appl.Genet*, 85: 985-993.
- Pitrat, M. 2008. *Melon in Hand Book of Plant Breeding. Vegetables I: Asteraceae, Brassicaceae, Chenopodiaceae, and Cucurbitaceae*. Springer. Spain. Pp 283-305.

- Prajnanta, F. 2008. *Melon: Pemeliharaan Secara Intensif dan Kiat Sukses Beragribisnis*. Penebar Swadaya. Jakarta. Hal 8-12.
- Prijayanti, R.V. N. 2014. Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) “Tacapa” terhadap Jamur Tepung (*Podhospaera xanthii* (Castag.) Braun et Shishkoff). *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Prohens, J. and Fernando, N. 2008. *Vegetables I; Asteraceae, Brassicaceae, Chenopodiaceae and Cucurbitaceae*. Springer. New York.
- Qurrohman, M. T. 2008. Pewarisan Sifat Ketahanan tanaman melon (*Cucumis melo* L.) terhadap powdery mildew. *Skripsi*. Fakultas Biologi. UGM
- Qurrohman, M. T. 2012. Analisis Keterpautan Gen Ketahanan terhadap *Powdery Mildew* pada Tanaman Melon (*Cucumis melo* L.) Hasil *Test Cross* Penanda SCAR. *Tesis*. Fakultas Biologi. UGM
- Riefani, M.K. 2011. Identifikasi Jamur *Powdery Mildew* pada Tanaman Melon (*Cucumis melo* L.) Berdasarkan Karakter Morfologi dan Molekular. *Tesis*. Fakultas Biologi UGM. Yogyakarta.
- Rius, F.J.P., Sarria, E., Alba, J.M. and Gómez-Guillamón, M.L. 2008. Inheritance of Type I glandular trichomes in *Cucumis melo*. *Proceedings of the IXth EUCARPIA meeting on genetics and breeding of Cucurbitaceae*. France.
- Robinson, R.W and Decker-Walters, D.S. 1999. *Cucurbits*. CAB International. New York. Pp 80-90,226.
- Rudiretna, A dan Handoyo, D. 2001. Prinsip umum dan pelaksanaan *Polymerase Chain Reaction* (PCR). *Unitas*, 9 (1): 17-29.
- Samadi, B. 2007. *Melon: Usaha Tani dan Penanganan Pasca Panen*. Kanisius. Yogyakarta. Hal: 30-34.
- Samadi, B. 2014. *Melon Usaha Tani dan Pengembangan Pasca Panen*. Kanisius. Yogyakarta. Hal: 25.
- Sambrook J and Russel DW. 2001. *Molecular Cloning: A Laboratory Manual 3rd Ed*. Laboratory Press. Cold Spring Harbor. New York.
- Sambrook, J. E., Fritsch, E.T., and Maniati, T. 1989. *Molecular Clonin, a Laboratory Manual*. Second Edition. Cold Spring Harbor Lab Press. New York. Pp 568-600.
- Saumi, R. 2015. Kestabilan Karakter Fenotipik Buah Melon (*Cucumis melo* L.) Kultivar Sun Lady Hasil Seleksi Buah di KP4 UGM. *Seminar*. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Semangun, H. 2004. *Penyakit-Penyakit Tanaman Holtikultura di Indonesia*. Gadjah Mada University Press, Yogyakarta. Hal: 449, 456, 459-461.
- Setiadi dan Parimin. 2011. *Bertanam Melon*. PT Penebar Swadaya. Jakarta. Hal: 10.
- Setiadi. 2014. *Bertanam Melon*. *Googlebook*. Hal: 21.
- Silberstein, L., Kolvalski, I., Brotman, Y., Perin, V., and Perl-Trevis, R. 2003. Linkage map of *Cucumis melo* including phenotypic traits and sequence-characterized genes. *Genome*, 46: 761-773.
- Silverside, A.J. 2001. *Profile of the Order Erysiphales (Fungi Ascomycota)*. *University of Paisley*. <http://www.biol.paisley.ac.uk/bioref/fungiAscomycetes/Erysiphales.html>. Diakses tanggal 28 Januari 2018.

- Sobir dan Siregar, F.D.2010. *Budi Daya Melon Unggul*. Penerbit Swadaya. Jakarta. Hal: 6, 9.
- Soedarya, A. 2010. *Agribisnis Melon*. Pustaka Grafika. Bandung.
- Spooner, D., van Treuren, R., and de Vicente, M.C. 2005. Molecular markers for genebank management. *Rome: IPGRI Technical Bulletin* No.10.
- Stadnik, M.J., Kobori, R.F., and Bettioli, W. 2001. *Oídios de cucurbitáceas*. In: *STADNIK, M. J.; RIVERA, M.C. (Ed.). Oídios*. Embrapa Meio Ambiente. Jaguariúna. Pp 217-253.
- Stepansky, A., Irina, K. and Rafael, P. 1999. Intraspecific classification of melon (*Cucumis melo* L.) in view of their phenotypic and molecular variation. *Plant Systematics & Evolution*, 217: 313-333.
- Suprpto dan Khairudin. 2007. Variasi genetik, heritabilitas, tindak gen dan kemajuan genetik kedelai (*Glycinemax* Merrill) pada ultisol. *Jurnal Ilmu Ilmu Pertanian Indonesia*, 9 (2). P 184.
- Tingey, S., Rafalski, V., Antoni, J., and Williams, J.G.K. 1992. *Genetic analysis with RAPD markers*. In *Applications of RAPD technology to plant breeding Joint Plant Breeding Symposia Series*. Crop Sci. Soc. Am., Am. Soc for Hort. Scie, Am. Genetic Assn.
- Tjitrosoepomo, G. 1991. *Taksonomi Tumbuhan*. Gadjah Mada University Press. Yogyakarta. Hal: 379-380.
- Vakalounakis, D. J., Klironomou, E., and Papadakis, A. 1994. Species spectrum, host range and distribution of powdery mildews on cucurbitaceae in Crete. *Plant pathology*, 43 (6): 813-818.
- Vashista, B.R.1984. *Botany for Degree Students*, Part 2: Fungi.S. Chand Company. New Delhi. Pp 210-211, 254-257.
- Virdausy, A.E. 2016. Variasi Genetik dan Hubungan Kekerbatan Fenetik Melon (*Cucumis melo* L. 'Meloni') Berdasarkan *Random Amplified Polymorphic DNA*. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Webster, J and Weber, R.W.S. 2007. *Introduction to Fungi*. Third Edition. Cambridge University Press. New York.
- Wirakusumah, E.S. 2000. *Buah dan Sayur untuk Terapi*. Penebar Swadaya.Jakarta.
- Yambise, H. C. 2018. Karakter Fenotip dan Deteksi Gen Ketahanan terhadap *Powdery Mildew* pada Melon (*Cucumis melo* L. 'Aramis'). *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Zheng, R. Y. and Chen, G. Q. 1981. The genus *Erysiphe* in China. *Sydowia*. 34: 214-327
- Zulfahmi. 2013. DNA markers for plants analysis. *Jurnal Agroteknologi*. 3(2): 41-52.