

DAFTAR PUSTAKA

- Abdulsalam, M., & Daniel, A. (2002). Diagnosis, Pengobatan dan Pencegahan Anemia Defisiensi Besi. *Sari Pediatri Vol.4 No.2*. Jakarta: IKA FKUI, h. 74–77.
- Agustin, Rahmi Ariyanti. (2018). Hubungan Keputuhan Konsumsi Tablet Fe dengan Kejadian Anemia Remaja [skripsi] Yogyakarta Universitas Gadjah Mada.
- Asosiasi Penyelenggara Jasa Internet Indonesia (APJII) dan PUSKAKOM UI. (2014). Profil Pengguna Internet Indonesia 2014. Diakses dari <https://apjii.or.id/downfile/file/PROFILPENGGUNAINTERNETINDONESIA2014.pdf> pada 15 Oktober 2018 pukul 08.00 WIB.
- Berger, J., Aguayo, V. M., Téllez, W., Luján, C., Traissac, P., & Miguel, J. S. (1997). Weekly iron supplementation is as effective as 5 day per week iron supplementation in Bolivian school children living at high altitude. *European Journal of Clinical Nutrition*, 51(6), 381–386.
- British Medical Journal. (2016). Can we improve adolescent adherence ?, *British Medical Journal* 54(1), 6–10.
- Chandran, C. N. M., Rambabu, B., Prasad, A. K., Manikyamba, D., & Manojna, B. (2016). Study of Prevalence of Anaemia and Impact of Iron Supplementation in School Children. *Journal of Evolution of Medical and Dental Sciences*, 5(16), 758–762.
- Chakma, T., Rao, P.V. & Meshram, P.K.. (2012). Factors associated with high compliance / feasibility during iron and folic acid supplementation in a tribal area of Madhya Pradesh India, *Public Health Nutrition* 16(2), 377–380.
- Compaoré, A., Gies, S., Brabin, B., Tinto, H., & Brabin, L. (2018). Community approval required for periconceptional adolescent adherence to weekly iron and / or folic acid supplementation : a qualitative study in rural Burkina Faso. *Reproductive Health*, 15/48, 1–8.
- Diane S, Sheri F, Eudice G, Norman G, Karen ML, Douglas M, et al. (2003). Age limits and adolescents. *Paediatr Child Health*, 8(9), 577. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/20019831%5Cnhttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC2794325>
- Dinga, L. A. (2013). Factors Associated With Adherence To Iron / Folate Supplementation Among Pregnant Women Attending Antenatal Clinic At Thika District Hospital In Kiambu County , Kenya By: A Dissertation Submitted In Partial Fulfillment Of The Requirements For The Degree, 105.
- Dinkes Kulon Progo. (2017). Kampanye Penanggulangan Anemia pada Remaja.



Diakses dari
<http://dinkes.kulonprogokab.go.id/index.php?pilih=news&mod=yes&aksi=lihat&id=561> pada tanggal 15 Januari 2018, pukul 10:00 WIB.

Dinkes Prov DIY. (2012). Laporan Akhir Screening Anemia pada Remaja di Provinsi DIY tahun 2012. Yogyakarta: Dinas Kesehatan Prov DIY

Divakar, H., Dutta, S., Kulkarni, B., & Divakar, G. V. (2017). Original Research Article Anaemia eradication in adolescents - a new hope with weekly iron folic acid supplementation (WIFS) (Pilot Study). *Journal of Evidence Based Medicine and Healthcare*, 4(17), 968–973.

Ejidokun, O. O. (1996). Community attitudes to pregnancy , anaemia , iron and folate supplementation in urban and rural. <https://doi.org/10.1054/midw.1999.0196>

Ekstrom, E.-C., Hyder, S. Z., Chowdhury, A. M. R., Chowdhury, S. A., Lonnerdal, B., Habicht, J.-P., & Persson, L. A. (2002). Efficacy and trial effectiveness of weekly and daily iron supplementation among pregnant women in rural Bangladesh : *The American Journal of Clinical Nutrition*, 76, 1392–1400.

Galloway, R., Dusch, E., Elder, L., Endang, A., Grajeda, R., Hurtado, E., ... Mona, K. (2002). Women's perceptions of iron deficiency and anemia prevention and control in eight developing countries. *Soc Sci Med*, 55, 529–544.

Galloway, R., & McGuire, J. (1994). Determinants of compliance with iron supplementation: Supplies, side effects, or psychology? *Social Science and Medicine*, 39(3), 381–390.

Ghanekar, J., Kanani, S., & Patel, S. (2002). Toward better compliance with iron – folic acid supplements : Understanding the behavior of poor urban pregnant women through ethnographic decision models in Vadodara , India. *Food and Nutrition Bulletin*, 23(1), 65–72.

Glanz, K., Rimer, B. K., & Viswanath, K. (2008). *Health and Health. Health Behavior and Health Education: Theory Research & Practice* (4th ed.). San Francisco: Jossey-Bass. [https://doi.org/10.1016/S0033-3506\(49\)81524-1](https://doi.org/10.1016/S0033-3506(49)81524-1)

Heni, Setyowati Er. (2005). Anemia dan Prestasi Belajar pada Remaja Putri di Sekolah Menengah Umum (SMU) dan Madrasah Aliyah (MA) Kota Magelang [tesis]. Yogyakarta: Universitas Gadjah Mada.

Hermanto, Restu Amalia. (2016). Hubungan Anemia dan Depresi pada Remaja Putri di Kota Yogyakarta [tesis]. Yogyakarta: Universitas Gadjah Mada.

Horne, R., Weinman, J., Barber, N., & Elliott, R. (2005). Concordance, adherence and compliance in medicine taking. *Report for the National Co-Ordinating Centre for NHS Service Delivery and Organisation R & D (NCCSDO)*, 1–

331.

- Hyder, S. M. Z., Haseen, F., Rahman, M., Tondeur, M. C., & Zlotkin, S. H. (2007). Effect of daily versus once-weekly home fortification with micronutrient Sprinkles on hemoglobin and iron status among young children in rural Bangladesh. *Food and Nutrition Bulletin*, 28(2), 156–164.
- Kementerian Kesehatan RI. (2009). Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 Tahun 2014. *Tambahan Lembaran Negara Republik Indonesia Nomor , 144(9)*.
- Kementerian Kesehatan RI. (2015). Sexual Health Reproductiv; Situasi kesehatan Reproduksi remaja. *Pusat Data Dan Informasi Kementerian Kesehatan RI*.
- Kementerian Kesehatan RI. (2016). Surat Edaran Pemberian Tablet Tambah Darah pada Remaja Putri.
- Kuril, B. M., Janbade, C., Lone, D. K., Hirani, S., T, A. R., & Doibale, M. K. (2016). Study of adherence and effect of iron and folic acid supplement on haemoglobin level among adolescent girls in rural area. *International Journal of Community Medicine and Public Health*, 33(4), 906–911.
- Kulkarni, B., Christian, P., Leclercq, S. C., & Khatry, S. K. (2009). Determinants of compliance to antenatal micronutrient supplementation and women ' s perceptions of supplement use in rural Nepal. *Public Health Nutrition*, 13(1), 82–90.
- Lacerte, P., Pradipasen, M., Temcharoen, P., Imamee, N., & Vorapongsathorn, T. (2011). Determinants of adherence to iron/folate supplementation during pregnancy in two provinces in Cambodia. *Asia-Pacific Journal of Public Health*, 23(3), 315–323.
- Lutsey, P. L., Dawe, D., Villate, E., Valencia, S., & Lopez, O. (2007). Iron supplementation compliance among pregnant women in Bicol , Iron supplementation compliance among pregnant women in. *Public Health Nutrition*, 11(1), 76–82.
- Ministry of health and UNICEF. (2014). *Evaluation of the weekly iron and folic acid supplementation (WIFS) program 2004-2014*.
- Mulugeta, A., Tessema, M., Kiday, H., & Seid, O. (2015). Examining Means of Reaching Adolescent Girls for Iron Supplementation in Tigray, Northern Ethiopia. *Nutrients*, 7, 9033–9045.
- Mwale, M. (2012). *Adolescent Psychology : The African Perspectives*. Saarbrucken, Germany: Lambert Academic Publishing.
- Noorkasiani, Hervani, & Rita Ismail. 2009. Sosiologi Keperawatan. Jakarta : Penerbit Buku Kedokteran EGC.

- Notoatmodjo, Soekidjo. 2010a. *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, Soekidjo. 2010b. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta, ed. rev.
- Notosoedirdjo & Latipun. 2005. Kesehatan Mental, Konsep dan Penerapan. Jakarta:EGC.
- Nursalam & Ninuk Dian K. 2007. *Asuhan Keperawatan pada Pasien Terinfeksi HIV/AIDS*. Salemba Medika: Jakarta.
- Nutrition International. (2017). *MITRA Youth : Weekly Iron Folic Acid Supplementation for prevention and reduction of anaemia among school-going adolescent girls in select districts of two provinces - East Java & East Nusa Tenggara, Indonesia*.
- Oehadian, A. (2012). Pendekatan Klinis dan Diagnosis Anemia. *Continuing Medical Education*, 39(6), 407–412. Retrieved from http://www.kalbemed.com/portals/6/04_194cme-pendekatan_klinis_dan_diagnosis_anemia.pdf
- Priya, S. H., Datta, S. S., Bahurupi, Y. A., Narayan, K. A., Nishanthini, N., & Ramya, M. R. (2016). Factors influencing weekly iron folic acid supplementation programme among school children: Where to focus our attention? *Saudi Journal for Health Sciences*, 5(1), 28–33.
- Riset Kesehatan Dasar. (2013). *Riset Kesehatan Dasar*. Jakarta, Indonesia: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI Tahun 2013.
- Sajna, M. V, & Jacob, S. A. (2017). Adherence to weekly iron and folic acid supplementation among the school students of Thrissur corporation – a cross sectional study. *International Journal of Community Medicine and Public Health*, 4(5), 1689–1694.
- Sarada, A., & Thilak, S. (2016). Evaluation of Weekly Iron and Folic Acid Supplementation Programme for adolescents in rural schools of Kannur , North Kerala , India : A Cross-sectional Study. *International Journal of Medical Science and Public Health*, 5(11), 2259–2263.
- Sayogo, Savitri. (2006). *Gizi Remaja Putri*. Jakarta : Balai Penerbit FKUI.
- Seck, B. C., & Jackson, R. T. (2007). Determinants of compliance with iron supplementation among pregnant women in Senegal Determinants of compliance with iron supplementation among pregnant women in Senegal. *Public Health Nutrition*, 11(6), 596–605.
- Shah, B. K., & Gupta, P. (2002). limitation 1Weekly vs daily iron and folic acid supplementation in adolescent Nepalese girls. *Arch Pediatr Adolesc Med*,



156, 131–135.

Sinclair, Constance. (2010). Buku Saku Kebidanan. EGC: Jakarta.

Siva, P. M., Sobha, A., & Manjula, V. D. (2016). Prevalence of anaemia and its associated risk factors among adolescent girls of central Kerala. *Journal of Clinical and Diagnostic Research*, 10(11), LC19-LC23.

Souganidis, E. S., Sun, K., de Pee, S., Kraemer, K., & Rah, J.-H. (2012). Relationship of maternal knowledge of anemia with maternal and child anemia and health-related behaviors targeted at anemia among families in Indonesia. *Maternal Child Health J.*, 16(9), 1913–1925.

Sugiyono, 2014. *Metode Penelitian Kuantitatif, Kualitatif, dan Kombinasi (Mixed Methods)*. Bandung: Alfabeta.

Sunaryo, 2004. *Psikologi Untuk Keperawatan*. Jakarta: EGC

Susanto, Ahmad. 2016. Teori Belajar dan Pembelajaran. Jakarta: PrenadaMedia Grup.
Diakses dari https://books.google.co.id/books?hl=en&lr=&id=IeVNDwAAQBAJ&oi=fnd&pg=PA1&dq=peran+guru+di+sekolah&ots=U5Rc5p9ug9&sig=i1x7pAanoRfzQBwObGZVKUCF6m0&redir_esc=y#v=onepage&q=peran%20guru%20di%20sekolah&f=false pada tanggal 1 Oktober 2018.

Taddeo, D., Egedy, M., & Frappier, J. (2008). Adherence to treatment in adolescents. *Paediatric Child Health*, 13(1), 19–24.

Taye, B., Abeje, G., & Mekonen, A. (2015). Factors associated with compliance of prenatal iron folate supplementation among women in Mecha district, Western Amhara: A cross-sectional study. *Pan African Medical Journal*, 20, 1–7.

Tessema, J., Jefferds, M. E., Cogswell, M., & Carlton, E. W. A. (2009). Perspectives in Practice: Motivators and Barriers to Prenatal Supplement Use among Minority Women in the United States. *Journal of American Dietetic Association*, 109(1), 102–108.

Tolkien, Z., Stecher, L., Mander, A. P., Pereira, D. I. A., & Powell, J. J. (2015). Ferrous sulfate supplementation causes significant gastrointestinal side-effects in adults: A systematic review and meta-analysis. *PLoS ONE*, 10(2), 1–20.

Tumanggor, Rusmin, Kholis Ridho, dan Nurrochim. (2010). *Ilmu Sosial dan Budaya Dasar Edisi Ketiga*. Kencana: Jakarta

Ugwu, E. O., Olibe, A. O., Obi, S. N., & Ugwu, A. O. (2014). Determinants of compliance to iron supplementation among pregnant women in Enugu, Southeastern Nigeria. *Nigerian Journal of Clinical Practice*, 17(5), 608–612.

Wardani, Dian Palui Kusuma., Sheizi Prista Sari., dan Ikeu Nurhidayah. (2015).



Hubungan Persepsi dengan Perilaku Ibu Membawa Balita ke Posyandu Vol. 3 No.1: *Fakultas Keperawatan Universitas Padjajaran*; Bandung.

Wiradnyani, L. A. A., Khusun, H., Achadi, E. L., Ocviyanti, D., & Shankar, A. H. (2016). Role of family support and women ' s knowledge on pregnancy-related risks in adherence to maternal iron – folic acid supplementation in Indonesia. *Public Health Nutrition*, 19(15), 2818–2828.

World Health Organization (WHO). (2001). Iron Deficiency Anaemia: Assessment, Prevention and Control, A guide for program managers. *Who Guideline*, 1–114.

World Health Organization (WHO). 2010. Stages of Adolescent Development. Diakses dari http://apps.who.int/adolescent/second-decade/section/section_2/level2_2.php pada tanggal 11 Januari 2018 pukul 12:49 WIB

World Health Organization (WHO). (2011a). The global prevalence of anaemia in 2011.

World Health Organization (WHO). (2011b). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. *Geneva, Switzerland: World Health Organization*, 1–6.

World Health Organization (WHO). (2012). WHA Global Nutrition Targets 2025: Low Birth Weight Policy Brief. *W.H.O Publication*, 1–7.

World Health Organization (WHO). (2016). Guideline Daily Iron. *Daily Iron Supplementation in Infants and Children*, 44. Retrieved from http://apps.who.int/iris/bitstream/10665/204712/1/9789241549523_eng.pdf?ua=1

World Health Organization (WHO). (2018). Weekly iron and folic acid supplementation as an anaemia-prevention strategy in women and adolescent girls. *Switzerland: World Health Organization*

Wulff, M., & Ekstrom, E.-C. (2003). Iron supplementation during pregnancy in Sweden : to what extent is the national recommendation followed? *Acta Obstet Gynecol Scand*, 82(5), 628–635.