



REFERENCES

- Abdel-Banat, B. M. A. *et al.* (2010) ‘High-temperature fermentation: How can processes for ethanol production at high temperatures become superior to the traditional process using mesophilic yeast?’, *Applied Microbiology and Biotechnology*, 85(4), pp. 861–867. doi: 10.1007/s00253-009-2248-5.
- Bai, F. W., Anderson, W. A. and Moo-Young, M. (2008) ‘Ethanol fermentation technologies from sugar and starch feedstocks’, *Biotechnology Advances*, 26(1), pp. 89–105. doi: 10.1016/j.biotechadv.2007.09.002.
- Basso, L. C. *et al.* (2008) ‘Yeast selection for fuel ethanol production in Brazil’, *FEMS Yeast Research*, 8(7), pp. 1155–1163. doi: 10.1111/j.1567-1364.2008.00428.x.
- Deparis, Q. *et al.* (2017) ‘Engineering tolerance to industrially relevant stress factors in yeast cell factories’, *FEMS Yeast Research*, Volume 17(4), pp. 1–35.
- Dreams, D. (1998) ‘Book review of Handbook on Bioethanol: Production and Utilization’, *Biotechnology Advances*, 16(2), pp. 385–389.
- Dubois, M. *et al.* (1956) ‘Colorimetric Method for Determination of Sugars and Related Substances’, *Analytical Chemistry*, 28(3), pp. 350–356. doi: 10.1021/ac60111a017.
- Edama, N. A., Sulaiman, A. and Abd. Rahim, S. N. (2014) ‘Enzymatic saccharification of Tapioca processing wastes into biosugars through immobilization technology (Mini Review)’, *Biofuel Research Journal*, 01(01), pp. 2–6. doi: 10.18331/BRJ2015.1.1.3.
- Ejiofor, A. O., Chisti, Y. and Moo-Young, M. (1996) ‘Culture of *Saccharomyces cerevisiae* on hydrolyzed waste cassava starch for production of baking-quality yeast’, *Enzyme and Microbial Technology*, 18(7), pp. 519–525. doi: 10.1016/0141-0229(95)00166-2.
- Escobar, J. C. *et al.* (2009) ‘Biofuels: Environment, technology and food security’, *Renewable and Sustainable Energy Reviews*, 13(6–7), pp. 1275–1287. doi: 10.1016/j.rser.2008.08.014.
- Ghorbani, F. *et al.* (2011) ‘Cane molasses fermentation for continuous ethanol production in an immobilized cells reactor by *Saccharomyces cerevisiae*’, *Renewable Energy*. Elsevier Ltd, 36(2), pp. 503–509. doi: 10.1016/j.renene.2010.07.016.
- Gulati, M. *et al.* (1996) ‘Assessment of ethanol production options for corn products’, *Bioresource Technology*, 58(3), pp. 253–264. doi: 10.1016/S0960-8524(96)00108-3.
- Heredia, C. F., de la Fuente, G. and Sols, A. (1964) ‘Metabolic studies with 2-deoxyhexoses. I. Mechanisms of inhibition of growth and fermentation in baker’s



yeast', *BBA - General Subjects*, 86(2), pp. 216–223. doi: 10.1016/0304-4165(64)90045-5.

Kahar, P., Taku, K. and Tanaka, S. (2011) 'Enhancement of xylose uptake in 2-deoxyglucose tolerant mutant of *Saccharomyces cerevisiae*', *Journal of Bioscience and Bioengineering*. The Society for Biotechnology, Japan, 111(5), pp. 557–563. doi: 10.1016/j.jbiosc.2010.12.020.

Lata, K. et al. (2018) 'An integrated bio-process for production of functional biomolecules utilizing raw and by-products from dairy and sugarcane industries', *Bioprocess and Biosystems Engineering*. Springer Berlin Heidelberg, 0(0), pp. 1–11. doi: 10.1007/s00449-018-1941-0.

Lin, Y. and Tanaka, S. (2006) 'Ethanol fermentation from biomass resources: Current state and prospects', *Applied Microbiology and Biotechnology*, 69(6), pp. 627–642. doi: 10.1007/s00253-005-0229-x.

Liu, Y. P. et al. (2008) 'Economical succinic acid production from cane molasses by *Actinobacillus succinogenes*', *Bioresource Technology*, 99(6), pp. 1736–1742. doi: 10.1016/j.biortech.2007.03.044.

Loveless, A. (1969) 'Possible Relevance of O-6 Alkylation of Deoxyguanosine to the Mutagenicity and Carcinogenicity of Nitrosamines and Nitrosamides', *Nature*, 224, pp. 177–178. doi: 10.1038/224488a0.

Lu, C. et al. (2012) 'Bioresource Technology Fed-batch fermentation for n-butanol production from cassava bagasse hydrolysate in a fibrous bed bioreactor with continuous gas stripping', *Bioresource Technology*. Elsevier Ltd, 104, pp. 380–387. doi: 10.1016/j.biortech.2011.10.089.

Mohd Azhar, S. H. et al. (2017) 'Yeasts in sustainable bioethanol production: A review', *Biochemistry and Biophysics Reports*, 10, pp. 52–61. doi: 10.1016/j.bbrep.2017.03.003.

Nag, A. (2008) *Biofuels Refining and Performance*. 1st edn. Ontario: McGraw-Hill Education. doi: 10.1036/0071489703.

Ozmihci, S. and Kargi, F. (2007) 'Effects of feed sugar concentration on continuous ethanol fermentation of cheese whey powder solution (CWP)', 41, pp. 876–880. doi: 10.1016/j.enzmictec.2007.07.015.

Parry, J. M., Davies, P. J. and Evans, W. E. (1976) 'The effects of "cell age" upon the lethal effects of physical and chemical mutagens in the yeast, *Saccharomyces cerevisiae*', *Molecular & general genetics : MGG*, 146(1), pp. 27–35. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/785205>.

Peterson, C. and Reece, D. (1996) 'Emissions characteristics of ethyl and methyl



ester of rapeseed oil compared with low sulfur diesel control fuel in a chassis dynamometer test of a pickup truck', *Transactions of the American Society of Agricultural Engineers*, 39(3), pp. 805–816. Available at: <http://www.scopus.com/inward/record.url?eid=2-s2.0-0029802269&partnerID=tZOTx3y1>.

Phowchinda, O. and Strehaino, P. (1999) 'Utilization of Mixed Sugars for Alcoholic cerevisiae Fermentation by Saccharomyces', 4(2).

Prakash, R., Henham, A. and Krishnan, I. (1998) 'N . et energy and gross pollution from bloethanol production in India', *Fuel*, 77(14), pp. 1629–1633.

Saha, B. C. (2003) 'Hemicellulose bioconversion', *Journal of Industrial Microbiology and Biotechnology*, 30(5), pp. 279–291. doi: 10.1007/s10295-003-0049-x.

Salmon, J. M. (1989) 'Effect of Sugar Transport Inactivation in Saccharomyces cerevisiae on Sluggish and Stuck Enological Fermentations', 55(4), pp. 953–958.

Salvadó, Z. et al. (2011) 'Temperature adaptation Markedly Determines evolution within the genus Saccharomyces', *Applied and Environmental Microbiology*, 77(7), pp. 2292–2302. doi: 10.1128/AEM.01861-10.

Sega, G. A. (1984) 'A review of the genetic effects of ethyl methanesulfonate', *Mutation Research/Reviews in Genetic Toxicology*, 134(2–3), pp. 113–142. doi: 10.1016/0165-1110(84)90007-1.

Singer, M. a and Lindquist, S. (1998) 'Thermotolerance in *Saccharomyces cerevisiae*: the Yin and Yang of trehalose.', *Trends in Biotechnology*, 16(11), pp. 460–468. doi: 10.1016/S0167-7799(98)01251-7.

Sreenath, H. K. and Jeffries, T. W. (1999) '2-Deoxyglucose as a selective agent for derepressed mutants of *Pichia stipitis*', *Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology*, 77–79, pp. 211–222. doi: 10.1385/ABAB:77:1-3:211.

Taherzadeh, M. J. and Karimi, K. (2015) 'Acid-based hydrolysis processes for ethanol from lignocellulosic materials: a review', 2(2007), pp. 472–499.

Teymour, F. et al. (2005) 'Optimization of the ammonia fiber explosion (AFEX) treatment parameters for enzymatic hydrolysis of corn stover', *Bioresource Technology*, 96(18 SPEC. ISS.), pp. 2014–2018. doi: 10.1016/j.biortech.2005.01.016.

Yuan, J. S. et al. (2008) 'Plants to power: bioenergy to fuel the future', *Trends in Plant Science*, 13(8), pp. 421–429. doi: 10.1016/j.tplants.2008.06.001.