RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Bartel, D. P., 2017, MicroRNAs, *Cell*. *Elsevier*, 116(2):281–297.

Bayes-Genis, A. Campbell, Julie H., Carlson, P. J., Holmes, David R., and Schwartz, Robert S., (2002) 'Macrophages, myofibroblasts and neointimal hyperplasia after coronary artery injury and repair', *Atherosclerosis*, 163(1), pp. 89–98. doi: 10.1016/S0021-9150(01)00771-7.

Bendeck, M.P., Irvin, C. and Reidy, M.A., 1996, Inhibition of Matrix Metalloproteinase Activity Inhibits Smooth Muscle Cell Migration but Not Neointimal Thickening After Arterial Injury, *Circ Res* 78(1):38-43.

Briguori, C., Sarais, C., Pagnotta, P., Liistro, F., Montorfano, M., Chieffo, A., Sgura, F., Corvaja, N., Albiero, R., Stankovic, G., Toutoutzas, C., Bonizzoni, E., Di Mario, C. and Colombo, A., 2002, In-stent Restenosis in Small Coronary Arteries, *J Am Coll Cardiol.* 40(3):403–409.

Buccheri, D., Piraino, D., Andolina, G. and Cortese, B., 2016, Understanding and Managing In-stent Restenosis: A Review of Clinical Data, From .Pathogenesis to Treatment, *J Thorac Dis*, 8(10):E1150–E1162.

Buscaglia, L. E. B. and Li, Y. (2011) 'Apoptosis and the target genes of microRNA-21', *Chin J Cancer*, 30(6), pp. 371–380. doi: 10.5732/cjc.30.0371

Cai, X., Lu, S., Zhang, Z., Gonzalez, C.M., Damania, B. and Cullen, B.R., 2005, Kaposi's Sarcoma-Associated Herpesvirus Expresses an Array of Viral MicroRNAs In Latently Infected Cells, *Proceedings of the National Academy of Sciences of the United States of America*. *National Academy of Sciences*, 102(15):5570–5575.

Carter, A.J., Laird, J.R., Farb, A., Kufs, W., Wortham, D. C. and Virmani, R., 1994, Morphologic Characteristics of Lesion Formation and Time Course of Smooth Muscle Cell Proliferation in A Porcine Proliferative Restenosis Model, *J Am Coll Cardiol.* 24(5):1398–1405.

Cassese, S., Byrne, RA., Tada, T., Pinieck, S., Jone, M., Ibrahim, T., et al., 2014, Incidence nd Predictors of Restenosis After Coronary Stenting In 10.004 Patients With Surveillance Angiography., *Heart*, 100:153-159.

Centers for Disease Control and Prevention, 2016, *Mortality Tables*, Georgia, viewed 1 July 2017, <https://www.cdc.gov/nchs/nvss/mortality_tables.htm>

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Centers for Disease Control and Prevention, 2017, *Underlying Cause of Death 1999-2015*, Georgia, viewed 1 July 2017, <https://wonder.cdc.gov/wonder/help/ucd.html>

Chen LJ., Lim SH., Yeh YT., Lien SC., Chiu JJ., 2012, Roles of MicroRNAs In Atherosclerosis and Restenosis, *J Biomed Sc* 2012 19:79.

Choi, I.J., Koh, Y.S., Lim, S., Kim, J.J., Chang, M., Kang, M., Hwang, B.H., Kim, C.J., Kim, T.H., Seo, S.M., Shin, D.I, Park, M.W., Choi, Y.S., Park, H.J., Her, S.H., Kim, D.B., Kim, P.J., Lee, J.M., Park, C.S., Moon, K.W., Chang, K., Kim, H.Y., Yoo, K.D., Jeon, D.S., Chung, W.S. and Seung, K.B., 2017, Impact of The Stent Length on Long-Term Clinical Outcomes Following Newer-Generation Drug-Eluting Stent Implantation, *Am J Cardiol.* 113(3):457–464.

Cook, S., Wenaweser, P., Togni, M., Billinger, M., Morger, C., Seiler, C., Vogel, R., Hess, O., Meier, B. and Windecker, S., 2007, Incomplete Stent Apposition and Very Late Stent Thrombosis After Drug-Eluting Stent Implantation, *Circulation*, 115(18):2426 LP-2434.

Cordes, K. R. Sheehy, NT., White, M., Berry, E., Sarah, U., Muth, AN., et al. (2010) 'miR-145 and miR-143 Regulate Smooth Muscle Cell Fate Decisions', *Nature*, 460(7256), pp. 705–710. doi: 10.1038/nature08195.miR-145.

Costa, M.A., Angiolillo, D.J., Tannenbaum, M., Driesman, M., Chu, A., Patterson, J., Kuehl, W., Battaglia, J., Dabbons, S., Shamoon, F., Flieshman, B., Niederman, A. and Bass, T.A., 2008, Impact of Stent Deployment Procedural Factors on Long-Term Effectiveness and Safety of Sirolimus-Eluting Stents (Final Results of the Multicenter Prospective STLLR Trial), *Am J Cardiol*. 101(12):1704–1711.

Davies, M.G. and Hagen, P.O., 1994, Pathobiology of Intimal Hyperplasia, *Brit J Surg.* 81(9):1254–1269.

Dangas, G. D., Claessen, BE., Caixeta, A., Sanidas, EA., Mintz, GS., and Mehran R. (2010) 'In-stent restenosis in the drug-eluting stent era', *J Am Coll Cardiol*. Elsevier Inc., 56(23), pp. 1897–1907. doi: 10.1016/j.jacc.2010.07.028.

Ellison, S., Gabunia, K., Richards, J.M., Kelemen, S.E., England, R.N., Rudic, D., Azuma, Y.T., Munroy, M.A., Eguchi, S. and Autieri, M.V, 2014, Interleukin-19 Reduces Ligation-Mediated Neointimal Hyperplasia by Reducing Vascular Smooth Muscle Cell Activation', *Am J Pathol.* 184(7):2134–2143.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Falk, E., 2006, Pathogenesis of the Atherosclerosis, *J Am Coll Cardiol.* 47(8):C7–C12.

Farb, A., Kolodgie, F.D., Hwang, J.Y., Burke, A.P., Tefera, K., Weber, D.K., Wight, T.N. and Virmani, R., 2004, Extracellular Matrix Changes In Stented Human Coronary Arteries, *Circulation*, 110(8):940–947.

Farb, A., Weber, D.K., Kolodgie, F.D., Burke, A.P. and Virmani, R., 2002, Morphological Predictors of Restenosis After Coronary Stenting in Humans, *Circulation*, 105(25):2974-2980.

Farooq, V., Gogas, B.D. and Serruys, P.W., 2011a, Restenosis, *Circulation: Cardiovasc Interv.* 4(2):195-205.

Farooq,V., Gogas, B.D., Serruys, P.W., 2011b., Delineating the Numerous Causes of Drug-Eluting Stent Restenosis., *Circulation: Cardiovasc Interv*. 4:195-205.

Feinberg, M.W. and Moore, K.J., 2016, MicroRNA Regulation of Atherosclerosis, *Circulation Research*, 118(4):703-720.

Fiedler, J., Stöhr, A., Gupta, S.K., Hartmann, D., Holzmann, A., Just, A., Hansen, A., Hilfiker-Kleiner, D., Eschenhagen, T. and Thum, T., 2014, Functional MicroRNA Library Screening Identifies the HypoxaMiR MiR-24 as A Potent Regulator of Smooth Muscle Cell Proliferation and Vascularization, *Antioxidants & Redox Signaling*, 21(8):1167–1176.

Fujii, K., Mintz, G.S., Kobayashi, Y., Carlier, S.G., Takebayashi, H., Yasuda, T., Moussa, I., Dangas, G., Mehran, R., Lansky, A.J., Reyes, A., Kreps, E., Collins, M., Colombo, A., Stone, G W., Teirstein, P.S., Leon, M.B. and Moses, J.W., 2004, Contribution of Stent Underexpansion to Recurrence After Sirolimus-Eluting Stent Implantation for In-Stent Restenosis, *Circulation*, 109(9):1085–1088.

Gabunia, K., Jain, S., England, R.N. and Autieri, M.V, 2011, Anti-Inflammatory Cytokine Interleukin-19 Inhibits Smooth Muscle Cell Migration and Activation of Cytoskeletal Regulators of VSMC Motility, *Am J Physiol. Cell physiology*, 300(4):C896-906.

Ganesh, S.K. and Nabel, E.G., 2005, Genomics of In-Stent Restenosis, *Circulation*, 112(16):2378-2379.

Garcia-Garcia, H. M., Costa, M. A. and Serruys, P. W. (2010) 'Imaging of coronary atherosclerosis: Intravascular ultrasound', *Eur Heart J*, 31(20), pp. 2456–2469. doi: 10.1093/eurheartj/ehq280.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Gareri,C., De Rosa,S., Indolfi,C., 2016, MicroRNAs for Restenosis and Thrombosis After Vascular Injury, *Circ Res*. 118:1170-1184

Gibbons GH, Dzau VJ. 1994. The emerging concept of vascular remodelling. *NEJM* 330:1431-38

Görge, G. Haude, M., Junbo, G., Voegele, E., Gerber, T., Rupprecht, H.J., Meyer, J., and Erbel, R., (1995) 'Intravascular ultrasound after low and high inflation pressure coronary artery stent implantation', *J Am Coll Cardiol.* 26(3), pp. 725–730. doi: 10.1016/0735-1097(95)00211-L.

Hansson, G.K., 2005, Inflammation, Atherosclerosis, and Coronary Artery Disease, *NEJM*, 352(16):1685–1695.

Halliday, Crawford Alasdair (2015) The role of microRNA 21 in the development of in-stent restenosis. PhD thesis. *Glasgow Univ.* *http://theses.gla.ac.uk/7062*

Hao, H., Gabbiani, G. and Bochaton-Piallat, M.L., 2003, Arterial Smooth Muscle Cell Heterogeneity, *Arterioscl Thromb Vasc Biol*, 23(9):1510-1520.

Hata, A. and Kashima, R., 2016, Dysregulation of MicroRNA Biogenesis Machinery in Cancer, *Crit Rev Biochem and Mol Biol.* 51(3):121–134.

Hayashi, S., Watanabe, N., Nakazawa, K., Suzuki, J., Tsushima, K., Tamatani, T., Sakamoto, S. and Isobe, M., 2000, Roles of P-Selectin in Inflammation, Neointimal Formation, and Vascular Remodeling in Balloon-Injured Rat Carotid Arteries, *Circulation*, 102(14):1710-1717.

Hirose, M., Kobayashi, Y., Mintz, G.S., Moussa, I., Mehran, R., Lansky, A.J., Dangas, G., Kreps, E.M., Collins, M.B., Stone, G.W., Colombo, A., Leon, M.B. and Moses, J.W., 2017, Correlation of Coronary Arterial Remodeling Determined by Intravascular Ultrasound with Angiographic Diameter Reduction of 20% to 60%, *Am J Cardiol*, 92(2):141–145.

Holmes Jr, D., Gersh, B., Whitlow, P.,Dove, JT, 2008. Percutaneous Coromary Intervention for Chronic Stable Angina A Reassessment. *JACC*, vol. 1: 10.

Hong, J.H., Park, C.M., Ahn, D.S. Lim., 2013, Decrease In Circulating Microrna-24 is Associated with Increase In Neointimal Hyperplasia: Optical Coherence Tomography Analysis, . DOI: http://dx.doi.org/10.1093/eurheartj/eht310.P5438 P5438 First published online: 1 August 2013

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, Y.B., Li, C.B., Song, N., Zou, Y., Chen, S.D., Ren, R.J. and Wang, G., 2016, Diagnostic Value of microRNA for Alzheimer's Disease: A Systematic Review and Meta-Analysis, *Front Aging Neurosc.* 8:13.

Humphries, S., Bauters, C., Meirhaeghe, A., Luong, L., Bertrand, M. and Amouyel, P., 2002, The 5A6A Polymorphism In The Promoter of The Stromelysin-1 (MMP3) Gene as A Risk Factor for Restenosis, *Eur Heart J.* 23(9):721–725.

Huo, Y., Weber, C., Forlow, S.B., Sperandio, M., Thatte, J., Mack, M., Jung, S., Littman, D.R. and Ley, K., 2001, The Chemokine KC, But Not Monocyte Chemoattractant Protein-1, Triggers Monocyte Arrest on Early Atherosclerotic Endothelium, *J Clin Invest*, 108(9):1307–1314.

Iaconetti, C. De Rosa, S., Polimeni, A., Sorrentino, S., Gareri, C., Carino., A., et al. (2015) 'Down-regulation of miR-23b induces phenotypic switching of vascular smooth muscle cells in vitro and in vivo', *Cardiovasc Res.* 107(4), pp. 522–533. doi: 10.1093/cvr/cvv141

Inoue, T., Hoshi, K., Yaguchi, I., Iwasaki, Y., Takayanagi, K. and Morooka, S., 1999, Serum Levels of Circulating Adhesion Molecules After Coronary Angioplasty, *Cardiology*, 91(4):236–242.

Iqbal, J., Gunn, J., Serruys, P.W., 2013, Coronary Stents: Historical Development, Current Status And Future Directions, , 106:193-211.

Ji, R.; Cheng, Y.; Yue, J.; Yang, J.; Liu, X.; Chen, H., 2007, Microrna Expression Signature and Antisense-Mediated Depletion Reveal an Essential Role of Microrna in Vascular Neointimal Lesion Formation. *Circ. Res*, 100:1579–1588

Jordan, N.J., Watson, M.L., Williams, R.J., Roach, A.G., Yoshimura, T. and Westwick, J., 1997, Chemokine Production by Human Vascular Smooth Muscle Cells: Modulation By IL-13, *Brit J Pharm*, 122(4):749–757.

Jukema J.W., Verschuren J.J, Ahmed T.A, Quax P.H., 2011, Restenosis After PCI. Part 1: Pathophysiology And Risk Factors, *Nat Rev Cardiol*. 9(1):53-62

Kastrati, A., Schömig, A., Elezi, S., Schühlen, H., Wilhelm, M. and Dirschinger, J., 1998, Interlesion Dependence of The Risk for Restenosis In Patients with Coronary Stent Placement In Multiple Lesions, *Circulation*, 97(24):2396–401

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Katchy, A. and Williams, C., 2016, Expression Profiles of Estrogen-Regulated Micrornas in Breast Cancer Cells, *Methods in molecular biology (Clifton, N.J.)*, 1366:373–393.

Kirtane E.J., 2012, Debate Drug Eluting Stent vs Bare Metal Stent . The Medical Roundtable ID: CV5182.

Kollum, M., Kaiser, S., Kinscherf, R., Metz, J., Kübler, W. and Hehrlein, C., 1997, Apoptosis After Stent Implantation Compared With Balloon Angioplasty in Rabbits, *Arterioscl Thromb Vasc Biol.* 17(11):2383-2388.

Komatsu, R., Ueda, M., Naruko, T., Kojima, and Becker, E., 1998, Neointimal Tissue Response At Sites of Coronary Stenting In Humans: Macroscopic, Histological, and Immunohistochemical Analyses, *Circulation*, 98(3):224–233.

Kornowski, R., Hong, M.K., Tio, F.O., Bramwell, O., Wu, H. and Leon, M.B., 1998, In-Stent Restenosis: Contributions of Inflammatory Responses and Arterial Injury to Neointimal Hyperplasia, *J Am Coll Cardiol*, 31(1):224–230.

Kumar, A., Hoover, J.L., Simmons, C.A., Lindner, V. and Shebuski, R.J., 1997, Remodeling and Neointimal Formation in the Carotid Artery of Normal and P-Selectin–Deficient Mice, *Circulation*, 96(12):4333-4342.

Kumarswamy, R., Volkmann, I. and Thum, T. (2011) 'Regulation and function of miRNA-21 in health and disease', *RNA Biology*, 8(5), pp. 706–713. doi: 10.4161/rna.8.5.16154.

Lal, A., Navarro, F., Maher, C., Maliszewski, L.E., Yan, N., O'Day, E., Chowdhury, D., Dykxhoorn, D.M., Tsai, P., Hofman, O., Becker, K.G., Gorospe, M., Hide, W. and Lieberman, J., 2009, Mir-24 Inhibits Cell Proliferation by Suppressing Expression of E2F2, MYC and Other Cell Cycle Regulatory Genes by Binding to "Seedless" 3′UTR MicroRNA Recognition Elements, *Molecular cell*, 35(5):610–625.

Li, J.J., Ren, Y., Chen, K.J., Yeung, A.C., Xu, B., Ruan, X.M., Yang, Y.J., Chen, J.L. and Gao, R.L., 2010, Impact of C-Reactive Protein on In-Stent Restenosis: A Meta-Analysis, *Texas Heart Inst J.* 37(1):49–57.

Libby, P. and Simon, D.I., 2001, Inflammation and Thrombosis, *Circulation*, 103(13):1718-1720.

Libby, P. and Tanaka, H., 2017, The Molecular Bases of Restenosis, *Progr Cardiovasc Dis.* 40(2):97–106.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Libby, P., 2002, Inflammation in Atherosclerosis, *Nature*, 420(6917):868–874.

Lin, H., Zhang, W., Zhou, T., Li, W., Chen, Z., Ji, C., et al. (2017) 'Mechanism of microRNA-21 regulating IL-6 inflammatoryresponse and cell autophagy in intervertebral disc degeneration', *Exp Ther Med.* 14(2), pp. 1441–1444. doi: 10.3892/etm.2017.4637.

Liu, X., Cheng, Y., zhang shuo., Lin Y., Yang J., and Zhang C (2010) 'A necessary role of miR-221 and miR-222 in vascular smooth muscle cell proliferation and neointimal hyperplasia', *Circ Res* 104(4), pp. 476–487. doi: 10.1161/CIRCRESAHA.108.185363.A

Lowe, H.C., Oesterle, S.N. and Khachigian, L.M., 2002, Coronary In-Stent Restenosis: Current Status and Future Strategies, *J Am Coll Cardiol.* 39(2):183–193.

MacRury, S.M. and Lowe, G.D.O., 1990, Blood Rheology in Diabetes Mellitus', *Diab Med.* 7(4):285–291.

Maegdefessel, L. Spin, J M., Raaz, U., Eken SM., Toh R, Azuma J., *et al* (2014) 'MiR-24 limits aortic vascular inflammation and murine abdominal aneurysm development', *Nature Communications*, 5, pp. 1–14. doi: 10.1038/ncomms6214.

Mallat, Z., Heymes, C., Ohan, J., Faggin, E., Lesèche, G. and Tedgui, A., 1999, Expression of Interleukin-10 in Advanced Human Atherosclerotic Plaques, *Arterioscl Thromb Vasc Biol*, 19(3):611-616.

Marchand, A., Atassi, F., Gaaya, A., Leprince, P., Le Feuvre, C., Soubrier, F., Lompré, A.M. and Nadaud, S., 2011, The Wnt/Beta-Catenin Pathway is Activated During Advanced Arterial Aging in Humans, *Aging Cell*, 10(2):220–232.

Marchand, A., Atassi, F., Gaaya, A., Leprince, P., Le Feuvre, C., Soubrier, F., Lompré, A.M. and Nadaud, S., 2011, The Wnt/Beta-Catenin Pathway Is Activated During Advanced Arterial Aging In Humans, *Aging Cell*, 10(2):220–232.

Mayo Clinic, 2018. Coronary Artery Diseases, Diagnosis and Treatment. *Patient Care and Health.*

McDaneld, T.G., 2009, MicroRNA: Mechanism of Gene Regulation and Application to Livestock, *J Animal Sc*, 87(14 Suppl).

McDonald R.A., Halliday C.A et al., 2016, Reducing In-Stent Restenosis: Therapeutic Manipulation of miRNA in Vascular Remodeling and Inflammation, *J Am Coll Cardiol,* 65:2314-2327

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

McKenna, C.J., Camrud, A.R., Sangiorgi, G., Kwon, H.M., Edwards, W.D., Holmes, D.R. and Schwartz, R.S., 1998, Fibrin-Film Stenting in a Porcine Coronary Injury Model: Efficacy and Safety Compared With Uncoated Stents 11This study was supported in part by Medtronic, Minneapolis, Minnesota and the J. Holden DeHaan Foundation, Indianapolis, Indiana, *J Am Coll Cardiol.* 31(6):1434–1438.

MedlinePlus (2014) *Intravascular ultrasound*, *angioplasty.org*. Available at: http://www.nlm.nih.gov/medlineplus/ency/article/007266.htm.

Mehran, R., Dangas, G., Abizaid, A.S., Mintz, G.S., Lansky, A.J., Satler, L.F., Pichard, A.D., Kent, K.M., Stone, G.W. and Leon, M.B., 1999, Classification and Implications for Long-Term Outcome, *Circulation*, 100:1872–1878.

Members, W.G., Go, A. S., Mozaffarian, D., Roger, V.L., Benjamin, E.J., Berry, J.D., Blaha, M.J., Dai, S., Ford, E.S., Fox, C.S., Franco, S., Fullerton, H.J., Gillespie, C., Hailpern, S.M., Heit, J.A., Howard, V.J., Huffman, M.D., Judd, S.E., Kissela, B.M., Kittner, S.J., Lackland, D.T., Lichtman, J.H., Lisabeth, L.D., Mackey, R.H., Magid, D.J., Marcus, G.M., Marelli, A., Matchar, D.B., McGuire, D.K., Mohler, E.R., Moy, C.S., Mussolino, M.E., Neumar, R.W., Nichol, G., Pandey, D.K., Paynter, N.P., Reeves, M.J., Sorlie, P.D., Stein, J., Towfighi, A., Turan, T.N., Virani, S.S., Wong, N.D., Woo, D. and Turner, M.B., 2014, Heart Disease and Stroke Statistics—2014 Update: A Report From the American Heart Association, *Circulation*, 129(3):e28–e292.

Monraats P.S, Pires N.M, Agema W.R, Zwinderman A.H, Schepers A, de Maat M.P, Doevendans P.A, de Winter R.J, Tio R.A, Waltenberger J, Frants R.R, Quax P.H, van Vlijmen B.J, Atsma D.E, van der Laarse A, van der Wall E.E, Jukema J.W., 2005, Genetic Inflammatory Factors Predict Restenosis After Percutaneous Coronary Interventions. *Circulation*, 18;112(16):2417-25.

Moreno, P.R., Bernardi, V.H., Lo´pez-Cue´llar, J., Newell, J.B., McMellon, C., Gold, H.K., Palacios, I.F., Fuster, V. and Fallon, J.T., 1996, Macrophage Infiltration Predicts Restenosis After Coronary Intervention in Patients With Unstable Angina, *Circulation*, 94(12):3098 L-3102.

Moreno, P.R., Falk, E., Palacios, I.F., Newell, J.B., Fuster, V. and Fallon, J.T., 1994, Macrophage Infiltration in Acute Coronary Syndromes. Implications for Plaque Rupture, *Circulation*, 90(2):775-778.

Moses, J. W., Leon, M. B., Popma, J. J., Fitzgerald, P. J., Holmes, D. R., O'Shaughnessy, C., Caputo, R. P., Kereiakes, D. J., Williams, D. O., Teirstein, P. S., Jaeger, J. L. and Kuntz, R. E., 2003, Sirolimus-Eluting

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Stents versus Standard Stents in Patients with Stenosis in a Native Coronary Artery, *NEJM.* 349(14):1315–1323.

Nassirpour, R., Raj, D., Townsend, R. and Argyropoulos, C., 2016, Microrna Biomarkers in Clinical Renal Disease: From Diabetic Nephropathy Renal Transplantation and Beyond, *Food Chem Toxic*, 98:73–88.

Oemrawsingh, P. V., Mintz, G. S., Schalij, M. J., Zwinderman, A. H., Jukema, J. W. and Wall, E. E. v d, 2003, Intravascular Ultrasound Guidance Improves Angiographic and Clinical Outcome of Stent Implantation For Long Coronary Artery Stenoses: Final Results of A Randomized Comparison with Angiographic Guidance (TULIP Study), *Circulation*, 107(1):62–67.

Park, S.-H., Park, S.-H., Marso, S. P., Zhou, Z., Foroudi, F., Topol, E. J., and Lincoff, A. M. (2001) 'Neointimal Hyperplasia After Arterial Injury Is Increased in a Rat Model of Non-Insulin-Dependent Diabetes Mellitus', *Circulation*, 104(7), pp. 815–819. doi: 10.1161/hc3301.092789.

Papafaklis, M. I., Bourantas, C. V., Theodorakis, P. E., Katsouras, C. S., Naka, K. K., Fotiadis, D. I., and Michalis, L. K (2010) 'The effect of shear stress on neointimal response following sirolimus- and paclitaxel-eluting stent implantation compared with bare-metal stents in humans', *JACC: Cardiovasc Interv*. Elsevier Inc., 3(11), pp. 1181–1189. doi: 10.1016/j.jcin.2010.08.018.

Pearson, T. A., Mensah, G. A., Alexander, R. W., Anderson, J. L., Cannon, R. O., Criqui, M., Fadl, Y. Y., Fortmann, S. P., Hong, Y., Myers, G. L., Rifai, N., Smith, S. C., Taubert, K., Tracy, R. P. and Vinicor, F., 2003, Markers of Inflammation and Cardiovascular Disease: Application to Clinical and Public Health Practice: A Statement for Healthcare Professionals From the Centers For Disease Control and Prevention and The American Heart Association, *Circulation*, 107(3):499–511.

Pietersma, A., Kofflard, M., Wit, L. E. A. de, Stijnen, T., Koster, J. F., Serruys, P. W. and Sluiter, W., 1995, Late Lumen Loss After Coronary Angioplasty is Associated with the Activation Status of Circulating Phagocytes Before Treatment, *Circulation*, 91(5):1320-1325.

Pua, HH., Steiner, DF., Patel,S., Gonzalez, JR, 2016, MicroRNAs 24 and 27 Suppress Allergic Inflammation and Target a Network of Regulators of T Helper 2 Cell-Associated Cytokine Production, *Immunity*, 44:821–832

Rebane, A., Akdis, CA., et al, 2013, MicroRNAs: Essential Players in the Regulation of Inflammation, *J Allergy and Clin Imm*, 32(1):15–26.

Riset Kesehatan Dasar (RISKESDAS), 2013, Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia, Jakarta

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Riset Kesehatan Dasar (RISKESDAS, 2007*,* Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia, Jakarta

Robinson, H. C. and Baker, A. H., 2012, How Do Micrornas Affect Vascular Smooth Muscle Cell Biology?, *Current Opinion in Lipidology*, 23(5).

Rogacka, R., Latib, A. and Colombo, A. (2009) 'IVUS-Guided Stent Implantation to Improve Outcome: A Promise Waiting to be Fulfilled.', *Curr Cardiol Rev*, 5(2), pp. 78–86. doi: 10.2174/157340309788166697.

Rogers, C. and Edelman, E. R., 1995, Endovascular Stent Design Dictates Experimental Restenosis and Thrombosis, *Circulation*, 91(12):2995-3001.

Rogers, C., Welt, F. G. P., Karnovsky, M. J. and Edelman, E. R., 1996, Monocyte Recruitment and Neointimal Hyperplasia in Rabbits, *Arterioscl Thromb Vasc Biol.* 16(10):1312-1318.

S.J. Hong, J.H. Park, C.M. Ahn, D.S. Lim., 2013, Decrease in Circulating Microrna-24 is Associated with Increase in Neointimal Hyperplasia: Optical Coherence Tomography Analysis. *Eur Heart J*, 310:5438

Sandrin C, Bergheanu, 2010, This issue of *Interventional Cardiology* continues to build upon the preceding issues in patients who require proton-pump inhibitors and clopidogrel therapy. *Intervent Cardiol.* 2(2):147-157

Schwartz, R. S., Huber, K. C., Murphy, J. G., Edwards, W. D., Camrud, A. R., Vlietstra, R. E. and Holmes, D. R., 1992, Restenosis and the Proportional Neointimal Response to Coronary Artery Injury: Results in a Porcine Model, *J Am Coll Cardiol.* 19(2):267–274.

Schetter AJ, Yi Leung J, Sohn JJ. MicroRNA Expression Profiles Associated With Prognosis and Therapeutic Outcome in Colon Adenocarcinoma *JAMA*. 2008 Jan 30; 299(4): 425–436.

Scott, N. A., Cipolla, G. D., Ross, C. E., Dunn, B., Martin, F. H., Simonet, L. and Wilcox, J. N., 1996, Identification of a Potential Role for the Adventitia in Vascular Lesion Formation After Balloon Overstretch Injury of Porcine Coronary Arteries, *Circulation*, 93(12):2178 LP-2187.

Selzman, C. H., Meldrum, D. R., Cain, B. S., Meng, X., Shames, B. D., Ao, L. and Harken, A. H., 1998, Interleukin-10 Inhibits Postinjury Tumor Necrosis Factor-Mediated Human Vascular Smooth Muscle Proliferation, *J Surg Res.* 80(2):352–6.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Serrano, C. V, Ramires, J. A. F., Venturinelli, M., Arie, S., D'Amico, E., Zweier, J. L., Pileggi, F. and da Luz, P. L., 1997, Coronary Angioplasty Results in Leukocyte and Platelet Activation With Adhesion Molecule Expression, *J Am Coll Cardiol.* 29(6):1276–1283.

Serruys, P. W., de Jaegere, P., Kiemeneij, F., Macaya, C., Rutsch, W., Heyndrickx, G., Emanuelsson, H., Marco, J., Legrand, V., Materne, P., Belardi, J., Sigwart, U., Colombo, A., Goy, J. J., van den Heuvel, P., Delcan, J. and Morel, M., 1994, A Comparison of Balloon-Expandable-Stent Implantation with Balloon Angioplasty in Patients with Coronary Artery Disease, *NEJM.* 331(8):489–495.

Shah, P. K., 2003, Inflammation, Neointimal Hyperplasia, and Restenosis: As the Leukocytes Roll, the Arteries Thicken, *Circulation*, 107(17):2175–2177.

Shea-Donohue, T., Notari, L., Sun, R. and Zhao, A., 2012, Mechanisms of Smooth Muscle Responses to Inflammation, *Neurogastroenterology and Motility*, 24(9):802–811.

Simpson, K., Wonnacott, A., Fraser, D. J. and Bowen, T., 2016, MicroRNAs in Diabetic Nephropathy: From Biomarkers to Therapy, *Curr Diab Report* 16:35.

Spaulding C, Daemen J, Boersma E, et al, 2007, A Pooled Analysis of *Data Comparing Sirolimus-Eluting Stents* with *Bare-Metal Stents. NEJM. 356:989–*997

Stoll, G. and Bendszus, M., 2006, Inflammation and Atherosclerosis, *Stroke*, 37(7):1923 LP-1932.

Stone, G. W., Parise, H., Witzenbichler, B., Kirtane, A., Guagliumi, G., Peruga, J. Z., Brodie, B. R., Dudek, D., Möckel, M., Lansky, A. J. and Mehran, R., 2010, Selection Criteria for Drug-Eluting Versus Bare-Metal Stents and the Impact of Routine Angiographic Follow-Up', *J Am Coll Cardiol.* 56(19):1597–1604.

Suzuki, J.; Tezuka, D.; Morishita, R.; Isobe, M., 2009, An Initial Case of Suppressed Restenosis With Nuclear Factor-Kb Decoy Transfection After Percutaneous Coronary Intervention, *J. Genet. Med.*, 11:89–91.

Taherioun, M., Namazi, M H., Safi, M., Saadat, H., Vakili, H., Alipur-Parsa, S., Rajabi-Moghadam, H., Pedari, S (2014) 'Stent underexpansion in angiographic guided percutaneous coronary intervention, despite adjunctive balloon post-dilatation, in drug eluting stent era', *ARYA Atherosclerosis*, 10(1), pp. 13–17.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Taylor, A. J., Gorman, P. D., Kenwood, B., Hudak, C., Tashko, G. and Virmani, R., 2001, A Comparison of Four Stent Designs on Arterial Injury, Cellular Proliferation, Neointima Formation, and Arterial Dimensions an an Experimental Porcine Model, *Cath Cardiovasc Interv.* 53(3):420–425.

Tedgui, A. and Mallat, Z., 2001, Anti-Inflammatory Mechanisms in the Vascular Wall, *Circ Res.* 88(9):877-887.

Trabattoni, D. Trabattoni, D., Fabbiocchi, F., Montorsi, P., Calligaris, G., Galli, S., Ravagnani, P., De Martini, S., Teruzzi, G., and Bartorelli, A. L(2005) 'Angiographic patterns of in-stent restenosis in men and women.', *Italian heart journal : official journal of the Italian Federation of Cardiology*, 6(2), pp. 138–42. Available at: http://www.ncbi.nlm.nih.gov/pubmed/20142201.

Turchinovich,. Weiz, L., Langheinz, A., and Burwinkel, B (2011) 'Characterization of extracellular circulating microRNA', *Nucl Ac Res.* 39(16), pp. 7223–7233. doi: 10.1093/nar/gkr254.

van der Giessen, W. J., Lincoff, A. M., Schwartz, R. S., van Beusekom, H. M. M., Serruys, P. W., Holmes, D. R., Ellis, S. G. and Topol, E. J., 1996, Marked Inflammatory Sequelae to Implantation of Biodegradable and Nonbiodegradable Polymers in Porcine Coronary Arteries, *Circulation*, 94(7):1690-1697.

Van Der Meeren, A., Squiban, C., Gourmelon, P., Lafont, H. and Gaugler, M.-H., 1999, Differential Regulation By IL-4 And IL-10 Of Radiation-Induced IL-6 And IL-8 Production and Icam-1 Expression by Human Endothelial Cells, *Cytokine*, 11(11):831–838.

Verschuren, J. J. W., Trompet, S., Postmus, I., Sampietro, M. L., Heijmans, B. T., Houwing-Duistermaat, J. J., Slagboom, P. E. and Jukema, J. W., 2012, Systematic Testing of Literature Reported Genetic Variation Associated with Coronary Restenosis: Results of the GENDER Study, *PLOS ONE*, 7(8):e42401.

Virmani, R., Kolodgie, F. D., Farb, A. and Lafont, A., 2003, Drug Eluting Stents: Are Human and Animal Studies Comparable?, *Heart*, 89(2):133–138.

Virtue, A., Wang, H. and Yang, X., 2012, MicroRNAs and Toll-like Receptor/Interleukin-1 Receptor Signaling, *J Hem Oncol.* 5(1):66.

Vogiatzi, K., Apostolakis, S., Voudris, V., Thomopoulou, S., Kochiadakis, G. E. and Spandidos, D. A., 2008, Interleukin 8 and Susceptibility to Coronary az *Immunology*, 28(4):329–335.

RASIO EKSPRESI MIKRO RNA-21 / MIKRO RNA-24 DAN KAITANNYA DENGAN SITOKIN INFLAMASI PADA KELINCI
YANG DIPASANG STENT BARE METAL TERHADAP KEJADIAN HIPERPLASI NEO INTIMAL
HARIADI HARIAWAN, Prof. dr. Marsetyawan HNE Soesatyo, MSc, PhD.; Dr. dr. Muhammad Munawar, SpJP(K), FI
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Vogiatzi, K., Apostolakis, S., Voudris, V., Thomopoulou, S., Kochiadakis, G. E. and Spandidos, D. A., 2009, Interleukin 8 Gene Polymorphisms and Susceptibility to Restenosis After Percutaneous Coronary Intervention, *J Thrombosis and Thrombolysis*, 29(1):134.

Waller, B. F., Pinkerton, C. A., Orr, C. M., Slack, J. D., VanTassel, J. W. and Peters, T., 1991, Restenosis 1 to 24 months after clinically successful coronary balloon angioplasty: A necropsy study of 20 patients, *J Am Coll Cardiol.* 17(6):58–70.

Wang, J., Huang, W., Xu, R., Nie, Y., Cao, X., Meng, J., Xu, X., Hu, S. and Zheng, Z., 2012, Microrna-24 Regulates Cardiac Fibrosis After Myocardial Infarction, *J Cell Mol Med.* 16(9):2150–2160.

Wang,D., Deuse,T., 2015, Local MicroRNA Modulation Using A Novel Anti-Mir-21-Eluting Stent Effectively Prevents Experimental In-Stent Restenosis, *Arterioscler Thromb Vasc Biol*, 35(9):1945–1953.

Webb, L. M., Ehrengruber, M. U., Clark-Lewis, I., Baggiolini, M. and Rot, A., 1993, Binding to Heparan Sulfate or Heparin Enhances Neutrophil Responses to Interleukin 8, *Proceedings*

World Health Organization, 2017, *Cardiovascular diseases (CVDs)*, Geneva, viewed 1 July 2017, <http://www.who.int/mediacentre/factsheets/fs317/en/>

Yabushita, H., Takagi, K., Amano, T., Warisawa, T., Kawamoto, H., Watanabe, Y., Mitomo, S. and Tanaka, K., 2014, The Comparison Between Plain Old Balloon Angioplasty Vs . Stent Implantation For Stent Thrombosis, *The New Tokyo Registry*, 2:171.

Yang J., 2016, MicroRNA-24 Attenuates Neointimal Hyperplasia in the Diabetic Rat Carotid Artery Injury Model by Inhibiting Wnt4 Signaling Pathway Int. *J. Mol. Sci*., 17, 765 2 of 14

Yang, J., Fan, Z., Yang, J., Ding, J., Yang, C. and Chen, L., 2016, MicroRNA-24 Attenuates Neointimal Hyperplasia in the Diabetic Rat Carotid Artery Injury Model by Inhibiting Wnt4 Signaling Pathway', *Intern J Mol Sci*. Edited by T. Arai. MDPI, 17(6):765.

Zhang, J.; Chen, J.; Xu, C.; Yang, J.; Guo, Q.; Hu, Q., 2014, Resveratrol Inhibits Phenotypic Switching of Neointimal Vascular Smooth Muscle Cells After Balloon Injury Through Blockade of Notch Pathway. *J. Cardiovasc. Pharmacol*., 63:233–239