

## DAFTAR PUSTAKA

- Agarwal, D. K., Razdan, A., Agarwal, A., Bhattacharya, P., Gupta, A., dan Kapoor, D., 2011, A comparative study of orthodontic coil springs. *J Indian Orthod Soc*, 45, 160–8.
- Al-Sayagh N. M., Ismael A.J., 2011, Evaluation of space closure rate during canine retraction with nickel titanium closed coil spring and elastomeric chain. *Al-Rafidain Dent J*. 11(1):146-53.
- Alfaqeeh, S.A., dan Anil, S., 2014, Gingival crevicular fluid flow rate and alkaline phosphatase level as potential marker of active tooth movement, *OHDM*, 13(2): 458-63.
- Alhadlaq M.A., 2015. Biomarkers of orthodontic tooth movement in gingival crevicular fluid: a systematic review, *J of Contemp Dent Pract*, 16(7): 578–87.
- Angolkar, P.V., Arnold, J.V., Nanda, R.S., dan Duncanson, M.G., 1992, Force degradation of closed coil springs: an in vitro evaluation. *Am J. Orthod. Dentofac. Orthop*, 102(2), 127–33.
- Asma, A.A.A., Megat A. W., R., dan Ariffin, Z. S. H., 2008, Crevicular alkaline phosphatase activity during orthodontic tooth movement: canine retraction stage, *J Med Sci.*, 8(3), 228–33.
- Batra, P., Kharbanda, O., Duggal, R., Singh, N., Parkash, H., 2006. Alkaline phosphatase activity in gingival crevicular fluid during canine retraction. *Orthod Craniofac Res*. 9: 44-51.
- Baron, R., Tran-Va, P., Neffusi, J.R., dan Vignery, A.A., 2002, Kinetic and cytochemical indentification of osteoclast precursors and their differentiation into multinucleated osteoclast, *Am J Pathol.*, 122:363-78.
- Baziad, Ali., 2003, *Menopause dan andropause*, Yayasan Bina Pustaka Sarwono Prawirohardjo, Jakarta, p.43-5.
- Bhalajhi, S.I., 2006, *Orthodontic The Art and Science*, Arya (MEDI) Publishing House, New Delhi, p.1-3.
- Beck, G.R., Zerier, Z., dan Moran, E., 2000, Phosphate is a specific signal for induction of osteopontin gene expression, *Proc Natl Acad.* 10(97):8352-7.

- Carranza, F. A. dan Newman, M. G., 2002, *Clinical Periodontology*, 10th ed., W. B. Saunders Company, Tokyo, p.74-82.
- Clarke, B., 2008, Normal bone anatomy and physiology, *Clin J Am Soc Nephrol*. 3:131-9.
- Copray, J.C.V.M., Jansen, H.W.B., Duterloo, H.S., 1985, Effect of compressive force on phosphatase activity in mandibular condylar cartilage. *J anat*, 140(3): 479-89.
- Delima, A.J., dan Van Dyke, T.E., 2003, Original and function of the cellular components in gingival cervicular fluid, *Periodontol 2000*, 31:55-76.
- Dilsiz A., Kilic N., Aydin T., Ates F. N., Zihni M., dan Bulut C., 2010, Leptin levels in gingival crevicular fluid during orthodontic tooth movement. *Angle Orthod*. 80:504-8.
- Dixon, V., Read M. J. F., O'Brien K. D., Worthington H. V., dan Mandall N. A., 2001, A randomized clinical trial to compare three methods of orthodontic space closure. *J Orthod*, 29: 31-6.
- Dhopatkar, A.A., Sloan, A.J., Rock, W.P., Cooper, P.R. dan Smith, A.J., 2005, A novel in vitro culture model to investigate the reaction of the dentine-pulp complex to orthodontic force. *J Clin Orthod* 32: 122-132.
- Djojoseobagio, S., 1990, *Fisiologi Kelenjar Endokrin*. Departemen Pendidikan dan Kebudayaan, Pusat antar Universitas Ilmu Hayati IPB, Bandung, p. 142-220.
- Farahani M., Safavi SM., Dianat O., Khoramian Tusi S., dan Younessian F., 2015, Acid and alkaline phosphatase levels in gcf during orthodontic tooth movement. *J Dent Shiraz Univ Med Sci* 16(3 Suppl): 237-245.
- Fawcett, D. W., 2002, *Buku ajar histologi*, edisi 12, Penerbit Buku Kedokteran EGC, Jakarta, p. 145-6.
- Golub, E., Boesze-Battaglia K., 2007, The role of alkaline phosphatase in mineralization, *Curr Orthop Pract* 18:444-7.
- Graber, T.M., dan Vanarsdall, R.L., 2000, *Orthodontics, Current Principles And Technique, 3<sup>rd</sup> edition*, Missouri Mosby Inc, St.Louise, p. 73-4.
- Guyton, A.C., Hall, J.E., 2010, *Buku ajar fisiologi kedokteran*. Edisi 9, Penerbit Buku Kedokteran EGC, Jakarta, p. 121-4.
- Halleen, J.M., Alatalo, S.L., Suominen, H., Cheng, S., Janckila, A.J., dan Vaananen, H.K., 2000, Tartrate-resistant acid phosphatase 5b: a novel serum marker of bone resorption. *J Bone Miner Res* 15(7): 1337-45.

- Hsiong, S.X., Mooney, D.J., 2006, Regeneration of vascularized bone, *Periodontol* 2000, 41: 109-122
- Hughes F.J., Turner W., Belibasakis G., dan Gianluca M., 2006, Effects of growth factors and cytokines on osteoblast differentiation. *J Clin Periodontol*, 41:48-72.
- Huang, H., Williams, R., dan Kyrkanides, S., 2014, Accelerated orthodontic tooth movement: Molecular mechanisms, *Am J Orthod Dentofacial Orthop*, 146:620-32.
- Hurst, C. L., Duncanson, M. G., Nanda, R. S., dan Angolkar, P. V., 1990, An evaluation of the shape-memory phenomenon of nickel-titanium orthodontic wires. *Am J. Orthod. Dentofac. Orthop*, 28: 72-6
- Idris, A.I., Van't Hof R. J., Greig, I. R., Ridge, S. A., Baker, D., Ross, R. A., dan Ralston, S. H., 2005, Regulation of bone mass, bone loss and osteoclast activity by cannabinoid receptors, *Nat Med*, 11 (7):774-9.
- Insoft, M., King, G. J., Keeling, S., D., 1996. The Measurement Of Acid And Alkaline Phosphatase In Gingival Crevicular Fluid During Orthodontic Tooth Movement. *Am J Orthod Dentofacial Orthop*, 109(3), 287-96.
- Intan, Z.A., Shahrul, H.Z.A., Rohaya, M.A.W., Sahidan, S., dan Zaidah, Z.A, 2008, Osteoclast and osteoblast development of *mus musculus* haemopoietic mononucleated cells, *J Biol Sci*, 8(3): 506-16.
- Isik, F., Sayinsu K., Arun T., dan Ünlüçerçi Y., 2005, Bone marker levels in gingival crevicular fluid during orthodontic intrusive tooth movement: a preliminary study, *J Contemp Dent Pract*, 2:027-35.
- Junqueira, L.C., Carneiro, J., Kelley, R.O., 2007, *Histologi Dasar*, Penerbit Buku Kedokteran EGC, Jakarta, p. 148-49.
- Kasperk, C., 1995, Human bone cell phenotypes differ depending on their skeletal site of origin, *J Clin Endocrinol Metab*, Aug;80(8): 2511-7.
- King, G.J., dan Keeling, S.D., 1995, Orthodontic bone remodeling in relation to appliance decay. *Angle Orthod*, 65:129-40.
- Krishnan, V., Davidovitch, Z., 2006, Cellular, molecular, and tissue-level reactions to orthodontic force, *Am J Orthod Dentofac Orthop*, 129(4) 469.
- Kierszenbaum, A.L., 2002, *Histology And Cell Biology An Introduction To Pathology*, Mosby Elsevier, New York, p. 392-93.

- Leethanakul, C., Kittichaikarn C., Charoemratrote C., dan Jitpukdeebodintra S., 2008, Effects of continuous and interrupted orthodontic force on interleukin-1 $\beta$  and interleukin-8 secretion in human gingival crevicular fluid, *J. Oral Biosci.* 50(4):230-8
- Lerner, U.H., 2004, New molecules in the tumor necrosis factor ligand and receptor super families with importance for physiological and pathological bone resorption, *Crit Rev Oral Biol Med*, 15(2):64-81.
- Manhartsberger, C., dan Seidenbusch, W., 1996, Force delivery of ni-ti coil springs. *Am. J. Orthod. Dentofac. Orthop.*, 109(1), 8–21.
- McCauley L.K., Nohutcu R.M., 2002, Mediators of periodontal osseous destruction and remodeling: principles and implications for diagnosis and therapy. *J Periodontol*, 73: 1377-1391.
- Meikle, M.C., 2006. The tissue, cellular, and molecular regulation of orthodontic tooth movement: 100 years after Carl Sandstedt, *Eur J Orthod* 28: 221–40.
- Miura, F., Mogi M., Ohura Y., dan Karibe M., 1988, The super-elastic Japanese niti alloy wire for use in orthodontics. part iii. studies on the Japanese niti alloy coil springs. *Am J Orthod Dentofac Orthop.* 94:89–96.
- Nakao, K.T., Goto, K.K., Gunjigake, T., Konoo, S., Kobayashi dan Yamaguchi, K., 2007, Intermittent force induces high RANKL expression in human periodontal ligament cells. *J Dent Res*, 86: 623.
- Nakasato Y.R., Janckila A.J., Halleen J.M., Vaananen H.K., Walton, S.P., dan Yam L.T., 1999, Clinical significance of immunoassay for type-5 tartrate-resistant acid phosphatase. *Clin Chem* 45(12): 2150-57.
- Nightingale C., dan Jones S.P., 2003, A clinical investigation of force delivery systems for orthodontic space closure, *Am J Orthod.* 30: 229-36.
- Norman N. H., Worthington H., Chadwick S.M., 2016, Nickel titanium springs versus stainless steel springs: A randomized clinical trial of two methods of space closure, *Am J Orthod*, 1-10.
- Novi R.S., Yudaniayanti I.S., Arifin M. Z., Galijono D., Arimbi, dan Sukanto R., 2012, Kadar alkalin fosfatase darah kelinci sebelum dan sesudah rekonstruksi tulang mandibula dengan teknik blok autograft dekortikasi dan non dekortikasi, *Vet Medika J Klin Vet*, 1: 27-32
- Oliveira, B., Faltin R.M., dan Arana-Chavez, V.E., 2003, Ultrastructural and histochemical examination of alveolar bone at the pressure areas of rat molars submitted to continuous orthodontic force, *Eur J Oral Sci*, 111:410-16

- Oliveira D. D., de Oliveira B. F.M., dan Soares R. V., 2010, Alveolar Corticotomies in Orthodontics: Indications and Effects on Tooth Movement. *Dent Press J Orthod* (4): 144-57.
- Oshagh, M., Khajeh, F., Helderl, S., Torkan, S., dan Fattahl, H. R., 2013, The effect of different environmental factors on force degradation of three common systems of orthodontic space closure. *Dent Res J*, 12(1): 50-6
- Perez-Amodio, S., Vogels, I.M.C., Schoenmaker, T., Jansen, D.C., Alatalo, S.L., Halleen, J.M., Beertsen, W., dan Everts V., 2005, Endogenous expression and endocytosis of tartrate-resistant acid phosphatase (TRAP) by osteoblast-like. bone. *Am J Pathol*, 36(6): 1065-77.
- Perrinetti G., Paolantonio, M., D'Attilo., D'archivio., Tripodi, D., Femminella., Festa, F., dan Spoto, G., 2002, Alkaline phosphatase activity in gingival crevicular fluid during human orthodontic tooth movement, *Am J Orthod Dentofac Orthop*, 122(5): 548-56.
- Perinetti G., Baccetti T., Contardo L., dan Di Lenarda R., 2011, Gingival crevicular fluid alkaline phosphatase activity as a non-invasive biomarker of skeletal maturation. *Orthod Craniofac*. 14:44-45
- Perinetti, G., Contardo, L., 2016, Gingival crevicular fluid alkaline phosphatase activity in relation to pubertal growth spurt and dental maturation: A multiple regression study. *South Eur J Orthod Dentofac Res*, 3(1), 6–11.
- Proffit, W.R., dan Fields H.W.Jr., 2007, *Contemporary Orthodontics*, 2nd ed., The C.V. Mosby Co., St. Louis.
- Ribeiro, G. L. U., dan Jacob, H. B., 2016, Understanding the basis of space closure in Orthodontics for a more efficient orthodontic treatment, *Dental Press J Orthod*. 21(2):115-25.
- Rucci N., 2008, Molecular biology of bone remodeling, *Clin Cases Miner Bone Metab*, 5(1):49-56.
- Sharma, C. V., dan Sengupta C. J., 2009, Modifications to increase efficiency of the begg orthodontic technique. *MJAFI* 65 : 118-22.
- Sharman, R., Mittal, A.K., Sidana, A., dan Tiwari P., 2015, Canine retraction in orthodontics: A review of various methods, *Med. Res. Chron*, (1): 85-93
- Shpack, N., Davidovitch, M., Sarne, O., Panayi, N., dan Vardimon, A. D., 2008, Duration and anchorage management of canine retraction with bodily versus tipping mechanics, *Angle Orthod*, 78: 95-100

- Sihombing, I., Wangko, S., dan Kalangi, S.J.R., 2012, Peran estrogen dalam remodeling tulang, *J Biomed*, 4(3): 18-28.
- Singh, G., 2007, *Textbook of orthodontics*. Jaypee Brothers Medical Publisers, New Delhi, p. 216-24.
- Vibhute, P.J., 2011, Case report open-coil retraction spring. *Int Sch Res Notices*, 2011:1-8.
- Von Fraunhofer, J.A., Bonds, P.W., dan Johnson B.E., 1993, Force generation by orthodontic coil spring, *Angle Orthod*, 63(2):145-8.
- William, J.K., 2000, *Prinsip Dan Praktik Alat-Alat Ortodontik Cekat*, Penerbit Buku Kedokteran EGC, Jakarta, p. 67-68.
- Yamaguchi, M., 2009, RANK/RANKL/OPG during orthodontic tooth movement, *Orthod Craniofac Res*, 12:113-9.
- Yezdani, A. A., 2015, Alkaline phosphatase activity in gingival crevicular fluid - a diagnostic marker to assess human orthodontic tooth movement. *J Pharm Biomed Anal*, 8: 293–301.
- Yudaniayanti, I.S., 2005, Aktifitas alkaline phosphatase pada proses kesembuhan patah tulang femur dengan terapi CaCO<sub>3</sub> dosis tinggi pada tikus jantan. *Med Kedokt Hewan*, 21(1): 15-18.