

## DAFTAR PUSTAKA

'Arasj, F. (2016) 'Survei Konsumsi Makanan', in Hardinsyah and Supariasa, I. D. N. (eds) *Ilmu Gizi Teori & Aplikasi*. Jakarta: EGC, pp. 140–157.

ameribev.org (no date) *Industry Terms*. Available at: <http://www.ameribev.org/education-resources/beverage-dictionary/> (Accessed: 4 January 2018).

Ariani, S. (2012) *Hubungan antara faktor individu dan lingkungan dengan konsumsi minuman ringan berpemanis pada siswa/i SMA N 1 Bekasi*. Universitas Indonesia.

Azwar, S. (2008) *Reliabilitas dan Validitas*. Cetakan IV. Yogyakarta: Pustaka Belajar.

Balitbangkes (2013) 'Riset Kesehatan Dasar (RISKESDAS) 2013', *Laporan Nasional 2013*, pp. 1–384. doi: 1 Desember 2013.

Balitbangkes (2014) *Studi Diet Total : Survei Konsumsi Makanan Individu 2014*.

Bernabé, E. *et al.* (2014) 'Sugar-sweetened beverages and dental caries in adults : A 4-year prospective study.', *Journal of Dentistry*, 42(8), pp. 952–958.

Bogart, L. M. *et al.* (2017) 'Home Sweet Home: Parent and Home Environmental Factors in Adolescent Consumption of Sugar-Sweetened Beverages', *Academic Pediatrics*. Elsevier Inc, 17(5), pp. 529–536. doi: 10.1016/j.acap.2017.01.015.

BPS Kota Samarinda (2015) 'Statistik Daerah Kota Samarinda 2015'.

BPS Kota Samarinda (2016) *Indikator ekonomi kota samarinda 2016*.

BPS Kota Samarinda (2017) 'Proyeksi Penduduk Kota Samarinda 2010 - 2035'.

Brown, J. E. *et al.* (2011) *Nutrition Through The Life Cycle 4th edition*. 4 th, *Fluoride*. 4 th. Belmont, USA: Wadsworth, Cengage Learning. doi: 10.1111/j.1753-4887.2004.tb00011.x.

CDC (2006) 'Does drinking beverages with added sugars increase the risk of overweight?', *Research to Practice Series*, (3).

CDC (2015) *Rethink Your Drink, Healthy Weight*. Available at: [https://www.cdc.gov/healthyweight/healthy\\_eating/drinks.html](https://www.cdc.gov/healthyweight/healthy_eating/drinks.html) (Accessed: 3 January 2018).

Choi, H. K., Willett, W. and Curhan, G. (2010) 'Fructose-Rich Beverages and the Risk of Gout in Women', *JAMA*, 304(20), pp. 2270–2278. doi: 10.1001/jama.2010.1638.Fructose-Rich.

Chung, S. *et al.* (2015) 'Soft drink consumption is positively associated with metabolic syndrome risk factors only in Korean women: Data from the 2007–2011 Korea National Health and Nutrition Examination Survey Sangwon Chung a , Kyungho Haa , Haeng-Shin Lee b , Cho-il Kimc , Hyoj', *METABOLISM CLINICAL AND EXPERIMENTAL* 64 (2015), 64, pp. 1477 – 1484.

Chung, S. J., Ersig, A. L. and McCarthy, A. M. (2017) 'The Influence of Peers on Diet and Exercise Among Adolescents: A Systematic Review', *Journal of Pediatric Nursing*. Elsevier Inc., 36, pp. 44–56. doi: 10.1016/j.pedn.2017.04.010.

Dahlan, M. S. (2010) *Mendiagnosis dan Menata Laksana 13 Penyakit Statistik : Disertai Aplikasi Program Stata*. Jakarta: CV Sagung Seto.

Drewnowski, A. *et al.* (2012) 'Sweetness and Food Preference', *Journal of Nutrition*, (7), pp. 1142–1148. doi: 10.3945/jn.111.149575.1142S.

Edwardson, C. L. and Gorely, T. (2010) 'Parental influences on different types and intensities of physical activity in youth: A systematic review', *Psychology of Sport and Exercise*, 11(6), pp. 522–535.

Evans, E. W. (2013) 'Adolescents: Nutritional Problems of Adolescents', in *Encyclopedia of Human Nutrition (Third Edition)*, pp. 14–22.

Gebremariam, M. K. *et al.* (2016) 'Perceived rules and accessibility: Measurement and mediating role in the association between parental education and vegetable and soft drink intake', *Nutrition Journal*. Nutrition Journal, 15(1). doi: 10.1186/s12937-016-0196-3.

Ha, K. *et al.* (2016) 'Association of Dietary Sugars and Sugar-Sweetened Beverage Intake with Obesity in Korean Children and Adolescents'. doi: 10.3390/nu8010031.

Hamilton, L. K. and Wills, W. J. (2017) 'Patterns of sugar-sweetened beverage consumption amongst young people aged 13–15 years during the school day in Scotland', *Appetite*. Elsevier Ltd, 116, pp. 196–204. doi: 10.1016/j.appet.2017.05.006.

Han, E. and Powell, L. M. (2013) 'Consumption Patterns of Sugar-Sweetened Beverages in the United States', *Journal of the Academy of Nutrition and Dietetics*. Elsevier, 113(1), pp. 43–53. doi: 10.1016/j.jand.2012.09.016.

Van Der Horst, K. *et al.* (2007) 'Perceived parenting style and practices and the consumption of sugar-sweetened beverages by adolescents', *Health Education Research*, 22(2), pp. 295–304. doi: 10.1093/her/cyl080.

Jasti, S., Rubin, R. and Doak, C. M. (2017) 'Sugar-sweetened Beverage Knowledge and Consumption in College Students', *Health Behavior and Policy Review*, 4(1), pp. 37–45.

Johnson, R. K. *et al.* (2009) 'Dietary sugars intake and cardiovascular health (a scientific statement from the american heart association)', *Circulation*, 120(11), pp. 1011–1020. doi: 10.1161/CIRCULATIONAHA.109.192627.

Joo, N., Kim, S. and Yoon, J. (2017) 'High School Students ' Sugar Intake Behaviors and Consumption of Sugary Processed Food Based on the Level of Sugar-related Nutrition Knowledge in Seoul Area', *Korean J Community Nutr* 22, 22(1), pp. 1–12.

Kemendikbud (2017) *Data Master : Peserta Didik Pendidikan Dasar & Menengah, Data Referensi Kementerian Pendidikan*. Available at: <http://referensi.data.kemdikbud.go.id> (Accessed: 19 December 2017).

Kemenkes RI (2014) *Pedoman Gizi Seimbang*.

Kenney, E. L. and Gortmaker, S. L. (2017) 'United States Adolescents' Television, Computer, Videogame, Smartphone, and Tablet Use: Associations with Sugary Drinks, Sleep, Physical Activity, and Obesity', *Journal of Pediatrics*. Elsevier Inc., 182, pp. 144–149. doi: 10.1016/j.jpeds.2016.11.015.

Khoiriani, I. N. (2017) *Media Sosial Instagram, Perilaku Makan dan Status Gizi : Studi Pada Kelompok Usia Dewasa Muda di Kabupaten Sleman Yogyakarta*. Universitas Gadjah Mada.

Khomsan, A. (2000) *Teknik Pengukuran Pengetahuan Gizi*. Bogor: IPB.

Kim, H.-S., Ahn, J. and No, J.-K. (2012) 'Applying the Health Belief Model to college students' health behavior', *Nutr Res Pract.*, 6(6), pp. 551–558.

Koo, T. K. and Li, M. Y. (2016) 'A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research', *Journal of Chiropractic Medicine*. Elsevier B.V., 15(2), pp. 155–163. doi: 10.1016/j.jcm.2016.02.012.

Koordeman, R. *et al.* (2010) 'Exposure to soda commercials affects sugar-sweetened soda consumption in young women. An observational experimental study', *Appetite*, 54(3), pp. 619–622.

Kusharto, C. M. and Supriasa, I. D. N. (2014) *Survei Konsumsi Gizi*. Yogyakarta: Graha Ilmu.

L. de Koning, V. Malik, M. K. *et al.* (2013) 'Sweetened Beverage Consumption, Incident Coronary Heart Disease and Biomarkers of Risk in Men', *Circulation*, 125(14), pp. 1–17. doi: 10.1161/CIRCULATIONAHA.111.067017.Sweetened.

Li M *et al.* (2017) 'Pocket money, eating behaviors, and weight status among Chinese children: The Childhood Obesity Study in China mega-cities', *Preventive Medicine*, 100, pp. 208–215.

Lobstein, T. (2014) *Reducing consumption of sugar-sweetened beverages to reduce the risk of childhood overweight and obesity, Biological, behavioural and contextual rationale*. Available at: [http://www.who.int/elena/bbc/ssbs\\_childhood\\_obesity/en/](http://www.who.int/elena/bbc/ssbs_childhood_obesity/en/) (Accessed: 3 January 2018).

Malik, V. S. *et al.* (2010) 'Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis', *Diabetes Care*, 33(11), pp. 2477–81. doi: 10.2337/dc10-1079.

Malik, V. S. and Hu, F. B. (2015) 'Fructose and Cardiometabolic Health', *Journal of the American College of Cardiology*, 66(14), pp. 1615–1624. doi: 10.1016/j.jacc.2015.08.025.

Malik, V. S., Popkin, B. M. and Bray, G. A. (2010) 'Sugar-Sweetened Beverages , Obesity , Type 2 Diabetes Mellitus , and Cardiovascular Disease Risk', *Circulation*, 121(35), pp. 1356–1364. doi: 10.1161/CIRCULATIONAHA.109.876185.

marketresearch.com (2017) *Ready to Drink Market Research Reports & Industry*

*Analysis.* Available at: <https://www.marketresearch.com/Food-Beverage-c84/Beverages-c165/Ready-to-Drink-c1751/> (Accessed: 4 January 2018).

Miller, P. E. *et al.* (2013) ‘Sugar-Sweetened Beverage Consumption in the U.S. (Novel Assessment Methodology)’, *American Journal of Preventive Medicine*. Elsevier, 45(4), pp. 416–421. doi: 10.1016/j.amepre.2013.05.014.

Moreno, M. A. (2018) ‘Advertising and Youth’, *JAMA Pediatrics*, 172(5), p. 5756. doi: 10.1001/jamapediatrics.2018.0075.

Murti, B. (2013) *Desain dan Ukuran Sampel Untuk Penelitian Kuantitatif dan Kualitatif di Bidang Kesehatan*. Yogyakarta: Gadjah Mada University Press.

Notoatmodjo, S. (2010) *Promosi Kesehatan Teori & Aplikasi*. edisi revi. Jakarta: Rineka Cipta.

Pace, U., D’Urso, G. and Zappulla, C. (2018) ‘Negative eating attitudes and behaviors among adolescents: The role of parental control and perceived peer support’, *Appetite*. Elsevier Ltd, 121, pp. 77–82. doi: 10.1016/j.appet.2017.11.001.

Park, S. *et al.* (2012) ‘Factors Associated with Sugar-Sweetened Beverage Intake among United States High School Students’, *J Nutr*, 142(2), pp. 306–312. doi: 10.3945/jn.111.148536.Factors.

‘Permenkes No 30 Tahun 2013 Tentang Pencantuman Informasi Kandungan Gula Garam Lemak Serta Pesan Kesehatan Untuk Pangan Olahan dan Pangan Siap Saji’ (no date).

PHE (2014) *Sugar reduction Responding to the challenge About Public Health England*. London. Available at: <https://www.gov.uk/government/publications/sugar-reduction-responding-to-the-challenge>.

Rosinger, A. *et al.* (2017) ‘Sugar-sweetened Beverage Consumption Among U.S. Youth, 2011–2014’, *NCHS Data Brief*, (271).

Sandvik, C. *et al.* (2005) ‘Personal, social and environmental factors regarding fruit and vegetable intake among schoolchildren in nine European countries: The pro children study’, *Annals of Nutrition and Metabolism*, 49(4), pp. 255–266. doi: 10.1159/000087332.

Santana, V. *et al.* (2015) ‘Reducing Sugary Drink Consumption : New York City ’ s Approach’, 105(4), pp. 61–64. doi: 10.2105/AJPH.2014.302497.

Shi, L. (2010) ‘The association between the availability of sugar-sweetened beverage in school vending machines and its consumption among adolescents in california: A propensity score matching approach’, *Journal of Environmental and Public Health*, 2010, pp. 2–6. doi: 10.1155/2010/735613.

Singh, G. M. *et al.* (2015) ‘Global, regional, and national consumption of sugar-sweetened beverages, fruit juices, and milk: A systematic assessment of beverage intake in 187 countries’, *PLoS ONE*, 10(8), pp. 1–20. doi: 10.1371/journal.pone.0124845.

Soetardjo, S. (2011) 'Gizi Usia Remaja', in Almatsier, S. (ed.) *Gizi Seimbang Dalam Daur Kehidupan*. Jakarta: Gramedia Pustaka Utama, pp. 315–348.

Steffen, M., Rosamond, W. D. and Kshirsagar, A. V (2012) 'Disease', 77(7), pp. 609–616. doi: 10.1038/ki.2009.500.Sugar-sweetened.

Sudono, P. P. (2017) *Hubungan antara konsumsi minuman manis terhadap kadar gula darah pada remaja obesitas di kota yogyakarta*. Universitas Gadjah Mada.

Susetyowati (2016) 'Gizi Remaja', in Hardinsyah and Suparisa, I. D. N. (eds) *Ilmu Gizi Teori & Aplikasi*. Jakarta: EGC, pp. 160–169.

Tasevska, N. *et al.* (2016) 'Determinants of Sugar-Sweetened Beverage Consumption among Low-Income Children: Are There Differences by Race/Ethnicity, Age, and Sex?', *Journal of the Academy of Nutrition and Dietetics*. Elsevier Inc, 117(12), pp. 1900–1920. doi: 10.1016/j.jand.2017.03.013.

Terry-McElrath, Y. M., O'Malley, P. M. and Johnston, L. D. (2013) 'School soft drink availability and consumption among U.S. secondary students', *American Journal of Preventive Medicine*, 44(6), pp. 573–582. doi: 10.1016/j.amepre.2013.01.026.

US Departement Of Agriculture (2015) *2015 – 2020 Dietary Guidelines for Americans, 2015 – 2020 Dietary Guidelines for Americans (8th edition)*. doi: 10.1097/NT.0b013e31826c50af.

Utama, I. G. B. R. (2012) *Metodologi Penelitian Pariwisata dan Perhotelan*. Yogyakarta: Penerbit Andi.

Vos, M. B. *et al.* (2008) 'Dietary Fructose Consumption Among US Children and Adults: The Third National Health and Nutrition Examination Survey', *Medscape J Med*, 10(7), p. 160.

Warner, R. S. and Ha, M. (2017) 'University Students' Knowledge, Consumption Patterns and Health Perceptions of Sugar Sweetened Beverages (SSB)', *EC Nutrition*, 6(11), pp. 223–232.

White, J. S. (2008) 'Straight talk about high-fructose corn syrup : what it is and what it', *Am J Clin Nutr*, 88, pp. 1716–1721. doi: 10.3945/ajcn.2008.25825B.2.

WHO (2005a) 'Issues and Challenges for the Health Sector', in *Nutrition in adolescence*. Geneva.

WHO (2005b) *Nutrition in adolescence – Issues and Challenges for the Health Sector*. Geneva.

WHO (2006) *Adolescent Nutrition : A Review Of The Situation In Selected South-East Asian Country*. New Delhi.

WHO (2015) *WHO Guideline: 'Sugars intake for adults and children'*. doi: 978 92 4 154902 8.