

## DAFTAR PUSTAKA

- Åberg, N. D., Kuhn, H. G., Nyberg, J., Waern, M., Friberg, P., Svensson, J. and et al (2015) 'Influence of Cardiovascular Fitness and Muscle Strength in Early Adulthood on Long-Term Risk of Stroke in Swedish Men', *Stroke*, 46(7), pp. 1769–1776. doi: 10.1161/strokeaha.115.009008.
- Alemán-Mateo, H., Carreón, V. R., Macías, L., Astiazaran-García, H., Gallegos-Aguilar, A. C. and Enríquez, J. R. R. (2014) 'Nutrient-rich dairy proteins improve appendicular skeletal muscle mass and physical performance, And attenuate the loss of muscle strength in older men and women subjects: A single-blind randomized clinical trial', *Clinical Interventions in Aging*, 9, pp. 1517–1525. doi: 10.2147/CIA.S67449.
- Alic, M., Atkins, W. A. and Byrnes, J. (2008) *The Gale Encyclopedia of Diets: A Guide to Health and Nutrition*. 1st edn. Edited by J. L. Longe. China: Thomson.
- Andersen, K., Rasmussen, F., Held, C., Neovius, M., Tynelius, P. and Sundström, J. (2015) 'Exercise capacity and muscle strength and risk of vascular disease and arrhythmia in 1.1 million young Swedish men: Cohort study', *British Medical Journal*, 351, pp. 1–8. doi: 10.1136/bmj.h4543.
- Bijlsma, A. Y., Meskers, C. G. M., Van Den Eshof, N., Westendorp, R. G., Sipilä, S., Stenroth, L. and et al (2014) 'Diagnostic criteria for sarcopenia and physical performance', *Age*, 36(1), pp. 275–285. doi: 10.1007/s11357-013-9556-5.
- Bijlsma, A. Y., Pasma, J. H., Lambers, D., Stijntjes, M., Blauw, G. J., Meskers, C. G. M. and et al (2013) 'Muscle Strength Rather Than Muscle Mass Is Associated With Standing Balance in Elderly Outpatients', *Journal of the American Medical Directors Association*. Elsevier Ltd, 14(7), pp. 493–498. doi: 10.1016/j.jamda.2013.02.001.
- Boschman, J. S., Noor, A., Lundström, R., Nilsson, T., Sluiter, J. K. and Hagberg, M. (2017) 'Relationships between work-related factors and musculoskeletal health with current and future work ability among male workers', *International Archives of Occupational and Environmental Health*. Springer Berlin Heidelberg, 90(6), pp. 517–526. doi: 10.1007/s00420-017-1216-0.
- Carvalho Sampaio, R. A., Sewo Sampaio, P. Y., Yamada, M., Ogita, M. and Arai, H. (2012) 'Urban-rural differences in physical performance and health status among older Japanese community-dwelling women', *Journal of Clinical Gerontology and Geriatrics*. Elsevier Taiwan LLC, 3(4), pp. 127–131. doi: 10.1016/j.jcgg.2012.09.003.
- Chan, O. Y. A., van Houwelingen, A. H., Gussekloo, J., Blom, J. W. and den Elzen, W. P. J. (2014) 'Comparison of quadriceps strength and handgrip strength in their association with health outcomes in older adults in primary care', *Age*, 36(5). doi: 10.1007/s11357-014-9714-4.
- Charlton, K., Batterham, M., Langford, K., Lateo, J., Brock, E., Walton, K. and et

- al (2015) 'Lean Body Mass Associated with Upper Body Strength in Healthy Older Adults While Higher Body Fat Limits Lower Extremity Performance and Endurance', *Nutrients*, (3), pp. 7126–7142. doi: 10.3390/nu7095327.
- Cheung, C. L., Nguyen, U. S. D. T., Au, E., Tan, K. C. B. and Kung, A. W. C. (2012) 'Association of handgrip strength with chronic diseases and multimorbidity: A cross-sectional study', *Age*, 35(3), pp. 929–941. doi: 10.1007/s11357-012-9385-y.
- Chillón, P., Ortega, F. B., Ferrando, J. A. and Casajus, J. A. (2011) 'Physical fitness in rural and urban children and adolescents from Spain', *Journal of Science and Medicine in Sport*, 14(5), pp. 417–423. doi: 10.1016/j.jsams.2011.04.004.
- Cho, B. Y., Seo, D. C., Lin, H. C., Lohrmann, D. K. and Chomistek, A. K. (2018) 'BMI and Central Obesity With Falls Among Community-Dwelling Older Adults', *American Journal of Preventive Medicine*. Elsevier Inc., 54(4), pp. 59–66. doi: 10.1016/j.amepre.2017.12.020.
- Colbert, L. H., Matthews, C. E., Havighurst, T. C., Kim, K. and Schoeller, D. A. (2012) 'Comparative Validity of Physical Activity Measures in Older Adults', *National Institutes of Health*, 43(5), pp. 867–876. doi: 10.1249/MSS.0b013e3181fc7162.Comparative.
- Cole, T. J. and Coward, W. A. (1992) 'Precision and accuracy of doubly labeled water energy expenditure by multipoint and two-point', *The American Physiological Society*.
- Cooper, A. J. M., Lamb, M. J. E., Sharp, S. J., Simmons, R. K. and Griffin, S. J. (2017) 'Bidirectional Association between Physical Activity and Muscular Strength in Older Adults: Results From The UK Biobank study', (May 2016), pp. 141–148. doi: 10.1093/ije/dyw054.
- Cooper, R., Mishra, G. D. and Kuh, D. (2011) 'Physical Activity Across Adulthood and Physical Performance in Midlife', *American Journal of Preventive Medicine*. Elsevier Inc., 41(4), pp. 376–384. doi: 10.1016/j.amepre.2011.06.035.
- Dam, T., Peters, K. W., Fragala, M., Cawthon, P. M., Harris, T. B., Mclean, R. and et al (2014) 'An Evidence-Based Comparison of Operational Criteria for the Presence of Sarcopenia', *Journals of Gerontology: Medical Sciences*, 69(5), pp. 584–590. doi: 10.1093/gerona/glu013.
- Dhara, P. C., Sengupta, P. and De, S. (2015) 'Hand Grip Strength of Older Persons in Relation to Body Dimensions and Nutritional Status', *Journal of Indian Academy of Geriatrics*, 7(January 2011).
- Dodds, R., Kuh, D., Sayer, A. A. and Cooper, R. (2013) 'Physical activity levels across adult life and grip strength in early old age: updating findings from a British birth cohort', *Age and Ageing*, (August 2013), pp. 794–798. doi: 10.1093/ageing/aft124.
- Frankenberg, E. and Thomas, D. (2000) *The Indonesia Family Life Survey (IFLS): Study Design and Results from Waves 1 and 2*. doi: DRU-2238/1-NIA/NICHD.
- Fritschi, C., Bronas, U. G., Park, C. G., Collins, E. G. and Quinn, L. (2017) 'Early

- declines in physical function among aging adults with type 2 diabetes', *Journal of Diabetes and its Complications*. Elsevier Inc., 31(2), pp. 347–352. doi: 10.1016/j.jdiacomp.2016.06.022.
- Fruhbeck, G. (2013) 'Over-Nutrition', in Elia, M., Ljungqvist, O., Stratton, R. J., and Lanham, S. A. (eds) *Clinical Nutrition*. 2nd edn. USA: Wiley-Blackwell, p. 47.
- Germain, C. M., Batsis, J. A., Vasquez, E. and McQuoid, D. R. (2016) 'Muscle strength, physical activity, and functional limitations in older adults with central obesity', *Journal of Aging Research*. Hindawi Publishing Corporation. doi: 10.1155/2016/8387324.
- Gilbert, J. (2015) 'Diseases of the Heart, Blood Vessels, and Lungs', in Schlenker, E. D. and Gilbert, J. (eds) *Williams' Essentials of Nutrition and Diet Therapy*. 11th edn. China: Elsevier.
- Gómez-Cabello, A., Carnicero, J. A., Alonso-Bouzon, C., Tresguerres, J. Á., Alfaro-Acha, A., Ara, I. and et al (2014) 'Age and gender, two key factors in the associations between physical activity and strength during the ageing process', *Maturitas*, 78(2), pp. 106–112. doi: 10.1016/j.maturitas.2014.03.007.
- Goodpaster, B. H., Park, S. W., Harris, T. B., Kritchevsky, S. B., Nevitt, M., Schwartz, A. V and et al (2006) 'The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults: The Health, Aging and Body Composition Study', *Gerontology: Medical Sciences*, 61(10), pp. 1059–1064. doi: 10.1093/gerona/61.10.1059.
- Gropper, S. S. and Smith, J. L. (2013) *Advanced Nutrition and Human Metabolism*. 6th edn. Edited by P. Williams. USA: Wadsworth Cengage Learning.
- Guerra, R. S. and Amaral, T. F. (2009) 'Comparison of hand dynamometers in elderly people', *Journal of Nutrition, Health and Aging*, 13(10), pp. 907–912. doi: 10.1007/s12603-009-0250-3.
- Hardinsyah (2011) 'Analisis Konsumsi Lemak, Gula, dan Garam Penduduk Indonesia', *Gizi Indonesia*, 34(2), pp. 92–100.
- Hardy, R., Cooper, R., Aihie Sayer, A., Ben-Shlomo, Y., Cooper, C., Deary, I. J. and et (2013) 'Body Mass Index, Muscle Strength and Physical Performance in Older Adults from Eight Cohort Studies: The HALCYon Programme', *Plos One*, 8(2). doi: 10.1371/journal.pone.0056483.
- Hashimoto, R., Sakai, A., Murayama, M., Ochi, A., Abe, T., Hirasaka, K. and et al (2015) 'Effects of dietary soy protein on skeletal muscle volume and strength in humans with various physical activities', *The Journal of Medical Investigation*, 62(3.4), pp. 177–183. doi: 10.2152/jmi.62.177.
- Higginbotham, A. (2015) 'The Complexity of Obesity: Beyond Energy Balance', in Schlenker, E. D. (ed.) *Williams' Essentials of Nutrition and Diet Therapy*. 11th edn. China: Elsevier, p. 344.
- IDF (2006) 'The IDF Consensus Worldwide Definition of The Metabolic Syndrome'. USA: International Diabetes Federation.
- IPAQ (2005) 'Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) – Short and Long Forms'.

- International Physical Activity Questionnaire, pp. 1–15.
- IPAQ Group (2002a) *International Physical Activity Questionnaire Long Last 7 Days Self-Administered Format*, IPAQ Website. doi: 10.1186/s12889-016-3778-2.
- IPAQ Group (2002b) *International Physical Activity Questionnaire Short Last 7 Days Self-Administered Format*, IPAQ Website. Available at: [www.ipaq.ki.se](http://www.ipaq.ki.se) (Accessed: 6 August 2018).
- Isanejad, M., Mursu, J., Sirola, J., Kröger, H., Rikkinen, T., Tuppurainen, M. and et al (2016) ‘Dietary protein intake is associated with better physical function and muscle strength among elderly women’, *British Journal of Nutrition*, (2016), pp. 1281–1291. doi: 10.1017/S000711451600012X.
- Jais, I. S. M., Chan, K. L., Loke, M. Kitt A., Rahim, S. A. and Tay, S. C. (2017) ‘Normative Data on Functional Grip Strength of Elderly in Singapore’, *Journal of Hand Therapy*. Elsevier Inc, 31(1), pp. 122–128. doi: 10.1016/j.jht.2016.10.004.
- Keevil, V. L., Luben, R., Dalzell, N., Hayat, S., Sayer, A. A., Wareham, N. J. and et al (2015) ‘Cross-sectional associations between different measures of obesity and muscle strength in men and women in a British cohort study’, *Journal Nutrition Health Aging*, 19(1), pp. 3–11.
- Kemenkes RI (2014) ‘Pedoman Gizi Seimbang’, *Pedoman Gizi Seimbang Permenkes RI*. Menteri Kesehatan Republik Indonesia, pp. 1–96. doi: 10.1007/s13398-014-0173-7.2.
- Kemenkumham RI (2008) *Peraturan Pemerintah Republik Indonesia Nomor 47 Tahun 2008 Tentang Wajib Belajar*. Indonesia.
- Kim, J. H. and Park, Y. S. (2016) ‘Low muscle mass is associated with metabolic syndrome in Korean adolescents: the Korea National Health and Nutrition Examination Survey 2009-2011’, *Nutrition Research*. Elsevier Inc., 36(12), pp. 1423–1428. doi: 10.1016/j.nutres.2016.09.013.
- Kim, Y., White, T., Wijndaele, K., Sharp, S. J., Wareham, N. J. and Brage, S. (2017) ‘Adiposity and grip strength as long-Term predictors of objectively measured physical activity in 93 015 adults: The UK Biobank study’, *International Journal of Obesity*. Nature Publishing Group, 41(9), pp. 1361–1368. doi: 10.1038/ijo.2017.122.
- Kröger, H., Fritzell, J. and Hoffmann, R. (2016) ‘The Association of Levels of and Decline in Grip Strength in Old Age with Trajectories of Life Course Occupational Position’, *Plos one*, pp. 1–16. doi: 10.1371/journal.pone.0155954.
- Kuczmarski, M. F., Pohlig, R. T., Shupe, E. S., Zonderman, A. B. and Evans, M. K. (2018) ‘Dietary Protein Intake and Overall Diet Quality are Associated with Handgrip Strength in African American and White Adults’, *Journal Nutrition Health Aging*.
- Kumar, A., Jiwane, R., Alam, T. and Sahebrao, S. (2016) ‘Achievements in the Life Sciences Grip Strength and Impact on Cognitive Function in Healthy Kitchen Workers’, *Achievements in the Life Sciences*. Far Eastern Federal University, 10(2), pp. 168–174. doi: 10.1016/j.als.2016.11.008.
- Kuyken, W., Orley, J., Sartorius, N., Power, M., Herrman, H., Schofield, H. and et

- al (1995) 'The World Health Organization Quality of Life Assessment (WHOQoL): Position Paper from The World Health Organization', *Social Science & Medicine*, 41(10).
- Kwak, Y. and Kim, Y. (2017) 'Quality of life and subjective health status according to handgrip strength in the elderly: a cross-sectional study', *Aging & Mental Health*. Taylor & Francis, pp. 1–6. doi: 10.1080/13607863.2017.1387766.
- Lee, R. D. (2011) 'Energy Balance and Body Weight', in Nelms, M., Sucher, K. P., Lacey, K., and Roth, S. L. (eds) *Nutrition Therapy and Pathophysiology*. 2nd edn. USA: Wadsworth Cengage Learning, p. 238.
- Lemieux, F. C., Filion, M. E., Barbat-Artigas, S., Karelis, A. D. and Aubertin-Leheudre, M. (2014) 'Relationship between different protein intake recommendations with muscle mass and muscle strength', *Climacteric The Journal of Adult Women's Health And Medicine*, 17(3), pp. 294–300. doi: 10.3109/13697137.2013.829440.
- Lenardt, M. H., Greden, C. R. B., Sousa, J. A. V. de, Péricles, Reche, M., Betioli, S. E. and Ribeiro, D. K. de M. N. (2014) 'Factors associated with loss of handgrip strength in long-lived elderly', *Revista da Escola de Enfermagem*, 48(6), pp. 1004–1010. doi: 10.1590/S0080-623420140000700007.
- Leong, D. P., Teo, K. K., Rangarajan, S., Kutty, V. R., Lanans, F., Hui, C. and et al (2016) 'Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study', *Journal of Cachexia, Sarcopenia and Muscle*, 7(5), pp. 535–546. doi: 10.1002/jcsm.12112.
- Leong, D. P., Teo, K. K., Rangarajan, S., Lopez-jaramillo, P., Jr, A. A., Orlandini, A. and et al (2015) 'Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study', *The Lancet*. Elsevier Ltd, 386(9990), pp. 266–273. doi: 10.1016/S0140-6736(14)62000-6.
- Litchford, M. D. (2017) 'Clinical: Biochemical, Physical, and Functional Assessment', in Mahan, L. K. and Raymond, J. L. (eds) *Krause's Food & The Nutrition Care Process*. 14th edn. Canada: Elsevier.
- Ma, Y., Fu, L., Jia, L., Han, P., Kang, L., Yu, H. and et al (2018) 'Muscle strength rather than muscle mass is associated with osteoporosis in older Chinese adults', *Journal of the Formosan Medical Association*. Elsevier Ltd, 117(2), pp. 101–108. doi: 10.1016/j.jfma.2017.03.004.
- Mainous, A. G., Tanner, R. J., Anton, S. D. and Jo, A. (2015) 'Grip Strength as a Marker of Hypertension and Diabetes in Healthy Weight Adults', *American Journal of Preventive Medicine*. Elsevier, 49(6), pp. 850–858. doi: 10.1016/j.amepre.2015.05.025.
- Malhotra, R., Ang, S., Carson, J., Chuan, N., Mmed, T., Østbye, T. and et al (2016) 'Normative Values of Hand Grip Strength for Elderly Singaporeans Aged 60 to 89 Years: A Cross-Sectional Study', *Journal of the American Medical Directors Association*. Elsevier Inc., 17(9), p. 864.e1-864.e7. doi: 10.1016/j.jamda.2016.06.013.

- McGuire, M. and Beerman, K. A. (2013) *Nutritional Sciences*. 3rd edn. Edited by P. Williams and S. Alexander. USA: Wadsworth Cengage Learning.
- Mishra, S., Goldman, J. D., Sahyoun, N. R. and Moshfegh, A. J. (2018) 'Association between dietary protein intake and grip strength among adults aged 51 years and over : What We Eat in America , National Health and Nutrition Examination Survey 2011-2014', *PLoS ONE*, pp. 1–12.
- Morimoto, A., Suga, T., Tottori, N., Wachi, M., Misaki, J., Tsuchikane, R. and et (2017) 'Association between hand muscle thickness and whole-body skeletal muscle mass in healthy adults : a pilot study', *Journal of Physical Therapy Science Original*, pp. 1644–1648.
- Musalek, C. and Kirchengast, S. (2017) 'Grip Strength as an Indicator of Health-Related Quality of Life in Old Age — A Pilot Study', *Environmental Research and Public Health*. doi: 10.3390/ijerph14121447.
- Nakagawa, K. (2014) 'Relationship between Muscle Strength and Elbow Extension test', *Journal of Primary Health Care*, 4(3), pp. 3–4. doi: 10.4172/2167-1079.1000165.
- Nix, S. (2015) 'Nutrition and Physical Fitness', in Schlenker, E. D. and Gilbert, J. (eds) *Williams' Essentials of Nutrition and Diet Theray*. 11th edn. China: Elsevier, p. 325.
- Ong, H. L., Abdin, E., Chua, B. Y., Zhang, Y., Seow, E. and Vaingankar, J. A. (2017) 'Hand-grip strength among older adults in Singapore: a comparison with international norms and associative factors', *BioMed Central Geriatrics*. BMC Geriatrics, pp. 1–11. doi: 10.1186/s12877-017-0565-6.
- Orces, C. H., Montalvan, M. and Tettamanti, D. (2017) 'Prevalence of abdominal obesity and its association with cardio metabolic risk factors among older adults in Ecuador', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Diabetes India, 11, pp. S727–S733. doi: 10.1016/j.dsx.2017.05.006.
- Ortega, F. B., Ruiz, J. R., Castillo, M. J., Moreno, L. A., González-gross, M., Wärnberg, J. and et al (2005) 'Low Level of Physical Fitness in Spanish Adolescents. Relevance for Future Cardiovascular Health (AVENA Study)', *Revista Española de Cardiología (English Edition)*, 58(8), pp. 898–909.
- Ou, Y., Chuang, H., Li, W., Tzeng, I. and Chen, J. (2017) 'Gender difference in the association between lower muscle mass and metabolic syndrome independent of insulin resistance in a middle-aged and elderly Taiwanese population', *Archives of Gerontology and Geriatrics*. Elsevier, 72(5), pp. 12–18. doi: 10.1016/j.archger.2017.04.006.
- Owolabi, E. O., Ter Goon, D. and Adeniyi, O. V. (2017) 'Central obesity and normal-weight central obesity among adults attending healthcare facilities in Buffalo City Metropolitan Municipality, South Africa: A cross-sectional study', *Journal of Health, Population and Nutrition*. Journal of Health, Population and Nutrition, 36(1), pp. 1–10. doi: 10.1186/s41043-017-0133-x.
- Peterson, C. E. (2000) *Documentation for IFLS1-RR: Revised and Restructured 1993 Indonesian Family Life Survey Data, Wave 1, RAND Working Paper*.

Available at: <http://www.rand.org/pubs/drafts/DRU1195z7>.

- Peterson, M. D., William, A. S., Visich, P. S. and Gordon, P. M. (2014) 'Strength Capacity and Cardiometabolic Risk Clustering in Adolescents', *Pediatrics*. doi: 10.1542/peds.2013-3169.
- Putrawan, B. P. and Kuswardhani, R. A. T. (2011) 'Faktor-faktor yang menentukan kekuatan gengaman tangan pada Pasien lanjut usia di panti wredha tangtu dan poliklinik geriatri RSUP Sanglah - Denpasar', *Jurnal Penyakit Dalam*, 12(2), pp. 87–91.
- Quon, B. S., Patrick, D. L., Edwards, T. C., Aitken, M. L., Gibson, R. L., Genatossio, A. and et al (2012) 'Feasibility of Using Pedometers to Measure Daily Step Counts in Cystic Fibrosis And An Assessment of Its Responsiveness to Changes In Health State', *Journal of Cystic Fibrosis*. European Cystic Fibrosis Society, 11(3), pp. 216–222. doi: 10.1016/j.jcf.2011.12.002.
- Ramírez-Vélez, R., Tordecilla-Sanders, A., Correa-Bautista, J. E., Peterson, M. D. and Garcia-Hermoso, A. (2016) 'Handgrip Strength and Ideal Cardiovascular Health among Colombian Children and Adolescents', *Journal of Pediatrics*. Elsevier Inc., 179, p. 82–89.e1. doi: 10.1016/j.jpeds.2016.08.099.
- Ramlagan, S., Peltzer, K. and Phaswana-Mafuya, N. (2014) 'Hand grip strength and associated factors in non-institutionalised men and women 50 years and older in South Africa', *BMC Research Notes*, 7(1), pp. 1–7. doi: 10.1186/1756-0500-7-8.
- Riskesdas (2013) *Riset Kesehatan Dasar*. Jakarta.
- Rossi, A. P., Fantin, F., Caliarì, C., Zoico, E., Mazzali, G., Zanardo, M. and et al (2016) 'Dynapenic Abdominal Obesity as Predictor of Mortality and Disability Worsening in Older Adults: A 10-year Prospective Study', *Clinical Nutrition*. Elsevier Ltd, 35(1), pp. 199–204. doi: 10.1016/j.clnu.2015.02.005.
- Sahni, S., Mangano, K. M., Hannan, M. T., Kiel, D. P. and Mclean, R. R. (2015) 'Higher Protein Intake Is Associated with Higher Lean Mass and Quadriceps Muscle Strength in Adult Men and Women', *Journal of Nutrition*, 1456, pp. 1569–1575. doi: 10.3945/jn.114.204925.1569.
- Santrock, J. W. (2011) *Life-Span Development*. 13th edn. Edited by M. Stotts. New York: McGraw-Hill.
- Silva, D. A. S. and Martins, P. C. (2017) 'Impact of physical growth, body adiposity and lifestyle on muscular strength and cardiorespiratory fitness of adolescents', *Journal of Bodywork and Movement Therapies*, 21(4), pp. 896–901. doi: 10.1016/j.jbmt.2017.01.007.
- Stenholm, S., Mehta, N. K., Elo, I. T., Heliövaara, M., Koskinen, S. and Aromaa, A. (2014) 'Obesity and Muscle Strength as Long-term Determinants of All-Cause Mortality – a 33 Year of Follow-up of the Mini-Finland Health Examination Survey', *Obesity*, 38(8), pp. 1126–1132. doi: 10.1038/ijo.2013.214.Obesity.
- Stenholm, S., Sallinen, J., Koster, A., Rantanen, T., Sainio, P., Heliövaara, M. and et al (2011) 'Association between Obesity History and Hand Grip Strength

- in Older Adults - Exploring the Roles of Inflammation and Insulin Resistance As Mediating Factors', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 66 A(3), pp. 341–348. doi: 10.1093/gerona/glq226.
- Strauss, J., Beegle, K., Sikoki, B., Dwiyanto, A., Herawati, Y. and Witoelar, F. (2009) *The Fourth Wave of the Indonesia Family Life Survey: Overview and Field Report, RAND Working Paper*. doi: 10.7249/WR1143.1.
- Strauss, J., Beegle, K., Sikoki, B., Dwiyanto, A., Herwati, Y. and Witoelar, F. (2004) *The Third Wave of the Indonesia Family Life Survey (IFLS3): Overview and Field Report*. doi: WR-144/1-NIA/NICHD.
- Strauss, J., Witoelar, F. and Sikoki, B. (2016) *The Fifth Wave of the Indonesia Family Life Survey: Overview and Field Report*.
- Sudikno, Herdayati, M. and Besral (2010) 'Hubungan Aktivitas Fisik dengan Kejadian Obesitas pada Orang Dewasa di Indonesia (Analisis data Riskeudas 2007)', *Gizi Indonesia*, 33(1), pp. 37–49.
- Sugiura, Y., Tanimoto, Y., Watanabe, M., Tsuda, Y., Kimura, M., Kusabiraki, T. and et al (2013) 'Handgrip strength as A Predictor of Higher-Level Competence Decline Among Community-Dwelling Japanese Elderly In An Urban Area During A 4-Year Follow-Up', *Archives of Gerontology and Geriatrics*. Elsevier Ireland Ltd, 57(3), pp. 319–324. doi: 10.1016/j.archger.2013.06.006.
- Suni, P. H. J. and Sievänen, T. V. H. (2018) 'Reliable Recognition of Lying, Sitting, and Standing with A Hip- Worn Accelerometer', *Journal of Medicine & Science In Sports*, (November 2017), pp. 1092–1102. doi: 10.1111/sms.13017.
- U.S. Department of Health and Human Services (2008) '2008 Physical activity guidelines for Americans', *President's Council on Physical Fitness & Sports Research Digest*. U.S. Department of Health and Human Services, pp. 1–8. doi: 10.4085/1062-6050-44.1.5.
- Wang, J. and Hong, Z. (2015) 'Effect of Dietary Pattern on Grip Strength in Middle Aged and Elderly People in Zhang Fang Village in Beijing', *Journal of Food and Nutrition*, 3(1), pp. 1–6. doi: 10.12691/ajfn-3-1-1.
- Wedel-Neergaard, A.-S., Eriksen, L., Grønbaek, M., Pedersen, B. K., Krogh-Madsen, R. and Tolstrup, J. (2018) 'Low fitness is associated with Abdominal Adiposity and Low-Grade Inflammation Independent of BMI', *Plos one*, pp. 1–11.
- Wellman, N. S. and Kamp, B. J. (2017) 'Nutrition in Aging', in Mahan, L. K. and Raymond, J. L. (eds) *Krause's Food & The Nutrition Care Proses*. 14th edn. Canada: Elsevier, p. 367.
- Whitney, E. and Rolfes, S. R. (2013) *Understanding Nutrition*. USA: Wadsworth Cengage Learning.
- WHO (2000) *Obesity: Preventing and Managing the Global Epidemic, WHO Technical Report Series*. Geneva. doi: ISBN 92 4 120894 5.
- WHO (2008) 'Waist Circumference and Waist-Hip Ratio'. Geneva.
- Wind, A. E., Takken, T., Helders, P. J. M. and Engelbert, R. H. H. (2010) 'Is grip strength a predictor for total muscle strength in healthy children,

- adolescents, and young adults?’, *European Journal of Pediatrics*, 169(3), pp. 281–287. doi: 10.1007/s00431-009-1010-4.
- Wu, C. Y., Hu, H. Y., Chou, Y. C., Huang, N., Chou, Y. J. and Li, C. P. (2015) ‘The association of physical activity with all-cause, cardiovascular, and cancer mortalities among older adults’, *Preventive Medicine*. Elsevier Inc., 72, pp. 23–29. doi: 10.1016/j.ypmed.2014.12.023.
- Wu, Y., Wang, W., Liu, T. and Zhang, D. (2017) ‘Association of Grip Strength With Risk of All-Cause Mortality, Cardiovascular Diseases, and Cancer in Community-Dwelling Populations: A Meta-analysis of Prospective Cohort Studies’, *Journal of the American Medical Directors Association*. Elsevier Inc., 18(6), pp. 17–35. doi: 10.1016/j.jamda.2017.03.011.
- Yoo, J., Choi, H. and Ha, Y.-C. (2017) ‘Mean Hand Grip Strength and Cut-off Value for Sarcopenia in Korean Adults Using KNHANES VI’, *The Korean Academy of Medical Sciences*, pp. 868–872.
- Yorke, A. M., Curtis, A. B., Shoemaker, M. and Vangsnes, E. (2015) ‘Grip Strength Values Stratified by Age, Gender, and Chronic Disease Status in Adults Aged 50 Years and Older’, *Journal of Geriatric Physical Therapy*, 38(July-September), pp. 115–121. doi: 10.1519/JPT.0000000000000037.
- Yorke, A. M., Curtis, A. B., Shoemaker, M. and Vangsnes, E. (2017) ‘The impact of multimorbidity on grip strength in adults age 50 and older: Data from the health and retirement survey (HRS)’, *Archives of Gerontology and Geriatrics*. Elsevier, 72(September 2016), pp. 164–168. doi: 10.1016/j.archger.2017.05.011.