

DAFTAR PUSTAKA

- Ahmed, R., Zuberi, B.F., Afsar, S., 2014. Stroke scale score and early prediction of outcome after stroke. *JCPSP* 14, 267–269.
- Appelros, P., Nydevik, I., Viitanen, M., 2003. Poor Outcome After First-Ever Stroke; Predictors for Death, Dependency, and Recurrent Stroke Within the First Year. *Stroke* 34, 122–127.
- Aquilani, R., Sessarego, P., Iadarola, P., Barbieri, A., Boschi, F., 2011. Nutrition in Clinical Practice. *Nutr. Clin. Pract.* 26, 339–345.
- Arayawichanont, A., 2009. PO01-MO-29 Outcome of ischemic stroke patients admitted to Sappasithiprasong Hospital Stroke Unit. *J. Neurol. Sci.* 285, S163.
- Baggio, J.A.O., Santos-Pontelli, T.E.G., Cougo-Pinto, P.T., Camilo, M., Silva, N.F., Antunes, P., Machado, L., Leite, J.P., Pontes-Neto, O.M., 2014. Validation of a structured interview for telephone assessment of the modified rankin scale in Brazilian stroke patients. *Cerebrovasc. Dis.* 38, 297–301.
- Baird, A.E., Dambrosia, J., Janket, S., Eichbaum, Q., Chaves, C., Silver, B., Barber, P.A., Parsons, M., Darby, D., Davis, S., Caplan, L.R., Edelman, R.E., Warach, S., 2001. A three-item scale for the early prediction of stroke recovery 357, 2095–2099.
- Banks, J.L., Marotta, C.A., 2007. Outcomes Validity and Reliability of the Modified Rankin Scale : Implications for Stroke Clinical Trials A Literature Review and Synthesis. *stroke* 38.
- Bektas, H., Gumusyayla, S., Vural, G., Bolayir, A., 2016. The Total Health Risks in Vascular Events (THRIVE) Score Predicts Ischemic Stroke Outcomes. *BJMMR* 13, 1–7.
- Belayev, L., Liu, Y., Zhao, W., Busto, R., Ginsberg, M.D., 2001. Human albumin therapy of acute ischemic stroke: Marked neuroprotective efficacy at moderate doses and with a broad therapeutic window. *Stroke* 32, 553–560.
- Bielewicz, J., Kurzepa, J., Czekajska-Chehab, E., Kamieniak, P., Daniluk, B., Bartosik-Psujek, H., Rejdak, K., 2016. Worse Neurological State During Acute Ischemic Stroke is Associated with a Decrease in Serum Albumin Levels. *J. Mol. Neurosci.* 58, 493–496.
- Bouziana, S.D., Tziomalos, K., 2011. Malnutrition in Patients with Acute Stroke. *Hindawi* 1–7.
- Budni, J., Bellettini-santos, T., Mina, F., Garcez, M.L., Zugno, A.I., 2016. The involvement of BDNF , NGF and GDNF in aging and Alzheimer ' s disease 6, 331–341.

- Chen, W., Liu, G., Fang, J., Wang, Y., Song, Y., Pan, Y., Li, H., Liu, L., Wang, C., Wang, D.Z., Zhao, X., Wang, Y., 2016. External Validation of the Totalled Health Risks in Vascular Events Score to Predict Functional Outcome and Mortality in Patients Entered into the China National Stroke Registry. *J. Stroke Cerebrovasc. Dis.* 25, 2331–2337.
- Cho, Y.M., Choi, I.S., Bian, R.X., Kim, J.H., Han, J.Y., Lee, S.G., 2008. Serum albumin at admission for prediction of functional outcome in ischaemic stroke patients. *Neurol. Sci.* 29, 445–449.
- Cioncoloni, D., Piu, P., Tassi, R., Acampa, M., Guideri, F., Taddei, S., Bielli, S., Martini, G., Mazzocchio, R., 2012. Relationship between the modified Rankin Scale and the Barthel Index in the process of functional recovery after stroke. *IOS Press* 30, 315–322.
- Cramer, S.C., 2004. Functional Imaging in Stroke Recovery. *Stroke* 35, 2695–2699.
- Cucchiara, B.L., Kasner, S.E., Wolk, D.A., Lyden, P.D., Knappertz, V.A., Ashwood, T., Odergren, T., Nordlund, A., 2004. Early impairment in consciousness predicts mortality after hemispheric ischemic stroke. *Crit. Care Med.* 32, 241–245.
- Dávalos, A., Ricart, W., Gonzalez-Huix, F., Soler, S., Marrugat, J., Molins, A., Suñer, R., Genís, D., 1996. Effect of Malnutrition After Acute Stroke on Clinical Outcome. *stroke* 27, 1028–1032.
- Davis, J.P., Hons, B., Wong, A.A., Schluter, P.J., Henderson, R.D., Sullivan, J.D.O., Read, S.J., 2004. Impact of Premorbid Undernutrition on Outcome in Stroke Patients. *Stroke* 35, 1930–1935.
- Demchuk, A.M., Buchan, A.M., 2000. Predictors of stroke outcome. *Neurol. Clin.* 18, 455–473.
- Dimyan, M.A., Cohen, L.G., 2011. Neuroplasticity in the context of motor rehabilitation after stroke. *Nat Rev Neurol* 7, 76–85.
- Dziedzic, T., Slowik, A., Szczudlik, A., 2004. Serum Albumin Level as a Predictor of Ischemic Stroke Outcome. *Stroke* 35, e156–e158.
- Eriksson, M., Norrving, B., Terént, A., Stegmayr, B., 2008. Functional outcome 3 months after stroke predicts long-term survival. *Cerebrovasc. Dis.* 25, 423–429.
- Flint, A.C., Cullen, S.P., Faigeles, B.S., 2010. Predicting Long-Term Outcome after Endovascular Stroke Treatment : The Totalled Health Risks in 2–6.
- Flint, A.C., Faigeles, B.S., Cullen, S.P., Kamel, H., Rao, V.A., Gupta, R., Smith, W.S., Bath, P.M., Donnan, G.A., Collaboration, V., 2015. THRIVE Score Predicts Ischemic Stroke Outcomes and Thrombolytic Hemorrhage Risk in

VISTA.

- Flint, A.C., Kamel, H., Rao, V.A., Cullen, S.P., Faigeles, B.S., Smith, W.S., 2014. Validation of the Total Health Risks In Vascular Events (THRIVE) score for outcome prediction in endovascular stroke treatment. *Int. J. Stroke* 9, 32–39.
- Franceschini, M., Fugazzaro, S., Agosti, M., Sola, C., Di Carlo, A., Cecconi, L., Ferro, S., 2018. Acute phase predictors of 6-month functional outcome in Italian stroke patients eligible for in-hospital rehabilitation, *American Journal of Physical Medicine and Rehabilitation*.
- Frost, S.B., Barbay, S., Friel, K.M., Plautz, E.J., Nudo, R.J., 2003. Reorganization of Remote Cortical Regions After Ischemic Brain Injury: A Potential Substrate for Stroke Recovery. *J Neurophysiol* 89, 3205–3214.
- Grube, M.M., Koennecke, H., Walter, G., Meisel, A., Sobesky, J., Nolte, C.H., Wellwood, I., Heuschmann, P.U., Stroke, B., 2013. Influence of Acute Complications on Outcome 3 Months after Ischemic Stroke. *PLOS* 8, 1–8.
- Hara, Y., 2015. Brain Plasticity and Rehabilitation in Stroke Patients 82, 4–13.
- Hermann, D.M., Chopp, M., 2012. Promoting brain remodelling and plasticity for stroke recovery: Therapeutic promise and potential pitfalls of clinical translation. *Lancet Neurol.* 11, 369–380.
- Hidayat, A., Arief, M., Wijaya, A., As'ad, S., 2016. Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor Levels in Ischemic Stroke Subject. *Indones Biomed J* 8, 115–118.
- Ishitsuka, K., Kamouchi, M., Hata, J., Fukuda, K., Matsuo, R., Kuroda, J., Ago, T., Kuwashiro, T., Sugimori, H., Nakane, H., Kitazono, T., 2014. High blood pressure after acute ischemic stroke is associated with poor clinical outcomes: Fukuoka stroke registry. *Hypertension* 63, 54–60.
- Jørgensen, H.S., Nakayama, H., Reith, J., Raaschou, H.O., Olsen, T.S., 1997a. Stroke recurrence: Predictors, severity, and prognosis. The Copenhagen Stroke Study. *Neurology* 48, 891–896.
- Jørgensen, H.S., Nakayama, H., Reith, J., Raaschou, H.O., Olsen, T.S., 1997b. Stroke recurrence: Predictors, severity, and prognosis. The Copenhagen Stroke Study. *Neurology* 48, 891–895.
- Jia, Q., Zhao, X., Wang, C., Wang, Y., Yan, Y., Li, H., Zhong, L., Liu, L., Zheng, H., Zhou, Y., Wang, Y., 2011. Diabetes and Poor Outcomes Within 6 Months After Acute Ischemic Stroke. *Stroke* 42, 2758–2763.
- Jørgensen, H.S., Reith, J., Nakayama, H., Kammersgaard, L.P., Raaschou, H.O., Olsen, T.S., 1999. What determines good recovery in patients with the most

severe strokes? The Copenhagen stroke study. *Stroke* 30, 2008–2012.

Jrgensen, H.S., Nakayama, H., Raaschou, H.O., Olsen, T.S., 1994. Stroke in Patients With Diabetes: The Copenhagen Stroke Study. *stroke* 25, 1977–1984.

Karataş, M., Dilek, A., Erkan, H., Yavuz, N., Sözüy, S., Akman, N., 2000. Functional outcome in stroke patients with atrial fibrillation. *Arch. Phys. Med. Rehabil.* 81, 1025–1029.

Knecht, S., Hesse, S., Oster, P., 2011. Rehabilitation After Stroke 108, 600–607.

Knoflach, M., Matosevic, B., Rücker, M., Furtner, M., Mair, A., Wille, G., Zangerle, A., Werner, P., Ferrari, J., Schmidauer, C., Seyfang, L., Kiechl, S., Willeit, J., 2012. Functional recovery after ischemic stroke - A matter of age: Data from the Austrian Stroke Unit Registry. *Neurology* 78, 279–285.

Knopman, D., Boland, L.L., Mosley, T., Howard, G., Liao, D., Szklo, M., Mcgovern, P., Folsom, A.R., 2001. Cardiovascular risk factors and cognitive decline in middle-aged adults.

Kotila, M., Waltimo, O., Niemi, M.L., Laaksonen, R., Lempinen, M., 1984. The Profile Of Recovery From Stroke And Factors Influencing Outcome. *Stroke* 15.

Kwakkel, G., Kollen, B.J., Krakauer, J.W., 2014. Predicting activities after stroke. In: *Textbook of Neural Repair and Rehabilitation*. Cambridge University Press, pp. 585–600.

Langhorne, Stott, Rotertson, MacDonald, Jones, C, M., R, D., Taylor, Murray, 2000. Medical Complications After Stroke. *Stroke* 31, 1223–1229.

Lei, C., Wu, B., Liu, M., Chen, Y., Yang, H., Wang, D., Lin, S., Lei, C., Wu, B., Liu, M., Chen, Y., 2014. Total Health Risks in Vascular Events Score Predicts Clinical Outcomes in Patients With Cardioembolic and Other Subtypes of Ischmic Stroke. *Stroke* 45, 1689–1694.

Marini, C., De Santis, F., Sacco, S., Russo, T., Olivieri, L., Totaro, R., Carolei, A., 2005. Contribution of atrial fibrillation to incidence and outcome of ischemic stroke: Results from a population-based study. *Stroke* 36, 1115–1119.

Martin-schild, S., Albright, K.C., Tanksley, J., Pandav, V., 2011. Zero on the NIHSS Does Not Equal the Absence of Stroke. *YMEM* 57, 42–45.

Mattle, H.P., 2003. Long-term outcome after stroke due to atrial fibrillation. *Cerebrovasc. Dis.* 16, 3–8.

Meschia, J.F., Bushnell, C., Boden-albala, B., Braun, L.T., Dawn, M., Chaturvedi, S., Creager, M.A., Eckel, R.H., Elkind, M.S. V, Goldstein, L.B., Greenberg, S.M., Horvath, S.E., Iadecola, C., Jauch, E.C., Moore, W.S., Wilson, J.A., 2014. AHA / ASA Guideline A Statement for Healthcare Professionals From

the American. *Stroke*.

- Miller, C.M., Behrouz, R., 2016. Impact of Infection on Stroke Morbidity and Outcomes. *Curr. Neurol. Neurosci. Rep.* 16, 1–5.
- Modrego, P.J., Pina, M.A., Fraj, M.M., Llorens, N., 2000. Type , causes , and prognosis of stroke recurrence in the province of Teruel , Spain . A 5-year analysis 355–360.
- Muscari, A., Puddu, G.M., Santoro, N., Zoli, M., 2011. A simple scoring system for outcome prediction of ischemic stroke. *ACTA Neurol. Scand.* 124, 334–342.
- Nakayama, H., JOrgensen, H.S., Raaschou, H.O., Olsen, T.S., 2014. The Influence of Age on Stroke Outcome. *Stroke* 25, 808–813.
- Nazzal, M.E., Saadah, M.A., Trebinjac, S.M., Al-Alwadi, O.A., Al-Shamsi, K.A., 2005a. Effect of risk factors on functional outcome after stroke rehabilitation. *Neurosciences* 11, 15–20.
- Nazzal, M.E., Saadah, M.A., Uk, M., Edin, F., Trebinjac, S.M., 2005b. Effect of risk factors on functional outcome 15–20.
- Pantano, P., Formisano, R., Ricci, M., Piero, V. Di, Sabatini, U., Pofi, B. Di, Rossi, R., Bozzao, L., Lenzi, G.L., 1996. Motor recovery after stroke Morphological and functional brain alterations. *brain* 119, 1849–1857.
- Paolucci, S., Grasso, M.G., Antonucci, G., Bragoni, M., Troisi, E., Morelli, D., Coiro, P., De Angelis, D., Rizzi, F., 2001. Mobility status after inpatient stroke rehabilitation: 1-Year follow-up and prognostic factors. *Arch. Phys. Med. Rehabil.* 82, 2–8.
- Piero, V. Di, Chollet, F.M., Maccarthy, P., Lenzi, G.L., Frackowiak, R.S.J., 1992. Motor recovery after acute ischaemic stroke : metabolic study. *J. Neurol. Neurosurgery, Psychiatry* 44, 990–996.
- Prosser-loose, E.J., Verge, V.M.K., Cayabyab, F.S., Paterson, P.G., 2010. Protein-Energy Malnutrition Alters Hippocampal Plasticity-Associated Protein Expression following Global Ischemia in the Gerbil 341–360.
- Rahmi, E., Gofir, A., Malueka, R.G., 2018. Uji Reliabilitas Thrive Score Versi Bahasa Indonesia pada Pasien Stroke Iskemik Akut. *Pertem. Ilm. Reg. Joglosemarmas PERDOSSI*.
- Rajsic, S., Gothe, H., Borba, H.H., Sroczyński, G., Vujicic, J., Toell, T., Siebert, U., 2018. Economic burden of stroke: a systematic review on post-stroke care. *Eur. J. Heal. Econ.* 0, 1–28.
- Rasyid, A., 2014. Efektivitas mikroskop digital sebagai alat ukur nilai viskositas darah untuk prediksi prognosis stroke iskemik akut. Universitas Indonesia.

- Reznik, M.E., Yaghi, S., Jayaraman, M. V., McTaggart, R.A., Hemendinger, M., Mac Grory, B.C., Burton, T.M., Cutting, S.M., Thompson, B.B., Wendell, L.C., Mahta, A., Potter, N.S., Daiello, L.A., Kosar, C.M., Jones, R.N., Furie, K.L., 2018. Level of consciousness at discharge and associations with outcome after ischemic stroke. *J. Neurol. Sci.* 390, 102–107.
- Ronald, Ichard, 2004. Tinjauan Klinis Hasil Pemeriksaan Laboratorium, 11th ed. ECG, Jakarta.
- Ropper, A.H., Samuels, M.A., Klein, J.P., 2014. Cerebrovascular Diseases. In: Adam and Victor's Principles of Neurology. Ed 9th. McGraw Hill, New York, pp. 778–884.
- Sajobi, T.T., Menon, B.K., Wang, M., Lawal, O., Shuaib, A., Williams, D., Poppe, A.Y., Jovin, T.G., Casaubon, L.K., Devlin, T., Dowlathshahi, D., Fanale, C., Lowerison, M.W., Demchuk, A.M., Goyal, M., Hill, M.D., Investigators, T., 2017. Early Trajectory of Stroke Severity Predicts Long-Term Functional Outcomes in Ischemic Stroke Subjects. *stroke* 1–7.
- Sanchez-Mendoza, E.H., Hermann, D.M., 2016. Correlates of Post-Stroke Brain Plasticity, Relationship to Pathophysiological Settings and Implications for Human Proof-of-Concept Studies. *Front. Cell. Neurosci.* 10, 1–7.
- Santalucia, P., Pezzella, F.R., Sessa, M., Monaco, S., Torgano, G., Anticoli, S., Zanolli, E., Maimone Baronello, M., Paciaroni, M., Caso, V., 2013. Sex differences in clinical presentation, severity and outcome of stroke: Results from a hospital-based registry. *Eur. J. Intern. Med.* 24, 167–171.
- Saposnik, G., Raptis, S., Kapral, M.K., Liu, Y., Tu, J. V., Mamdani, M., Austin, P.C., 2011. The iScore predicts poor functional outcomes early after hospitalization for an acute ischemic stroke. *Stroke* 42, 3421–3428.
- Selzer, M., Clarke, S., Cohen, L.G., Duncan, P.M., Gage, F.H., 2006. Neural repair and rehabilitation: an introduction. In: Textbook of Neural Repair and Rehabilitation. Cambridge University Press, New York, p. 27.
- Shobha, N., Sylaja, P.N., Kapral, M.K., Fang, J., Hill, M.D., 2010. Differences in stroke outcome based on sex. *Neurology* 74, 767–771.
- Suda, S., Aoki, J., Shimoyama, T., Suzuki, K., Sakamoto, Y., Katano, T., Okubo, S., Nito, C., Nishiyama, Y., Mishina, M., Kimura, K., 2018. Stroke-associated infection independently predicts 3-month poor functional outcome and mortality. *J. Neurol.* 265, 370–375.
- Sweetnam, D., Holmes, A., Tennant, K.A., Zamani, A., Walle, M., Jones, P., Wong, C., Craig, B.E., 2012. Accelerating clinical insights: How to use accelerator mass spectrometry to make better early development decisions. *J. Neurosci.* 32, 5132–5143.

- Tilling, K., Sterne, J.A.C., Rudd, A.G., Glass, T.A., Wityk, R.J., Wolfe, C.D.A., 2001. A New Method for Predicting Recovery After Stroke. *Stroke* 32, 2867–2873.
- Tsai, Y., Yuan, R., Huang, Y., Yeh, M., Lin, C., Biswal, B.B., 2014. Disruption of brain connectivity in acute stroke patients with early impairment in consciousness. *Front. Psychol.* 4, 1–10.
- Tsao, J.W., III, J.C.H., Johnston, S.C., Smith, W.S., Bonovich, D.C., 2005. Initial Glasgow Coma Scale Score Predicts Outcome Following Thrombolysis for Posterior Circulation Stroke. *Arch Neurol* 62, 1126–1129.
- Vargas, M., Horcajada, J.P., Obach, V., Revilla, M., Cervera, Á., Torres, F., Planas, A.M., Mensa, J., Chamorro, Á., 2006. Clinical consequences of infection in patients with acute stroke: Is it prime time for further antibiotic trials? *Stroke* 37, 461–465.
- Wade, D.T., Wood, V.A., Hewer, R.L., 1985. Recovery after stroke The first 3 months. *J. Neurol. Neurosurg. Psychiatry* 48, 7–13.
- Wang, H., Camicia, M., Terdiman, J., Hung, Y.Y., Sandel, M.E., 2011. Time to inpatient rehabilitation hospital admission and functional outcomes of stroke patients. *PM R* 3, 296–304.
- Ward, N.S., Cohen, L.G., 2012. Mechanisms Underlying Recovery of Motor Function After Stroke 61, 1844–1848.
- WHO, 2006. DEFINITION AND DIAGNOSIS OF DIABETES MELLITUS AND INTERMEDIATE HYPERGLYCEMIA. International Diabetes Federation, Geneva.
- Winstein, C.J., Stein, J., Arena, R., Bates, B., Cherney, L.R., Cramer, S.C., Deruyter, F., Eng, J.J., Fisher, B., Harvey, R.L., Lang, C.E., Mackay-lyons, M., Ottenbacher, K.J., Pugh, S., Reeves, M.J., Richards, L.G., Otr, L., Stiers, W., Rp, A., 2016. AHA / ASA Guideline Guidelines for Adult Stroke Rehabilitation and Recovery. *stroke* 47, 98–169.
- Xing, C., Hayakawa, K., Lo, E.H., 2017. Mechanisms, Imaging, and Therapy in Stroke Recovery. *Transl. Stroke Res.* 8, 1–2.
- Zhao, Y., Zou, C., Wang, C., Zhang, Y., Wang, S., 2016. Long-Term Outcomes after Stroke in Elderly Patients with Atrial Fibrillation : A Hospital-Based Follow-Up Study in China. *Front. Aging Neurosci.* 8, 1–6.