

DAFTAR PUSTAKA

- Albers, J.W., Pop-Busui, R. 2014. Diabetic Neuropathy: Mechanisms, Emerging Treatments, and Subtypes. *Curr Neurol Neuroscience*; 14(8): 1-18.
- American Diabetes Association. 2014. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*; 37(1): S81-S90.
- Asmedi, A., Wibowo, S., Meliala, L. 2015. H-reflex amplitude depression as a marker of presynaptic inhibition in Painful Diabetic Neuropathy (PDN). *J Med Sci*; 47(1): 28-35.
- Bansal, D., Gudala, K., Muthyala, H., Esam, H.P., Nayakallu, R., Bhansali, A. 2014. Prevalence and risk factors of development of peripheral diabetic neuropathy in type 2 diabetes mellitus in a tertiary care setting. *Journal of Diabetes Investigation*; 5: 714-721.
- Borghi, C., Rosei, E.A., Bardin, T., Dawson, J., Dominiczak, A., Kielstein, J.T. et al. 2015. Serum uric acid and the risk of cardiovascular and renal disease. *Journal of Hypertension*; 33: 1-15.
- Boucek, P. 2006. Advanced Diabetic Neuropathy: A Point of no Return?. *The Review of Diabetic Studies*; 3(3): 143-150.
- Boulton, A.J.M., Malik, R.A., Arezzo, J.C., Sosenko, J.M. 2004. Diabetic Somatic Neuropathies. *Diabetes care*; 27(6): 1458-1486.
- Callaghan, B.C., Cheng, H., Stables, C.L., Smith, A.L., Feldman, E.L. 2012. Diabetic neuropathy: Clinical manifestations and current treatments. *Lancet Neurol*; 11(6): 521-534.
- Chiles, N.S., Phillips, C.L., Volpato, S., Bandinelli, S., Ferrucci, L., Guralnik, J.M. 2014. Diabetes, Peripheral Neuropathy, and Lower Extremity Function. *J Diabetes Complications*; 28(1): 91-95.
- Chuengsamarn, S., Rattanamongkolgul., S., Jirawatnotai, S. 2013. Association between serum uric acid level and microalbuminuria to chronic vascular complications in Thai patients with type 2 diabetes. *Journal of Diabetes and Its Complications*; 28; 124-129.
- Clair, C., Cohen, M.J., Eichler, F., Selby, K.J., Rigotti, N.A. 2015. The Effect of Cigarette Smoking on Diabetic Peripheral Neuropathy: A Systematic Review and Meta-Analysis. *J Gen Intern Med*; 30(8): 1193-1203.
- Dahlan, M.S. 2016. *Konsistensi V Menentukan Besar Sampel*, dalam Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan seri Evidence Based Medicine, Edisi 2. Sagung Seto, Jakarta, p. 79-98.

- Darsana, I.N., Purwata, T.E., Purna Putra, I.G.N. 2014. Korelasi positif kadar asam urat serum tinggi dengan neuropati diabetik perifer pada penderita DM tipe 2 di Rumah Sakit Umum Pusat Sanglah Denpasar. Program Magister, Program Studi Ilmu Biomedik, Program Pascasarjana, Universitas Udayana Denpasar.
- Desideri, G., Castaldo, G., Lombardi, A. Mussap, M., Testa, A., Pontremoli, R., *et al.* 2014. Is it time to revise the normal range of serum uric acid levels?. *European Review for Medical and Pharmacological Sciences*; 18: 1295-1306.
- Dyck, P.J., Albers, J.W., Andersen, H., Arezzo, J.C., Biessels, G.J., Bril, V., *et al.* 2011. Diabetic polyneuropathies: update on research definition, diagnostic criteria and estimation of severity. *Diabetes Metab Res Rev*; 27: 620–628.
- El Ridi, R., Tallima, H. 2017. Physiological functions and pathogenic potential of uric acid: A review. *Journal of Advanced Research*; 8: 487–493.
- Edwards, J.L., Vincent, A.M., Cheng, H.T., Feldman, E.L. 2008. Diabetic Neuropathy: Mechanisms to management, *Pharmacology & Therapeutics*; 120: 1-34.
- Fabbrini, E., Serafini, M., Baric, I.C., Hazen, S.L., Klein, S. 2014. Effect of Plasma Uric Acid on Antioxidant Capacity, Oxidative Stress, and Insulin Sensitivity in Obese Subjects. *Diabetes*; 63: 976–981.
- Ficociello, L.H., Rosolowsky, E.T., Niewcaz, M.A., Weinberg, J.M., Aschengrau, A., Eckfeldt, J.H. 2010. High-Normal Serum Uric Acid Increases Risk of Early Progressive Renal Function Loss in Type 1 Diabetes. *Diabetes Care*; 33: 1337-1343.
- Gregg, E.W., Sorlie, P., Paulose-Ram, R., Gu, Q., Eberhardt, M.S., Wolz, M., Burt, V., Curtin, L., Engelgau, M., Geiss, L. 2004. Prevalence of lower-extremity disease in the US adult population ≥ 40 years of age with and without diabetes: 1999–2000 National Health and Nutrition Examination Survey. *Diabetes Care*; 27: 1591–1597.
- Halsbeck, M., Luft, D., Neundorfer, B., Stracke, H., Ziegler, D. 2004. The Therapy and Follow-up of Sensorimotor Diabetic Neuropathy Diagnosis. *Therapy and Follow-up of Diabetic Neuropathy-ed2*.
- Hoeldtke, R.D., Bryner, K.D., McNeill, D.R., Hobbs, G.R., Riggs, J.E., Warehime, S.S., *et al.* 2002. Nitrosative Stress, Uric Acid, and Peripheral Nerve Function in Early Type 1 Diabetes. *Diabetes*; 51: 2817–2825.

- Jack, M.M., Wright, D.E. 2012. The Role of Advanced Glycation Endproducts and Glyoxalase I in Diabetic Peripheral Sensory Neuropathy. *Transl Res.*; 159(5): 355–365.
- Kanbay, M., Segal, M., Afsar, B., Hee Kang, D., Iturbe, B.R., Johnson, R.J. 2014. The role of uric acid in the pathogenesis of human cardiovascular disease. *Heart*; 99:759–766.
- Kang, D., Ha, S. 2014. Uric Acid Puzzle: Dual Role as Anti-oxidant and Pro-oxidant. *Electrolyte Blood Press*; 12:1-6.
- Khare, S., Vishandasani, J.K., Kansal, A. 2015. To Study Serum Uric Acid In Type 2 Diabetes Mellitus Patient. *IOSR Journal of Dental and Medical Science*; 14(9): 82-86.
- Kiani, J., Habibi, Z., Tajziehchi, A., Moghimbeigi, A., Dehghan, A., Azizkhani, H. 2014. Association between serum uric acid level and diabetic peripheral neuropathy (A case control study). *Caspian J Intern Med*; 5(1): 17-21.
- Knopman, D., Boland, L.L., Mosley, T., Howard, G., Liao, D., *et al.* 2001. Cardiovascular risk factors and cognitive decline in middle-age adults. *Neurology*; 56:42-48.
- Lee, J.W., Jang, S., Hwaa Lee, S., Seok Lee, H. 2016. Correlation Between the Severity of Diabetic Peripheral Polyneuropathy and Glycosylated Hemoglobin Levels: A Quantitative Study. *Ann Rehabil Med*; 40(2): 263-270.
- Lobo, A.C., George, P., Fernandes, K.M. 2017. An assessment of the patterns and severity of diabetic neuropathy using the modified - Toronto Clinical Neuropathy Score in recently detected diabetics. *International Journal of Biomedical Research*; 8(05): 266-270.
- Lyngdoh, T., Marques-Vidal, P., Paccaud, F., Preiseg, M., Waeber, G., Bochud, M. *et al.* 2011. Elevated Serum Uric Acid Is Associated with High Circulating Inflammatory Cytokines in the Population-Based Colaus Study. *PLoS ONE*; 6(5): 1-8.
- Lupachyk, S., Watcho, P., Stavniichuk, R., Shevalye, H., Obrosova, I.G. 2013. Endoplasmic Reticulum Stress Plays a Key Role in the Pathogenesis of Diabetic Peripheral Neuropathy. *Diabetes*; 62: 944-952.
- Meijer, J.W., Bosma, E., Lefrandt, J.D., Links, T.P., Smit, A.J., Stewart, R.Y. 2003. Clinical Diagnosis of Diabetic Polyneuropathy With the Diabetic Neuropathy Symptom and Diabetic Neuropathy Examination Scores. *Diabetes Care*; 26: 697–701.
- Miedema, K. 2005. Standardization of HbA1c and Optimal Range of Monitoring. [*Scand J Clin Lab Invest Suppl.*](#); 240: 61-72.

- Miric, D.J., Kistic, B.M., Danic, S.F., Grbic, R., Dragojevic, I., Miric, M.B., *et al.* 2016. Xanthine Oxidase Activity in Type 2 Diabetes Mellitus Patients with and without Diabetic Peripheral Neuropathy. *Journal of Diabetes Research*: 1-7.
- Nisar, M.U., Asad, A., Waqas, A., Ali, N., Nisar, A., Qayyum, M.A., *et al.* 2015. Association of Diabetic Neuropathy with Duration of Type 2 Diabetes and Glycemic Control. *Cureus*; 7(8): 1-10.
- Nori'in, A.R., Setyaningsih, I., Asmedi, A. 2016. Hubungan Kadar *Brain Derived Neurotrophic Factor* (BDNF) Serum dengan Derajat Neuropati Diabetika (Tesis). Departemen Neurologi Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.
- Papanas, N., Katsiki, N., Papatheodorou, K., Demetriou, M., Papazoglou, D., Gioka, T. *et al.* 2011. Peripheral Neuropathy is Associated With Increased Serum Levels of Uric Acid in Type 2 Diabetes Mellitus. *Angiology*; 62(4): 291-295.
- Papezikova, I., Pekarova, M., Kolarova, H., Klikenz, A., Lau, D., Baldus, S. *et al.* 2013. Uric acid modulates vascular endothelial function through the down regulation of nitric oxide production. *Free Radical Research*; 47(2): 82–88.
- Perez-Matos, M.C., Moralez-Alvarez, M.C., Mendevil, C.O. 2017. Lipids: A Suitable Therapeutic Target in Diabetic Neuropathy?. *Journal of Diabetes Research*: 1-10.
- Picon, A.P., Ortega N.R., Watari, R., Sartor, C., Sacco, I.C. 2012. Classification of the severity of diabetic neuropathy: a new approach taking uncertainties into account using fuzzy logic. *CLINICS*; 67(2):151-156.
- Pintos, L.M.R., Rivera, G.V., Carrizalez, A.D.R., Miranda-Diaz, A.G., Cardona-Munoz, E. 2016. Diabetic Polyneuropathy in Type 2 Diabetes Mellitus: Inflammation, Oxidative Stress, and Mitochondrial Function. *Journal of Diabetes Research*: 1-16.
- Pop-Busui, R., Boulton, A.J.M., Feldman, E.L., Bril, V., Freeman, R., Malik, R.A., *et al.* 2017. Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care*; 40:136–154.
- Popescu, S., Timar, B., Baderca, F., Simu, M., Diaconu, L., Velea, I., Timar, R. 2016. Age as an independent factor for the development of neuropathy in diabetic patients. *Clinical Interventions in Aging*; 11: 313–318.
- Premkumar, L.S., Pabbidi, R.M. 2013. Diabetic Peripheral Neuropathy: Role of Reactive Oxygen and Nitrogen Species. *Cell Biochem Biophys*.

- Risquesdas. 2013. Diabetes Melitus: 87-88. Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.
- Rodwell, V.W. 2009. Metabolisme Nukleotida Purin dan Pirimidin, dalam Murray, R.K., Granner, D.K., Rodwell, V.W. Biokimia Harper, edisi 27; 311-320. Alih Bahasa: Brahm U. Pendit. Penerbit Buku Kedokteran EGC, Jakarta.
- Said, G. 2007. Diabetic Neuropathy-A review. *Nat Clin Pract Neurol.*; 3(6): 331-340.
- Sandireddy, R., Yerra, V.G., Areti, A., Komirishetty, P., Kumar, A. 2014. Neuroinflammation and Oxidative Stress in Diabetic Neuropathy: Futuristic Strategies Based on These Targets. *International Journal of Endocrinology*: 1-10.
- Sastroasmoro, S., Aminullah, A., Rukman, Y., Munasir, Z. *Variabel dan hubungan antar-variabel*, dalam Sastroasmoro, S., Ismael, S. Dasar-dasar Metodologi Penelitian Klinis, Edisi ke-4. Sagung Seto, Jakarta, p. 298-323.
- Singh, R., Kishore, L., Kaur, N. 2013. Diabetic peripheral neuropathy: Current perspective and future directions. *Pharmacological Research*; 80:21–35.
- Smith, A.G., Singleton, J.R. 2012. Diabetic Neuropathy. *Continuum Lifelong Learning Neurol*; 18(1): 60–84.
- Smith, A.G., Singleton, J.R. 2013. Obesity and Hyperlipidemia are Risk Factors for Early Diabetic Neuropathy. *J Diabetes Complications*; 27(5): 436–442.
- So, A., Thorens, B. 2010. Uric acid transport and disease. *J Clin Invest.*; 120(6): 1791–1799.
- Tesfaye, S., Boulton, A.J.M., Dyck, P.J., Freeman, R., Horowitz, M., Kempner, P., et al. 2010. Diabetic Neuropathies: Update on Definitions, Diagnostic Criteria, Estimation of Severity, and Treatments. *Diabetes Care*; 33:2285–2293.
- Tesyafe, S. and Selvarajah, D. 2012. Advances in the epidemiology, pathogenesis and management of diabetic peripheral neuropathy. *Diabetes Metab Res Rev*; 28(Suppl 1): 8–14.
- US Centers for Disease Control and Prevention. 2010. Current cigarette smoking among adults 18 years of age and over, by sex, race, and age: United States, selected years 1965–2009. *DHHS Pub*; 1232: 230-232.
- Visser, A.D., Hemming, A., Yang, C., Zaver, S., Dhaliwal, R., Jawed, Z., Toth, C. 2013. The adjuvant effect of hypertension upon diabetic peripheral

neuropathy in experimental Type 2 diabetes. *Neurobiology of Disease*; 62: 18–30.

World Health Organization. 2006. BMI Classification. Global Database on Body Mass Index. <http://www.who.int/about/copyright/en>.

World Health Organization. 2016. Global Report on Diabetes. www.who.int/diabetes/global-report.

Yagihashi, S., Mizukami, H., Sugimoto, K. 2011. Mechanism of diabetic neuropathy: Where are we now and where to go. *Journal of Diabetes Investigation*; 2(1): 1-15.

Yang, C., Lin, C., Li, C., Liu, C., Lin, W., Hwang, K. 2015. Cardiovascular Risk Factors Increase the Risks of Diabetic Peripheral Neuropathy in Patients With Type 2 Diabetes Mellitus. *Medicine*; 94(42): 1-10.

Yu, S., Chen, Y., Hou X., Xu, D., Che K., Li, C. *et al.* 2014. Serum Uric Acid Levels and Diabetic Peripheral Neuropathy in Type 2 Diabetes: a Systematic Review and Meta-analysis. *Mol Neurobiol*: 1-7.

Zamroni, Asmedi, A., Nuradyo, D. 2013. Uji Reliabilitas dan validitas *Neuropathy Symptom Score* (NSS) dan *Neuropathy Deficit Score* (NDS) sebagai Skor Diagnostik Neuropati Diabetik (Tesis). Departemen Neurologi Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.