



DAFTAR PUSTAKA

- Amusant,N., Beauchene J., Fournier M., Janin,G., Thevenon FM. *Decay resistance in Dicorynia guaiianensis Amsh analysis of inter-tree and intra-tree variability and relations with wood colour.* Ann. For.Sci. 61 (2004) 373-380.
- Anonim. 1985. *Annual Book of ASTM Standards. Section Four Construction Volume 04.09 Wood.* Philadelphia.
- Anonim. 2006. *Data Potensi Hutan Rakyat di Indonesia.* Dirjen RLPS, DEPHUT. Jakarta.
- Anonim. 2007. www.dephut.go.id/files/stat_disjatim07_produksi_HH.pdf. Produksi Hasil Hutan. Diakses pada 26 Maret 2011 Pukul 18.35 WIB.
- Bauch,J., Hundt, H.V., Weißmann, G., Lange, W., and Kubel,H. 1991. *On the Causes of Yellow Discolorations of Oak Heartwood (Quercus Sect. Robur) during Drying.* Holzforschung/Vol 45/No.2
- Bhat,K.M., Priya, P.B., Rugmini,P. 2001. *Characterisation of Juvenile Wood in Teak.* Wood Science and Technology 34, 517-532.
- Bhat, K. M. dan Florence M. 2003. *Natural Decay Resistance of Juvenile Teak Wood Grown in High Input Plantations.* Holzforschung / Vol. 57 / 2003 / No. 5.
- Bhat, K. M., P. K. Thulasidas, E. J. Maria Florence, dan K. Jayaraman. *Wood Durability of Home-Garden Teak Against Brown-Root.* Trees (2005) 19: 654 –660.
- Brown, H. P., A. J. Panshin, C. C. Forsaith. 1952. *Textbook of Wood Technology.* McGraw-Hill Book Company, Inc. New York.
- Browning, B.L. 1967. *Methods of Wood Chemistry Vol.I.* Interscience Publishers, A Division of John Wiley and Sons, Inc. New York.
- Da Costa, E.W.B., P. Rudman and F.J. Gay. 1958. *Investigations on The Durability of Tectona grandis.* Empirical Forestry Review 37, 291–298.
- Da Costa, E.W.B., P. Rudman and F.J. Gay. 1961. *Relationship of Growth Rate and Related Factors to Durability in Tectona grandis.* Empirical Forestry Review 40, 308–319.
- Dipodiningrat,S.1987. *Manajemen penjarangan hutan jati.* Laporan penelitian fakultas kehutanan UGM. Yogyakarta.



- Eaton, R. A. dan M. D. C. Hale. 1993. *Wood Decay, Pests, and Protection.* Champman & Hall.
- Fengel, D. dan G. Wegener. 1995. *Kayu : Kimia, Ultrastruktur, Reaksi-reaksi.* Gadjah Mada University Press (terjemahan). Yogyakarta.
- Ganapaty,S., Thomas SP., Fotso, S., Laatsch, H. 2004. *Antitermic quinines from Diospyros Sylvatica.* Phytochemistry 65:1265-1271
- Gierlinger N., Jacques D., Gradner M., Wimmer R., Schwanninger M., Rozenberg P., dan Pâques L.E., 2004. *Colour of larch heartwood and relationships to extractives and brown-rot decay resistance.* Trees 18:102–108.
- Hakim, L., R. Hartanto, A. H. Iswanto. 2006. *Jenis-Jenis Rayap yang Menyerang Gedung Bertingkat di Kota Medan.* Peronema Forestry Science Journal Vol. 2, No.1 April 2006.
- Hariadi, S. S. 2006. *Agricultural Extension Through Area Approach to Construct Villages as Growth Centre in Gunungkidul Regency.* Sekolah Tinggi Penyuluhan Pertanian Magelang. Yogyakarta.
- Harju, A. M., M. Venalainen, S. Anttonen, H. Viitanen, P. Kainulainen, P. Sarapaa, E. Vapaavuori. 2003. *Chemical factors affecting the brown-rot decay resistance of Scots pine heartwood.* Trees (2003) 17:263–268.
- Hartono, R.2006. *Kayu Juvenil.* Jurusan Kehutanan Fakultas Pertanian Universitas Sumatra Utara ,Skripsi (Tidak diterbitkan).
- Haupt, M., H. Leithoff, D. Meier, J. Puls, H. G. Richter, O. Faix. 2003. *Heartwood Extractives and Natural Durability of Plantation-Grown Teakwood (*Tectona grandis* L.) – a Case Study.* Holz als Roh- und Werkstoff 61 (2003) 473 – 474.
- Hawley LF, Fleck LC, Richards CA. 1924. *The relation between natural durability and chemical composition in wood.* Ind Eng Chem 16:699–706.
- Haygreen J.G. dan J.L. Bowyer. 1989. *Hasil Hutan dan Ilmu Kayu.* Gadjah Mada University Press (terjemahan). Yogyakarta.
- Hills.,W.E. 1962. *Wood Extractives and Their Significance to the Pulp and Paper Industries.* Academic Press New York, London.
- Hillis WE .1987. *Heartwood and tree exudates.* Springer, Berlin Heidelberg New York.



Humar,M., Blaz,F., Martin,Z., Franc,P., Oven,P. *Influence of Xylem Growth Ring Width and Wood Density on Durability of Oak Heartwood.* International Biodeterioration & Biodegradation 62 (2008) 368-371.

Hunt, G.M dan G.A Garrat. 1986. *Wood Preservation and Mc Graw – Hill Book Co.* New York (Terjemahan oleh Yusuf M. Pengawetan Kayu Akademi Presindo. Jakarta).

Iswanto, A. H. 2005. *Rayap Sebagai Serangga Perusak Kayu dan Metode Penanggulangannya.* e-USU Repostory. Universitas Sumatera Utara: Medan.

Krishna, K. 1969. *Introduction. Biology of Termites.* Vol. 1: 1 – 17. Academy Press. New York.

Lukmandaru, G., Ashitani,T., dan Takahashi,K. 2009. *Color and chemical characterization of partially black-streaked heartwood in teak (*Tectona grandis*).* Journal of Forestry Research 20(4) : 377-380.

Lukmandaru, G. dan Takahashi K., 2008. *Variation in the natural termite resistance of teak (*Tectona grandis Linn. fil.*) wood as a function of tree age.* Ann. For. Sci. 65: 1286–1296.

Lukmandaru, G. dan Takahashi K., 2009. *Radial distribution of quinines in plantation teak (*Tectona grandis Linn. fil.*).* Ann. For. Sci. 66: 605

Lukmandaru, G. 2009. *Pengukuran Kadar Ekstraktif dan Sifat Warna Pada Kayu Teras Jati Doreng (*Tectona grandis*).* Jurnal Ilmu Kehutanan Vol. III No. 2-Juli 2009.

Lukmandaru, G. 2009. *Sifat Kimia dan Warna Kayu Teras Jati pada Tiga Umur Berbeda.* J. Tropical Wood Science and Technology Vol 7* No.1.

Marsoem, S.N. 1999. *Pengaruh Teresan Terhadap Sifat Fisika dan Tegangan Pertumbuhan Kayu Jati.* PROSIDING Seminar 2 Masyarakat Peneliti Kayu Indonesia. Yogyakarta.

Martawijaya, A., I. Kartasujana., K. Kadir., dan S.A. Prawira. 1981. *Atlas Kayu Indonesia Jilid I.* Pusat Penelitian dan Pengembangan Hasil Hutan. CV. Miranti. Bogor.

Moya, R dan A. Berrocal. 2010. *Wood colour variation in sapwood and heartwood of young trees of *Tectona grandis* and its relationship with plantation characteristics, site, and decay resistance.* Ann. For. Sci. 67: 109.

Narayananamurti, D., J. George, H. C. Pant, J. Singh. 1962. *Extractive in Teak.* Silvae Genetica, Band 11, Heft 3.



- Ngee, P., A. Tashiro, T. Yoshimura, Z. Jaal, C. Lee. 2004. *Wood Preference of Selected Malaysian Subterranean Termites (Isoptera: Rhinotermitidae, Termitidae)*. Sociobiology Vol. 43. No. 3.
- Nicholas, D. D. 1987. *Kemunduran (Deteriorasi) Kayu dan Pencegahannya Dengan Perlakuan-Perlakuan Pengawetan Jilid 1*. Airlangga University Press (ed). Surabaya.
- Panshin, A. J. dan C. De Zeeuw. 1980. *Textbook of Wood Technology*. Vol. I 4th ed. McGraw-Hill Book Company, Inc. New York.
- Pandit,I.K.N.2000. *Metode Identifikasi Kayu Juvenil*. Seminar nasional III, Masyarakat Peneliti Kayu Indonesia. Jatinagor, Sumedang.
- Polato, R., P. B. Laming, R. Sierra-Alvarez. 2005. *Assessment of Some Wood Characteristic of Teak of Brazilian Origin*. Quality Timber Product of Teak from Sustainable Forest Management p. 257 – 265.
- Prawirohatmodjo, S. 1997. *Kimia Kayu*. Gadjah Mada University Press. Yogyakarta.
- Rudi. 1999. *Preferensi Makan Rayap Tanah *Captotermes curvignathus* Holgren (Isoptera: Rhinotermitidae) Terhadap Delapan Jenis Kayu Bangunan*. Tesis. Tidak diterbitkan. IPB.Bogor.
- Sandermann W, Simatupang M. H. 1966. *On the chemistry and biochemistry of teakwood (*Tectona grandis* L.f.)*. Holz als Rohund Werkstoff 24:190–204.
- Schultz TP, Nicholas DD (2000) Naturally durable heartwood: evidence for a proposed dual defensive function of the extractives. *Phytochemistry* 54:47–52.
- Siregar, E. B. M. 2005. *Potensi Budidaya Jati*. e-USU Repostory. Universitas Sumatera Utara: Medan.
- Sjostrom, E. 1995. *Kimia Kayu: Dasar-Dasar Penggunaan*. Gadjah Mada University Press (terjemahan). Yogyakarta.
- Soenardi.2004. *Kimia Kayu*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Sornmuwat, D. 1983. Pengujian Efikasi Wolmanit CB, Diffusol CB, dan Treatex 225 C Terhadap Rayap Kayu Kering *Cryptotermes cynocephalus* Light. Skripsi. Fakultas Kehutanan IPB. Tidak diterbitkan.
- Sumardjani,L dan Waluyo s.d.2007. Analisa konsumsi kayu nasional.
<http://Google.co.id/search?q=+konsumsi+kayu+nasional+isman+sumardjani+sihono+dwi+waluyo&ie=utf-8&oe>



Syafii, W., M. Samejima, T. Yoshitomo. 1987. The Role of Ekstraktive in Decay Resistance of Ulin Wood (*Eusideroxylon zwageri* T. et B.). Bull. Tokyo Univ. For. 77, 1 – 8.

Taylor,A.M., Barbara L., Gartner, Jeffrey J.Morrel. Co-incident in growth rate and heartwood extractive concentration in Douglas-fir. Forest Ecology and Management 186 (2003) 257-260.

Thulasidas, P.K., dan Bhat, K.M. 2006.Chemical Extractive Compounds Determining The Brown-Rot Decay Resistance Of Teak Wood. Holz Roh Werkst 65:121-124.

Tim Elsppat. 1997. Pengawetan Kayu dan Bambu. Puspa Swara. Jakarta.

Toro, Muh A. dan Sumitro, A. 2003. *Kajian penentuan daur hutan jati pada KPH pemalang PT. Perhutani Unit I Jawa Tengah*. Jurnal Agrosains, 16(1).

Wangaard, F. F. 1966. *Resistance of Wood to Chemical Degradation. SWST Research Paper No.2.*

Windeisen, E. dan G. Wegener. *Investigation of the correlation between extractives content and natural durability in 20 cultivated larch trees*. Holz als Roh- und Werkstoff 60 (2002) 373–374.

Windeisen, E., A. Klassen, dan G. Wegener. *On the Chemical Characterisation of Plantation Teakwood from Panama*. Holz als Roh- und Werkstoff 61 (2003) 416 – 418.

Wistara,N., Rachmansyah,R., Denes,F., Young, R.A. *Ketahanan 10 Jenis Kayu Tropis Plasma CF₄ Terhadap Rayap Kayu Kering (*Cryptotermes cynocephalus* Light.* Jurusan Teknologi Hasil Hutan, Fakultas Kehutanan IPB Vol. XV, No.2,2002.