

DAFTAR PUSTAKA

- Adams, H.P., Davis, P.H., Leira, E.C., Chang, K.-C., Bendixen, B.H., Clarke, W.R., Woolson, R.F., Hansen, M.D., 1999. Baseline NIH Stroke Scale score strongly predicts outcome after stroke. *Neurology*, 53(1): 126-131; DOI: 10.1212/WNL.53.1.126
- Aikawa M., Libby, P. 2004. The vulnerable atherosclerotic plaque: pathogenesis and therapeutic approach. *Cardiovasc. Pathol.*, 13: 125-138.
- Al-Qudah, Z.A., Yacoub, H.A., Souayah, N., 2015. Disorders of the Autonomic Nervous System after Hemispheric Cerebrovascular Disorders: An Update. *Journal of Vascular and Interventional Neurology*, 8(4): 43-52.
- Al-Rasyid, 2014. *Efektivitas mikrokapiler digital sebagai alat ukur nilai viskositas darah untuk prediksi prognosis stroke iskemik akut* (Disertasi). Jakarta. Fakultas Kedokteran Universitas Indonesia.
- Al-Rubeaan, K., Al-Hussain, F., Youssef, A.M., Subhani, S.N., Al-Sharqawi, A.H., Ibrahim, H.M., 2016. Ischemic Stroke and Its Risk Factors in a Registry-Based Large Cross-Sectional Diabetic Cohort in a Country Facing a Diabetes Epidemic. *Journal of Diabetes Research*, 4132589. <http://doi.org/10.1155/2016/4132589>
- Al-Weshahy, A., El-Sherif, R., Selim, K.A., Heikal, A., 2017. Short term outcome of patients with hyperglycemia and acute stroke. *The Egyptian Journal of Critical Care Medicine*, 5: 93-98.
- Amarenco, P., Bogousslavsky, J., Caplan, L.R., Donnan, G.A., Hennerici, M.G., 2009. Classification of stroke subtypes. *Cerebrovasc Dis*;27: 493-501 DOI: 10.1159/000210432
- Arboix, A., 2015. Cardiovascular risk factors for acute stroke: Risk profiles in the different subtypes of ischemic stroke. *World Journal of Clinical Cases: WJCC*, 3(5): 418-429. <http://doi.org/10.12998/wjcc.v3.i5.418>
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI (Balitbangkes), 2013. Riset Kesehatan Dasar (RISKESDAS) 2013.
- Bailey, M.A., Davies, J.M., Griffin, K.J., Bridge, K.I., Johnson, A.B., Sohrabi, S., Baxter, P.D., Scott, D.J.A., 2014. Carotid-femoral pulse wave velocity is negatively correlated with aortic diameter. *Hypertension Research volume*, 37: 926-932. DOI: 10.1038/hr.2014.101
- Bakhshayesh-Eghbali, B., Roudbary, S.-A., Basir Jafari, S., Nabizadeh, S.-P., Naderi-Asrami, N., Sohrabnejad, R., 2016. Ability of serum C-reactive protein and white blood cell count in predicting acute ischemic stroke. A short-term follow-up study. *Caspian Journal of Internal Medicine*, 7(3): 206-210.
- Barker-Collo, S.L., Bennett, D.A., Krishnamurthi, R., Parmar, P., Feigin, V.L., Naghavi, M., ... on behalf of the GBD 2013 Stroke Panel Experts Group, 2015. Sex Differences in Stroke Incidence, Prevalence, Mortality and DALYs: Results from the Global Burden of Disease Study 2013. *Neuroepidemiology*, 45(3): 203-214. <http://doi.org/10.1159/000441103>

- Berridge, M.J., Bootman, M.D., Roderick, H.L., 2003. Calcium signalling: dynamics, homeostasis and remodelling. *Nature Reviews Molecular Cell Biology*, 4: 517-529. DOI: 10.1038/nrm1155
- Bossone, E., Yuriditsky, E., Desale, S., Ferrara, F., Vriza, O., Asch, F.M., 2016. Normal values and differences in Ascending Aortic Diameter in a healthy population of adults as measured by the pediatric versus adult American Society of Echocardiography guidelines. *Journal of the American Society of Echocardiography*, 29(2): 166-172. <https://doi.org/10.1016/j.echo.2015.09.010>
- Bugnicourt, J.M., Godefroy, O., Chillon, J.M., Choukroun, G., Massy, Z.A., 2013. Cognitive disorders and dementia in CKD: the neglected kidney-brain axis. *J Am Soc Nephrol.*; 24(3): 353-63. doi: 10.1681/ASN.2012050536
- Caballero, A.E., 2003. Endothelial Dysfunction in Obesity and Insulin Resistance: A Road to Diabetes and Heart Disease. *Obesity Research*, 11(11): 1278-1289. <https://doi.org/10.1038/oby.2003.174>
- Cannon, C.P., Braunwald, E., 2001. Unstable angina, In: Braunwald, E., Zipes, D.P., Libby, P. (Eds). *Heart Disease: A Textbook of Cardiovascular Medicine*. Philadelphia, PA: W.B. Saunders Company; 1232-1271.
- Ceriello, A., 2003. The possible role of postprandial hyperglycaemia in the pathogenesis of diabetic complications. *Diabetologia*; 46(Suppl): M9–M16. DOI 10.1007/s00125-002-0931-5
- Chen, C.-L., Tang, F.-T., Chen, H.-C., Chung, C.-Y., Wong, M.-K., 2000. Brain lesion size and location: effects on motor recovery and functional outcome in stroke patients. *Arch Phys Med Rehabil*; 81: 447-52. <https://doi.org/10.1053/mr.2000.3837>
- Chen, R.-C., Liu, C.-L., Lin, M.-H., Peng, L.-N., Chen, L.-Y., Liu, L.-K., Chen, L.-K., 2014. Non-pharmacological treatment reducing not only behavioral symptoms, but also psychotic symptoms of older adults with dementia: a prospective cohort study in Taiwan. *Geriatr Gerontol Int.*;14(2): 440-6. doi: 10.1111/ggi.12126.
- Chen, Y., Shen, F., Liu, J., Yang, G.-Y., 2017. Arterial stiffness and stroke: de-stiffening strategy, a therapeutic target for stroke. *Stroke and Vascular Neurology*, 2(2): 65-72. <http://doi.org/10.1136/svn-2016-000045>
- Cheng, S.-J., Yu, H.-K., Chen, Y.-C., Chen, C.-Y., Lien, W.-C., Yang, P.-Y., Hu, G.-C., 2013. Physical activity and risk of cardiovascular disease among older adults. *International Journal of Gerontology*, 7(3): 133-136. <https://doi.org/10.1016/j.ijge.2013.03.001>
- Cho, E.J., 2013. Is Increased Aortic Stiffness Associated with Advanced Ischemic Stroke? *Journal of Cardiovascular Ultrasound*, 21(1): 10-11. <http://doi.org/10.4250/jcu.2013.21.1.10>
- Choudhury, M.S.J.H., Chowdhury, M.T.I., Nayeem, A., Jahan, W.A., 2015. Modifiable and Non-Modifiable Risk Faktors of Stroke: A Review Update. *Journal of National Institute of Neurosciences Bangladesh*, 1(1): 2410-8030.
- Choudhury, S.D., Das, S.K., Hazra, A., 2014. Survey of knowledge-attitude-practice concerning insulin use in adult diabetic patients in eastern India.

- Indian *Journal of Pharmacology*, 46(4): 425-429.
<https://www.researchgate.net/publication/264537944>
- Clark, W.M., Hourihane, J.M., 1997. *Clinical stroke scales*. In: Herndon RM, editor. *Hand Book of Neurological Rating Scale*. New York, NY: Demos Vermande; pp: 161-186.
- Cuspidia, C., Facchettia, R., Bombellia, M., Rea, A., Cairoaa, M., Salac, C., Tadic, M., Grassia, G., and Manciaa, G. 2012. Aortic root diameter and risk of cardiovascular events in a general population: data from the PAMELA study. *J Hypertens*; 32:1879-1887. DOI:10.1097/HJH.0000000000000264davi
- Davis, A., Holloway, C., Lewandowski, A.J., Ntusi, N., Nethononda, R.M., Pitcher, A., Francis, J.M., Leeson, P., Neubauer, S., Rider, O.J. 2013. Diameters of the normal thoracic aorta measured by cardiovascular magnetic resonance imaging; correlation with gender, body surface area and body mass index. *Journal of Cardiovascular Magnetic Resonance*, 15(Suppl 1): E77.
- De Caterina, R., 2000. Endothelial dysfunctions: common denominators in vascular disease. *Current Opinion in Lipidology*; 11(1): 9-23.
- De Oliveira Alvim, R., Santos, P.C.J.L., Musso, M.M., de Sá Cunha, R., Krieger, J.E., Mill, J.G., Pereira, A.C., 2013. Impact of diabetes mellitus on arterial stiffness in a representative sample of an urban Brazilian population. *Diabetology & Metabolic Syndrome*, 5: 45. <http://doi.org/10.1186/1758-5996-5-45>
- Department of Health National Audit Office, 2010. *Progress in improving stroke care*. Department of Health. Report by the Comptroller and auditor General, London.
- Duby, J.J., Campbell, R.K., Setter, S.M., White, J.R. and Rasmussen, K.A., 2004. Diabetic neuropathy: an intensive review. *Am. J. Health Syst. Pharm.* 61: 160-73.
- Erbel, R., Aboyans, V., Boileau, C., Bossone, E., Bartolomeo, R.D., Eggebrecht, H., Evangelista, A., Falk, V., Frank, H., Gaemperli, O., Grabenwöger, M., Haverich, A., Iung, B., Manolis, A.J., Meijboom, F., Nienaber, C.A., Roffi, M., Rousseau, H., Sechtem, U., Sirnes, P.A., Allmen, R.S., Vrints, C.J., 2014. 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases: Document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult. The Task Force for the Diagnosis and Treatment of Aortic Diseases of the European Society of Cardiology (ESC). *Eur Heart J.*; 35(41):2873-926. doi: 10.1093/eurheartj/ehu281.
- Evangelista, A., Flachskampf, F.A., Erbel, R., Antonini-Canterin, F., Vlachopoulos, C., Rocchi, G., Sicari, R., Nihoyannopoulos, P., Zamorano, J., 2010. Echocardiography in aortic diseases: EAE recommendations for clinical practice. *Euro Journ of Echocardiography*, 11: 645-658. doi: 10.1093/ejechocard/jeq056
- Fantini, S., Sassaroli, A., Tgavalekos, K.T., Kornbluth, J., 2016. Cerebral blood flow and autoregulation: current measurement techniques and prospects for

- noninvasive optical methods. *Neurophoton*; 3(3), 031411, <http://doi.org/doi:10.1117/1.NPh.3.3.031411>
- Fisher, M., Paganini, H.A., Martin, A., Cosgrove, M., Toole, J.F., Barnett, H.J.N., 2005. Carotid plaque pathology: thrombosis, ulceration, and stroke pathogenesis. *Stroke*.36: 253-257.
- Gardin, J.M., Arnold, A.M., Polak, J., Jackson, S., Smith, V., Gottdiener, J., 2006. Usefulness of aortic root dimension in persons > or = 65 years of age in predicting heart failure, stroke, cardiovascular mortality, all-cause mortality and acute myocardial infarction (from the Cardiovascular Health Study). *Am J Cardiol*; 97:270-275.
- Garnier, A-S., Briet, M., 2016. Arterial Stiffness and Chronic Kidney Disease. *Pulse (Basel)*; 3(3-4): 229-241. <http://doi.org/10.1159/000443616>
- Gasecki, D., Kwarciany, M., Nyka, W., and Narkiewicz, K., 2013. Hypertension, brain damage and cognitive decline. *Current Hypertension Reports* 15(6):547-558.
- Gasecki, D., Rojek, A., Kwarciany, M., Kowalczyk, K., Boutouyrie, P., Nyka, W., Laurent, S., Narkiewicz, K., 2012. Pulse wave velocity is associated with early clinical outcome after ischemic stroke. *Atherosclerosis*;225(2):348-52.
- Gaspard, K.J., 1998. *Alteration in hemostasis*. In: Porth, A.M., Pathophysiology. Philadelphia: Lippincott, 1998. p.121-31.
- Go, A.S., Mozaffarian, D., Roger, V.L., Benjamin, E.J., Berry, J.D., Borden, W.B., Turner, M.B., 2013. Heart disease and stroke statistics--2013 update: a report from the American Heart Association. *Circulation*;127(1):e6-e245. doi: 10.1161/CIR.0b013e31828124ad.
- Goldstein, L.B., Adams, R., Alberts, M.J., Appel, L.J., Brass, L.M., Bushnell, C.D.... American Academy of Neurology. 2006. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group: the American Academy of Neurology affirms the value of this guideline. *Stroke*;37(6):1583-633.
- Grace, M., Jacob, K.J., Kumar, A.V., Shameer, V.K. 2016. Role of dyslipidemia in stroke and comparison of lipid profile in ischemic and hemorrhagic stroke -a case control study. *Int J Adv Med*. 3:694-8.
- Gupta, A., Giambone, A.E., Gialdini, G., Finn, C., Delgado, D., Gutierrez, J., Wright, C., Beiser, A.S., Seshadri, S., Pandya, A., Kamel, H., 2016. Silent Brain Infarction and Risk of Future Stroke: A Systematic Review and Meta-Analysis. *Stroke*, 47(3): 719-25. <http://doi.org/10.1161/STROKEAHA.115.011889>
- Hacke, W., Kaste, M., Bogousslavsky, J., Brainin, M., Chamorro, A., Lees, K., Leys, D., Toni, D., 2003. Ischemic Stroke Prophylaxis and Treatment – European Stroke Initiative Recommendations 2003

- Hager, A., Kaemmerer, H., Rapp-Bernhardt, U., Blucher, S., Rappa, K., Bernhardt, T.M., Galanski, M., Hess, J. 2012. Diameters of the thoracic aorta throughout life as measured with helical computed tomography. *J Thorac Cardiovasc Surg*;123: 1060-1066. doi:10.1067/mtc.2002.122310
- Hale, L.P., Owen, J., 1999. Thrombotic and hemorrhagic disorders. In: Hazzard, W.R., Blass, J.P., Ettinger, W.H., Halter, J.B., and Ouslander, J.G., *Principles of Geriatric Medicine and Gerontology*. 4th ed. New York: McGraw-Hill; 1999. p.933-47.
- Haley, M.J., Lawrence, C.B., 2016. Obesity and stroke: Can we translate from rodents to patients? *J Cereb Blood Flow Metab.*;36(12): 2007-2021.
- Hall, T., Shah, P., Wahi, S., 2014. The role of transesophageal echocardiography in aortic valve preserving procedures. *Indian Heart J.*; 66(3): 327-333. doi: 10.1016/j.ihj.2014.05.001
- Hansen, T.W., Staessen, J.A., Torp-Pedersen, C., Rasmussen, S., Thijs, L., Ibsen, H., Jeppesen, J., 2006. Prognostic Value of Aortic Pulse Wave Velocity as Index of Arterial Stiffness in the General Population. *Circulation*;113:664-670.
- Hasanah, M., Paryono, 2013. Uji Reliabilitas NIHSS (*National Institutes of Health Stroke Scales*) versi Indonesia untuk Menilai Derajat Defisit Neurologis pada Pasien Stroke Iskemik. Laporan Penelitian, FK UGM, Yogyakarta.
- Hickson, S.S., Butlin, M., Graves, M., Taviani, V., Avolio, A.P., McEniery, C.M., 2010. The Relationship of Age With Regional Aortic Stiffness and Diameter. *J Am Coll Cardiol Img*; 3: 1247-5.
- Hull, C.M., Harris, J.A., 2013. Venous Thromboembolism and Marathon Athletes. *Circulation*;128:e469-e471.
- Jakrapanichakul, D., Chirakarnjanakorn, S., 2011. Comparison of Aortic Diameter in Normal Subjects and Patients with Systemic Hypertension. *J Med Assoc Thai* 2011; 91 (Suppl. 1): S51-S56.
- Johansson, B.B., 1999. Hypertension Mechanisms Causing Stroke. *Clinical and Experimental Pharmacology and Physiology*; 26: 563-565.
- Jones, D.M.L., 2000. Effect of leukocytosis at initial examination on prognosis in patients primary unstable angina. *Am Heart J*, 139(5): 867-873.
- Kawase, S., Kowa, H., Suto, Y., Fukuda, H., Kusumi, M., Nakayasu, H., and Nakashima, K. 2016. Association Between Body Mass Index and Outcome in Japanese Ischemic Stroke Patients. Original Article: *Epidemiology, Clinical Practice and Health; Geriatrics Gerontology International*. Doi: 10.1111/ggi.12713
- Kemenkes, 2013. *Riset Kesehatan Dasar (Riskesda)*. Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI Tahun 2013.
- Kemp, J.A., McKernan, R.M., 2002. NMDA receptor pathways as drug targets. *Nature Neuroscience Suppl.*; 5: 1039-42.
- Kes V. B., Jurašić, M.-J., Zavoreo, I., Lisak, M., Jeleč, V., and Matovina, L. Z. 2016. Age And Gender Differences In Acute Stroke Hospital Patients. *Acta Clin Croat*; 55: 69-78. doi: 10.20471/acc.2016.55.01.11.

- Kikkawa, R., Koya, D., Haneda, M., 2003. Progression of diabetic nephropathy. *Am. J. Kidney Dis.*, 41: S19-S21.
- Kinlay, S., Ganz, P., 2000. Relation between endothelial dysfunction and the acute coronary syndromes: Implication for therapy. *Am J. Cardiol* 86 (Sup): 10 J-14 J.
- Kronzon, I., Tunick, P.A., 2006. Aortic Atherosclerotic Disease and Stroke. *Circulation*;114: 63-75.
- Kumar, S., 2016. Hypertension and Ischemic Stroke. *Hypertension Journal*; 2(1):39-43, doi : 10.5005/jp-journals-110043-0028.
- Lamsudin, R., 1998. *Reliabilitas Skala Stroke Gadjah Mada (SSGM) Pada Pasien Stroke*. Buku Pertemuan Ilmiah Tahunan Perdossi 1998, Malang.
- Laurent, S., Katsahian, S., Fassot, C., Tropeano, A.I., Gautier, I., Laloux, B., Boutouyrie, P., 2003. Aortic stiffness is an independent predictor of fatal stroke in essential hypertension. *Stroke*;34(5):1203-6.
- Laurent, S., Mousseaux, E., Boutouyrie, P., 2013. Arterial Stiffness as an Imaging Biomarker, Are All Pathways Equal? *Hypertension*; 62:10-12.
- Lee, H-Y., Oh, B-H., 2010. Aging and Arterial Stiffness. *Circulation Journal*, 74: 2257-226.
- Lee, J-H., Lee, J-Y., Ahn, S-H., Jang, M-U., Oh, S-U., Kim, C-H., Yu, K-H., Lee, B-C. 2015. Smoking is Not a Good Prognostic Factor following First-Ever Acute Ischemic Stroke. *Journal of Stroke* 2015;17(2):177-191. <http://dx.doi.org/10.5853/jos.2015.17.2.177>
- Lee, S.-H., Lee, W., Choi, H.-J., Kim, D.-J., Park, E.-A., Chung, J.-W., Park, J.-H. 2013. Measurement of the Aortic Diameter in the Asymptomatic Korean Population: Assessment with Multidetector CT. *J Korean Soc Radiol*; 69(2):105-112. <http://dx.doi.org/10.3348/jksr.2013.69.2.105>
- Lee, Y.-B., Park, J.-H., Kim, E., Kang, C.-K., Park, H.-M., 2014. Arterial Stiffness and Functional Outcome in Acute Ischemic Stroke. *J Cerebrovasc Endovasc Neurosurg*; 16(1): 11–19. doi: 10.7461/jcen.2014.16.1.11
- Leira, E.C., Adams, H.P., Rosenthal, G.E., Torner, J.C., 2008. Baseline NIH Stroke Scale Responses Estimate the Probability of Each Particular Stroke Subtype. *Cerebrovascular Diseases* (Basel, Switzerland), 26(6): 573-577. <http://doi.org/10.1159/000165109>
- Levent, E., Ozyürek, A.R., Ülger, Z., 2004. Evaluation of aortic stiffness in tobacco-smoking adolescents. *The Journal of Adolescent Health*, 34(4): 339-343.
- Lipinski, B., 2001. Pathophysiology of oxidative stress in diabetes mellitus. *J Diabetes Complications*;15(4):203-10.
- Littrell, K.A., Kern, K.B., 2002. Acute Ischemic Syndromes. Adjunctive Therapy. *Cardiology Clinics*, Vol 20, No. 1.
- Liuzzo, G., Rizzello, V., 2001. C-Reactive Protein and primary prevention of heart disease. *Clinica Clinica Acta*; 311: 45-48.
- Lyden, P.D., Wahlgren, N.G., 2000. Mechanisms of action of neuroprotectants in stroke. *Jour of Stroke and Cerebrovasc Diseases*; 9, 6 (Suppl): pp 9-14.

- Lynch, D.R. and Guttman, R.P., 2002. Excitotoxicity: Perspectives based on *N*-Methyl-D-Aspartate receptor subtypes. *The Jour of Pharmaco and Experiment Therapeut*; 300: 717-23.
- Manabe, Y., Kono, S., Tanaka, T., Narai, H., Omori, N. 2009. High Blood Pressure in Acute Ischemic Stroke and Clinical Outcome. *Neurology International* 2009; 1:e1. doi:10.4081/ni.2009.e1
- Mathias, T.L., Albright, K.C., Boehme, A.K., George, A.J., Monlezun, D., Jones, E., Beasley, T.M., Schild, S.M., 2013. Cardiac Function and Short-Term Outcome in Patients with Acute Ischemic Stroke: A Cross-Sectional Study. *Journal of Cardiovascular Disease*, 1(2): 26-29.
- McGrath, E.R., Kapral, M.K., Fang, J., Eikelboom, J.W., O Conghaile, A., Canavan, M., O'Donnell, M.J., Investigators of the Registry of the Canadian Stroke Network. 2012. Which Risk Factors Are More Associated With Ischemic Stroke Than Intracerebral Hemorrhage in Patients With Atrial Fibrillation. *Stroke*;43:2048-2054.
- Mensah, G.A., Norrving, B., Feigin, V.L., 2015. The Global Burden of Stroke. *Neuroepidemiology*; 45(3): 143-145. doi: 10.1159/000441082.
- Mitchell, G.F., Lacourciere, Y., Ouellet, J.P., Izzo, J.L., Jr, Neutel, J., Kerwin, L.J., Block, A.J., Pfeffer, M.A., 2003. Determinants of elevated pulse pressure in middle-aged and older subjects with uncomplicated systolic hypertension: the role of proximal aortic diameter and the aortic pressure-flow relationship. *Circulation*, 108: 1592-1598.
- Moro, M.A., Cardenas, A., Hurtado, O., Leza, J.C., Lizasoain, I., 2004. Role of nitric oxide after brain ischaemia. *Cell Calcium*;36: 265-275.
- Morovic, S., Rundek, T., Demarin, V., 2012. Gender differences in Stroke. *Periodicum Biologorum*; 114(3): 267-268.
- Mule, G., Nardi, E., Morreale, M., Castiglia, A., Geraci, G., Altieri, D., Cacciatore, V., Schillaci, M., Vaccaro, F., Cottone, S., 2016. The Relationship Between Aortic Root Size and Hypertension: An Unsolved Conundrum. *Adv Exp Med Biol - Advances in Internal Medicine*. DOI:10.1007/5584_2016_86
- Nacu, A., Fromm, A., Sand, K.M., Andreassen, U.W., Thomassen, L., 2016. Age dependency of ischaemic stroke subtypes and vaskuler risk faktors in western Norway: the Bergen Norwegian Stroke Cooperation Study. *Acta Neurol Scand*; 133: 202-207.
- National Institute for Health and Clinical Excellence (NICE), 2008. *Stroke: diagnosis and initial management of acute stroke and transient ischaemic attack (TIA)*. MidCity Place 71 High Holborn London WC1V 6NA.
- National Stroke Foundation, 2012. *Australian Safety and Quality Goals for Health Care*. February 2012.
- O'Rourke, M.F., Nichols, W.W., 2005. Aortic Diameter, Aortic Stiffness, and Wave Reflection Increase With Age and Isolated Systolic Hypertension. *Hypertension*; 45:652-658. DOI:10.1161/01.HYP.0000153793.84859.b8
- Olsen, T-S., Expert Reviews : Blood glucose in Acute Stroke. 2009. *Expert Rev. Neurother*. 9(3), 409-419 (2009). Doi: 10.1586/14737175.9.3.409.

- Ormerod, E., Ali, K., Cameron, J., Malik, M., Lee, R., Getov, S., Rajkumar, C., 2017. The Association between Arterial Stiffness, Initial Stroke Severity, and 3-Week Outcomes in Patients with Ischemic Stroke. *Journal of Stroke and Cerebrovascular Disease*. doi: 10.1016/j.jstrokecerebrovasdis.2017.05.043
- Park, K.-Y., Chung, C.-S., Lee, K.H., Kim, G.-M., Kim, Y.-B., Oh, K., 2006. Prevalence and Risk Factors of Intracranial Atherosclerosis in an Asymptomatic Korean Population. *Journ of Clin Neurol*, 2(1):29-33.
- Pereira, T., Maldonado, J., Pereira, L., Conde, J., 2013. Aortic Stiffness is an Independent Predictor of Stroke in Hypertensive Patients. *Arquivos Brasileiros de Cardiologia*, 100(5): 1-7. DOI: 10.5935/abc.20130079.
- Pereira, T., Maldonado, J., Polonia, J., Silva, J.A., Morais, J., Rodrigues, T., Marques, M., 2013. Aortic pulse wave velocity and HeartSCORE: Improving cardiovascular risk stratification. A sub-analysis of the EDIVA (Estudo de Distensibilidade Vascular) project. *Blood Pressure*, Early Online: 1-7.
- Perhimpunan Dokter Paru Indonesia (PDPI), 2011. PPOK (Penyakit Paru Obstruktif Kronik), *Pedoman Praktis Diagnosis Dan Penatalaksanaan Di Indonesia*.
- Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI), 2011. *Guideline Stroke Tahun 2011*. Kelompok Studi Stroke.
- Prabowo, F., Sutarni, S., Astuti. 2017. *Korelasi Kadar hsCRP dengan gangguan kognitif pada pasien stroke iskemik akut* (Tesis). Departemen Neurologi FK UGM.
- Protopsaltis, J., Kokkoris, S., Korantzopoulos, P., Milionis, H.J., Karzi, E., Anastasopoulou, A., Filioti, K., Antonopoulos, S., Melidonis, A., Giannoulis, G., 2009. Prediction of long-term functional outcome in patients with acute ischemic non-embolic stroke. *Atherosclerosis*; 203(1):228-35. doi: 10.1016/j.atherosclerosis.2008.05.042.
- Rahmayani, F., Paryono., Setyopranoto, I. 2018. The role of ejection fraction to clinical outcome of acute ischemic stroke patients. *Journal of Neurosciences in Rural Practice*. doi:10.4103/jnrrp.jnrrp_490_17
- Roger, V.L., Go, A.S., Lloyd-Jones, D.M., Adams, R.J., Berry, J.D., Brown, T.M., American Heart Association Statistics Committee and Stroke Statistics Subcommittee, 2011. Heart disease and stroke statistics-2011 update: a report from the American Heart Association. *Circulation*; 123(4): e18-e209. [doi:10.1161/CIR.0b013e3182009701](https://doi.org/10.1161/CIR.0b013e3182009701)
- Ryslki, B., Desjardins, B., Moser, W., Bavaria, J. E., Milewska, R. K. 2014. Gender-related changes in aortic geometry throughout life. *European Journal of Cardio-Thoracic Surgery*; 45: 805–811. DOI:10.1093/ejcts/ezt597
- Sacco, R.L., Kasner, S.E., Broderick, J.P., Caplan, L.R., Connors, J.J., Culebras, A., Vinters, H.V., 2013. An updated definition of stroke for the 21st century: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*;44(7): 2064-89.

- Sakuragi, S., Abhayaratna, W. P. 2009 Arterial stiffness: Methods of measurement, physiologic determinants and prediction of cardiovascular outcomes. *International Journal of Cardiology* 138 (2010) 112–118. DOI: 10.1016/j.ijcard.2009.04.027.
- Schild, L., Reiser G. 2005. Oxidative stress is involved in the permeabilization of the inner membrane of brain mitochondria exposed to hypoxia/reoxygenation and low micromolar Ca^{2+} . *FEBS J*;272:3593-3601. doi: 10.1111/j.1742-4658.2005.04781.x.
- Schulman, S.P., Fessler, H.E., 2001. Management of Acute Coronary Syndromes. *Am. J Respir Crit Care Med*, 164: 917-922.
- Sethi, S., Rivera, O., Oliveros, R., and Chilton, R., 2014. Aortic stiffness: pathophysiology, clinical implications, and approach to treatment. *Integr Blood Press Control*; 7: 29-34. doi: 10.2147/IBPC.S59535
- Setyopranoto, I., 2012. *Odem otak pada pasien stroke iskemik akut*. Badan Penerbit Fakultas Kedokteran Universitas Gadjah Mada.
- Shah, P.K., 1997. Plaque disruption and coronary thrombosis: new insight into pathogenesis and prevention. *Clin. Cardiol*, 20 (suppl II): 38-44.
- Shatarat, A.S., AL-Hadidi, M.T., Badran, D.H., Bustami, F.F., AL-Hadidy, A. M., Tarawneh, E.S., Obeidat, N.M., Abdul El Malek S.W., 2015. Sex-Specific Parameters of Ascending Aorta, Descending Aorta and Pulmonary Trunk by Computed Tomographic Angiography with Impact of Age, Hypertension, Smoking and Diabetes. *Int. J. Morphol.*, 33(4):1411-1418.
- Shin, S.B., Kim, T.U., Hyun, J.K., Kim, J.Y., 2015. The Prediction of Clinical Outcome Using HbA1c in Acute Ischemic Stroke of the Deep Branch of Middle Cerebral Artery. *Annals of Rehabilitation Medicine*, 39(6), 1011-1017.
- Siddeswari, R., Manohar, S., Sudarsi, B., Suryanarayana, B., Shravan Kumar, P., Abhilash, T., 2015. Pattern of dislipidemi in Ischemic Stroke Original article. *J Med Allied Sci*; 5(2): 26-29.
- Singh, A.K., Singh, S.K., Singh, N., Agrawal, N., Gopal, K., 2011. Obesity and dyslipidemia. *Int J Biol Med Res.*; 2(3): 824-828
- Snarska, K., Topczewskab, K. K., Gajewskaa, H. B., Małyszko, M. 2016. Renal Function Predicts Outcomes in Patients with Ischaemic Stroke and Haemorrhagic Stroke. *Kidney & Blood Pressure Research* 2016;41:424-433. DOI: 10.1159/000443444
- Sulter, G., Steen, C., De Keyser, J., 1999. Use of the Barthel index and modified Rankin scale in acute stroke trials. *Stroke*; 30(8): 1538-41.
- Sunanda, T., Kumar, N.S.S.P., Reddy, A., Vallampalli, G., Prasad, P.N.S., 2016. Role of HbA1c at Admission on Severity and Functional Outcome of Ischemic Stroke in Patients with Diabetes Mellitus. *J Neurol Neurophysiol*, 7:3. DOI: 10.4172/2155-9562.1000377
- Suryati, T., 2016. Burden of Disease (DALYs Loss) in Indonesia and Prediction Southeast Region East Nusa Islands Semiringkai. *Buletin Penelitian Sistem Kesehatan*, 19(2): 127-134.
- Tameem, A., Krovvidi, H., 2013. Cerebral physiology - Continuing Education in Anaesthesia. *Critical Care & Pain J.*, 13(4): 113-118.

- Tian, X.-U., Tao, Z.-J., Mei, Y., Huan, Z., Qing, L.-W., Yan, Y., Tan, X., Hong, Z., 2014. Dislipidemi And Outcome In Patients With Acute Ischemic Stroke. *Biomed Environ Sci*; 27(2): 106-110.
- Tiffany, L., Mathias, B.S., Karen, C., Albright, D.O., Amelia, K. B., George, B.S., et al., 2008. Cardiac Function and Short-Term Outcome in Patients with Acute Ischemic Stroke: A Cross-Sectional Study. 15(10): 1203–1214.
- Van Der Wal, A.C., Becker, A.E., Van Der Loos, C.M., Das, P.K., 1994. Site of intimal rupture or erosion of thrombosed coronary atherosclerotic plaques in characterized by an inflammatory process irrespective of the dominant plaque morphology. *Circulation*; 89: 36- 44.
- Vogel, R.A., Corretti, M.C., Gellman, J. 1998. Cholesterol, cholesterol lowering, and endothelial function. *Prog Cardiovasc Dis*, 41:117-36.
- Vogt, G., Laage, R., Shuaib, A., Schneider, A., VISTA Collaboration, 2012. Initial lesion volume is an independent predictor of clinical stroke outcome at day 90: an analysis of the Virtual International Stroke Trials Archive (VISTA) database. *Stroke*; 43(5): 1266-72. doi: 10.1161/STROKEAHA.111.646570.
- Vriz, O., Aboynans, V., D'Andrea, A., Ferrara, F., Acri, E., Limongelli, G., Corte, A.D., Driussi, C., Bettio, M., Pluchinotta, F.R., Citro, R., Russo, M.G., Isselbacher, E., Bossone, E. 2014. Normal Values of Aortic Root Dimensions in Healthy Adults. *Am J Cardiol*; 114: 921-927. DOI:10.1016/j.amjcard.2014.06.028.
- Vriz, O., Driussi, C., Bettio, M., Ferrara, F, D'Andrea, A., and Bossone, E. 2013. Aortic Root Dimensions and Stiffness in Healthy Subjects. *The American Journal of Cardiology*. DOI: 10.1016/j.amjcard.2013.05.06
- Wang, H.J., Si, Q.J, Shan, Z.L., Guo, Y.T., Lin, K., Zhao, X.N., Wang, Y.T., 2015. Effects of Body Mass Index on risks for ischemic stroke, thromboembolism, and mortality in Chinese Atrial Fibrillation Patients: A Single-Center Experience. *PLOS ONE*. DOI:10.1371/journal.pone.0123516
- Wang, J., Bai, L., Shi, M., Yang, L., An, Z., Li, B., Zhao, W., Gu, H., Zhan, C., Tu, J., Ning, X., 2016. Trends in Age of First-Ever Stroke Following Increased Incidence and Life Expectancy in a Low-Income Chinese Population. *Stroke*; 47: 929-935, doi:10.1161/STROKEAHA.115.012466.
- Weimar, C., König, I.R., Kraywinkel, K., Ziegler, A., Diener, H.C., and German Stroke Study Collaboration, 2004. Age and National Institutes of Health Stroke Scale Score within 6 hours after onset are accurate predictors of outcome after cerebral ischemia: development and external validation of prognostic models. *Stroke*; 35:158-162.
- Weiss, D., Sorescu, D., Taylor, W.R., 2001. Angiotensin II and Atherosclerosis. *Am J Cardiol*; 87 (suppl): 25C-32C.
- WHO MONICA. 1986. *Manual Version 1: 1*.
- Wira, C.R., Rivers, E., Capolino, C.M., Silver, B., Iyer, G., Sherwin, R., Lewandowski, C. 2011. Cardiac complications in acute ischemic stroke. *The western journal of emergency medicine*. 12(4): 414–464. doi:10.5811/westjem.2011.2.1765

- Wolak, A., Gransar, H., Thomson, L.E.J., Friedman, J.D., Hachamovitch, R., Gutstein, A., ...Berman, D.S., 2008. Aortic Size Assessment by Noncontrast Cardiac Computed Tomography: Normal Limits by Age, Gender, and Body Surface Area. *JACC: CARDIOVASCULARIMAGING*, 1 (2). DOI:10.1016/j.jcmg.2007.11.005.
- Wolberg, A.S., Aleman, M.M., Leiderman, K., Machlus, K.R., 2012. Procoagulant Activity in Hemostasis and Thrombosis: Virchow's Triad Revisited. *Anesth Analg.*; 114(2): 275-285. doi: 10.1213/ANE.0b013e31823a088c
- Wood, E., Ma, J.T.C., Robinson, J.D., Yu, Y.L., 1988. Hyperglycaemia is a Stress Response in Acute Stroke. *Stroke*, (19): 1359-1364.
- World Health Organization, 2006. *The world health report 2006: working together for health*. Geneva, Switzerland
- Wu, W., Huo, X., Zhao, X., Liao, X., Wang, C., Pan, Y., Wang, Y., Wang, Y., TIMS-CHINA investigators. 2015. Relationship between Blood Pressure and Outcomes in Acute Ischemic Stroke Patients Administered Lytic Medication in the TIMSChina Study. *PLOS ONE* 11(2): e0144260. doi:10.1371/journal.pone.0144260
- You, S., Zheng, D., Zhong, C., Wang, X., Tang, W., Sheng, L., Zheng, C., Cao, Y., Liu, C.F., 2017. Prognostic Significance of Blood Urea Nitrogen in Acute Ischemic Stroke. *Circ J*; 82: 572-578. doi:10.1253/circj.CJ-17-0485
- Yudiarto, F., Machfoed, M., Darwin, A., Ong, A., Karyana, M., Siswanto, 2014. Indonesia Stroke Registry. *Neurology*, 82(Suppl-10): S12.003. DOI: 10.21705/mcbs.v2i2.28