

DAFTAR PUSTAKA

- Achilles, S.L., Austin, M.N., Meyn, L.A., Mhlanga, F., Chirenje, Z.M., Hillier, S.L. (2018). Impact of contraceptive initiation on vaginal microbiota. *American Journal of Obstetrics and Gynecology*, pp. 1–10.
- Achondou, A. E., Fumoloh, F. F., Aseneck, A. C., Awah, A. R., & Utokoro, A. M. (2016). Prevalence of bacterial vaginosis among sexually active women attending the cdc central clinic tiko, south west region, Cameroon. *African Journal of Infectious Diseases*, 10(2), 96–101
- Amsel, R., *et al.* (1983). Nonspecific Vaginitis Diagnostic Criteria and Microbial and Epidemiologic Associations. *American Journal of Medicine*, 74 (January), pp.14–22.
- Anggrayni, F., Titiek, H. (2011). Correlation between Nutrient Intake with Insidence of Under Nutrition in Working Area of Puskesmas Kasihan I Bantul. *Skripsi*. Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah, Yogyakarta.
- Arab, H., Almadani, L., Tahlak, M., *et al.* (2011). The Middle East and Central Asia guidelines on female genital hygiene. *BMJ Middle East* 2011; 19: 99–106.
- Aroutcheva, A, Gariti, D., Simon, M., Shott, S., Faro, J., Simoes, J.A., Gurguis, A., Faro, S. (2001). Defense factors of vaginal lactobacilli. *American Journal of Obstetrics and Gynecology*, 185:375–379.
- Baruah, F.K., Sharma, A., Das, C., Hazarika, N.K., Agarwalla, R. (2014). Prevalence and epidemiological correlates of bacterial vaginosis among non pregnant female at tertiary care center in Assam, India. *Annals of Tropical Medicine and Public Health*, 7(2), 91-95.
- Basso, J.M. (2003). Sexual Anatomy. *The Underground Guide to Teenager Sexuality 2nd edition* (p.32). Retrieved from <https://books.google.com>.
- Bautista, C.T., Wurapa, E., Saterren, W.B., Morris, S., Hollingsworth, B., Sanchez, J.L. (2016). Bacterial vaginosis: a synthesis of the literature on etiology, prevalence, risk factors, and relationship with chlamydia and gonorrhea infections. *Military Medical Research*, 3:4.
- Bennett, J., Mandell, D. (2015). The Human Microbiome of Local Body Sites and Their Unique Biology. *Bennett's principles and practice of infectious disease* (p.17). Retrieved from <https://books.google.com>.

- Bhaskaram, P. (1997). Nutrition and Immune response. Textbook of Human Nutrition, eds Mehtab S Bamji, N Pralhad Rao and Vinodini Reddy.16: 211-219.
- Bitew, A., Abebaw Y., Bekele D., Mihret A. (2017). Prevalence of bacterial vaginosis and associated risk factors among women complaining of genital tract infection. *International Journal of Microbiology*.
- Blackwell, A.L. (1999). Vaginal bacterial phaginosi. *Sexually Transmitted Infection*, 75: 352-53.
- Bradshaw, C. S., Walker, J., Fairley, C. K., Chen, M. Y., Tabrizi, S. N., Donovan, B., Hocking, J. S. (2013). Prevalent and Incident Bacterial Vaginosis Are Associated with Sexual and Contraceptive Behaviours in Young Australian Women. *PLoS ONE*, 8(3), e57688.
- Brotman, R.M., Klebanoff, M.A., Nansel, T.R., *et al.* (2008). A Longitudinal Study of Vaginal Douching and Bacterial Vaginosis—A Marginal Structural Modeling Analysis', *American Journal of Epidemiology*. 168(2):188-196.
- Cemek, F., Odabas, D., Senel, U., Kocaman, A.T. (2015). Personal hygiene and vulvovaginitis in prepubertal children. *Journal of Pediatric and Adolescent Gynecology*, vol 29 p 223-227.
- Centers for Disease Control and Prevention. (2015). Sexually Transmitted Disease treatment guidelines. Retrieved from : <https://www.cdc.gov/std/tg2015/tg-2015-print.pdf>
- Christian, P., Labrique, A.B., Ali, H., Richman, M.J., Wu, L., Rashid, M., West, K.P. (2011). Maternal vitamin A and β -carotene supplementation and risk of bacterial vaginosis: a randomized controlled trial in rural Bangladesh. *The American Journal of Clinical Nutrition*, Volume 94, Issue 6, pp 1643–1649.
- Cottrell, Barbara Hansen. (2003). Vaginal Douching. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, vol 32 p. 12-18.
- Cuevas, A., Celis, C., Herrán, S., Hernández, I., Paredes, O., Paradas, A. (2010). Intimate hygiene and bacterial vaginosis: Epidemiological Latinoamerican Survey 2008. *Revista Colombiana de Obstetricia y Ginecología*, 61(3), 198–206. Retrieved from <http://www.scielo.org.co/pdf/rcog/v61n3/v61n3a03.pdf>.
- Dahlan, M.S. (2016). Menggunakan rumus besar sampel secara benar. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan* (p.46,59). Retrieved from <https://books.google.com>.

- Departemen Kesehatan Republik Indonesia. (2013). Riset Kesehatan Dasar 2013. *Status Gizi Penduduk Dewasa*. Depkes RI. Jakarta.
- Dewi, N.A. (2017). Hubungan Kejadian Vaginosis Bakterial berdasarkan Tingkat Asupan Gizi. *Tesis*. Program Pendidikan Dokter Spesialis I, Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada, Yogyakarta
- Donders, Gilbert. (2010). Diagnosis and management of bacterial vaginosis and other types of abnormal vaginal bacterial flora: a review. *Obstetrical and Gynecological Survey*. 65(7):462-473.
- Dorland, W.A. Newman. (2012). Kamus Kedokteran Dorland Edisi 28. Jakarta: Buku Kedokteran EGC.
- Guaschino, S., Seta, F. De., Piccoli, M., Maso, G., Alberico, S. (2006). Aetiology of preterm labour: bacterial vaginosis. *International Journal of Obstetrics and Gynaecology*, vol. 113, Issue s3.
- Hemalatha, R., Ramalaxmi, B. A., Swetha, G. K., Rao, M., Charyulu, S., & Kumar, D. (2012). Nutritional status, bacterial vaginosis and cervical colonization in women living in an urban slum in India. *International Journal of Nutrition and Metabolism*;4(5): 77–82.
- Hillier, S. L., Nugent, R. P., Eschenbach, D. a, Krohn, M. a, Gibbs, R. S., Martin, D. H., Klebanoff, M. (1995). Association between bacterial vaginosis and preterm delivery of a low- birth-weight infant. *New England Journal of Medicine*, 333(26): 1737–42.
- Holzman, C., Leventhal, J. M., Qiu, H., Jones, N. M., Wang, J., & the BV Study Group. (2001). Factors Linked to Bacterial Vaginosis in Nonpregnant Women. *American Journal of Public Health*, 91(10), 1664–1670.
- Jaspers, V., Menten, J., Smet, H., Poradosú, S., Abdellati, S., Verhelst, R., Hardy, L., Buvé, A. & Crucitti, T. (2012). Quantification of bacterial species of the vaginal microbiome in different groups of women, using nucleic acid amplification tests. *BMC Microbiology*, vol. 12, no. 1, p. 1.
- Joesoef, M. R., Karundeng, A., Runtupalit, C., Moran, J. S., Lewis, J.S., Ryan, C.A., (2001). High rate of bacterial vaginosis among women with intrauterine devices in Manado, Indonesia. *International Reproductive Health Journal*, vol. 64, pp. 169-172.

- Klebanoff, M.A., *et al.* (2010). Personal hygienic behaviors and bacterial vaginosis. *Sexually Transmitted Disease*, 37(2): 94–99.
- Kouman, E.H., *et al.* (2007). The Prevalence of Bacterial Vaginosis in the United States, 2001–2004; Associations With Symptoms, Sexual Behaviors, and Reproductive Health. pp 864-869.
- Landis, J.R., Koch, G.G. (1977). *The measurement of observer agreement for categorical data. Biometrics*. 33 (1): 159–174. Livengood, C. H. (2009). Bacterial Vaginosis: An Overview for 2009. *Reviews in Obstetrics and Gynecology*, 2(1), 28–37.
- Macklaim, J. M., Gloor, G. B., Anukam, K. C., Cribby, S., & Reid, G. (2011). At the crossroads of vaginal health and disease, the genome sequence of *Lactobacillus iners* AB-1. *Proceedings of the National Academy of Sciences*, 108 (Supplement_1), 4688–4695.
- Madden, T., Grentzer, J. M., Secura, G. M., Allsworth, J. E., & Peipert, J. F. (2012). Risk of Bacterial Vaginosis in Users of the Intrauterine Device: A Longitudinal Study. *Sexually Transmitted Diseases*, 39(3), 217–222.
- Madhivanan, P., Krupp, K., Chandrasekaran, V., Karat, C., Arun, A., Cohen, C., Klausner, J. (2008). Prevalence And Correlates Of Bacterial Vaginosis Among Young Women Of Reproductive Age In Mysore, India. *Indian Journal of Medical Microbiology*, 26(2), 132–137.
- Martino, J. L., Vermund, S. H. (2002). Vaginal douching: evidence for risks or benefits to women's health. *Epidemiologic reviews*, 24(2), 109-24.
- McHugh, M. L. (2012). Interrater reliability: the kappa statistic. *Biochemia Medica*, 22(3), 276–282.
- Melvin, L., Glasier, A., Elton, R. & Cameron, S.T. (2008). pH-balanced tampons: Do they effectively control vaginal pH?. *BJOG: An International Journal of Obstetrics and Gynaecology*, vol. 115, no. 5, pp. 639–45.
- Mohammadzadeh, F., *et al.* (2015). Diagnostic Value of Amsel's Clinical Criteria for Diagnosis of Bacterial Vaginosis. *Global journal of health science*, 7(3), p.39836.
- Ness, R. B., S. L. Hillier, H. E. Richter, D. E. Soper, C. Stamm, J. McGregor, D. C. Bass, R. L. Sweet, and P. Rice. (2002). Douching in relation to bacterial vaginosis, lactobacilli, and facultative bacteria in the vagina. *Obstetric and Gynaecology*, 100:765-772.

- Nugent, R.P., Krohn, M.A. & Hillier, S.L. (1991). Reliability of diagnosing bacterial vaginosis is improved by a standardized method of gram stain interpretation. *Journal of Clinical Microbiology*, 29(2), pp.297–301.
- Ocviyanti, D., Rosana, Y., Olivia, S., & Darmawan, F. (2010). Risk factors for bacterial vaginosis among Indonesian women. *Medical Journal Indonesia*, 19(2), 130–135.
- Pattern, J.H., Susanti. (2001). Reproductive health and STDs among clients of a women's health mobile clinic in rural Bali, Indonesia. *International Journal of STD AIDS*, 12(1), 47-49.
- Pavlova, S.I., *et al.* (1997). Phage Infection in Vaginal Lactobacilli: An In Vitro Study. *Infectious Disease Obstetric Gynecology*. 5: 36-44.
- Petrova, M.I., Lievens, E., Malik, S., Imholz, N. & Lebeer, S. (2015). Lactobacillus species as biomarkers and agents that can promote various aspects of vaginal health. *Frontiers in Physiology*, vol. 6, no. MAR, pp. 1–18.
- Pramanik, M., Kerkar, S.C. (2009). Bacterial vaginosis a cause of infertility?. *International Journal of Sexually Transmitted Disease and HIV*, vol. 20, pp. 778-781.
- Rampersaud, R., Planet, P.J., Randis T.M., *et al.* (2011). Inerolysin, a Cholesterol-Dependent Cytolysin Produced by *Lactobacillus iners*. *Journal of Bacteriology*, 193(5):1034-1041.
- Ranjit, E., Raghubanshi, B. R., Maskey, S., & Parajuli, P. (2018). Prevalence of Bacterial Vaginosis and Its Association with Risk Factors among Nonpregnant Women: A Hospital Based Study. *International Journal of Microbiology*, 8349601.
- Rezk, M., *et al.* (2017). Risk of bacterial vaginosis, *Trichomonas vaginalis*, and *Candida albicans* infection among new users of combines hormonal contraception vs LNG IUS. *The European Journal of Contraception and Reproductive Healt Care*, pp.344-348.
- Rifkin, S. B., Smith, M. R., Brotman, R. M., Gindi, R. M., & Erbeling, E. J. (2009). Hormonal contraception and risk of bacterial vaginosis diagnosis in an observational study of women attending STD clinics in Baltimore, MD. *Contraception*, 80(1), 63–67.
- Riggs, M., Klebanoff, M., Nansel, T., Zhang, J., Schwebke, J., Andrews, W. (2007). Longitudinal association between hormonal contraceptives and bacterial vaginosis in women of reproductive age. *Sexually Transmitted Disease*, 34(12),954-9.

- Roos, S., Engstrand, L., Jonsson, H. (2005). *Lactobacillus gastricus* sp. nov., *Lactobacillus antri* sp. nov., *Lactobacillus kalixensis* sp. nov. and *Lactobacillus ultunensis* sp. nov., isolated from human stomach mucosa. *International Journal of Systemic and Evolution Microbiology*, 55(Pt1):77–82.
- Sumarah S, Widyasih H. (2017). Effect of Vaginal Hygiene Module to Attitudes and Behavior of Pathological Vaginal Discharge Prevention Among Female Adolescents in Sleman reGENCY, Yogyakarta, Indonesia. *Journal of Family Planning and Reproductive Health*, 11(2): 104-9.
- Suresh, A., Rajesh, A., Bhat, R.M., Rai, Y. (2009). Cytolytic vaginosis: A review. *Indian Journal of Sexually Transmitted Diseases*, 30(1):48-50.
- Tohill, B.C., *et al.* (2007). Nutritional biomarkers associated with gynecological conditions among US women with or at risk of HIV infection. *The American Journal of Clinical Nutrition*, Volume 85, Issue 5, pp 1327–1334,
- Truter, I. (2013). Bacterial vaginosis: Literature review of treatment options with specific emphasis on non-antibiotic treatment. *African Journal of Pharmacy and Pharmacology*, 7(48), 3060–3067.
- Verstraelen, H., Delanghe, J., Roelens, K., Blot, S., Claeys, G., Temmerman, M. (2005). Subclinical iron deficiency is a strong predictor of bacterial vaginosis in early pregnancy. *BMC Infectious Diseases*, 5, 55.
- Vodstrcil, Lenka., H., Jane, L., Matthew, W., Sandra, T., Sepehr, F., Christopher, B., Catriona. (2013). Hormonal Contraception Is Associated with a Reduced Risk of Bacterial Vaginosis: A Systematic Review and Meta-Analysis. *PloS one*. 8. e73055. 10.1371/journal.pone.0073055.
- Watcharotone, W., Sirimai, K., Kiriwat, O., Nukoolkarn, P., Watcharaprapapong, O., Pibulmanee, S., Chandanabodhi, S., Leckyim, N.A., Chiravacharadej, G. (2004). Prevalence of Bacterial Vaginosis in Thai Women Attending The Family Planning Clinic , Siriraj Hospital. *Journal Medical Association Thai*, 87(12), 1419–1424.
- Widyaningrum, N., Wahtini, S. (2015). Pengaruh penyuluhan tentang personal hygiene terhadap perilaku personal hygiene saat menstruasi di MTS Negeri Gubuk Rubuh Gunungkidul Yogyakarta. Naskah Publikasi. Sekolah Tinggi Ilmu Kesehatan Aisyah Yogyakarta.
- Witkin, S.S., Soares, H.M., Linhares, I.M., Jayaram, A., Ledger, W.J., Forney, L.J. (2013). Influence of Vaginal Bacteria and d- and l-Lactic Acid Isomers on Vaginal Extracellular Matrix Metalloproteinase Inducer: Implications for

Protection against Upper Genital Tract Infections. *American Society for Microbiology*, 4(4): e00460-13.

Zaba, B., Pisani, E., Slaymaker, E., & Boerma, J. T. (2004). Age at first sex: Understanding recent trends in African demographic surveys. *Sexually Transmitted Infections*, 80(SUPPL. 2), 28–35.